718 —

BROADHANGER

1931 – 1933

780201

718.

FORM 1090. **B** Month
Summ

n.

, The following register of monthly t
&c., is NOT required if daily or w
values are given on the other side.

ction and also the space for

this register should be sent:—

RAINFALL IN 1931

At Broadhanger

In the County of Hants

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* — *in.*
Height of Ground above Sea Level 730 *ft.*

in Summer

stance Direction from gauge

stance Direction from gauge

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	3·50	·65	23	18	14
FEB.	3·22	·67	~~27~~ ″	21	17
MAR.	·75	·31	22	9	3
APRIL	4·44	·94	24	17	14
MAY	3·23	·75	27	14	12
JUNE	1·76	·37	5	11	9
JULY	3·90	·85	25	18	16
AUG.	6·49	1·75	5	12	11
SEPT.	2·89	·71	12	10	8
OCT.	·75	·23	6	5	4
NOV.	5·28	·85	9	16	14
DEC.	1·11	·23	5	9	7
Total	37·32			160	129

Signature H. Durnford

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

f gauge has been moved during the year state—

ate of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of auges which do not represent it. If the pattern is different from any of these please ake a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please ive the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers o the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
4 JAN1932

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

718

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Broadhanger

In the County of Hants

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 730 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	3·50	·65	23	18	14
FEB.	3·22	·67	28	21	17
MAR.	·75	·31	22	9	3
APRIL	4·44	·94	24	17	14
MAY	3·23	·75	27	14	12
JUNE	1·76	·37	5	11	9
JULY	3·90	·85	25	18	16
AUG.	6·49	1·75	5	12	11
SEPT.	2·89	·71	12	10	8
OCT.	·75	·43	6	5	4
NOV.	5·28	·85	9	16	14
DEC.	1·11	·43	5	9	7
Total	37·32			160	129

Signature H.C. Durnford

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

ame and Address to which any inquiry relating to this register should be sent:—

our of observation by the clock—in Winter............in Summer............

earest Railway Station............ Distance............ Direction from gauge............

earest Parish Church at............ Distance............ Direction from gauge............

ature of objects nearest to gauge				
eights of objects				
istances ..				
irections from gauge ..				

gauge has been moved during the year state—

ate of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of auges which do not represent it. If the pattern is different from any of these please ake a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please ive the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers o the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
4 JAN 1932

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is **not** to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

718

Section | **A** | **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Broadlangar

in the County of Hants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 730 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		40·36 31
TOTAL	4·64	·20	2·47	4·16	4·57	1·15	4·57	2·01	4·85	7·61	2·78	1·41	YEAR'S TOTAL ~~40·86~~
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Henry C. Durnford

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 718

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Broadhanger

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 730 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31	4	×		×		×			×		×			31
TOTAL	2·68	4·73	5·30	·97	2·39	2·02	2·65	1·31	3·83				Year's Total	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side. W

† Spare column, no entries required.

(*Signed*) [P.T.O.

Section **A** for the entry of D

AIR MINISTRY.

718/5 —

PRIVETT

THE VICARAGE

1933 - 1939

780201

Station No. 718/5

AINFALL ORGANIZATION.

Hants/5

FORM 1090.

REGIST … 1933.

Kept at X Privett The Vica

in the County of Hants

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

3

THE MORNING MEASUR … S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											·03		2
3											·01		3
4											·05		4
5													5
6										·08	·06		6
7										·18		·02	7
8										·18			8
9										·20			9
10										·45	·04	·01	10
11										·03	·02		11
12												·02	12
13										·01	·04		13
14										·52	·46		14
15										·04			15
16											·01		16
17											·03		17
18											·02		18
19											·01	·04	19
20													20
21										·02	·01	·01	21
22										·23	·03		22
23										·25			23
24										·01	·01		24
25											·02	·14	25
26										·06		·01	26
27										·15		·41	27
28										·17		·10	28
29										·06			29
30		×								·01		·07	30
31		×		×		×			×		×		31
TOTAL										2·65	·96	·83	YEAR'S TOTAL ins
*Days with ·01 in. or more.										18	16	10	–
*Days with ·04 in. or more.										13	5	5	–

40-9999

*See Instruction 2 (*f*) on other side.

D N X REV. F.P. SYNGE X

(Signed) Francis P. Synge

P.T.O.

Section **A** for the entry of ~~Daily Observations~~. Station No. 718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Hants/5

Kept at X Privett The Vicarage X X

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 8 in

,, Ground ,, Sea Level 600 ft.

c 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											·03		2
3										—	·01		3
4											·05		4
5													5
6										·08	·06		6
7										·18		·02	7
8										·18			8
9										·20			9
10										·45	·04	·01	10
11										·03	·02		11
12												·02	12
13										·01	·04		13
14										·52	·46		14
15										·04			15
16											·01		16
17											·03		17
18											·02		18
19											·01	·04	19
20													20
21										·02	·01	·01	21
22										·23	·03		22
23										·25			23
24										·01	·01		24
25											·02	·14	25
26										·06		·01	26
27										·15		·41	27
28										·17		·10	28
29										·06			29
30		✕								·01		·07	30
31		✕		✕		✕			✕		✕		31
TOTAL										2·65	·96	·83	YEAR'S TOTAL
*Days with ·01 in. or more.										18	16	10	–
*Days with ·04 in. or more.										13	5	5	–

40-9999

*See Instruction 2 (*f*) on other side.

D N x REV. F. P. SYNGE X

(Signed) Francis P. Synge

P.T.O.

PRIVETT (THE VICARAGE) £ 312794/34

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

II / Hants / 5

Kept at Privett Vicarage
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 8 in.
,, Ground ,, Sea Level about 600 ft.

C. mp 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02					·02		·69		·16	·07	·84		1
2	·10		·11	·22	·59				1·35	·29	·01	·50		2
3	·11	·06		·04				·06		·13		·33		3
4	·20		·20	·30	·24			·05	·01	·46	·03	·64		4
5	·02		·02					·20		·06	·08	·66		5
6	·03		·41	·05	·26	·27		·09		·15	·22	1·00		6
7	·07					·09		·27		·10		·74		7
8					·25			·03	·23	·27	·87	·11		8
9	·03		·18		·01						1·54	·66		9
10	·06		·45	·27				·08			·58	·11		10
11	·93	·01	·52	·34			·05	·04				·58		11
12	·06		·02	·03			·19	·18				·15		12
13	·54	·01	·03	·15			·62	·03			·18	·21		13
14	·13		·58	·05		...					·43	·73		14
15	·01	·01	·04		·19				·02	·03	·17	·85		15
16	·30		·52						·02	·11		·02		16
17	·20		·02	·04	·11				·05		·02	·37		17
18	·18		·05	·40					·12	·15		·45		18
19	~~·18~~		·67	·10		·09		·04	·17	·01	·01	·15		19
20			·08	·16	·01	...	·40	·03	·02	·03		·02		20
21			·02	·35		·22		·15	·01	·20		·01 fog		21
22		·02					·34	·29	·42		·01 fog	·11		22
23	·01	·02		·36		·35		·02	·02	·01	·01 fog	·07		23
24		·03	·08	·09		·06	·08	·14	·21					24
25	·30	·03		·24						·23		·90		25
26	·03			·47		·25			·08	·01	·01 fog	·10		26
27	·01			·02		·07			·15			·44		27
28						·27	·01	·88			·01 fog	·50		28
29							·02	·30	·16		·02	·03		29
30	·08	×						·16	·02			·55		30
31	·02	×		×		×			×		×	·20		31
TOTAL	3·44	·19	4·00	3·68	1·66	1·71	1·71	3·73	3·06	2·40	4·27	12·03	Year's Total. 41·88	
* Days with .01 in. or more.	23	8	18	19	8	10	8	20	17	18	18	30	197	
* Days with .04 in. or more.	14	1	13	17	6	9	6	16	10	11	9	26	138	

V. G. print

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

REV. F. P. SYNGE

(Signed) Francis P. Synge

P.T.O.

718/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~71375~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Privett Vicarage

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level about 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13		·13		·08	·03	·55		·39	·25	·34	·01		1
2			···			·03			·10	·54	·09			2
3			·05	···		·01			·20	1·56	·20			3
4		·06		·21		·06			·04	·30	1·00	·16		4
5		·25	·13	·18		·17			·38	·04	·10	·02		5
6		·02	·02	·30		1·49					·07	···		6
7		···		·35		·27				·18	·89	·15		7
8				·40		·11			·02	·38	·72	·02		8
9	·10			·53		·83			·15	1·20	·17			9
10	·19		·40	·01		·02					·22	·02		10
11	·28	·03		·15		·45	·05			·02	·81			11
12	·04	·07				·35		·04	·13		·75			12
13	·08	·16		·33	·05	·05			·04		·03			13
14	·01	·02		·02	·12	·04			·05	·01	·23	·23		14
15		·21		·74		·02			·22	·01	·45	·07		15
16		·07	·07	·21		·27			1·31	·05	·98			16
17				·25		·25		·08	·51		·44			17
18		·07		·47	·02	·02	·04		·07	·05	·05			18
19		·02		·04	·60	·05	·37		·07	·07	·25			19
20	·01	·55		·06	·05	·05	·09				·55			20
21	···	·68		·03					·02	·04	·01	·02	} Frost	21
22		·11	·01	·07				·04	·20	·01	·01	·02		22
23	·01	·02	·08	·02				·33		·46		·20		23
24	·05	·78			·12			1·10	·66	·04	·01	·41		24
25	·06	·33		·14	·17			·01			·02	·44		25
26		·54				·05		·29	·21		···	·55		26
27		·74					···	·01	·27		·20	·50		27
28		·09			·03			·02	·55	·02	·02	·23		28
29								·11	·60	·06	·03	·67		29
30	·12	×		·15				·97	·05	·26	·87	·80		30
31		×		×	···	×			×	1·00	×	·63		31
TOTAL	1·08	4·82	·89	4·66	1·24	4·62	1·10	3·00	6·24	6·55	9·51	5·15	Year's Total. 48·86	
* Days with .01 in. or more.	12	20	8	21	9	21	5	11	23	22	27	19	198	
* Days with .04 in. or more.	9	15	6	17	7	15	5	8	21	17	21	13	154	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Francis P. Gauge

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No ~~718~~ 718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Privett Vicarage
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 9 in.
,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·30	·08	·07	·65		·36	·24	·05			·08	·11		1
2	·02	·10	·02	·02		·05	·44	·13			·01			2
3		—	—	·37		~~[illegible]~~	·08		·44		·44	·01		3
4		—	·19			·06			·30		·16	·05		4
5	·69	—	·06					·12	·12		·02	·05		5
6	·82	—	—			·04		·04	·40		·65			6
7	·14	—	·17				·07		·05		·25	·13		7
8	·68	—	·12				·26				·34	·16		8
9	·60		·12				·30		·23		·01			9
10	·11		—				·15	·38	·03		·22	·01		10
11	·09	·24	—	·05			·03	·10	·23		1·60			11
12	·01		—	·16		·25	·60		·33	~~[illegible]~~	·21	·17		12
13	—					·12	·02		·06	·03	·15	·66		13
14	—	·16				·15	·55		·02	·04	·13	·89		14
15	—	·07					·10		·12	·01	·09	·50		15
16	·12	·37					·19				·18	·15		16
17	·04	1·12			·24		·02	·02	·03	·02	·21	·70		17
18	·10	·47				1·00	·32			·02	·01	·23		18
19	·41	·09	·07	·02		·25	·01	·27		·01	·03	·01		19
20	·15	·09	·16	·53		·04	·01	..	·86					20
21	Rv	·08	—	·71	·01	·26	·11		·03		·02	·01		21
22	·16	·49	·16	—	·32		·31		·01			·07		22
23	·06	—	·44	·15	·09		·75			·12				23
24	R·10	·11	—		·13		·02		·01	·47		·02		24
25	·09	·01	·12	·31	·13		·16		·08	·20	·06	·01		25
26	·15	·24	·10			·03	·19		·04	·17	·01	·02		26
27	·72	·01	·03				·02		·26	·26				27
28	1·12	—	·41				·33					·31		28
29	·02	·11	·14			·54	·06			·10	·30	·08		29
30	·38	×	·01		·01	·25	·02			·15		·01		30
31	·16	×	·44	×	·01	×	·24		×	·29	×	·68		31
TOTAL	7.24	3·84	2·84	2·97	·84	3.40	5·45	1·11	3·61	1·89	4·98	5·04	Year's Total. 43·21	
* Days with .01 in. or more.	25	17	18	10	8	14	28	8	19	14	23	24	268	
* Days with .04 in. or more.	22	15	15	8	4	13	20	7	13	9	15	16	157	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Francis P. Synge

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Privett Vicarage

in the County of Hants Alton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 9 in.

,, Ground 2' 9 Sea Level 630 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·76	·13		·03					·02	·03	1·14	·66		1
2	·03	1·10		·20					·87			·39		2
3	·02	·29	·02	·01			·03				·01	·02		3
4	·15	1·35									·01	·27		4
5	·37	·05	·14	·03			·17		...		·01			5
6	·22	·06	1·00x	·02	·16		·03			·05	·02			6
7		·62		·24	·14				·02	·05		·40x		7
8	·02	·02	·02		·14	·01					·03	·09		8
9			~~·02~~	·41	·11	·06	·15		·33	·01		·14		9
10		·02	·61	·20	·19	·27		·02				·65		10
11	·02		·13		·27	·12	·20					·02		11
12	·77	·30	·27	·12	·45	·27	·03	·40	·10			·48		12
13	·26	·07	·98	·23	·04			·07	·37			1·08		13
14	·03	·03	·31	·73				·10	·22			·02		14
15	·45	·27		·34			·55		·20		·01	·06		15
16	·01	·17	·72	·21		·04		·60	·77					16
17	·78	·01	·22	·01			·02		·09		·04			17
18	·40	·15							·16		·10	·10		18
19	·10	·15	·12	·40		·12	·04		·05	...		·02		19
20	·94	·01	·09	·28	·13	·03				·01		·05		20
21	1·10	·40	·03	·02	·04		·05				·02	·12		21
22	·62	·04	·36		·35	·38	·20			1·25	·78	·23		22
23	·27	·15	·02		·24		·08		...	·46	·44	·03		23
24	·60	·44	·02		·01		·04		·12	·82		·02		24
25	·25	·66	·27		·67				·12	·71				25
26		·38	·02							·14	·02			26
27	·10	·24		·15						·46				27
28	·09	·03		·01						·06		·03		28
29	·01					·05				·08	·11	·03		29
30	·52	✕				·05		...		·27	·39			30
31	·47	✕		✕		✕			✕	1·06	✕	·03		31
TOTAL	9·37	7·14	5·56	3·64	3·07	1·40	1·59	1·20	3·00	5·46	3·13	4·94	Year's Total 49·50	✓ ✓
* Days with .01 in. or more.	27	26	19	19	14	11	13	5	14	15	15	23	201	✓ ✓
* Days with .04 in. or more.	20	20	13	12	13	9	9	4	12	12	10	14	145	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side. x Snow

(*Signed*) Francis P. Synge [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Privett Vicarage

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 9 in.

" Ground " Sea Level 630 ft.

Feb. Aug. & Ann. Totals for Rain }
Feb. & Ann. Totals for Wet days } Corr. for Ant.
23. 2. 39.
EMF.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·09	···		·02	·15	·18		·02	·08		·15		1
2	·02	···		·03	·02		·05			·37	·02	·03		2
3					·11	·02				·86	·12	·		3
4	·04						·21	·02	·	·38	·01	·27		4
5				·02			·23	·01		·35	·02			5
6	·04					·03	·09		·24	·09	·06	·05		6
7						·02	·45	·20	·06	·38	·02	·06		7
8	·27						·19	·03	·02	·37	·01	·02		8
9	·18	·04				·13	·01			·04		1·28		9
10	·12	·03				·07	·03	·15		·04	·01	·16		10
11	·25									···	·35	·31		11
12	·56				·17					·23	·04			12
13	·34	·01			·01					·37	·67	·30		13
14	·52		·01		·11		·11		·01		·01	·01		14
15	·24	·04			·02		·89			·46	·02	·53		15
16	·49	·02	·06		·02		·02	·04		·09	·02	·03		16
17	·01	·03	·02				·03		·22	·14	·01			17
18	·15				·05	·02			·20		·62			18
19	·04							·16	·22		·21	·02		19
20	·01							·04	·15		·63	·03		20
21	·07		···						·12		·04	·58	7in. Snow	21
22	·02			···		·06		·34			·31	·21	Snow	22
23	···			···							·06			23
24		·01	·20						·22		·30			24
25	·18	·03	·17		·21		·02		·01	·03	1·33	·22		25
26	·46	·47	·07		·03	·02			·18	·18		·30		26
27	·24	·05			·15	·43	·71		·21	···	·52			27
28	·07	·14			·54	·21		·67	·15		·01	·11		28
29	·22				·49			·01	·12	·02	·24	·08		29
30	·16	▨			·22				·10	·06	·38	·01		30
31	·25	▨		▨	·36	▨			▨	·35	▨	·41		31
TOTAL	4·95	~~1·06~~ ·96	·53	·04	2·53	1·46	3·22	1·74 2	2·25	4·89	6·04	4·97	Year's Total 33·~~36~~ 28	33·26 ✓
* Days with .01 in. or more.	25	12	6	2	16	11	15	11	17	20	27	23	185	✓
* Days with .04 in. or more.	21	~~7~~ 6	4	~	10	6	10	7	13	18	16	15	12~~8~~ 6	✓

† Spare column, no entries required.

(*Signed*) ……………………………… [P.T.O.

* See Instruction 3 (f) on other side.

718/5

MID-WESSEX
RAINFALL
ASSOCIATION

Month of:

January 1940

Observer's Name and Address:

Francis P. Synge
Privett Vicarage
Hants

District: 4

Number: 11

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

× Snow. Rime 14th.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·75	26th		

Number of Rain days 16

1		·
2		·
3		·
4		·
5		·01
6		·38
7		·25
8		·01
9		·
10		·
11		·
12		·
13		·
14		·02
15	×	·01
16	×	·01
17		·
18	×	·03
19		·
20		·
21	×	·01
22	×	·02
23		·
24		·
25		·02
26		·75
27		·44
28		·54
29	×	·58
30		·
31		·02

TOTAL 3·10

Observer's Notes :

A bitterly cold month. The most arctic spell 16th to 21st. Min. 10° on grass, 17° in shelter. Deep snow at end of month. Little sunshine any time.

A remarkable phenomenon on 28th when half frozen rain fell & coated everything thickly with, stopping traffic; & making branches of trees so heavy that they fell down in thousands blocking the icy roads. Wires also were coated, & became like thick candles 1¼ in. in diameter. Few could stand the weight, & they also fell, adding to the confusion. Communications practically ceased for a time. It was almost a relief when 7" of snow fell on the 29th & covered the icy surfaces. Baromr. v. low at end of month, but calm, fog, no rain. Wind almost continually N. or E.

Signed : Francis P. Spage

MID-WESSEX RAINFALL ASSOCIATION

Month of:

February 1940

Observer's Name and Address:

Francis P. Synge
Priviett Vicarage
Hants.

District: 4

Number: 11

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

* Snow

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·75	16th	7·20	36

Number of Rain days 20

1	·01
2	·09
3	·38
4	·05
5	·02
6	·40
7	·35
8	·
9	·
10	·
11	*·05
12	*·01
13	*·02
14	·
15	·
16	*·75
17	·
18	·44
19	·07
20	·02
21	·
22	·01
23	·06
24	·
25	·
26	·47
27	·46
28	·04
29	·40
30	·
31	·
TOTAL	✓ 4·10

Observer's Notes :

Another most unpleasant month, with hardly any sunshine, ground so frozen or covered with snow that farm & garden work were impossible. Coldest spell 9th to 17th, lowest temperature of the winter 17th (12°) After that a thaw, but little sunshine except on 21st & 22nd Month began & ended with N. E. wind, South-westerly 18th to 28th. Barometer unsteady, ending at the highest point reached (30.30 in.) Very deep snow (9 in.) night of 16th-17th. Much illness.

Signed : Francis P. Gage.

MID-WESSEX
RAINFALL
ASSOCIATION

Month of:

March 1940

Observer's Name and Address:

Rev. F. P. Synge
Privett Vicarage
Hants.

District: 4

Number: 11

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·93	13th	11 [illegible] 11.08	51

Number of Rain days 15

1	·
2	·
3	·
4	·
5	·
6	·
7	·
8	·
9	·
10	·
11	·
12	·44
13	·93
14	× ·15
15	·01
16	·28
17	·42
18	·27
19	·03
20	·02
21	·
22	·02
23	·32
24	·
25	·51
26	·23
27	·02
28	·
29	·23
30	·
31	·
TOTAL	3·88

Observer's Notes :

A backward, unpleasant month
Severe frosts & a good deal of
Sunshine up to the 12th. Then
wet, cold & dull, with a few
pleasant days.
Thermometer only reached 80° in
the sun once (11th), while clear
sunshine in March can send
it to over 100°
Highest air temperature 11th &
15th, 56°
Wind NE first half, then
S.W, as usual.

Signed : Francis P. Synge

MID-WESSEX
RAINFALL
ASSOCIATION

Month of:

April 1940

Observer's Name and Address:

Rev. F. P. Synge
Privett
Hants

District: **4**

Number: **11**

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·42	18th	12·60	66

Number of Rain days 15

1	·
2	·25
3	·02
4	·
5	·
6	·
7	·
8	·
9	·
10	·
11	·03
12	·
13	-
14	·07
15	·01
16	·16
17	·
18	·42
19	·14
20	·12
21	·
22	·01
23	·
24	·
25	·
26	·01
27	·10
28	·03
29	·11
30	·04
31	·
TOTAL	1·52

Observer's Notes :

First half of month very cold & wintry. Frequent frosts, & hail & snow showers. Ground white early 17th. Then rapid warming up & pleasanter weather, though little sunshine. 21st to 23rd quite hot, when cuckoo began to sing. Max. temperature 68° 22nd. Rainfall 1¼ in, below average for 6 years.

Signed : Francis P. Synge

MID-WESSEX
RAINFALL
ASSOCIATION

Month of :

May 1940

Observer's Name and Address :

Rev. F. P. Gynge
Priestt Vicarage
Hants.

District 4

Number 11

NOTE : Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·21	26th	13·34	73

Number of Rain days 7

1	·
2	·
3	·
4	·
5	·
6	·
7	·02
8	·
9	·
10	·
11	·
12	·
13	·
14	·
15	·
16	·
17	·
18	·
19	·
20	·
21	·18
22	·
23	·
24	·
25	·01
26	·21
27	·01
28	·15
29	·16
30	·
31	·
TOTAL	/— ·74

MID-WESSEX
RAINFALL
ASSOCIATION

Month of:

June 1940

Observer's Name and Address:

Francis P. Synge
The Vicarage
Privett. Hants

District: 4

Number: 11

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·24	22nd	13·66	79

Number of Rain days	6	TOTAL	·32

1	·
2	·
3	·
4	·
5	·
6	·
7	·
8	·
9	·
10	·
11	·
12	·
13	·
14	·
15	·
16	·02
17	·
18	·
19	·
20	·
21	·
22	·24
23	·01
24	·
25	·02
26	·01
27	·
28	·
29	·02
30	·
31	·

Observer's Notes :

A beautiful sunny Summer month. Very enjoyable, but sad for the country owing to drought. Many fields bare - nothing can germinate. 'Produce more food' proved to be impossible without God's co-operation. Many crops wilting & failing.

Temperature in sun reached 114° on the 8th & reached or passed 100° on 12 days.

In the shade 84° was reached on the 9th & only one day the temperature did not reach 60° (58° on the 25th). 70° was reached or passed on 22 days.

Barometer was steady & high to the 21st, then fell to 29.3", rising again on the 26th after producing only a little rain.

Winds Easterly to the 10th & again 16th to 21st. Otherwise Westerly.

Signed : Francis P. Synge

MID-WESSEX
RAINFALL
ASSOCIATION

Month of :

July 1940

Observer's Name and Address :

(Rev.) Francis P. Synge
Privett Vicarage
Hants.

District 4

Number : 11

NOTE : Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·89	15th	16·76	96

Number of Rain days 17

1	·
2	·
3	·
4	....
5	·12
6	·30
7	·01
8	·06
9	·
10	·25
11	·11
12	·33
13	·18
14	·02
15	·89
16	·02
17	·02
18	·18
19	·15
20	·
21	·
22	·
23	·
24	·28
25	·12
26	·
27	·06
28	·
29	·
30	·
31	·
TOTAL	3·10

Observer's Notes :

A very satisfactory month for the country. Rain began in small amounts on the 6th, breaking a long drought, & growth was marvellous. It was in time to save the late potatoes & roots. In spite of a very wet S. Swithin's Day, the end of the month became gradually finer & very pleasant, often thundery, with big cumulus clouds. There were low temperatures at night, 40° on the 3rd (grass temperature) & 42° frequently. No great heat, the highest temperature here being 79° in the shade & 111° in the sun on the 2nd. . . 70° was seldom reached after the break on the 6th, but the month ended warm, 74° on the 31st.

Signed : Francis P. Synge

MID-WESSEX
RAINFALL
ASSOCIATION

Month of: August 1940

Observer's Name and Address:

Rev. F. P. Synge
Privett Vicarage
Hants.

District: 4

Number: 11

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·07	10th	16·91	101

Number of Rain days: 5

1	·
2	·
3	·
4	·
5	·
6	·
7	·
8	·
9	·03
10	·07
11	·
12	·
13	·
14	·01
15	·
16	·
17	·
18	·
19	·
20	·03
21	·01
22	·
23	·
24	·
25	·
26	·
27	·
28	·
29	·
30	·
31	·
TOTAL	·15

Observer's Notes :

Another month of drought. Thanks to the July rains, many crops ripened well, and were good, but some roots were failures.

August provided beautiful holiday weather when most people could not have holidays, as seaside places were deserted.

Temperatures in the sun exceeded 100° on 16 days, the highest being 113° on the 18th. In the early hours of the 23rd, there was very nearly frost, the thermometer recording 34° on the grass.

The barometer was above 30" from the 1st to the 5th, & again from the 11th to the 20th, & after a short lapse, from the 23rd to the end of the month.

There was sunshine every day except on the 14th. Wind nearly always Westerly – strong 20th & 21st

Signed : Francis P. Synge

MID-WESSEX RAINFALL ASSOCIATION

Month of:

September 1940

Observer's Name and Address:

Francis P. Synge
Privett Vicarage
Hants

District: 4

Number: 11

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in 24 Hours		Total for Year to date	
Inches	Date	Inches	No. of Rain Days
·62	19th	18·67	116

Number of Rain days 15

1	·
2	·
3	·
4	·
5	·
6	·
7	·01
8	·03
9	·03
10	·02
11	·
12	·23
13	·16
14	·01
15	·10
16	·28
17	·
18	·05
19	·62
20	·08
21	·01
22	·13
23	·01
24	·
25	·
26	·
27	·
28	·
29	·
30	·
31	·
TOTAL	1·76

Observer's Notes :

Great heat at the beginning of the month
the hottest part of the Summer. Temperature
in the Sun 114° on 1st, 4th & 5th, & over
100° daily till the 8th. Then a rapid
fall of temperature & a rainy spell,
but no great quantity of rain. The
month had a deficient rainfall of
about 1½ in. Except for the July
rainfall, the country would have
been a desert, without crops.
Winds Westerly till the 25th, when
N. & E. prevailed, with very chilly
weather – just a touch of frost on
the grass 25th – 26th. Maxm
temperature only 54° on the 30th,
25 deg. lower than early in the month

Signed : Francis P. Synge.

719

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEO

FORM 1090.

REGISTER

719
WINCHESTER
ST. CROSS
1931 - 1940

78 0201

FOR OFFICIAL USE.

ORGANIZATION.

600/29
719

Kept at St Cross Winchester
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground One
" Ground " Sea Level 13

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		7	1	5		5			10				1
2	24	5		58				2	60			4	2
3	1		27	11	8			7	65	2	·16	24	3
4			9		2		24	3	16		52	1	4
5		8		21	4	42		29	3	2	6	30	5
6		11		32		6	2		8		21		6
7					13	23		50	3	41	33	2	7
8		19		3	1 35	30 71 101	2	12		16	·6	3	8
9		11		6		5 111				2	71	2	9
10		23				13	3	7			25		10
11	15	55							3		23		11
12							2		26		1		12
13							22						13
14		14				6	140	57	1		2		14
15	1	5		2	10		58	39	1			3	15
16		5			17	16		21	7 203				16
17	1	10		15		29	30 283	5	12				17
18	6	1	4	4		10	14	131 363			57		18
19	11			27		23		18					19
20		9	12	2 186				47					20
21	8				16								21
22	27												22
23	40 11	4		18 204	34						28	1	23
153 24	9			53	21	25	27	42			1		24
25	22			56	4 20		20				7		25
26		moisture		19			35				30		26
27	19	41		2	97 227		10				2		27
28	3	11		21	24 251							3	28
29	11·5			355	27		8			7 10		3	29
30	3	✕						2			4		30
31	34·5	✕		✕	7	✕			✕		✕	3	31
TOTAL	246	232	53	355	285	233	397	472	215	·70	38·5	·79	YEAR'S TOTAL
		478	531	886	1171	1464	18.01	22.73	24.88	25.58	29.43		30·22
Days with ·01 in. or more.	17	16 33	5 38	18 56	15 71	13 84	15 99	16 115	5 120	6 126	18 144	12	156
Days with ·04 in. or more.	13	15 28	4 32	14 46	13 59	13 72	11 83	13 96	2 98	3 101	14 115	3	118

40-9999

(Signed) Gregory M. Mathews [P.T.O.

719

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1921.

Kept at St Cross Winchester
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground One ft. in.
" Ground " Sea Level 135 ft.

File Ref. 895600/29
Station No. 719

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		7	1	5		5			10				1
2	24	5		58				2	60			4	2
3	11		27	11	8			7	65	2	·16	24	3
4			9		2		24	3	16		52	1	4
5		8		21	4	42		29	3	2	6	30	5
6		11		32		6	2		8		21		6
7					13	23		50	3	41	33	2	7
8		19		3	1 135	30 106	2	12		16	·6	3	8
9		11		6		5 111				2	71	2	9
10		23				13	3	7			25		10
11	15	55							3		23		11
12							2		26		1		12
13							22						13
14		14				6	140	57	1		2		14
15	1	5		2	10		58	39	1			3	15
16		5			17	16		21	7 203				16
17	1	10		15		29	30 283	5	12				17
18	6	1	4	4		10	14	131 363			57		18
19	11			27		23		18					19
20		9	12	2 186				47					20
21	8				16								21
22	27												22
23	40 114			18 204	34						28	1	23
24	9			53	21	25	27	42			1		24
25	22			56	4 130		20				7		25
26		moisture		19			35				30		26
27	19	41		2	97 227		10				2		27
28	3	11		21	24 251							3	28
29	11·5			355	27		8			7 70		3	29
30	3	✕						2			4		30
31	34·5	✕		✕	7	✕			✕		✕	3	31
TOTAL	246	232	53	355	285	233	397	472	215	·70	3·85	·79	YEAR'S TOTAL
		478	531	886	11·71	14·04	18·01	22·73	24·88	25·58	29·43		30·22
Days with ·01 in. or more.	17	16 33	5 38	18 56	15 71	13 84	15 99	16 115	5 120	6 126	18 144	12	156
Days with ·04 in. or more.	13	15 28	4 32	14 46	13 59	13 72	11 83	13 96	2 98	3 101	14 115	3	118

40-9999

(Signed) Gregory M. Mathews

[P.T.O.

719

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at St Cross Winchester

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 135 ft.

Station No. 719
File Ref 895600/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17			18	80			59	3	8	2		1
2				35	30			8	6		2	25	2
3				23	2	7	moisture		46				3
4	1					15					2		4
5	32		1				6		19				5
6	43		4	25	3		1		25				6
7	3		3	3			1		16	30			7
8			40		23				68	18			8
9	39			16	22								9
10	50	Snow		46	7	11			2	14	13		10
11	7	·2		5	1				4	5	2		11
12	48				3				17	20		3	12
13	18			24	6		84		2	97		4	13
14	14			30	2			1					14
15	6			2	218		5			5	13		15
16	27			8	8		6						16
17	2			2			1			4		2	17
18	2				7		5		9		19		18
19	1								5	20			19
20				33	19			68	1	75	23		20
21	1			13	98					30		14	21
22			28	2	2	1		1	46	10	34		22
23	2				50		7		8	75		16	23
24		6					65		6	7			24
25							57		3	35	3		25
26			10	2			26			5	2		26
27			54	34	7	1	45			38		5	27
28			2 140	5	9	moisture	28			4			28
29			41	18		5		10	37	35	·11	13	29
30		×	1	21	26	~~183~~	8		36		·68	37	30
31		×	30	×	15·23	×	10		×		× 1·18	13	31 34·62
TOTAL	3·13	·08	5·35 2·14	9·00 3·65	6·23	17·46 2·23	21·01 3·55	22·48 1·47	26·21 3·73	31·86 5·35	33·80 194	1·32	YEAR'S TOTAL ~~35·12~~
*Days with ·01 in. or more.	18	2	11 31	21 52	21 73	7 80	16 96	6 102	20 122	20 142	13 155	10	165
*Days with ·04 in. or more.	11	1	7 19	16 35	15 50	5 55	13 68	4 72	15 87	20 107	7 114	8	122

40-9999

(Signed) Gregory M. Mathews

P.T.O.

*See Instruction 2 (*f*) on other side.

719

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at St Cross, Winchester

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 135 ft.

Station No 719

File No 895600/29

B.A.

Dup.

cu.c.F/M.O.7 sent 23/1/34 J.W.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year ~~in~~ the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	
1	19	55	10		8					↑		1	1
2	33		67		28								2
3		13	45										3
4	30	3			29								4
5	8		47							1·00			5
6		25			22						3		6
7	6	8	2		18								7
8	1		4		1		42						8
9					1		25				10		9
10		8			17		10			↓	6		10
11	23					8	8	32					11
12				7		3	19		138				12
13	5				10	2	44	7	14	·22	6		13
14							7				32		14
15	65		18			103	7	17					15
16			76			13				·02			16
17			46			5		1	17				17
18	24	11	27			53					1		18
19		Snow	17					3	64		13	6	19
20		3	7	2		11			3				20
21						6		5	4				21
22						44		36					22
23				25		10			34	·20			23
24		137		37		6				·36	1		24
25	345	103		37		7				·01		13	25
26		105		14		58			9			1	26
27					62		2			·02		25	27
28				16			28			·26		3	28
29	10									·07		25	29
30	7	×	25				9		17	·02		5	30
31	21	×	2	×		×			×		×		31
TOTAL	252	471	393	1·38	1·96	3·26	17·66 2·01	17·67 1·01	23·68 3·00	25·86 2·18	26·58 ·72	·79	YEAR'S TOTAL ~~27·37~~ 4
*Days with ·01 in. or more.	13	12 25	14 39	7 46	10 56	13 69	11 80	7 87	9 96	10 106	8 114	8 122	122
*Days with ·04 in. or more.	12	9 21	12 33	6 39	8 47	12 59	10 69	5 74	8 82	6 88	5 93	5 98	98

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. M. Mathews [P.T.O.

average for 20 years ~~31·~~ ~~32~~ 31·89

Section **A** for the entry of Daily Observations.   **FOR OFFICIAL USE.**

719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090 12

REGISTER OF RAINFALL IN 1934.

BA

Kept at St Cross, Winchester
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
,, Ground ,, Sea Level 135 ft.

Station No 719
File No 895600/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3							48	3	8		53	1
2	13		10	9	14			47	66	8	10	57	2
3	2	4								23	2	5	3
4	15		11	26	13					29		60	4
5			1		4			23		10	6	48	5
6	3		37	2	23						12	90	6
7	10					11		27		25		65	7
8					30			1	25	10	46	8	8
9	2		16								90	58	9
10	5	1	30	23				2			42	15	10
11	77		42	39			6					39	11
12	6		2				9	11				46	12
13	41			13			30	2			3	61	13
14	[illegible]		54	2							7	49	14
15	10		2		16						8	47	15
16	20		36		6					19	1	7	16
17	8				13				11			21	17
18	13		3	15					16			28	18
19			48	6		9			9			20	19
20			27	5			13						20
21				23		18		8					21
22								38	24	17		9	22
23		2		25		75							23
24		1	9	7		4	37		17				24
25	36			12		1						80	25
26				38		18			10	13		10	26
27						7						30	27
28	2					27	1	109				65	28
29		×						13	14	1		1	29
30	7	×						4 9				42	30
31	1	×		×		×	1		×		×	8	31
TOTAL	2·74	2·82 ·08	1·10 3·28	8·55 2·45	9·74 1·19	11·44 1·70	12·41 ·97	15·74 3·33	17·69 1·95	19·32 1·63	21·57 2·27	10·21	YEAR'S TOTAL 31·80
Days with ·01 in. or more.	19	4 23	15 38	15 53	8 61	9 70	7 77	13 90	10 100	11 111	11 122	27	149
Days with ·04 in. or more.	13	1 14	11 25	13 38	8 46	8 54	5 59	10 69	9 79	10 89	8 97	26	123

40-9999

(Signed) Gregory M. Mathews   [P.T.O.

average for 20 years (1915—1934) 31·88 : The wettest year ~~since 1915~~ for new 20 years
" " 21 years (1915-1935) 32·27

~~COPY~~ FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St Cross, Winchester
in the County of Southampton
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. in.
,, Ground ,, Sea Level 135 ft.

Station No 719
Fill No 895 600/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·20		15	5	2·05		·06	9	31	10		1
2						3			8	10	7	3		2
3			6			4			13	31	9			3
4		8		17		51			6	95	36	15		4
5		34	10	24		18			37	9	5	1		5
6		2	5	30		113				3	5			6
7				24		3				1	41	11		7
8				25		8			4	12	42			8
9	9			47		70			23	43	39	2		9
10	5		14	8		2				73	43			10
11	27	1		10		14					63			11
12	2	7				38		2	9	1	40			12
13	7	14		10	3	12					5			13
14					5	8					36	21	~~21~~	14
15		10		60		17			30		68	14	~~14~~	15
16		3	11	32		17			75		70			16
17			6	34	4	22		5	~~43~~		34			17
18				26	5		11	1	43		3			18
19				2	45	6	18		3	5	13			19
20		40		3	5	4	2		5	4	54			20
21		36		1										21
22		10	13	14				16	6					22
23			14					29				12	~~12~~	23
24	5	73			3			115	48	63		30 89		24
25	22	38		13	10					4		23		25
26		35				2		24	11		2	54		26
27		58							14	1	6	53		27
28		20							30			22		28
29	·5							2	38	4		54		29
30		×		9	6			80		15	88	47		30
31		×		×		×			×	80	×	31		31
TOTAL	·84	3·89	5·72 ·99	9·52 3·99	10·64 1·01	14·81 4·17	17·17 2·36	19·91 2·74	24·00 4·09	28·63 4·63	35·97 7·34	4·03	Year's Total ~~40·00~~ 39·99.	
*Days with ·01 in. or more.	9	16	9 34	19 53	10 63	20 83	4 87	9 96	19 115	19 134	23 157	17	174	
*Days with ·04 in. or more.	7	13	9 29	16 45	8 56	16 72	3 75	6 81	18 99	15 114	22 136	14	150	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. M. [illegible]athews

[P. T. O.

Average for 21 years (15-35) 32·27

719

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St Cross Winchester

in the County of Southampton

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 135 ft.

Station No 719

File No S 95600/79

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	10	5	53		54	26			~~23~~	23	9	1
2		8				12	2	9					2
3				26			2		47	~~40~~	40	2	3
4			22			2			41		11	7	4
5	36		1					2	10			5	5
6	59		~~15~~		2	5		6	16		40		6
7	10		10				4				20		7
8	40		25				2				15	10	8
9	54		14				28		34				9
10	15						3					2	10
11	10			1				2	13		1·12	3	11
12				6	6	34	36		90		30	6	12
13						7	4				3	67	13
14		24			7	4	57		12	2	13	65	14
15	1	7					12		16	4	5	31	15
16	22	24					10				11	5	16
17	2	81		4							11	38	17
18	10	39				43	23					20	18
19	33	5		4		65	5	15		1			19
20	25	15	15	36		4			126	4			20
21				74		9	8			1			21
22	8	32	15				17					5	22
23	10		13	11	10		25			1			23
24	8	5			3				1	4			24
25	8		6	21	3		12			34	2		25
26	5	18	10	2		16	5		4	8			26
27	52		7						9				27
28	92		34				38			62		18	28
29	2	7	22				10 329				21	8	29
30	14	×			7	39				12			30
31	16	×	37	×		×	19		×	13	×	55	31
TOTAL	5·50	8.25 2·75	10·61 2·36	12·99 2·38	13·37 ·38	16·31 2·94	19·79 3·48	20·13 ·34	24·32 4·19	25·78 1·46	29·35 3·5~~7~~ 5	3·57	YEAR'S TOTAL 32·9~~X~~ 2
*Days with ·01 in. or more.	24	13 37	15 52	11 63	7 70	13 83	22 105	5 110	13 123	13 136	15 151	18	169
*Days with ·04 in. or more.	21	13 34	14 48	9 57	4 61	12 73	18 91	3 94	12 106	9 115	13 128	15	143

40-9999

(Signed) G. M. Mathews

[P.T.O.

*See Instruction 2 (*f*) on other side.

age fr 22 years 32.30

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at St Cross Winchester

in the County of Southampton

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

" Ground " Sea Level 135 ft.

Station No 719

File No 89 5600/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	62	2									78	64		1
2	2	67		13					8			11		2
3	1	38	1											3
4	15	95										34		4
5	15	6	11				16							5
6	15	2	61	2	7		3			7				6
7		65		13	5				1		2	75		7
8		1			20						2	5		8
9				34	13	2	6		33			13		9
10		1	66	41		35		5				43		10
11			3	2	24	67	10							11
12	37	30	27	3	48	28	2	56	16			25		12
13	20	5	47	15				16	8			45		13
14		5	29	9				44	9			9		14
15	30	20	56	29			32		12			27		15
16	2	17		21		11		62	41					16
17	74	16	5				3		34		3			17
18	30	5									12	12		18
19	13	17	5	14		10	3		5			1		19
20	45		5	30		6						7		20
21	61	28	3	4			3		2	3		8		21
22	43	4	14		21 21	29	5			107	65	10		22
23	36	13	1		45		11			30	21	1		23
24	57	48			4		3		5	75		4		24
25	23	46	22		64				16	6		4		25
26		24	2		4					7				26
27	1	30		12						73				27
28	4	~~7~~								9		2		28
29										60	12			29
30	38	✕				8				15	38			30
31	39	✕		✕		✕			✕	42	✕			31
	6.63	12.45	16.03	18.45	21.00	22.96	23.93	25.76	27.66	32.00	34.33		Year's Total	
TOTAL	6.63	5.82	3.58	2.42	2.55	1.96	.97	1.83	1.90	4.34	2.33	4.00	38.33	✓
* Days with .01 in. or more.	23	25	17 65	15 80	11 91	9 100	12 112	5 117	13 130	12 142	9 151	20	171	✓
* Days with .04 in. or more.	19	21	12 52	12 64	11 75	8 83	6 89	5 94	11 105	11 116	6 122	17	139	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. M. Mathews [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Saint Cross

in the County of Southampton

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 135 ft.

Station No 719

File No 895600/29

Dec/ans

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		16	1			10	16			7		17		1
2	3		1	4			60			35	4	7		2
3					8					72	6	6		3
4	2						11			5		14	38	4
5							19	2		28				5
6	3						10		14	9		2		6
7						2	42	54	3	25	2	12		7
8	20						19	7	3	16		12		8
9	10	22				6				2		99		9
10	7					1	4	29		5		28		10
11	15	1									11	23		11
12	38				11		1			17		2		12
13	25									14		38		13
14	50				12		11							14
15	4						56			35		47		15
16	31	1			2			3		2	2	4		16
17		9	1						5	14				17
18	8								5	1	59			18
19	9							8	11	1	60			19
20								7	9		62	~~50~~ 4 (snow		20
21	4								11		2	4		21
22	1					10		20			26	4		22
23											5	.71		23
24			18						19		16			24
25	14	8	9		13			1		2	93			25
26	41	35	3		6				10	12		~~21~~ 4	snow & rain	26
27	14	3			5	29	41		6	2	41			27
28	18	8			43	10		54	5			3		28
29	16	~~x~~			32			1	7	4	11	7		29
30	9	×			35	2			19	5	26			30
31	21	×		×	19	×			×	22	×	35		31
	213	4·46	4·79	4·83	6·69	7·39	10·29	12·09	13·36	16·71	21·38		Year's Total	
TOTAL	3·63	·83	·33	·04	1·86	·70	2·90	1·80	1·27	3·35	4·67	4·13	25·51	✓
Days with ·01 in. or more.*	23	7	6 36	1 37	11 48	8 56	12 68	11 79	14 93	23 116	16 132	~~18~~ 21	~~150~~	✓153
Days with ·04 in. or more.*	19	4 23	2 25	1 26	10 36	5 41	11 52	6 58	12 70	17 87	13 100	~~16~~ 18	~~116~~	✓118

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) G. M. Mathews [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at SAINT CROSS
in the County of SOUTHAMPTON
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. .... in.
,, Ground ,, Sea Level 135 ft.

STATION NO 719
File No 895600/29
Average for 25 years 32.27.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	NIL	·12	·14	·17	NIL	NIL	·08	·13	NIL	·03	·04		1
2	·05	NIL	NIL	·09	NIL	NIL	·10	·63	·73	NIL	·01	·06		2
3	·52	NIL	NIL	·42	NIL	NIL	NIL	·23	NIL	NIL	·27	·22		3
4	·11	NIL	·36	·08	·06	NIL	·39	·23	NIL	·52	·05	·10		4
5	NIL	NIL	NIL	·20	·43	NIL	·05	·06	NIL	·26	·46	·19		5
6	·39	NIL	·04	NIL	NIL	NIL	·72	·02	NIL	·01	·34	NIL		6
7	·02	·16	NIL	NIL	NIL	NIL	·01	·03	NIL	·01	·46	·45		7
8	·04	·25	·15	NIL	NIL	NIL	·05	·09	NIL	·27	·24	·26		8
9	·03	·01	NIL	NIL	NIL	NIL	NIL	·07	NIL	·16	·18	·19		9
10	·25	NIL	·01	NIL	NIL	·05	NIL	·12	·06	·22	·09	NIL		10
11	NIL	NIL	·18	NIL	NIL	NIL	NIL	NIL	NIL	·26	·02	NIL		11
12	NIL	NIL	NIL	NIL	NIL	·05	NIL	NIL	NIL	·03	NIL	NIL		12
13	NIL	NIL	NIL	·01	NIL	NIL	·18	NIL	·06	1·62	·02	NIL		13
14	·70	NIL	NIL	·06	·05	·03	·36	NIL	NIL	·17	·57	·07		14
15	·28	NIL	NIL	NIL	·31	·37	·45	NIL	·01	·52	·10	·02		15
16	·44	NIL	·02	·06	·04	·46	·03	NIL	NIL	NIL	·37	NIL		16
17	·21	·06	NIL	NIL	·10	NIL	·30	NIL	NIL	·57	·10	NIL		17
18	·20	·01	·03	NIL	NIL	·15	·50	NIL	NIL	NIL	·45	NIL		18
19	·35	NIL	NIL	NIL	NIL	NIL	·16	NIL	NIL	·02	NIL	·04		19
20	·40	NIL	NIL	NIL	NIL	NIL	·32	NIL	NIL	NIL	NIL	·01		20
21	·11	·32	·06	NIL	NIL	·04	·17	NIL	NIL	NIL	NIL	NIL		21
22	·27	·41	NIL	NIL	NIL	·20	·02	NIL	·02	NIL	·15	NIL		22
23	·02	NIL	NIL	·10	NIL	NIL	·02	NIL	NIL	NIL	·90	NIL		23
24	·39	NIL	NIL	·03	NIL	·16	·06	NIL	NIL	·02	NIL	NIL		24
25	·61	·22	·01	NIL	NIL	NIL	·06	NIL	NIL	·04	·25	NIL		25
26	·03	NIL	NIL	NIL	NIL	NIL	NIL	·03	NIL	·06	·27	·04		26
27	NIL	·11	·05	·05	NIL	NIL	NIL	NIL	NIL	NIL	·18	NIL		27
28	NIL	21	·05	NIL	NIL	·15	·07	NIL	NIL	NIL	·21	·26		28
29	NIL		NIL	·03	NIL	NIL	·41	NIL	NIL	·03	·03	NIL		29
30	NIL	✕	NIL	·60	NIL	·37	NIL	NIL	NIL	·08	·12	NIL		30
31	NIL	✕	NIL	✕	NIL	✕	·22	NIL	✕	·26	✕	NIL		31
TOTAL	5·44	1·76	1·08	1·87	1·16	2·03	4·65	1·59	1·01	5·13	5·87	1·94	Year's Total 33·53	
* Days with .01 in. or more.	22	10	12	13	7	11	22	11	6	20	25	14	173	
* Days with .04 in. or more.	17	8	8	10	7	10	21	8	4	14	20	12	130	

† Spare column, no entries required.

(*Signed*) C. U. Broadbent Major-Gen.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Saint Cross

in the County of Southampton

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 135 ft.

Station No 719
File ~~Station~~ No 895600/29

Totals see back

Average for 25 years 32·27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·01	–	–	–	–	–	–	–	–	·03	–		1
2	–	·10	–	·12	–	–	–	–	–	·01	·43	·04		2
3	·01	·30	–	·01	–	–	–	–	–	·16	1·20	·17		3
4	–	·06	–	–	–	–	–	–	–	·24	·11	·04		4
5	–	·01	–	–	–	–	·13	–	–	·08	·56	·17		5
6	·24	·37	–	–	–	–	·33	–	–	·31	·02	–		6
7	·16	·23	–	–	–	–	·01	–	–	–	–	–		7
8	–	–	–	–	–	–	·11	–	·05	·46	·03	·23		8
9	–	–	–	–	–	–	–	·03	·02	·18	·43	·30		9
10	–	–	–	–	–	–	1·19	·03	–	·03	·10	·06		10
11	–	·02	–	·01	–	–	·08	–	–	–	1·05	·04		11
12	–	–	·19	–	–	–	·22	–	·26	–	·08	–		12
13	–	–	·63	–	–	–	–	–	·08	–	1·17	–		13
14	–	–	·18	·09	–	–	·03	–	02	·33	–	–		14
15	–	–	·02	·01	·02	–	·71	–	·14	·02	1·02	–		15
16	–	·40	·25	·07	–	–	–	–	·18	·46	·89	·01		16
17	–	–	·43	–	–	–	–	–	·01	–	·26	–		17
18	–	·37	·31	·36	–	–	·12	–	–	·29	·08	·13		18
19	–	·08	·02	·12	–	–	·13	–	·99	–	·15	–		19
20	–	–	·01	·02	–	–	–	–	·01	·23	·05	–		20
21	–	–	–	–	·01	–	–	–	–	–	·41	–		21
22	–	–	·05	·01	–	·25	–	–	·15	–	–	–		22
23	–	·09	·18	–	–	·01	–	–	–	–	·02	–		23
24	–	–	–	–	–	–	·27	–	–	–	–	–		24
25	·02	–	·22	·02	·02	·05	–	–	–	–	·01	–		25
26	·74	·39	·06	–	·15	·03	–	–	–	–	–	–		26
27	·50	·37	–	·01	–	–	·04	–	–	–	–	–		27
28	·41	·02	–	–	·29	–	–	–	–	–	–	–		28
29	·22	·22	·17	·06	·03	–	–	–	–	–	–	·33		29
30	–	X	–	·04	–	–	–	–	–	·31	–	·04		30
31	·06	X	–	X	–	X	–	–	X	·63	X	·08		31
TOTAL	2·36	3·04 5·40	2·72 8·12	·95 9·07	·52 9·59	·34 9·93	3·37 13·30	·06 13·36	1·91 15·27	3·74 19·01	~~8·10~~ ~~27·11~~ ~~26·11~~	~~1·64~~ ~~28·75~~ ~~27·75~~	Year's Total 28·75	
* Days with .01 in. or more.	9	16	14	14	6	4	13	2	11	15	21	13	138	
* Days with .04 in. or more.	7	12	11	7	2	2	11	NIL	6	12	16	12	98	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ch Broadbent Major-Gen

[P.T.O.

80 720

720 —

WINCHESTER

1931-1938

Section **A** for the entry of Daily Observati

AIR MINISTRY.—METEOROLO

OR OFFICIAL USE.

ANIZATION.

FORM 1090.

REGISTER OF

931).

Kept at Winchester

in the County of Hampshire

Office,

lty,

nsington,

on, S.W.7.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. —

,, Ground ,, Sea Level 200

THE MORNING MEASUREMENT IS CR

An observer who does not conform to this rule should inse made on January 1st of the following year in the space on the right of this paragraph. {I conform to this rule K.W.}.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·02	0·01	0·05	—	0·02	Trace	—	0·17	0·02	—	Trace	1
2	0·25	0·04	—	0·59	Trace	—	—	0·01	0·50	0·02	0·01	0·13	2
3	0·07	0·01	0·30	0·04	0·07	—	Trace	0·08	0·64	Trace	0·21	0·15	3
4	—	Trace	0·03	0·08	0·02	—	0·25	0·04	0·14	0·03	0·40	0·02	4
5	—	0·07	Trace	0·10	0·07	0·40	0·01	0·18	0·02	—	0·07	0·35	5
6	—	0·10	—	0·34	—	0·19	0·10	Trace	0·07	0·39	0·20	0·01	6
7	—	Trace	Trace	0·01	0·13	0·12	—	0·73	0·07	0·12	0·33	0·03	7
8	Trace (snow)	0·22	—	0·06	0·01	0·29	—	0·07	—	0·02	0·05	0·03	8
9	—	0·29	—	0·04	—	0·06	—	—	—	Trace	0·75	0·01	9
10	0·02	0·01	—	—	0·02	0·12	0·02	0·09	—	0·01	0·25	Trace	10
11	0·13	0·55	—	—	—	Trace	0·01	Trace	0·04	—	0·20	—	11
12	—	Trace	—	—	—	Trace	0·02	—	0·26	—	0·01	Trace	12
13	Trace	—	Trace	—	Trace	—	0·28	0·02	Trace	—	Trace	—	13
14	0·01	0·15	—	—	—	0·06	1·22	0·50	0·02	—	0·02	—	14
15	0·01	0·05	—	0·02	0·10	—	0·58	0·47	0·01	—	0·01	0·04	15
16	—	0·07 } Rain+snow	—	0·10	0·16	0·15	—	0·17	0·15	—	—	0·01	16
17	—	0·07 } snow	—	0·14	—	0·24	0·29	0·08	0·09	—	—	—	17
18	—	0·01 } snow	0·05	0·03	—	0·09	0·15	1·35	Trace	0·01	0·54	—	18
19	0·17	—	—	0·27	—	0·23	0·01	0·12	—	—	Trace	—	19
20	0·01	0·10	0·11	0·01	—	Trace	—	0·41	—	—	Trace	—	20
21	0·08	Trace	0·01	—	0·14	—	—	—	—	—	—	—	21
22	0·34	Trace	Trace	—	Trace	—	—	—	—	—	Trace	—	22
23	0·35	—	—	0·18	0·42	—	—	—	—	—	0·27	0·01	23
24	0·34	—	—	0·65	0·10	0·22	0·25	0·38	—	—	0·02	0·01	24
25	0·23	—	—	0·48	0·04	—	0·21	—	—	—	0·09	0·01	25
26	—	Trace	—	0·13	—	—	0·29	—	—	—	0·29	—	26
27	0·19	0·40	—	0·02	1·16	—	0·07	—	—	—	0·02	—	27
28	0·03	0·13	—	0·19	0·03	—	—	—	—	—	0·01	0·03	28
29	0·13	~~[illegible]~~	Trace	Trace	0·23	—	0·08	—	—	0·05	0·04	0·02 } snow	29
30	0·03	×	—	Trace	—	—	—	0·03	0·01	—	0·01	—	30
31	0·39	×	—	×	0·07	×	Trace	—	×	—	×	0·08 } snow	31
TOTAL	2·78	2·29	0·51	3·53	2·77	2·19	3·84	4·73	2·19	0·67	3·80	0·94	YEAR'S TOTAL 30·24
*Days with ·01 in. or more.	18	17	6	21	16	13	17	17	14	9	22	16	186
*Days with ·04 in. or more.	12	13	3	16	12	12	12	14	10	3	14	5	126.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Kenneth E. N. Williams [P.T.O.

80 720

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 (1931).

Kept at Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 200 ft.

Sent to.— The Director
Meteorological Office,
Air Ministry,
South Kensington,
London, S.W.7.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. {I conform to this rule K.W.}.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·02	0·01	0·05	—	0·02	Trace.	—	0·17	0·02	—	Trace	1
2	0·25	0·04	—	0·59	Trace	—	—	0·01	0·50	0·02	0·01	0·13	2
3	0·07	0·01	0·30	0·04	0·07	—	Trace	0·08	0·64	Trace	0·21	0·15	3
4	—	Trace	0·03	0·08	0·02	—	0·25	0·04	0·14	0·03	0·40	0·02	4
5	—	0·07	Trace	0·10	0·07	0·40	0·01	0·18	0·02	—	0·07	0·35	5
6	—	0·10	—	0·34	—	0·19	0·10	Trace	0·07	0·39	0·20	0·01	6
7	—	Trace	Trace	0·01	0·13	0·12	—	0·73	0·07	0·12	0·33	0·03	7
8	Trace (Snow)	0·22	—	0·06	0·01	0·29	—	0·07	—	0·02	0·05	0·03	8
9	—	0·29	—	0·04	—	0·06	—	—	—	Trace	0·75	0·01	9
10	0·02	0·01	—	—	0·02	0·12	0·02	0·09	—	0·01	0·25	Trace	10
11	0·13	0·55	—	—	—	Trace	0·01	Trace	0·04	—	0·20	—	11
12	—	Trace	—	—	—	Trace	0·02	—	0·26	—	0·01	Trace	12
13	Trace	—	Trace	—	Trace	—	0·28	0·02	Trace	—	Trace	—	13
14	0·01	0·15	—	—	—	0·06	1·22	0·50	0·02	—	0·02	—	14
15	0·01	0·05	—	0·02	0·10	—	0·58	0·47	0·01	—	0·01	0·04	15
16	—	0·07 } Rain + Snow	—	0·10	0·16	0·15	—	0·17	0·15	—	—	0·01	16
17	—	0·07 } snow	—	0·14	—	0·24	0·29	0·08	0·09	—	—	—	17
18	—	0·01 } snow	0·05	0·03	—	0·09	0·15	1·35	Trace	0·01	0·54	—	18
19	0·17	—	—	0·27	—	0·23	0·01	0·12	—	—	Trace	—	19
20	0·01	0·10	0·11	0·01	—	Trace	—	0·41	—	—	Trace	—	20
21	0·08	Trace	0·01	—	0·14	—	—	—	—	—	—	—	21
22	0·34	Trace	Trace	—	Trace	—	—	—	—	—	Trace	—	22
23	0·35	—	—	0·18	0·42	—	—	—	—	—	0·27	0·01	23
24	0·34	—	—	0·65	0·10	0·22	0·25	0·38	—	—	0·02	0·01	24
25	0·23	—	—	0·48	0·04	—	0·21	—	—	—	0·09	0·01	25
26	—	Trace	—	0·13	—	—	0·29	—	—	—	0·29	—	26
27	0·19	0·40	—	0·02	1·16	—	0·07	—	—	—	0·02	—	27
28	0·03	0·13	—	0·19	0·03	—	—	—	—	—	0·01	0·03	28
29	0·13	×	Trace	Trace	0·23	—	0·08	—	—	0·05	0·04	0·02 } snow	29
30	0·03	×	—	Trace	—	—	—	0·03	0·01	—	0·01	—	30
31	0·39	×	—	×	0·07	×	Trace	—	×	—	×	0·08 } snow	31
TOTAL	2·78	2·29	0·51	3·53	2·77	2·19	3·84	4·73	2·19	0·67	3·80	0·94	YEAR'S TOTAL 30·24
*Days with ·01 in. or more.	18	17	6	21	16	13	17	17	14	9	22	16	186
*Days with ·04 in. or more.	12	13	3	16	12	12	12	14	10	3	14	5	126

40-9999

(Signed) Kenneth E. N. Williams [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 720

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Winchester
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 200 ft.

Sent to — The Director,
Meteorological Office,
Air Ministry,
South Kensington
London SW7.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
—

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·15	Trace	—	0·16	0·92	—	0·01	0·56	0·04	0·08	0·03	Trace	1
2	Trace	—	—	0·31	0·13	—	—	0·07	0·08	—	0·02	0·28	2
3	—	—	—	0·19	0·02	0·09	0·03	—	0·44	—	Trace	Trace	3
4	0·03	—	—	Trace	Trace	0·15	0·01	—	Trace	—	0·02	—	4
5	0·30	—	—	—	—	Trace	0·07	—	0·23	—	—	—	5
6	0·36	—	0·02	0·26	0·03	—	0·22	—	0·25	—	—	—	6
7	0·03	—	0·10	0·03	Trace	—	0·02	—	0·16	0·34	—	0·01	7
8	Trace	—	0·38	0·01	0·29	—	Trace	—	0·75	0·13	—	—	8
9	0·57	Snow Trace	—	0·21	0·16	—	—	—	Trace	Trace	0·01	—	9
10	0·46	Snow 0·03	—	0·39	0·08	0·12	—	—	0·05	0·12	0·14	—	10
11	0·03	Snow 0·02	—	0·03	0·02	Trace	—	Trace	0·02	0·08	0·02	0·03	11
12	0·61	—	—	0·01	0·04	0·01	—	—	0·16	0·17	Trace	0·01	12
13	0·10	—	—	0·28	0·07	0·04	0·68	0·01	—	0·89	Trace	0·05	13
14	0·16	—	—	0·29	0·02	—	—	—	—	Trace	Trace	0·01	14
15	0·08	—	—	0·03	2·30	—	0·06	—	—	0·06	0·15	0·01	15
16	0·26	—	—	0·08	0·09	—	0·05	—	—	Trace	Trace	0·02	16
17	0·03	—	—	0·02	—	—	0·02	—	—	0·04	—	Trace	17
18	0·02	—	—	Trace	0·08	—	—	—	0·10	—	0·21	Trace	18
19	0·02	—	—	—	Trace	—	—	—	0·06	0·20	Trace	Trace	19
20	0·01	—	—	0·34	0·21	—	Trace	0·62	0·01	0·74	0·22	0·02	20
21	Trace	—	0·08	0·12	0·93	—	—	Trace	—	0·28	Trace	0·15	21
22	0·02	Trace	0·17	0·03	0·01	0·03	0·03	0·03	0·45	0·22	0·38	Trace	22
23	0·03	0·02	Trace	0·01	0·48	0·01	0·16	—	0·08	0·67	Trace	0·16	23
24	Trace	0·06	—	—	—	—	0·60	—	0·07	0·08	0·03	0·01	24
25	—	Trace	—	—	—	—	0·45	—	0·01	0·38	0·03	0·01	25
26	—	—	0·10	0·03	—	—	0·18	—	—	0·06	—	—	26
27	—	—	0·58	0·33	0·10	0·03	0·60	—	—	0·28	—	0·04	27
28	—	—	0·05	0·03	0·12	0·04	0·25	—	—	0·05	Trace	Trace	28
29	—	—	0·45	0·16	0·25	0·08	0·02	0·10	0·33	0·36	Trace	0·14	29
30	—	×	0·02	0·25	Trace	1·80	0·10	Trace	0·50	Trace	0·75	0·36	30
31	—	×	0·27	×	—	×	0·08	—	×	—	×	0·13	31
TOTAL	3·27	0·13	2·22	3·60	6·35	2·40	3·64	1·39E	3·79	5·30	2·01	1·44	YEAR'S TOTAL 35·54
*Days with ·01 in. or more.	19	4	11	24	21	11	20	6	19	20	13	17	185 days
*Days with ·04 in. or more.	10	1	9	14	16	7	13	4	16	20	6	8	124 days

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) K. E. N. Williams

P.T.O.

(File No 809697/27.)

720

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 720.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft.

Sent to:- The Director,
Meteorological Office,
Air Ministry,
South Kensington
London. S.W.7.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·20	0·52	0·09	Trace	0·03	0·01	—	—	—	Trace	0·01	0·01	1
2	0·38	—	0·69	—	0·23	—	—	—	—	—	—	—	2
3	0·01	0·13	0·50	—	Trace	—	—	—	—	—	—	—	3
4	0·32	0·05	Trace	—	0·29	—	—	—	—	—	—	—	4
5	0·08	0·01	0·59	—	—	—	—	—	—	—	—	—	5
6	0·01	0·28	0·02	—	0·24	—	—	—	—	0·11	0·04	—	6
7	0·07	0·09	0·01	—	0·14	—	—	—	—	—	Trace	0·01	7
8	0·01	Trace	0·03	—	0·01	—	0·44	—	—	0·16	—	—	8
9	—	Trace	—	—	0·02	—	0·27	—	—	0·18	0·09	—	9
10	—	0·10	—	—	0·14	—	0·12	—	—	0·26	0·06	—	10
11	0·23	Trace	—	—	Trace	0·04	0·12	0·29	0·03	0·08	—	—	11
12	Trace	—	—	0·08	0·03	0·01	0·28	—	1·32	—	—	0·01	12
13	0·05	—	—	—	0·09	0·02	0·49	0·07	0·06	0·03	0·07	—	13
14	0·01	—	—	—	Trace	—	0·09	—	—	0·36	0·32	—	14
15	0·64	—	0·22	—	—	1·43	0·14	0·22	—	0·03	Trace	—	15
16	—	—	0·82	—	—	0·13	0·01	Trace	0·02	Trace	Trace	—	16
17	0·01	Snow 0·06	0·46	—	—	0·06	—	0·03	0·16	—	0·01	—	17
18	0·26	Snow 0·06	0·30	—	—	0·54	—	—	—	—	0·02	—	18
19	Trace	—	0·13	—	—	—	—	0·07	0·58	—	0·17	0·06	19
20	—	0·03	0·07	—	—	0·10	—	—	0·05	—	Trace	Trace	20
21	—	Snow Trace	—	0·02	—	—	—	0·04	0·04	0·15	Trace	0·01	21
22	—	—	—	—	—	0·57	—	0·36	0·03	0·04	—	Trace	22
23	—	—	—	0·34	—	0·11	—	—	0·30	0·42	—	—	23
24	—	Snow + Rain 1·55	—	0·35	—	0·04	—	—	Trace	0·01	Trace	—	24
25	—	Sleet 0·97	—	0·33	—	0·03	Trace	—	—	—	—	0·12	25
26	—	0·95	—	0·14	0·01	0·58	—	—	0·14	0·05	—	Trace	26
27	—	Trace	—	—	0·66	—	0·03	—	Trace	0·25	—	0·22	27
28	—	—	—	0·19	Trace	—	—	—	—	0·08	—	0·07	28
29	0·12	×	Trace	—	0·02	—	0·31	—	—	0·02	—	0·14	29
30	0·07	×	0·24	0·08	—	—	0·04	—	0·10	Trace	—	0·05	30
31	0·27	×	0·04	×	—	×	—	—	×	—	×	—	31
TOTAL	2·71	4·80	4·21	1·53	1·91	3·67	2·34	1·08	2·83	2·23	0·79	0·70	YEAR'S TOTAL 28·80
*Days with ·01 in. or more.	17	13	15	8	13	14	12	7	12	16	9	10	146
*Days with .04 in. or more.	12	11	12	7	7	10	10	6	9	12	6	6	108

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Kenneth E. N. Williams

P.T.O.

(File No 809697/27.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 720

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Winchester,
in the County of Hampshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 200 ft.

sent to:- The Director,
Meteorological Office,
Air Ministry,
South Kensington,
London, S.W. 7.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·04	—	—	—	—	0·03	—	0·50	0·06	0·17	—	1·15		1
2	0·13	—	0·13	0·12	0·15	—	—	Trace	0·67	0·23	Trace	—		2
3	0·04	0·03	—	—	—	—	—	0·50	Trace	0·30	0·01	0·25		3
4	0·16	—	0·15	0·27	0·18	—	—	Trace	—	0·11	0·03	0·47		4
5	Trace.	—	0·02	—	0·03	—	—	0·24	—	—	0·04	0·52		5
6	0·07	—	0·36	0·02	0·24	—	—	0·02	—	0·27	0·11	1·00		6
7	0·11	—	—	—	—	0·16	—	0·26	—	0·12	—	0·72		7
8	—	—	Trace	—	0·30	—	—	0·02	0·25	—	0·60	0·14		8
9	Trace	—	0·15	—	Trace.	—	—	—	—	—	0·92	0·52		9
10	0·08	0·02	0·30	0·25	—	—	—	0·03	—	—	0·45	0·18		10
11	0·84	—	0·41	0·39	—	—	0·06	0·02	—	—	—	0·59		11
12	0·06	—	0·02	—	—	—	0·09	0·09	—	—	—	0·48		12
13	0·48	—	0·01	0·15	—	—	0·25	0·03	—	Trace	0·03	0·59		13
14	0·12	—	0·58	0·03	—	Trace.	—	—	—	0·02	0·08	0·55		14
15	0·01	—	0·03	—	0·22.	—	—	—	Trace	0·17	0·09	0·44		15
16	0·22	—	0·42	—	0·01	—	—	—	—	—	Trace	0·02		16
17	0·09	Trace	Trace	0·02	0·09	—	—	—	0·11	0·02	—	0·25		17
18	0·15	—	0·18	0·15	—	—	—	—	0·14	—	—	0·26		18
19	Trace	—	0·38	0·08	—	0·09	—	0·02	0·10	Trace	—	0·19		19
20	Trace	—	0·25	0·10	—	—	0·13	0·02	Trace	0·02	—	Trace		20
21	—	—	Trace	0·18	—	0·17	0·01	0·06	Trace	0·15	—	—		21
22	—	0·02	—	—	—	—	—	0·41	0·26	—	—	0·18		22
23	—	0·03	—	0·27	—	0·84	—	0·12	0·05	—	—	—		23
24	—	0·02	0·10	0·05	—	0·05	0·24	Trace	0·14	—	—	—		24
25	0·37	Trace	—	0·13	—	0·01	—	—	0·02	0·15	—	0·87		25
26	0·01	—	—	0·40	—	0·17	Trace	—	0·11	—	—	0·05		26
27	0·03	—	—	Trace	—	0·06	—	—	Trace	—	—	0·52		27
28	—	—	—	—	—	0·14	0·02	1·13	Trace	Trace	0·01	0·52		28
29	—	×	—	—	—	—	—	0·16	—	—	—	0·02		29
30	0·08	×	—	—	—	—	—	0·06	—	0·03	0·01	0·45		30
31	0·02	×	—	×	—	×	—	0·02	×	0·01	×	0·08		31
TOTAL	3·11	0·12	3·49	2·61	1·22	1·72	0·80	3·71	1·91	1·77	2·38	11·21	Year's Total ~~[illegible]~~	34·05"
*Days with ·01 in. or more.	20	5	16	16	8	10	7	19	11	14	12	26	164	
*Days with ·04 in. or more.	16	—	12	13	6	8	5	11	10	9	7	24.	121	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Kenneth E. N. Williams

P.T.O.

File N° 809,697/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 720

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 200 ft.

The Director
Meteorological Office
Air Ministry
South Kensington
London S.W. 7

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	—	0.23	—	0.11	0.05	2.27	—	0.05	0.12	0.16	—		1
2	Trace	—	Trace	—	Trace	0.03	Trace	—	0.06	0.40	0.07	0.02		2
3	—	—	0.05	—	—	0.07	—	—	0.18	0.92	0.09	Trace		3
4	—	—	Trace	0.18	—	0.55	—	—	0.02	0.08	0.35	0.14		4
5	Trace	0.35	Trace	0.25	—	0.08	—	—	0.38	0.01	0.04	0.01		5
6	—	Trace	Trace	0.32	—	1.20	—	—	—	0.01	0.04	Trace		6
7	—	Trace	—	0.27	—	0.03	—	—	—	0.17	0.40	0.09		7
8	—	Trace	SNOW 0.01	0.34	—	0.09	Trace	—	0.08	0.45	0.45	Trace		8
9	0.09	—	—	0.44	—	0.69	—	—	0.19	0.82	0.64	0.01		9
10	0.07	—	SNOW 0.16	0.06	—	0.02	—	—	—	—	0.21	—		10
11	0.29	0.06	Trace	0.08	—	0.17	Trace	—	—	0.03	0.64	—		11
12	0.01	0.05	—	—	—	0.35	—	0.01	0.10	—	0.43	—		12
13	0.07	0.15	—	0.09	0.06	0.12	—	—	0.01	0.01	0.05	—		13
14	—	Trace	—	Trace	Trace	0.08	—	—	0.02	Trace	0.40	0.23		14
15	—	0.11	—	0.65	—	0.20	—	—	0.28	0.01	0.70	0.12		15
16	—	0.04	0.11	0.30	—	0.17	—	—	0.75	0.04	0.92	Trace		16
17	—	—	0.03	0.32	0.03	0.22	—	0.01	—	—	0.08	—		17
18	Trace	0.01	—	0.32	0.07	0.01	0.09	0.04	0.48	0.06	0.03	—		18
19	—	0.01	—	0.02	0.45	0.06	0.20	—	0.04	0.03	0.23	Trace		19
20	—	0.45	—	0.02	0.08	0.03	Trace	—	0.03	—	0.55	—		20
21	—	0.40	—	0.08	—	—	0.02	—	—	0.09	Trace	—		21
22	—	0.10	0.16	0.07	—	—	—	0.17	0.07	—	Trace	—		22
23	—	Trace	0.15	—	—	—	—	0.37	0.02	0.61	Trace	0.14		23
24	0.04	0.82	Trace	—	0.03	—	—	1.25	0.53	0.02	—	0.30		24
25	0.22	0.36	Trace	0.14	0.09	Trace	—	—	—	Trace	Trace	0.34		25
26	—	0.52	—	Trace	—	0.02	—	0.25	0.12	Trace	0.01	0.55		26
27	—	0.52	—	—	—	—	—	Trace	0.13	—	0.08	0.51		27
28	—	0.17	—	—	Trace	—	—	—	0.44	—	0.01	0.20		28
29	—	×	—	—	—	—	—	Trace	0.27	0.04	Trace	0.58		29
30	0.05	×	—	0.13	0.09	—	—	0.85	0.08	0.19	1.02	0.62		30
31	—	×	—	×	—	×	—	0.01	×	1.02	×	0.30		31
TOTAL	0.86	4.12	0.90	4.08	1.01	4.24	2.58	2.96	4.29	5.13	7.60	4.16	Year's Total. 41.93	
* Days with .01 in. or more.	9	16	8	19	9	21	4	9	23	21	24	16	179	
* Days with .04 in. or more.	7	14	6	17	7	15	3	6	18	14	21	13	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) R. E. H. Williams

[P.T.O.

(File No 809697/27)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 720

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 200 ft.

Sent to The Director
Meteorological Office
Air Ministry
South Kensington London SW7

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
—

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.18	0.20	0.05	0.48	—	0.51	0.27	—	—	—	0.11	0.09		1
2	Trace	0.08	Trace	0.01	—	0.12	0.04	0.09	Trace	—	0.01	—		2
3	0.01	Trace	—	0.30	—	—	0.01	—	0.60	—	0.39	0.01		3
4	0.10	Trace	0.23	Trace	—	0.02	—	—	0.26	—	0.11	0.11		4
5	0.26	—	0.01	—	0.03	—	—	0.03	0.09	—	Trace	—		5
6	0.64	—	Trace	—	—	0.06	—	0.03	0.17	—	0.39	0.01		6
7	0.07	—	0.10	—	—	—	0.03	—	Trace	—	0.19	0.06		7
8	0.50	—	0.26	—	—	—	0.16	—	Trace	—	0.18	0.08		8
9	0.64	—	0.15	—	—	—	0.18	—	0.26	Trace	Trace	0.01		9
10	0.18	—	Trace	—	—	—	0.02	—	0.01	—	Trace	Trace		10
11	0.09	0.60	—	0.01	—	—	0.01	0.02	0.16	—	1.15	0.03		11
12	Trace	Trace	—	0.05	0.15	0.45	0.40	—	0.90	—	0.28	0.06		12
13	Trace	—	—	0.04	—	0.03	0.02	—	0.01	0.04	0.08	0.75		13
14	—	0.11	—	Trace	—	0.05	0.49	—	0.10	Trace	0.05	0.70		14
15	0.03	0.05	—	—	—	—	0.06	—	0.11	—	0.05	0.37		15
16	Snow 0.25	0.30	—	—	Trace	—	0.10	—	0.02	—	0.13	0.12		16
17	0.03	1.23	—	0.04	—	0.08	0.07	—	0.01	0.01	0.12	0.41		17
18	0.10	0.22	—	—	—	0.37	0.20	—	—	Trace	—	0.24		18
19	0.36	0.06	Trace	0.04	—	0.49	0.09	0.16	—	0.04	—	—		19
20	0.29	0.76	0.15	0.40	—	Trace	—	—	1.33	0.01	—	—		20
21	Trace	0.06	0.04	0.72 } Rain [illegible]	—	0.09	—	—	—	—	—	—		21
22	0.12	0.40	0.13	0.02	0.08	—	0.24	—	—	0.01	—	0.06		22
23	0.06	—	0.14	0.12	0.05	—	0.28	—	—	0.05	—	Trace		23
24	0.05	0.05	Trace	Trace	0.03	—	—	—	0.01	{0.50	—	Trace		24
25	0.08	Trace	0.07	0.25	—	—	0.18	—	0.01	}	0.02	—		25
26	0.15	0.19	0.13	0.03	—	0.12	0.14	—	0.10	0.20	Trace	Trace		26
27	0.50	Trace	0.07	—	—	—	0.22	—	—	0.35	—	—		27
28	0.95	—	0.50	—	—	—	0.27	—	—	Trace	—	0.20		28
29	0.01	0.08	0.05	—	—	—	0.10	—	—	0.14	0.22	0.09		29
30	0.18	×	Trace	—	0.05 [illegible]	0.40	0.01	—	—	0.17	—	Trace		30
31	0.18	×	0.45	×	—	×	0.18	—	×	0.11	×	0.72		31
TOTAL	6.01	3.79	2.53	2.51	0.39	2.79	3.77	0.33	4.15	1.63	3.48	4.12	Year's Total 3550	✓
* Days with .01 in. or more.	26	15	16	14	6	13	25	5	17	12	16	19	184	✓
* Days with .04 in. or more.	22	15	15	10	4	11	19	2	11	9	14	15	147	✓

† Spare column, no entries required.

(*Signed*) K. L. N. Williams [P.T.O.

* See Instruction 3 (f) on other side.

File 80969/7/27

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 720

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 200 ft.

Sent to The Director Meteorological Office Air Ministry South Kensington SW 7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.46	0.01	Trace	0.01	—	—	—	—	Trace	—	0.62	0.50		1
2	0.01	0.79	—	0.13	—	—	—	—	0.10	Trace	Trace	0.08		2
3	0.01	Trace	0.01	Trace	—	—	0.01	—	—	—	—	Trace		3
4	0.13	1.00	Trace	Trace	—	—	—	—	—	—	—	0.35		4
5	0.17	0.04	0.13	0.08	—	—	0.14	—	—	—	—	—		5
6	0.12	0.20	Trace	0.01	0.08	—	0.04	—	—	0.07	—	—		6
7	Trace	0.50	snow. 0.70	0.09	0.07	—	—	—	—	—	0.01	0.60		7
8	0.01	0.01	—	Trace	0.05	Trace	—	—	—	—	0.02	0.05		8
9	—	0.01	—	0.35	0.26	0.03	0.06	—	0.32	—	—	0.08		9
10	0.01	0.01	snow. 0.68	Trace	0.03	0.39	0.10	0.03	—	—	—	0.38		10
11	0.01	Trace	0.05	Trace	0.22	0.70	0.01	—		—	—	—		11
12	0.40	0.35	0.29	0.06	0.40	0.32	—	0.31		—	—	0.45		12
13	0.21	0.05	0.35	0.13	Trace	—	—	0.16	0.10	—	—	0.26		13
14	0.01	0.04	0.85	0.08	—	—	—	0.10	0.38	—	—	0.04		14
15	0.30	0.22	Trace	0.30	—	—	0.28	—	0.11	—	—	0.26		15
16	0.01	0.20	0.70	Trace	—	0.01	0.05	0.70	0.40	—	—	Trace		16
17	0.87	0.04	0.05	Trace	—	—	0.03	—	0.35	—	0.03	—		17
18	0.25	0.14	Trace	—	—	—	Trace	—	—	—	0.11	—		18
19	0.20	0.10	0.05	0.17	—	0.09	0.05	—	0.02	—	—	0.13		19
20	0.65	Trace	0.06	0.33	—	0.09	—	—	0.03	—	—	0.07		20
21	0.70	0.30	0.01	Trace	0.03	—	0.05	—	0.01	0.02	0.03	0.08		21
22	0.50	0.06	0.15	—	0.30	0.21	0.15	—	—	0.92	0.65	0.11		22
23	0.35	0.13	0.01	—	0.50	—	0.02	—	—	0.23	0.22	0.02		23
24	0.60	0.55	0.01	—	0.03	—	0.04	—	0.11	0.75	—	0.04		24
25	0.23	0.55	0.26	—	0.67	—	—	—	0.10	0.05	Trace	0.03		25
26	Trace	0.40	0.02	—	0.03	—	—	—	—	0.18	Trace	—		26
27	0.02	0.30	Trace	0.12	—	—	—	—	—	0.70	Trace	—		27
28	0.06	0.03	—	Trace	—	Trace	—	—	—	0.07	—	0.01		28
29	0.01		—	—	—	0.01	—	—	—	0.10	0.12	Trace		29
30	0.40		Trace	—	—	0.06	—	—	—	0.14	0.45	—		30
31	0.42		Trace				—	—		0.54		—		31
TOTAL	7.12	6.03	4.37	1.86	2.67	1.91	1.03	1.30	2.03	3.77	2.26	3.54	Year's Total 37.89	
* Days with .01 in. or more.	28	25	18	13	13	10	14	5	12	12	10	19	179	
* Days with .04 in. or more.	19	20	13	11	9	7	10	4	9	11	6	16	135	

Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 4/720

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

wrote re W.D. on 8/3/39

Kept at WINCHESTER

in the County of SOUTHAMPTON

Diameter of Funnel of Gauge.............in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level.................ft.

as previous return

W.D.

Estimate part Sep. + of Oct.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0·38

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0·23	0·07	–	Tr	0·21	0·01	–	–	✗	0·28	0·18		1
2	0·01	0·15	0·01	–	Tr	0·09	0·09	–	–	✗	–	0·20		2
3	–	–	–	–	0·08	–	0·46	–	–	✗	–	0·10		3
4	0·02	–	–	0·02	–	Tr	–	–	–	✗	0·08	–		4
5	–	–	–	–	–	–	0·11	0·06	–	✗	0·01	0·15		5
6	–	–	–	–	–	0·02	0·14	–	–	✗	–	–		6
7	–	–	–	–	–	0·05	0·10	–	0·20	✗	0·03	0·02		7
8	0·03	–	–	–	–	0·02	0·43	0·88	0·04	✗	–	0·23		8
9	0·26	–	–	–	–	–	0·20	–	0·05	✓	–	1·18		9
10	0·02	–	–	–	–	0·05	–	–	–	✓	–	0·18		10
11	0·07	0·04	–	–	–	–	0·04	–	–	–	–	0·05		11
12	0·15	0·01	–	–	–	–	–	–	–	✗	0·11	0·23		12
13	0·40	Tr	–	–	0·13	–	–	–	–	✗	–	–		13
14	0·25	Tr	–	–	Tr	–	–	–	–	–	0·45	0·43		14
15	0·47	Tr	Tr	–	–	–	0·13	–	0·01	✗	–	–		15
16	0·10	0·01	–	–	0·12	–	0·51	–	–	✓	–	0·50		16
17	0·32	Tr	0·02	–	0·01	–	–	0·04	✗	✗	0·02	0·04		17
18	–	0·10	0·02	–	–	–	–	–	✓	–	–	–		18
19	0·10	–	–	–	–	–	–	–	✗	–	0·61	–		19
20	0·10	–	–	–	–	–	–	0·14	✗	–	0·78	–		20
21	Tr	–	–	–	–	–	–	–	✗	–	0·69	Tr		21
22	0·03	–	–	–	–	–	–	0·08	–	–	0·03	Tr		22
23	–	–	–	–	–	0·12	–	0·21	✓	–	0·26	–		23
24	0·01	–	–	–	–	–	–	–	✗	–	0·05	–		24
25	–	–	0·21	–	–	–	–	–	✓	✓	0·17	–		25
26	0·13	0·09	0·06	–	0·15	–	–	–	✗	✗	1·10	–		26
27	0·43	0·21	0·04	–	0·06	–	–	–	–	✓	–	0·34		27
28	0·15	0·11	–	–	0·16	0·28	0·36	–	✗	–	0·47	–		28
29	0·14	✗ 0·07	–	Tr	0·30	0·10	–	0·58	✗	✓	–	0·04		29
30	0·14		–	–	0·26	–	–	–	✗	✗	0·24	0·08		30
31	0·11		–		0·27	0·01	–	–		✗				31 d
TOTAL	0·23 3·~~45~~ 68	·79 0·~~95~~	·36 0·~~43~~	0·02	0·21 75 1·~~54~~	7 0·94	7 2·58	1·99	(1·25)	(3·40)	2 5·38	0·38 4·15 ~~3·95~~	Year's Total ~~25·88~~	26·26
* Days with .01 in. or more.	22	9	7	1	10	9	12	7	(16)	(21)	17	16	147	
* Days with .04 in. or more.	16	7	4	0	9	7	11	7	(12)	(15)	13	15	116	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R S G Gay pp R C N Williams Esq pp Hunt F.T.C.

721

721 —

WINCHESTER
(EAST HILL)
1931 - 1940

460201

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

Kept at Winchester (East H

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 f

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·04	–	·02	–	·02	–	–	·19	·02	–	–	1
2	·20	·03	–	·54	–	–	·01	·02	·39	·03	–	·06	2
3	·11	–	·26	·07	·06	–	–	·07	·57	–	·10	·09	3
4	–	–	·05	–	·03	–	·22	·02	·15	·02	·32	–	4
5	–	·03	–	·14	·05	·40	·02	·22	·01	–	·02	·22	5
6	–	·09	–	·32	–	·15	·01	·01	·04	·34	·19	–	6
7	–	–	–	·02	·13	·11	–	·82	·03	·11	·26	·02	7
8	–	·05	–	·05	·02	·26	·02	·08	–	·01	·04	·03	8
9	–	·15	–	·03	–	·07	–	–	–	–	·60	·02	9
10	·03	·03	–	–	·01	·06	·03	·09	–	·01	·21	–	10
11	·11	·47	–	–	–	·01	·01	–	·03	–	·19	–	11
12	·01	–	–	–	–	–	·05	–	·29	–	–	–	12
13	–	–	·01	–	·01	–	·29	·03	–	–	–	–	13
14	–	·13	·01	–	–	·04	1·07	·49	·02	–	·01	–	14
15	·02	·05	–	·02	·06	–	·53	·26	·01	–	–	·03	15
16	–	·04	–	·11	·15	·12	·01	·19	·13	–	–	–	16
17	·03	·06	–	·17	–	·17	·28	·08	·08	–	–	–	17
18	·07	·02	·02	·04	–	·13	·11	1·17	–	–	·52	–	18
19	·09	–	–	·32	–	·20	·03	·09	–	–	·01	–	19
20	–	·05	·08	·02	–	–	–	·35	–	–	–	–	20
21	·03	–	–	–	·14	–	–	·01	–	–	–	–	21
22	·20	–	–	–	–	–	–	–	–	–	·02	–	22
23	·19	–	–	·13	·27	·03	–	–	–	–	·17	–	23
24	·04	–	–	·44	·18	·18	·24	·31	–	–	–	–	24
25	·22	–	–	·34	·03	–	·20	–	–	–	·05	–	25
26	–	–	–	·12	–	–	·29	–	–	–	·23	–	26
27	·11	·29	–	·02	1·10	–	·04	–	–	–	·02	–	27
28	·03	·10	–	·18	·03	–	–	–	–	–	–	·03	28
29	·13	X	–	·01	·30	–	·08	–	–	·06	–	–	29
30	·03	X	–	·01	·01	–	–	·03	–	–	·03	–	30
31	·21	X	–	X	·07	X	–	–	X	–	X	·05	31
TOTAL	1.86	1·63	·43	3.12	2.65	1·95	3.54	4·34	1·94	·60	·52 2·99	·55	YEAR'S TOTAL 25·60
*Days with ·01 in. or more.	19	16	6	22	18	15	20	19	13	8	18	9	183
*Days with ·04 in. or more.	12	12	3	14	11	12	12	13	8	3	12	4	116

7 JAN 1932

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) Mrs. E. Wilde. [P.T.O.

721

Section **A** for the entry of Daily Ob PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Winchester (East Hill)

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·04	–	·02	–	·02	–	–	·19	·02	–	–	1
2	·20	·03	–	·54	–	–	·01	·02	·39	·03	–	·06	2
3	·11	–	·26	·07	·06	–	–	·07	·57	–	·10	·09	3
4	–	–	·05	–	·03	–	·22	·02	·15	·02	·32	–	4
5	–	·03	–	·14	·05	·40	·02	·22	·01	–	·02	·22	5
6	–	·09	–	·32	–	·15	·01	·01	·04	·34	·19	–	6
7	–	–	–	·02	·13	·11	–	·82	·03	·11	·26	·02	7
8	–	·05	–	·05	·02	·26	·02	·08	–	·01	·04	·03	8
9	–	·15	–	·03	–	·07	–	–	–	–	·60	·02	9
10	·03	·03	–	–	·01	·06	·03	·09	–	·01	·21	–	10
11	·11	·47	–	–	–	·01	·01	–	·03	–	·19	–	11
12	·01	–	–	–	–	–	·05	–	·29	–	–	–	12
13	–	–	·01	–	·01	–	·29	·03	–	–	–	–	13
14	–	·13	·01	–	–	·04	1·07	·49	·02	–	·01	–	14
15	·02	·05	–	·02	·06	–	·53	·26	·01	–	–	·03	15
16	–	·04	–	·11	·15	·12	·01	·19	·13	–	–	–	16
17	·03	·06	–	·17	–	·17	·28	·08	·08	–	–	–	17
18	·07	·02	·02	·04	–	·13	·11	1·17	–	–	·52	–	18
19	·09	–	–	·32	–	·20	·03	·09	–	–	·01	–	19
20	–	·05	·08	·02	–	–	–	·35	–	–	–	–	20
21	·03	–	–	–	·14	–	–	·01	–	–	–	–	21
22	·20	–	–	–	–	–	–	–	–	–	·02	–	22
23	·19	–	–	·13	·27	·03	–	–	–	–	·17	–	23
24	·04	–	–	·44	·18	·18	·24	·31	–	–	–	–	24
25	·22	–	–	·34	·03	–	·20	–	–	–	·05	–	25
26	–	–	–	·12	–	–	·29	–	–	–	·23	–	26
27	·11	·29	–	·02	1·10	–	·04	–	–	–	·02	–	27
28	·03	·10	–	·18	·03	–	–	–	–	–	–	·03	28
29	·13	~~X~~	–	·01	·30	–	·08	–	–	·06	–	–	29
30	·03	**×**	–	·01	·01	–	–	·03	–	–	·03	–	30
31	·21	**×**	–	**×**	·07	**×**	–	–	**×**	–	**×**	·05	31
TOTAL	1.86	1.63	·43	3.12	2.65	1.95	3.54	4.34	1.94	·60	·52 2.99	·55	YEAR'S TOTAL 25.60
*Days with ·01 in. or more.	19	16	6	22	18	15	20	19	13	8	18	9	183
*Days with ·04 in. or more.	12	12	3	14	11	12	12	13	8	3	12	4	116

7 JAN 1932

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) Mrs. E. Wilde.

[P.T.O.

721

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Milesdown East Hill. Winchester

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* ..... *in.*
- *Height of Ground above Sea Level* 256 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.85	·39	10th	16	9
FEB.	·08	·07	24th	2	1
MAR.	1·57	·35	8th	12	8
APRIL	3·04	·36	10th	23	14
MAY	4·84	1·04	15th	21	15
JUNE	1·63	1·09	30th	8	5
JULY	3·14	·59	13th	19	14
AUG.	1·39	·60	1st	9	5
SEPT.	3·26	·59	8th	21	15
OCT.	4·73	·91	13th	21	19
NOV.	1·60	·47	30th	16	7
DEC.	·99	·27	30th	13	6
Total	28·12			181	118

Signature Edith E Wilde

M

*See Instruction 2 (*f*) below.

C Particulars of Station. No. 721.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mrs Wilde Milesdown. East Hill
Winchester Hants

Hour of observation by the clock—in Winter 9. a. m. in Summer Sum Time 10. a. m.

Nearest Railway Station G.W.R. Winchester Distance ½ mile Direction from gauge W.S.W

Nearest Parish Church at cheesil St Ch / opposite Rly Chilcombe Distance 1 1/2 mile Direction from gauge S.E.

Nature of objects nearest to gauge	House	Trees.	Kitchen garden	Trees
Heights of objects	30 ft	55 ft	Steep slope to S	43 ft
Distances ..	71 ft	73 ft		72 ft
Directions from gauge ..	N	E		W

If gauge has been moved during the year state—

Date of move ..... Distance ..... Direction .....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

June ½" low.
Year 7" low.

not ent'd

Letter sent re low total
15/5/33

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ~~[illegible]~~ (East Hill) Winchester

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 256 ft.

711
& 719
720

Hants/5

[illegible] 1932.

June
May Fig prob. plotted

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·42	·09	—	·02	—	—	—	—	—	—	—		1
2	·12	—	·43	—	·20	—	—	—	—	—	—	—		2
3	—	·08	·26	—	—	—	—	—	—	—	—	—		3
4	·27	·02	·01	—	·26 ~~[illegible]~~	—	—	—	—	—	—	—		4
5	·07	—	·27	—	·01	—	—	—	—	·01	—	—		5
6	—	·20	·02	—	·23	—	—	—	—	·10	·05	—		6
7	·06	·05	—	—	·15	—	·01	—	—	·11	—	·02		7
8	·02	—	·02	—	·02	—	·40	—	—	·09	—	—		8
9	—	—	—	—	·01	—	·25	—	—	·19	10	—		9
10	·02	·09	—	—	·10	—	·11	—	—	·24	·07	—		10
11	·22	—	—	—	·03	·08	·09	·30	~~[illegible]~~	·08	·02	—		11
12	—	—	—	·05	·04	·02	·33	—	1·45	—	—	—		12
13	·04	—	—	—	·09	—	·36	·06	·05	·03	·06	—		13
14	—	—	—	—	—	—	·07	·01	—	·33	·26	—		14
15	·49	—	·14	—	—	1·41	·05	·19	—	·02	·02	—		15
16	—	·02	·52	—	—	·13	·01	—	—	—	—	—		16
17	—	·02	·36	—	—	·04	—	·03	·19	—	—	—		17
18	21	·03	32	—	—	·43	—	—	—	—	·03	—		18
19	—	·05	·06	—	—	·02	—	·05	·64	—	·11	·06		19
20	—	·03	·07	·01	—	·09	—	·01	·03	—	—	·01		20
21	—	—	—	—	—	·04	—	·06	·04	—	—	—		21
22	—	—	—	—	—	·39	—	·32	·03	·17	—	—		22
23	—	—	—	·25	—	·10	—	—	·27	·45	—	—		23
24	—	·67	—	·16	—	·06	—	—	·01	—	·02	—		24
25	—	·86	—	·27	01	·02	—	—	·02	—	—	·09		25
26	—	·68	—	·11	·15	·46	—	—	·16	·04	—	·01		26
27	—	·01	—	—	·40	—	·02	—	·01	·26	—	·17		27
28	—	—	—	·14	—	—	·26	—	—	·07	—	·02		28
29	·08		—	·04	·02	—	—	—	—	·02	—	·10		29
30	·10	×	·22	—	—	—	·09	—	12	—	—	·04		30
31	·21	×	·03	×	—	×	—	—	×	—	×	—		31
TOTAL	2·04	3·23	2·82	1·03	1·74	3·29	2·05	1·03	3·02	2·21	–·74	–·52	Year's Total 23·72	
*Days with ·01 in. or more.	14	15	15	8	16	14	13	9	13	16	10	9	153	
*Days with ·04 in. or more.	12	9	11	7	9	11	10	6	8	12	6	5	106	

Passed with query

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~Mrs~~ Edith E. Wilde

MRS E WILDE

[P.T.O.

File number. 253568/33 721

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Milesdown, East Hill, Winchester

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	—	—	·04	—	·42	·03	·05	·05	·59		1
2	·09	—	·10	·13	·22	—	—	—	·62	·27	·01	·35		2
3	·03	·04	—	—	—	—	—	·58	·01	·25	—	·13		3
4	·14	—	·09	·37	·12	—	—	—	—	·09	·03	·35		4
5	·02	—	·36	—	·02	—	—	·19	—	—	·04	·45		5
6	·03	—	—	·02	·19	—	—	·06	—	·21	·09	·71		6
7	·09	—	—	—	—	·14	—	·24	—	·12	—	·46		7
8	—	—	—	—	·30	—	—	·02	·27	—	·45	·07		8
9	·03	—	·10	—	·01	—	—	—	—	—	·79	·47		9
10	·05	·02	·22	·19	—	—	—	·03	—	—	·34	·07		10
11	·68	—	·42	·41	—	—	·11	·01	—	—	·02	·32		11
12	·03	·02	·02	—	—	—	·08	·09	—	—	—	·43		12
13	·27	·01	—	·11	—	—	·32	·01	—	—	·04	·78		13
14	·11	—	·37	·02	—	—	—	—	—	·03	·08	·42		14
15	·02	—	·03	—	·19	·01	—	—	·01	·16	·07	·58		15
16	·14	—	·28	—	—	—	—	—	—	—	·01	·04		16
17	·07	·01	·01	·01	·08	—	—	—	·08	·02	—	·14		17
18	·14	—	·10	·12	—	—	—	—	·15	—	·01	·21		18
19	·01	—	·37	·06	—	·08	—	·02	·09	—	·01	·19		19
20	—	—	·28	·07	—	—	·12	—	—	·02	—	—		20
21	·01	—	·01	·18	—	·15	—	·06	—	·10	—	—		21
22	—	·02	—	—	—	—	·02	·27	·23	—	·01	·05		22
23	—	·03	—	·21	—	·76	—	·15	·04	—	—	·02		23
24	—	·02	·08	·12	—	·03	·14	—	·09	—	—	—		24
25	·31	·01	—	·11	tr	—	tr	—	·02	·12	—	·65		25
26	·02	—	—	·33	—	·17	—	—	·09	—	—	·07		26
27	—	—	—	·01	—	·05	—	—	—	—	—	·31		27
28	·03	—	—	—	—	·11	·01	1·10	—	—	tr	·43		28
29	—	—	—	—	—	—	·01	·12	·13	—	—	·02		29
30	·08	×	—	—	—	—	tr	·02	·10	·03	—	·36		30
31	·03	×	—	×	—	×	·01	·02	×	·02	×	·09		31
TOTAL	2·46	·18	2·84	2·47	1·13	1·54	·82	3·41	1·96	1·49	2·05	8·76	Year's Total. 29·11	
* Days with .01 in. or more.	24	9	16	17	8	10	9	18	15	14	16	28	184	
* Days with .04 in. or more.	12	1	12	13	6	8	5	11	11	9	9	26	123	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) Edith E Wilde

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 721.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Milesdown East Hill Winchester

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	·75	-	·07	·04	2·23	-	·09	·17	·13	·02		1
2	-	-	-	-	-	·07	·01	-	·02	·32	·07	·03		2
3	-	-	·04	·01	-	·03	-	-	·15	1·05	·08	-		3
4	-	·09	-	·16	-	·53	-	-	·03	·17	·20	·14		4
5	-	·29	·14	·23	-	·04	-	-	·38	·01	·04	·03		5
6	-	·02	·02	·25	-	·96	-	-	-	·01	·05	-		6
7	-	-	-	·21	-	·03	-	-	-	·16	·43	·09		7
8	-	-	-	·28	-	·09	-	-	·12	·56	·40	-		8
9	·08	-	-	·33	-	·61	-	-	·16	·74	·28	·03		9
10	·06	-	·06	·06	-	·02	-	-	-	tr	·27	-		10
11	·24	·05	-	·09	-	·18	·02	-	·01	·02	·53	-		11
12	·02	·04	-	-	-	·33	-	·03	·11	-	·42	-		12
13	·07	·13	-	·07	·06	·12	-	-	·02	·01	·05	-		13
14	·01	·01	-	-	·02	·09	-	-	·03	-	·37	·19		14
15	tr	·12	-	·45	-	·17	-	-	·22	·02	·61	·09		15
16	tr	·04	·09	·28	-	·13	-	-	·57	·05	·67	-		16
17	tr	-	-	·31	·03	·19	-	·05	-	-	·22	-		17
18	-	-	-	·24	·02	·03	·06	·01	·43	·07	·04	-		18
19	-	-	-	·02	·44	·05	·48	-	·07	·03	·13	-		19
20	-	·29	-	·03	·02	·04	·02	-	-	-	·48	-		20
21	-	·28	-	·06	-	-	-	-	·03	·07	·01	-		21
22	-	·11	·16	·09	-	-	-	·13	·06	·01	·02	-		22
23	-	·01	·12	-	-	-	-	·37	·02	·57	·01	·12		23
24	·05	·71	-	-	·05	-	-	1·06	·47	·02	-	·25		24
25	·12	·31	-	·15	·10	-	-	·02	-	-	·02	·24		25
26	-	·33	-	-	-	·02	-	·22	·13	·01	·01	·43		26
27	-	·42	-	-	-	-	-	·01	·12	-	·07	·46		27
28	-	·25	-	-	·02	-	-	-	·45	-	·01	·34		28
29	·01	✕	-	-	-	-	-	-	·26	·03	·02	·42		29
30	·04	✕	-	·13	·04	-	-	·76	·07	·14	·94	·44		30
31	-	✕	-	✕	-	✕	-	·01	✕	·84	✕	·26		31
TOTAL	·72	3·50	·78	3·45	·87	3·77	2·52	2·67	4·02	5·08	1·10 6·58	3·48	Year's Total 37·44	
* Days with .01 in. or more.	11	18	8	20	11	21	6	11	24	23	29	17	199	
* Days with .04 in. or more.	7	15	7	17	6	17	3	6	17	13	22	13	143	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

M

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Winchester East Hill

in the County of Hants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·08	·03	·34		·55	·27		-	—	·09	·09		1
2		·12				·06	·17	·09	·01	—	·02	·01		2
3			·01	·27			·03		·55	—	·39	—		3
4			·19			·08			·30	—	·11	·08		4
5	·33	·01	·05		·04			·02	·11	—	·01	·04		5
6	·59					·06		·06	·12	—	·39	—		6
7	·07		·07				·02		·02	—	·14	·07		7
8	·34		·22				·09		-	—	·13	·08		8
9	·38		·12				·25		·32	·02	·01	·02		9
10	·17						·03	·02	-	·01	-	—		10
11	·08	·15		·04			·02	·03	·18	—	1·06	·03		11
12	·01			·09	·15	·38	·36		·58	—	·27	·05		12
13				·12		·03	·02		·02	·03	·08	·45		13
14		11		·02		·06	·55		·10	·01	·07	·54		14
15	·02	·06					·05		·07	—	·04	·24		15
16	·21	·27					·08		·02	—	·11	·06		16
17	·03	·85				·26	·06		·01	·02	·13	·28		17
18	·09	·24				·24	·20		-	·01	·02	·14		18
19	·28	·05		·08		·31	·06	·14	-	·02	·01	·01		19
20	·23	·11	·18	·33			·01		1·21	—	-	—		20
21		·06		·64		·11	·05		·02	—	-	—		21
22	·09	·35	·14	·02	·08		·19		-	—	-	·06		22
23	·07		·16	·12	·06		·20		-	·05	-	—		23
24	·05	·06			·05		·03		·02	·36	-	·02		24
25	·06		·11	·20	·03		·09		-	·17	·03	—		25
26	·10	·18	·07	·02		·09	·05		·03	·13	·01	—		26
27	·43		·06				·31		·05	·35	-	—		27
28	·81		·39				·33		-	—	-	·12		28
29	·02	·07	·08			·02	·19		-	·09	·21	·09		29
30	·11	✕			·02	·26	·02		-	·12	·02	·02		30
31	·17	✕	·42	✕		✕	·19		✕	·17	✕	·59		31
TOTAL	4·97	2·77	2·30	2·29	·43	2·46	3·92	·36	3·74	1·56	3·38	3·09	Year's Total 31·27	
* Days with .01 in. or more.	25	16	16	13	7	14	28	6	19	15	22	22	213	
* Days with .04 in. or more.	21	15	14.	10.	5	11	20	3.	11	8	15	16	149	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL ~~IN 193~~ 1914 to 1936

Kept at Milesdown . East Hill Winchester

in the County of Hants

Hc

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 266 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1914	31·21											1
2	1915	36·87											2
3	1916	32·81											3
4	1917	30-28											4
5	1918	32·98											5
6	1919	30-91											6
7	1920	27·48											7
8	1921	15·74											8
9	1922	31·23											9
10	1923	29·57											10
11	1924	36·19											11
12	1925	32·42											12
13	1926	27-51											13
14	1927	37·87											14
15	1928	32·71											15
16	1929	26-90											16
17	1930	29·25											17
18	1931	25·60											18
19	1932	28·12											19
20	1933	23·72											20
21	1934	29-11											21
22	1935	37·44											22
23	1936	31·26											23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL													YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

Compare with 10 year sheets.

Enclosed to show the rainfall at Milesdown. Winchester in 1936 is slightly below the average for the last 23 years during which the measurements have been taken

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edith E Wilde

P.T.O.

COPY, FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Winchester, East Hill

in the County of Hampshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·03		·02	–	–	–	–	–	–	·81	·53		1
2	·03	·58		·14	–	–	–	–	·07	–	·02	·17		2
3	·02	·33		·02	–	–	–	–	–	–	·01	·02		3
4	·11	·79			–	–	–	–	–	–	–	·33		4
5	·16	·05	·11	·03	–	–	·15	–	–	–	–	–		5
6	·13	·04	·33	·09	·07	–	·03	–	–	·08	–	–		6
7	–	·52		·06	·19	–	–	–	·01	·01	·01	·45		7
8	–	·02			·21	–	–	–	–	–	·02	·06		8
9	–	–		·29	·06	–	·06	–	·29	–	–	·12		9
10	–	·02	·59	·46	·07	·30	·01	·02	–	–	–	·44		10
11	·01	–	·06	·01	·19	·76	·11	–	–	–	–	·01		11
12	·33	·29	·21	·05	·44	·26	–	·42	·14	–	–	·27		12
13	·21	·04	·57	·14	·01	–	–	·08	·08	–	–	·42		13
14	·02	·04	·23	·11	–	–	–	·31	·07	–	–	·10		14
15	·24	·17		·23	–	–	·34	–	·13	–	·01	·24		15
16	·03	·16	·44	·16	–	–	–	·61	·23	–	–	·02		16
17	·68	·05	·05		–	–	·02	–	·24	–	·03	–		17
18	·22	·08			–	–	–	–	–	·01	·12	·14		18
19	·16	·12	·04	·12	–	·12	·03	–	·04	·01	–	–		19
20	·43	–	·06	·36	–	·05	–	–	–	·01	–	·05		20
21	·55	·28	·03	·06	·03	–	·03	–	·03	·02	·03	·05		21
22	·45	·04	·18		·23	·10	·15	–	–	·83	·56	·09		22
23	·22	·12	·02		·43	–	·02	–	–	·17	·19	·02		23
24	·36	·44	·02		·02	–	·02	–	·15	·45	–	·03		24
25	·23	·43	·24		·74	–	–	–	·07	·06	–	·03		25
26	·02	·27	·02		·02	–	–	–	–	·12	·02	–		26
27	·03	·24		·12	–	–	–	–	–	·68	–	–		27
28	·04	·04			–	–	–	–	–	·08	–	·02		28
29	·02	–			–	·01	–	–	–	·08	·11	·01		29
30	·35	✗			–	·05	–	–	–	·14	·37	–		30
31	·43	✗		✗	–	✗	–	–	✗	·57	✗	·02		31
TOTAL	5·96	5·19	3·20	2·47	2·71	1·65	·97	1·44	1·55	3·32	1·25 2·31	3·64	Year's Total 34·41	✓
* Days with .01 in. or more.	27	25	17	18	14	8	12	5	13	16	14	24	193	✓
* Days with .04 in. or more.	19	22	13	14	10	7	5	4	11	11	6	15	137	✓

40-9999.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Winchester, East Hill

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 256 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·11	02		·02	09	·04	—	—	·05	—	21		1
2	·03	—		·03	02		·34	—	—	·31	·03	·07		2
3	—	—			07	·01	·02	—	—	·48	·05	—		3
4	·03	—	·01				·10	—	—	07	—	·12		4
5	—	—					·22	·02	01	29	—	·02		5
6	·04	—				·02	·08	—	·18	·06	·03	·03		6
7	—	—				·03	·38	·91	03	·29	—	·07		7
8	·16	—					·19	·02	·02	18	—	·03		8
9	·11	·04				·05	·02	—	—	03	—	·65		9
10	·08	·03				·02	·04	·07	—	·03	—	·13		10
11	·16	—					—	—	—	·02	·10	·17		11
12	·34	·02			·09		·02	—	—	·17	—	·03		12
13	·38	—			02		—	—	—	·16	33	·26		13
14	·46	·02	·01		·10		·10	—	·01	—	·01	·02		14
15	·12	—					·52	·01	—	34	·02	·32		15
16	·24	·01	·02		·01		—	·02	—	03	·03	·04		16
17	·02	·09					·03	—	·06	·14	—	—		17
18	·09	—					—	·01	·03	—	·56	—		18
19	·11	—					—	·09	·14	—	·63	—		19
20	·01	—					—	·08	·04	—	·41	·04		20
21	·04	—					—	·02	·14	—	·03	28		21
22	·02	—		·01		·14	—	·16	—	—	·23	·16		22
23	—	—					—	—	·06	—	·05	—		23
24	—	—	·19		·02		—	—	·16	—	·15	—		24
25	·15	·07	·07		·15		—	—	—	·03	·84	—		25
26	·42	·28	·04		·04		—	—	·07	·14	·01	·27	✓	26
27	·13	·03			·18	·30	·39	·01	—	·01	·34	—		27
28	·20	·07			·36	·09	—	·62	·06	—	·02	·05		28
29	·15	×			·26		—	·03	·16	·02	·16	·08		29
30	·11	×		·01	39	·02	—	—	·08	·07	·19	—		30
31	·21	×		×	·17	×	—	—	×	·24	×	·32		31
TOTAL	3·81	·77	·36	·05	1·90	·77	2·49	2·07	1·25	3·19	1·99 4·22	3·37	Year's Total 24·25	✓
* Days with .01 in. or more.	25	11	7	3	15	10	15	14	16	22	21	22	181	✓
* Days with .04 in. or more.	20	6	3	0	10	5	11	6	11	15	13	17	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edith E. Wilde

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Winchester East Hill

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 256 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	.08	.16	.17	-	-	.04	.12	-	.01	.04		1
2	.05	-	-	.07	-	-	.10	.80	.67	-	.02	.07		2
3	.49	-	-	.29	-	-	-	.21	-	-	.16	.18		3
4	.04	-	.28	.08	.13	-	.44	.18✓	-	.52	.05	.11		4
5	-	-	-	.16	.25	-	.23	.07✓	-	.21	.37	.19		5
6	.28	-	.05	-	.01	-	.43	.02	-	.03	.32	-		6
7	.02	.13	-	-	-	-	-	.03	-	.08	.38	.36		7
8	.04	.18	.18	-	-	-	.03	.09	-	.24	.31	.26		8
9	.03	.02	-	-	-	-	-	.07	-	.16	.13	.17		9
10	.19	-	.03	-	-	.06	-	.12	.05	.32	.09	.01		10
11	-	-	.18	-	-	-	-	-	-	.29	.03	-		11
12	-	-	-	-	-	.07	-	-	-	.01	-	-		12
13	.02	-	-	.02	-	.03	.35	-	.24	1.65	.02	-		13
14	.48	-	-	.05	.04	.02	.15	-	.01	.33	.59	.07		14
15	.21	-	-	.06	.37	.67	.29	-	.03	.40	.26	.02		15
16	.43	-	.02	.02	.03	.13	.05	-	-	.02	.27	-		16
17	.13	.06	.03	-	.12	.03	.12	-	-	.67	.06	-		17
18	.13	-	.05	-	-	17	.58	-	-	.02	.46	-		18
19	.26	-	-	-	-	-	.11	-	-	.04	-	.09		19
20	.31	-	-	-	-	-	.28	-	-	-	.01	.03		20
21	.16	.24	.06	-	-	-	.26	.06	-	-	-	-		21
22	.20	.36	-	-	-	.23	.08	-	.02	-	.17	-		22
23	.03	-	-	13	-	-	.02	.02	-	.02	.92	.03		23
24	.29	-	.05	-	-	.18	.05	-	-	.07	.01	-		24
25	.48	.27	.02	-	-	-	05	-	-	.05	.27	.02		25
26	.04	.02	.02	-	-	-	.01	.04	-	.04	.31	.04		26
27	-	.08	.06	.05	-	.04	.01	.01	-	.02	.14	-		27
28	.02	.23	.05	.02	-	.10	.15	-	-	.01	.20	.15		28
29	-	X	-	.05	-	-	.26	-	-	.04	.06	-		29
30	-		-	.62	-	31	-	-	-	.08	.13	.01		30
31	-		-		-		25	-		.16		-		31
TOTAL	4.36	1.59	1.16	1.78	1.12	2.04	4.30	1.76	1.14	5.48	2.21 5.75	1.85	Year's Total 32.33	
* Days with .01 in. or more.	24	10	15	14	8	13	23	14	7	25	27	18	198	
* Days with .04 in. or more.	18	8	10	11	6	10	19	10	4	18	21	12	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Winchester (East Hill)

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 256 ft.

Original values in February are being accepted after correspondence with observer.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.02	-	-	-	-	-	-	-	-	.03	-		1
2	-	.08	-	.07	-	-	-	-	-	.03	.62	.05		2
3	-	.28	-	.02	-	-	.01	-	-	.16	1.15	.15		3
4	.02	.06	-	-	-	-	-	-	-	.21	.09	.03		4
5	-	.03	-	-	-	-	.13	-	-	.09	.45	.17		5
6	.22	.32	-	-	-	-	.36	-	-	.33	.02	-		6
7	.15	.27	-	-	-	-	-	-	.01	.01	-	-		7
8	.02	.02	-	-	-	-	.07	-	.04	.51	.03	.22		8
9	-	-	-	-	-	-	-	.06	.03	.21	.31	.29		9
10	-	-	-	-	-	-	1.11	-	.02	.04	.13	.05		10
11	-	.03	-	.03	-	-	.08	-	-	-	.98	.03		11
12	-	.02	.18	-	-	-	.20	-	36	-	.07	-		12
13	-	.04	.63	-	-	-	.01	-	.03	-	1.19	.02		13
14	-	-	.18	.08	-	-	.12	-	.02	.36	.02	.42		14
15	-	-	-	.03	.04	-	.76	-	.12	.02	1.03	.03		15
16	-	~~(.60)~~ .40	.24	.06	-	-	.02	-	.11	.42	1.02	.02		16
17	-	-	.38	.32	-	-	.03	-	.01	.02	.32	-		17
18	-	~~(.30)~~ .05 .45	.26	.05	-	-	.18	-	.02	.29	.08	.12		18
19	-	.08	.06	.09	-	-	.17	-	1.03	-	.17	-		19
20	-	.02	.02	-	-	-	-	-	.03	.26	.04	-		20
21	.02	-	-	-	-	-	.04	-	-	.03	.36	-		21
22	-	.03	.05	-	-	.25	-	-	.13	-	.02	-		22
23	-	.07	.16	-	-	.01	-	-	-	-	.03	-		23
24	-	-	-	-	-	-	.27	-	-	-	.02	-		24
25	-	-	.24	.05	.03	.09	.01	-	-	-	-	-		25
26	.72	.32	.07	-	.15	.02	-	-	-	-	-	-		26
18·8 27	.53	.33	-	-	.01	-	.04	-	-	-	-	.01		27
19 28	.27	.01	-	-	.19	-	-	-	-	-	-	.02		28
29	.31	.16	.13	.11	.08	-	-	-	-	-	-	.31		29
30	.02	✕	-	.04	-	-	-	-	-	.22	-	.04		30
31	.03	✕	-	✕	-	✕	-	-	✕	.47	✕	.08		31
TOTAL	2.31	2.64	2.60	.95	.50	.31	3.61	.06	1.96	3.68	8.18	2.06	Year's Total 28.86	✓
* Days with .01 in. or more.	11	~~20~~ 21	13	12	6	4	18	1	14	18	23	18	159	✓
* Days with .04 in. or more.	6 ✓	~~12~~ ✓ 13	12 ✓	9 ✓	~~3~~ 4	1 ✓	13 ✓	1 ✓	6 ✓	13 ✓	14 6	11	105	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Mrs. Edith E. [illegible]

[P.T.O.

722

Section **A** for the entry of Daily Observat

AIR MINISTRY.—METEOROL

FORM 1090.

REGISTER OF

OR OFFICIAL USE.

NIZATION.

722 —

WEST TISTED MANOR

1931 – 1934

78 0201

Kept at West Tisted Manor

in the County of Hants

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground...............ft.

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·15	·07	·01	·07	[illegible]		·25				1
2		·02		·34					·52			·12	2
3	·31		·21	·15	·14			·10	·73		·27	·23	3
4							·07	·02	·05	·08	·31		4
5	·04			·13		·28	·05	·87	·02			·22	5
6	·10			·21		·10			·40		·15		6
7					·23	·19			·06		·41		7
8		·23	·02	·03 Snow		·28	·02	·23			·14	·04	8
9		·27	·06			·03	·02				·67		9
10		·03				·23	·04	·12			·73		10
11	·17								·05		·36		11
12		·52					·11	·16	·54				12
13							·21	·01					13
14	·02	·16				·04	2·05	·49			·05		14
15		·08		·02	·12		·15	·34					15
16		·01		·14	·21	·40		·11	·05				16
17		·14		·10		·03	·40	·03	·15	·03			17
18	·09	·01		·06		·08	·08	1·62			·68		18
19	·01			·32			·08	·37					19
20		·09	·04	·13				·58			·03		20
21	·06				·22								21
22	·58		·11										22
23	·53			·07	·44						·33		23
24	·03			·60	·19		·03	·69					24
25	·06	·07		·47	·23	·11	·46				·06		25
26		·04		·11			·36				1·17		26
27	·25	·38		·19	1·36		·14				·04		27
28	·06												28
29	·04				·30		·10			·07		·04	29
30		×											30
31	·48	×		×	·04	×	·01	·02	×		×		31 d
TOTAL	2·83	2·12	·59	3·14	3·49	1·84	4·38	5·76	2·82	·18	5·40	·65	YEAR'S TOTAL 33·20
*Days with ·01 in. or more.	~~16~~	~~15~~	~~6~~	~~17~~	~~12~~	~~12~~	~~18~~	~~16~~	~~11~~	~~3~~	~~15~~	~~5~~	~~[illegible]~~
*Days with ·04 in. or more.	13	11	5	15	11	11	14	12	10	2	14	5	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)..................

[P.T.O.

Section **A** for the entry of Daily Observat

R OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at West Tister Manor

in the County of Hants

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level............ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·15	·07	·01	·07	[illegible]		·25				1
2		·02		·34					·52			·12	2
3	·31		·21	·15	·14			·10	·73		·27	·23	3
4							·07	·02	·05	·08	·31		4
5	·04			·13		·28	·05	·87	·02			·22	5
6	·10			·21		·10			·40		·15		6
7			·		·23	·19			·06		·41		7
8		·23	·02 }	·03		·28	·02	·23			·14	·04	8
9		·27	·06 } Snow			·03	·02				·67		9
10		·03				·23	·04	·12			·73		10
11	·17								·05		·36		11
12		·52					·11	·16	·54				12
13							·21	·01					13
14	·02	·16				·04	2·05	·49			·05		14
15		·08		·02	·12		·15	·34					15
16		·01		·14	·21	·40		·11	·05				16
17		·14		·10		·03	·40	·03	·15	·03			17
18	·09	·01		·06		·08	·08	1·62			·68		18
19	·61			·32			·08	·37					19
20		·09	·04	·18				·58			·03		20
21	·06				·22								21
22	·58		·11										22
23	·53			·07	·44						·33		23
24	·03			·60	·19		·03	·69					24
25	·06	·07		·47	·23	·11	·46				·06		25
26		·04		·11			·36				1·17		26
27	·25	·38		·19	1·36		·14				·04		27
28	·06												28
29	·04				·30		·10			·07		·04	29
30		×											30
31	·48	×		×	·04	×	·01	·02	×		×		31
TOTAL	2·83	2·12	·59	3·14	3·49	1·84	4·38	5·76	2·82	·18	5·40	·65	YEAR'S TOTAL 33·20
*Days with ·01 in. or more.	16	15	6	17	12	12	18	16	11	3	15	5	~~146~~
*Days with ·04 in. or more.	13	11	5	15	11	11	14	12	10	2	14	5	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)............

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 722

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at West Tisted Manor

in the County of Hants

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·03	·24	·78				·29				·06	1
2			·19	·10				·09	·17			·34	2
3			·21		·13	·13			·70				3
4	·03				·16	·16							4
5	·29		·02		·09	·09	·14		·31				5
6	·45			·24			·01		·25				6
7			·09				·05		·13	·36			7
8	·01		·32	·05					·51	·28			8
9	·51			·16	·43				·02	·13			9
10	·77			·43	·04	·09			·19				10
11	·02	·02	·11	·03									11
12	·66	·02			·08					·25	·29		12
13	·08	·01		·21	·03		·29			·86			13
14	·14			·17			1·41						14
15	·16			·03	·23					·08		·06	15
16	·17			·66			·11						16
17	·05			·18			·03			·07	·07	·02	17
18	·03						·07					·01	18
19									·10	·23	~~·23~~		19
20				·33	·55			·64		·84			20
21				·09	1·20					·40	·36		21
22			·18	·02	·15		·03		·21	·13		·08	22
23	·02	·02		·01	·33		·06		·43	1·08		·20	23
24		·06			·05		·62		·14	·08	·08		24
25				·01			·69		·06	·42			25
26			·09	·01			·16			·15	·05		26
27			·60	·34	·12		·48			·21			27
28				·04	·24		·24			·52	·14	·11	28
29			·61	·18	·35	·07		·13	·32		·83		29
30		×	·05	·28		1·85	·13		·35			·52	30
31		×	·46	×		×	·03		×		×		31
TOTAL	3·51	~~3·51~~ ·16	2·53	~~2·53~~ 3·48	4·68	2·39	4·55	1·15	3·89	6·09	1·82	1·40	YEAR'S TOTAL 35·65
*Days with ·01 in. or more.	~~16~~	~~6~~	~~13~~	~~22~~	~~16~~	~~6~~	~~17~~	~~4~~	~~15~~	~~17~~	~~7~~	~~9~~	~~148~~
*Days with ·04 in. or more.	11	1	12	16	15	6	13	4	14	17	7	7	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~722~~ 722

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at West Tisted Manor

in the County of Hants

Diameter of Funnel of Gauge ...... in.
Height of top of Gauge above Ground ...... ft. ...... in.
,, Ground ,, Sea Level ...... ft.

As usual

J.W.O. 24/1/34

Hops

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

~~Jan. 1,~~ following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·62	·11		·17									1
2	·19		·91		·98									2
3			·62											3
4	·33	·11	·06		·27						·12			4
5	·11		·92		·08						·04			5
6	·12	~~·005~~	·04		·13					·06				6
7		·03			·18					·15				7
8		·27			·03		·24			·12				8
9					·06		·26			·17	·11			9
10		·07			·03		·14			·47				10
11	·27				·13	·11	·05	·12						11
12				·03	·01		·17		1·05					12
13	·05				·07	·09	·68			·06	~~·005~~			13
14	·71						·09			·34	·40			14
15			·03			·24		·47						15
16			1·13			·17	·06				~~·005~~			16
17			·30			·07		·03	·05		·03			17
18	·03	·07	·45			·43								18
19		·12	·13			·13	·04		1·07			·08		19
20				·05		·04								20
21						·12			·02	·20				21
22						·29		·35	·03					22
23		·10			·43	·10			·32	·31				23
24		1·40		·25		·03								24
25		1·37		·31					·04		·05	·15		25
26		·73		·32	·03	·59			·25	·04		·03		26
27					·57				·05	·24		·47		27
28							·36			·03	·05	·09		28
29										·05				29
30	·12	×	~~·005~~				·08		·11			·07		30
31	·21	×	·18	×		×			×		×			31
TOTAL	2·29	4·89	4·88	·96	3·17	2·41	2·17	·97	2·99	2·24	~~·84~~ ·80	·89	Year's Total ~~28·70~~	28·66
*Days with ·01 in. or more.	~~11~~	~~11~~	~~12~~	~~5~~	~~15~~	~~13~~	~~11~~	~~4~~	~~10~~	~~13~~	~~7~~	~~6~~	~~118~~	
*Days with ·04 in. or more.	10	10	11	4	11	12	11	3	8	12	6	5	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ......

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 722

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at West Tytherley Manor

in the County of Hants

Diameter of Funnel of Gauge as usual in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·74		·10		·81		1
2	·14	~~·11~~	·17	·12 ~~·44~~	·44				1.23	·15	·05	·37		2
3	·08							·16		·45		·50		3
4	·18	~~·19~~	·19 ~~·14~~	·14	·23					·09		·25		4
5				~~·02~~	·02			·19			·09	·50		5
6	·06		~~·02~~	·02	·22	·23				·23		1·03		6
7	·08				~~·08~~	·08		·30		·20	·12	·84		7
8				~~·37~~	·37			·05	·20		1·01	·08		8
9		~~·11~~	·11	~~·32~~							1·45	·81		9
10	·06	~~·11~~	·41	·26				·05			·49	·13		10
11	·99		·48	·21			·15	·04				·48		11
12	·08		·03				·75	·19				·35		12
13	·20		·02	·15			1.11	·06			·20	·30		13
14	·07		·56	·04						·02	·32	·71		14
15					·13				·23		·15	·94		15
16	·31		·51									·33		16
17	·13				·13				·04			·42		17
18	·38			·32					·07			·48		18
19			·61			·06						·15		19
20			·18	·06		·01	·35							20
21				·32		·18		·13		·45		·08		21
22							·05	·10	·37					22
23		·07		·34		·42				·02		·09		23
24		·02	·08	·10			·06	·06	·28					24
25	·38	·02		·19		·06				·22		·92		25
26				·15		·21			·16		·02	·08		26
27						·01						·25		27
28						·25		1·16				·52		28
29								·15	·25		·03	·03		29
30	·07	×						·25	·13			·53		30
31		×		×		×			×		×	·25		31
TOTAL	3·18	·11	3.29	2.72	1.52	1·51	1.87	3·63	3.96	1·93	3·93	12·23	Year's Total. 8 39.~~1~~8	
* Days with .01 in. or more.	15	3	12	14	7	10	6	15	10	10	11	28	~~141~~	
* Days with .04 in. or more.	15	1	12	13	6	8	6	15	10	8	9	27	130	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Relu Zamb

[P.T.O.

722/2

NORTHGATE PLACE

WINCHESTER

1934 - 1936

780201

FORM 1090.

~~no fl[illegible]~~ 35

722/2

" / Hants/5

o 1934

ars of Station.

*** The following regist
&c., is NOT requi
values are given or

o fill in this section and also the space for
name given by J arnoldon f 665995 [illegible]
quiry relating to this register should be sent:—

RAINFALL

Winchester.

At Northgate Pla

-in Winter 9 A.M in Summer 9. A.M.

In the County of Ha

ster Distance ¼ Mile Direction from gauge N.W.

Nearest Parish Church at Thomas Distance ¼ Mile Direction from gauge South.

Rain Gauge
- Diameter of Funnel eight in.
- *Height of Top above Ground* 1 *ft* 3 *in.*
- *Height of Ground above Sea Level* about 170 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.14	0.84	11	21	
FEB.	0.12	0.04	3	7	
MAR.	3.45	0.59	14	16	
APRIL	2.34	0.40	11	18	
MAY	1.17	0.30	8	7	
JUNE	1.63	0.80	23	11	
JULY	0.86	0.31	13	9	
AUG.	3.88	1.13	28	21	
SEPT.	2.17	0.66	2	13	
OCT.	1.68	0.31	3	16	
NOV.	2.17	0.83	9	17	
DEC.	10.75	1.04	6	27	
Total	33.36 ✓			183	—

Nature of objects nearest to gauge	Vinery			
Height of objects	10 feet			
Distances	18 feet.			
Directions from gauge	NORTH.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

V. Greaves. print.

Signature ~~A M Johnson~~

X Miss A.M. Johnson. X

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

FORM 1090.

~~no flag yet~~ 722/2

11/Hants/5

o 1934

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Northgate Place Winchester

In the County of Hampshire.

Rain Gauge
Diameter of Funnel Eight in.
Height of Top above Ground 1 *ft* 3 *in.*
Height of Ground above Sea Level about 170 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.14	0.84	11	21	
FEB.	0.12	0.04	3	7	
MAR.	3.45	0.59	14	16	
APRIL	2.34	0.40	11	18	
MAY	1.17	0.30	8	7	
JUNE	1.63	0.80	23	11	
JULY	0.86	0.31	13	9	
AUG.	3.88	1.13	28	21	
SEPT.	2.17	0.66	2	13	
OCT.	1.68	0.31	3	16	
NOV.	2.17	0.83	9	17	
DEC.	10.75	1.04	6	27	
Total	33.36 ✓			183	—

Signature ~~A. M. Johnson~~

X Miss A. M. Johnson. X

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

name given by Arnoldon f 665995 HL

Name and Address to which any inquiry relating to this register should be sent:—

Miss A.M. Johnson.
Northgate Place Winchester.

Hour of observation by the clock—in Winter 9 A.M in Summer 9. A.M.

Nearest Railway Station Winchester Distance ¼ Mile Direction from gauge N.W.

Nearest Parish Church at St Thomas Distance ¼ Mile Direction from gauge South.

Nature of objects nearest to gauge	Vinery			
Height of objects	10 feet			
Distances ..	18 Feet.			
Directions from gauge ..	NORTH.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you **know** of any **record of rainfall** not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

V. G[illegible]. print

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 722/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Northgate Place Winchester

in the County of Hampshire

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground above Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	—	0.18	—	0.13	0.04	2.54	—	0.02	0.18	0.29	—		1
2	—	—	—	—	—	0.03	0.02	—	0.05	0.35	0.07	0.02		2
3	—	—	0.04	0.01	—	0.08	—	—	0.24	0.90	0.06	—		3
4	—	0.08	—	0.16	—	0.55	—	—	0.09	0.13	0.28	0.10		4
5	—	0.35	0.13	0.24	—	0.10	—	—	0.42	0.01	0.03	0.02		5
6	—	0.02	0.02	0.31	—	1.24	—	—	—	—	0.05	—		6
7	—	—	—	0.22	—	0.02	—	—	—	0.18	0.40	0.08		7
8	—	0.01	0.01	0.30	—	0.07	0.01	—	0.08	0.62	0.43	—		8
9	.08	—	—	0.53	—	0.73	—	—	0.21	0.82	0.45	0.02		9
10	0.13	~~0.15~~	0.15	0.05	—	0.02	—	—	—	—	0.38	—		10
11	0.29	0.05	—	0.09	—	0.17	0.01	—	—	0.02	0.59	—		11
12	0.01	0.05	—	—	—	0.36	—	0.02	0.09	—	0.44	—		12
13	0.07	0.16	—	0.10	0.06	0.12	—	—	0.01	0.01	0.05	—		13
14	—	—	—	0.01	0.02	0.08	—	—	0.02	—	0.33	0.23		14
15	—	0.15	—	0.64	—	0.43	—	—	0.22	0.01	0.68	0.10		15
16	—	0.06	0.11	0.27	—	0.17	—	—	0.63	0.04	0.79	—		16
17	0.01	—	—	0.30	0.03	0.24	—	0.04	0.01	—	0.23	—		17
18	—	0.02	—	0.35	0.03	0.03	0.02	0.02	0.49	0.07	0.03	—		18
19	—	0.01	—	0.02	0.43	0.07	0.19	—	0.04	0.03	0.13	0.01		19
20	—	0.47	—	0.02	0.10	0.04	0.06	—	0.03	—	0.55	—		20
21	—	0.43	—	0.07	—	—	—	—	—	0.08	—	—		21
22	—	0.11	0.14	0.07	—	—	—	0.15	0.06	—	0.01	—		22
23	—	—	0.15	—	—	—	—	0.33	0.03	0.63	—	0.11		23
24	0.04	0.82	—	—	0.04	—	—	1.29	0.54	0.03	0.01	0.31		24
25	0.12	0.36	—	0.16	0.12	—	—	—	—	—	0.01	0.28		25
26	—	0.49	—	—	—	0.03	—	0.23	0.15	0.01	0.01	0.56		26
27	—	0.58	—	—	—	0.01	—	0.01	0.14	—	0.07	0.53		27
28	—	0.14	—	—	0.01	—	—	—	0.42	—	—	0.22		28
29	0.01	—	—	—	—	—	—	0.01	0.36	0.04	0.02	0.56		29
30	0.03	✕	—	0.18	0.10	—	—	0.82	0.10	0.19	1.01	0.60		30
31	—	✕	—	✕	—	✕	—	0.01	✕	0.89	✕	0.32		31
TOTAL	0.81	4.36	0.93	4.10	1.07	4.63	2.85	2.93	4.45	5.24	7.36	4.07	Year's Total. 42.80	
* Days with .01 in. or more.	11	19	9	21	11	22	7	11	24	21	27	17	200	
* Days with .04 in. or more.	6	15	7	17	7	16	3	6	18	14	20	13	142	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A. M. Johnson (Miss)

[P.T.O.

665995/16 Unit.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 722/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Northgate Place

in the County of Hampshire

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level Abt 170 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·18	0·7	0·03	0·46	—	0·50	0·24	—	—	—	0·10	0·10		1
2	—	0·11	—	—	—	0·10	0·32	0·11	—	—	0·01	—		2
3	—		0·01	0·32	—	0·01	0·03	—	0·59	—	0·37	—		3
4	—		0·21	—	—	0·02	—	—	0·24	—	0·12	0·10		4
5	0·38	—	0·03	—	0·04	—	—	0·04	0·10	—	—	0·04		5
6	-64	—	—	—	—	0·05	—	0·07	0·13	—	0·40	—		6
7	0·08	—	0·10	—	—	—	0·03	—	0·02	—	0·17	0·04		7
8	0·47	—	0·25	—	—	—	0·10	—	—	—	0·16	0·09		8
9	0·61	—	0·15	—	—	—	0·29	—	0·40	0·02	0·01	0·01		9
10	0·21	—	—	—	—	—	0·02	—	—	—	—	—		10
11	0·08	0·17	—	0·02	—	—	—	0·02	0·13	—	1·12	0·02		11
12	—	—	—	0·04	0·32	0·40	0·40	0·01	0·85	—	0·28	0·06		12
13	—	—	—	0·12	—	0·05	0·02	—	—	0·03	0·11	0·73		13
14	—	0·10	—	—	—	0·05	0·55	—	0·15	0·01	0·08	0·72		14
15	0·02	0·6	—	—	—	0·01	0·04	—	0·18	—	0·05	0·41		15
16	0·22	0·29	—	—	—	—	0·08	—	0·06	—	0·12	0·06		16
17	0·03	1·06	—	0·02	—	0·09	0·07	—	0·01	0·02	0·14	0·50		17
18	0·09	0·36	—	—	—	0·36	0·26	—	—	0·01	—	0·28		18
19	0·35	0·06	—	0·03	—	0·34	0·02	0·16	—	0·02	—	—		19
20	0·31	0·16	0·15	0·44	—	—	0·01	—	1·11	—	—	—		20
21	—	0·02	—	0·66	—	0·10	0·05	—	—	—	—	—		21
22	0·11	0·40	0·15	—	0·07	—	0·23	—	—	—	—	0·05		22
23	0·07	—	0·20	0·12	0·05	—	0·30	—	—	0·08	—	—		23
24	0·07	0·05	—	—	0·05	—	—	—	0·02	0·42	—	0·01		24
25	0·06	—	0·09	0·25	0·03	—	0·15	—	0·01	0·12	0·04	—		25
26	0·12	0·19	0·08	0·02	—	0·10	0·04	—	0·02	0·21	—	—		26
27	0·50	—	0·07	—	—	—	0·07	—	0·07	0·36	—	—		27
28	0·93	—	0·41	—	—	—	0·56	—	—	—	—	0·21		28
29	0·01	0·07	0·12	—	—	0·01	0·11	—	—	0·13	0·22	0·08		29
30	0·16	X	0·01	—	0·03	0·37	—	—	—	0·18	—	—		30
31	0·19	X	0·43	X	—	X	0·19	—	X	0·17	X	0·65		31
TOTAL	5·89	3·17	2·49	2·50	0·59	2·56	4·18	0·41	4·09	1·78	3·50	4·16	Year's Total 35·32	35·32 ✓
*Days with ·01 in. or more.	24	15	17	12	7	16	25	6	17	14	17	19	189	✓
*Days with ·04 in. or more.	21	14	13	8	5	12	19	4	12	8	15	16	147	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

723

Section **A** for the entry o

AIR MINISTR

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIS

723. ——

ROTHERFIELD PARK

1931 – 32

780201

Kept at Rotherfield

in the County of Southa

Diameter of Funnel of Gauge 5

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07		·03		·12		·01	·32	·01			1
2	·19	·04		·44					·54	·02		·11	2
3	·06		·25	·18	·20			·17	·47		·40	·30	3
4		·03	·05		·11		·18	·01	·07	·08	·34	·02	4
5		·02		·16		·32	·03	·69	·01		·08	·30	5
6		·11		·21		·16	·06			·45	·06	·02	6
7				·01	·26	·15	·	·36		·04	·54	·02	7
8	·03	·15	·01	·02		·29		·20			·15	·05	8
9		·30		·07		·08					·65	·01	9
10	·01	·05				·21	·04	·14			·88		10
11	·12	·57				·01			·08		·26		11
12	·02	·01					·13	·03	·61				12
13							·28						13
14		·16				·05	1.15	·52			·04		14
15		·07		·04	·10		·12	·63			·02	·04	15
16	·02	·03		·17	·28	·31		·14	·13				16
17	·05	·09		·13		·02	·44	·13	·08				17
18		·04	·01	·10		·12	·15	1.45			·66		18
19	·12			·49			·29	·31			·01		19
20	·01	·08	·06	·16				·65			·04		20
21	·06		·01		·26								21
22	·46	·03	·05	·01	·01								22
23	·61			·08	·40						·35		23
24				·76	·15	·19	·14	·49			·01		24
25	·30			·55	14 ~~·44~~		·60				·05		25
26		·03		·13			·49				·97		26
27	·16	·46		·01	·86		·06				·06	·04	27
28	·04	·19		·18							·05		28
29	·16	×			·26		·15					·02	29
30	·02	×						·05	·01				30
31	·38	×		×	·04	×	·05		×		×	·03	31
TOTAL	2·82	2·53	·44	3.93	3·07	2·03	4.36	5·98	2·32	·60	5.62	·96	YEAR'S TOTAL 34·66
*Days with ·01 in. or more.	19	20	7	21	13	~~13~~	17	17	10	5	20	12	194
*Days with ·04 in. or more.	13	14	4	16	12	11	16	14	8	3	17	6	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A Goatcher

[P.T.O.

723

Section **A** for the entry o … PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rotherfield Park

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07		·03		·12		·01	·32	·01			1
2	·19	·04		·44					·54	·02		·11	2
3	·06		·25	·18	·20			·17	·47		·40	·30	3
4		·03	·05		·11		·18	·01	·07	·08	·34	·02	4
5		·02		·16		·32	·03	·69	·01		·08	·30	5
6		·11		·21		·16	·06			·45	·06	·02	6
7				·01	·26	·15		·36		·04	·54	·02	7
8	·03	·15	·01	·02		·29		·20			·15	·05	8
9		·30		·07		·08					·65	·01	9
10	·01	·05				·21	·04	·14			·88		10
11	·12	·57				·01			·08		·26		11
12	·02	·01					·13	·03	·61				12
13							·28						13
14		·16				·05	1.15	·52			·04		14
15		·07		·04	·10		·12	·63			·02	·04	15
16	·02	·03		·17	·28	·31		·14	·13				16
17	·05	·09		·13		·02	·44	·13	·08				17
18		·04	·01	·10		·12	·15	1.45			·66		18
19	·12			·49			·29	·31			·01		19
20	·01	·08	·06	·16				·65			·04		20
21	·06		·01		·26								21
22	·46	·03	·05	·01	·01								22
23	·61			·08	·40						·35		23
24				·76	·15	·19	·14	·49			·01		24
25	·30			·55	14 ~~·44~~		·60				·05		25
26		·03		·13			·49				·97		26
27	·16	·46		·01	·86		·06				·06	·04	27
28	·04	·19		·18							·05		28
29	·16	×			·26		·15					·02	29
30	·02	×						·05	·01				30
31	·38	×		×	·04	×	·05		×		×	·03	31
TOTAL	2·82	2·53	·44	3.93	3.07	2.03	4.36	5·98	2·32	·60	5.62	·96	YEAR'S TOTAL 34·66
*Days with ·01 in. or more.	19	20	7	21	13	13	17	17	10	5	20	12	174
*Days with ·04 in. or more.	13	14	4	16	12	11	16	14	8	3	17	6	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A Goatcher

[P.T.O.

723

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rotherfield Park

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·04		·27	·75		·01	·20		·06	·01	·38	1
2				·24	·11			·05	·32	·01	·02		2
3				·17	·05	·28			·49	·14			3
4	·06					·22	·03				·08		4
5	·40	·01	·02			·05	·08		·27				5
6	·75		·04	·53			·02		·22				6
7	·02		·09				·03		·19	·25			7
8			·28	·02	·38				·64	·46			8
9	·77			·20	·15				·01	·05	·03		9
10	·85			·48	·06	·09			·06	·12	·11		10
11	·05	·02		·04	·01		·30	·17	·03	·04	·03	·05	11
12	·67	·04		·01	·01		·01	·03	·18	·21	·01	·01	12
13	·09			·23	·10		·67			1·12	·02	·04	13
14	·14			·22	·08			·01					14
15	·14			·03	·25					·11	·04	·02	15
16	·35			·14	·02		·04					·02	16
17	·03			·06			·02			·07	·01		17
18	·10				·03		·10		·07		·13		18
19	·01								·05	·26			19
20				·54	·05			·61		·90	·25	·02	20
21		·03	·01	·13	1·52			·01		·44		·15	21
22	·02		·19	·04	·23		·15	·03	·50	·30	·50		22
23	·01	·04	·01	·02	·45	·05	·08		·08	·79		·13	23
24		·05					·70		·10	·10	·04		24
25				·01		·09	·62		·05	·43	·04		25
26			·06	·04			·12			·06	·02	·02	26
27			·55	·38	·15	·02	·62		·01	·25	·01	·02	27
28			·02	·08	·16		·25			·05			28
29			·63	·18	·21	·08	·01	·08	·27	·55	·18	·06	29
30		×	·10	·29		1·84	·13		·33		·76	·34	30
31		×	·36	×		×	·03	·10	×		×	·13	31
TOTAL	4·60	·23	2·36	4·35	4·77	2·72	4·02	1·29	3·87	6·77	2·29	1·39	YEAR'S TOTAL 38·66
*Days with ·01 in. or more.	18	4	13	24	20	9	21	10	19	23	19	14	199
*Days with .04 in. or more.	13	4	9	19	16	8	13	6	16	22	10	8	144

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) J. B. Scott

P.T.O.

63

Section **A** for the entry of Daily Ob
AIR MINISTRY.—METE

FORM 1090.

REGISTER

724

OVINGTON RECTORY
1931 - 1940

780201

724

FOR OFFICIAL USE.
ORGANIZATION.

Kept at Ovington Rectory
in the County of Hampshire

Diameter of Funnel of Gauge.........in
Height of top of Gauge above Ground.........
,, Ground ,, Sea Level ....

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·03			·15				1
2	·24		·21	·55				·11	·53	·03		·13	2
3	·10	·03		16	·09				·19		·27		3
4		·05	·02		·11		19		·08		·36	22	4
5				·14	·11	·35	·04	·18			·01		5
6		·01		·34		·06			·07	·55	·16	·07	6
7		·02			·18	·20		1·00		·09	·56	·07	7
8	·04	·18		·05	·06	·31		·11			·09	·05	8
9		·22									·98		9
10	·02				·01	·06		·02			·45		10
11	·11	·68				·12					·28		11
12	·03		·01				·09		·39				12
13							·21	·04					13
14		·19				·08	1·13	·52			·03		14
15		·07		·05	·13		·25	·34				·05	15
16		·04		·12	·19	·18		·26	·10				16
17	·03	·07		·12		·08	·40	·05	·17				17
18	·09		·02			·06	·13	1·57			·71		18
19	·13					·29	·05	·09			·01		19
20			·10	·55				·48					20
21				·05	·20								21
22	·38												22
23	·51		·04	·18	·32							·03	23
24	·07			·85	·20	·02	·25	·37					24
25	·32	·01		·54	·09		·44				·10		25
26				·19			·40				·72		26
27	·28	·36			1·09		·05						27
28		·12		·24	·10								28
29	·21			·01	·25		·11			·08	·05		29
30	·04	✕						·02			·01		30
31	·48	✕		✕	·04	✕	·07	·01	✕		✕		31 d
TOTAL	3·08	2·05	·40	4·14	3·17	1·84	3·81 ~~3·73~~	5·17	2·48	·75	4·7~~8~~9	·62	YEAR'S TOTAL 32·30
*Days with ·01 in. or more.	~~17~~	~~14~~	~~6~~	~~16~~	~~16~~	~~13~~	~~15~~	~~16~~	~~8~~	~~4~~	~~16~~	~~87~~	~~149~~
*Days with ·04 in. or more.	14 ~~12~~	10	3	15	15	11	15	13	8	3	12	6	125

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) H. S. Adams

[P.T.O.

63

724

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Springton Rectory

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·03			·15				1
2	·24		·21	·55				·11	·53	·03		·13	2
3	·10	·03		16	·09				·79		·27	+	3
4		·05	·02		·11		·19		·08		·36	·22	4
5				·14	·11	·35	·04	·18			·01		5
6		·01		·34		·06			·07	·55	·16	·07	6
7		·02			·18	·20		1·00		·09	·56	·07	7
8	·04	18		·05	·06	·31		·11			·09	·05	8
9		·22									·98		9
10	·02				·01	·06		·02			·45		10
11	·11	·68				·12					·28		11
12	03		·01				·09		·39				12
13							·21	·04					13
14		·19				·08	1·13	·52			03		14
15		·07		·05	·13		·25	·34				·05	15
16		·04		·12	19	·18		·26	·10				16
17	·03	07		·12		·08	·40	·05	·17				17
18	·09		·02			·06	·13	1·57			·71		18
19	·13					·29	·05	·09			·01		19
20			·10	·55				·48					20
21				·05	·20								21
22	·38												22
23	·51		·04	·18	·32							·03	23
24	·07			·85	20	·02	·25	·37					24
25	·32	·01		·54	·09		·44				·10		25
26				·19			·40				·72		26
27	·28	·36			1·09		·05						27
28		·12		·24	·10								28
29	·21			·01	·25		·11			·08	·05		29
30	·04	×						·02			·01		30
31	·48	×		×	·04	×	·07	·01	×		×		31 d
TOTAL	3·08	2·05	·40	4·14	3·17	1·84	3·81 ~~3·73~~	5·17	2·48	·75	4·79	·62	YEAR'S TOTAL 32·30
*Days with ·01 in. or more.	~~17~~	~~14~~	~~6~~	~~16~~	~~16~~	~~13~~	15	~~16~~	~~8~~	~~4~~	~~16~~	~~87~~	~~119~~
*Days with ·04 in. or more.	14 ~~12~~	10	3	15	15	11	15	13	8	3	12	6	~~125~~

40-9999

*See Instruction 2 (f) on other side

(*Signed*) H. S. Adams

[P.T.O.

724

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ovington Rectory

in the County of Hampshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·02		·13	·99			·71	·03	·10	·02		1
2				·33	·08			·06	·08			·31	2
3				·30	·02	·21			·49				3
4	·03	·02				·20							4
5	·36		·01				·07		·21		·05		5
6	·60		·05	·54	·04				·22				6
7	·05		·05						·32	·34			7
8		·01	·36		·28				·68	·17			8
9	·76			·16	·18					·03			9
10	1·20	·02		·36	·06	·14			·04				10
11	·03			·04			·01			·02	·27		11
12	·87				·04			·01	·15	·33			12
13	·18			·37	·01		1·25			1·03		·10	13
14	·18			·03								·02	14
15	·05	·01			·66		·13	·03		·10	·10	·03	15
16	·35			·12	·17		·08						16
17	·03						·02			·05			17
18	·01				·07		·08		·13		·17		18
19	·02									·19			19
20				·42	·35			·60	·05	·81	·26		20
21	·02			·10	1·22			·15		·30		·09	21
22		·02		·04	·04		·05	·01	·40	·32	·42		22
23	·03	·01	·23		·66		·06		·10	·81		·15	23
24		·04		·02			·74		·07	·10	·03		24
25							·64			·36	·03		25
26				·03			·10		·01	·14			26
27			·63	·42	·12	·03	·24			·21		·09	27
28				·06	·08					·06			28
29			·49	·17	·21		·10	·15	·37	·48	·12	·12	29
30		×		·21		1·76	·12		·35	·01	·85	·42	30
31		×	·04	×		×	·05		×		×	·14	31
TOTAL	4·96	·15	1·86	3·85	5·28	2·34	3·74	1·72	3·70	5·96	2·32	1·47	YEAR'S TOTAL 37·35
*Days with ·01 in. or more.	18	8	8	19	19	5	16	8	17	21	11	10	160
*Days with ·04 in. or more.	11	1	7	16	17	4	14	5	15	18	8	8	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. S. Atkins

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ovington, Rectory

in the County of Hampshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.50	.10		.04								1
2	.39		.85		.23								2
3	.01	.12	.59										3
4	.46	.05			.30								4
5	.11		.72										5
6		.30	.07		.22					.11	.09		6
7	.09		.02		.16					.13			7
8	.01		.03		.01		.36			.14			8
9					.06		.30			.21	.09		9
10		.17			.08		.11			.38	.12		10
11					.15	.17				.05			11
12	.25			.11	.03		.19		1.55				12
13						.06	.59		.06	.03	.12		13
14							.10			.34	.32		14
15	.87		.23			2.37	.26	.53					15
16		.02	.83			.14	.15		.01				16
17			.50						.22		.02		17
18	.36		.32			.44			.01			.05	18
19		.06	.06			.07			.81		.04		19
20		.07	.11	.02		.21		.06					20
21								.20	.05				21
22						.26		.30	.03	.23			22
23				.36		.14			.30	.79			23
24		2.15		.26		.13			.02				24
25		1.65		.30					.03			.15	25
26		1.37		.18		1.04			.55	.04		.01	26
27		.02			.47		.02		.02	.27		.26	27
28				.10	.02		.33			.09		.08	28
29	.06	✕	.03									.02	29
30	.14	✕	.19				.08		.14			.07	30
31	.31	✕	.03	✕		✕			✕		✕		31
TOTAL	3.06	6.48	4.68	1.33	1.77	5.03	2.49	1.09	3.90	2.81	.80	.64	YEAR'S TOTAL 33.98
*Days with ·01 in. or more.	12	13	16	7	12	11	11	4	14	13	7	7	127
*Days with ·04 in. or more.	10	11	12	6	9	11	10	4	8	12	6	5	104

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) Rev. H. S. Atkins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ovington Rectory
in the County of Hampshire

Diameter of Funnel of Gauge ...... in.
Height of top of Gauge above Ground ...... ft ...... in.
,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04								·02	·08	·04	·73		1
2	·11		·10	·10	·23			·69	1·00	·18	·01	·47		2
3	·05	·05						·14	·02	·42		·24		3
4	·16		·14	30	·23					·10	·04	·60		4
5			·02		·03			·18			·06	·56		5
6	·03		·36		·23	·07				·21	·11	1·00		6
7	·13					·11		·33		·13		·75		7
8					·26			·03	·16		·65	·12		8
9	·03		·15								1·67	·93		9
10	·06	03	·41	·25				·03			·36	·06		10
11	1·10		·53	·41			·18	·05				·63		11
12	·08		·02	·01			·15	·25				·25		12
13	·75		·01	·18			1·50	·05			·06	·70		13
14	·10		·79	·03							·32	·63		14
15			·03		·21				·02	·17	·09	·67		15
16	·23		·52				·01		·02			·05		16
17	·08	·02	·01		·05				·09	·04		·31		17
18	·15		·18	·28								·31		18
19			·50	·05				·02			·01	·13		19
20			·20	·06			·26		·22					20
21			·02	·26		·16		·07		·12	·01	·02		21
22		·01					·03	·30	·27			·06		22
23				·30		·54		·03	·03			·04		23
24		·03	·09	·05		·03	·22		·15					24
25	·44			·16		·07				·22		1·13		25
26	·03			·45		·20	·01		·13			·09		26
27	·01					·07			·01			·37		27
28						·16		1·10		·03		·59		28
29								·14	·15		·02	·03		29
30	·09	X							·12	·04		·47		30
31	·04	X		X		X			X		X	·20		31
TOTAL	3·71	·14	4·08	2·89	1·24	1·41	2·36	3·41	2·41	1·74	3·45	12·14	Year's Total 38·98	
*Days with ·01 in. or more.	20	5	18	15	7	9	8	15	15	12	14	29	167	
*Days with ·04 in. or more.	16	1	12	13	6	8	5	11	9	11	10	28	130	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) H. S. Atkins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ovington Rectory

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TL.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05		·15		·09	·05		-	·09	·13	·25			1
2						·03	·78			·35	·15			2
3			·05	·04		·04				·18	·13			3
4		·09		·21		·28				1·15	·31	·07		4
5		·30	·15	·20		·08				·44	·02	·02		5
6				·39		1·33			·85	·01	·05			6
7	·02	·01		·33		·08			·02	·22	·53	·10		7
8				·33		·08				·54	·50			8
9	·07			·58		·75			·18	·90	·20			9
10	·07		·19	·26		·02					·44			10
11	·35	·03		·06		·20	·08			·04	·80			11
12	·03	·05		·01		·47			·09		·65			12
13	·08	·15		·08	·06	·16			·01		·05			13
14	·01			·01	·09	·05		·04	·02		·62	·20		14
15		·17		·82		·07			·45	·01	·52	·03		15
16		·03	·11	·14		·12			·65		·90			16
17	·02		·01	·30	·12	·25		·07	·01	·06	·25			17
18		·02		·36		·04	·03		·54	·05	·04			18
19				·01	·50	·07	·30		·04	·04	·26			19
20		·55		·36		·05	·15		·04		·50			20
21		·56		·15						·04	·01			21
22		·05	·13	·11				·08	·07	·01	·02			22
23		·05	·11					·43	·01	·57		·20		23
24	·03	1·20			·07			1·22	·62	·03		·38		24
25	·04	·39		·19	·22	25						·56		25
26		·71	·01			·03		·30	·13	·01	·06	·65		26
27		·66							·27		·10	·57		27
28		·28			·03			·07	·42			·23		28
29	·01								·52	·02	·04	·64		29
30	·08	✗		·15				1·41	·07	·22	1·04	·75		30
31		✗		✗		✗			✗	·90	✗	·48		31
TOTAL	·86	5·30	·91	5·09	1·18	4·50	1·34	3·62	5·10	5·92	8·44	4·88	Year's Total 47·14	
*Days with ·01 in. or more.	13	18	9	22	8	22	5	8	22	22	27	14	190	
*Days with .04 in. or more.	7	14	7	19	7	19	4	8	17	16	2~~4~~3	12	153	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) Rev. H. L. Atkins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ovington Rectory

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·08	·07	·60		·71	·39		-	-	·06	·06		1
2		·15	·02			·08	·28	·09	-	-	·02	-		2
3			·01	·33		·10	·05		·64	-	·34	-		3
4			·17			·03			·32	-	·12	-		4
5	·48		·12		·05			·02	·07	-	·02	-		5
6	·62		·01					·02	·25	-	·73	·03		6
7	·12		·12							-	·16	·08		7
8	·58		·19				·15			-	·16	·11		8
9	·68						·34		·30	·02	-	·02		9
10	·14						·12	·01		-	·02	-		10
11	·08	·13		·08				·06	·12	-	1·81	·02		11
12				·17	·06	·40	·34		·47	-	·19	-		12
13				·28		·12	·03			·04	·15	85		13
14		·16				·05	·55		·22	·01	·06	·75		14
15		·06					·34			-	·04	·43		15
16	·13	·31					·16			-	·07	·09		16
17	·09	1·44			·14	·18	·06		·02	-	·16	·40		17
18	·14	·31				·41	·31			·01	-	·22		18
19	·49	·08	·01	·04		·17	·03	·17	1·07	-	-	-		19
20	·21	·12	·14				·02			-	-	-		20
21		·07		1·27		·26	·05			-	-	-		21
22	·11	·41	·19	·01	·21		·25			-	-	·07		22
23	·10	·01	·36	·15	·06		·36			·06	-	-		23
24	·11	·09			·04					·43	-	-		24
25	·10		·10	·25	·08				·01	·16	·04	-		25
26	·23	·25	·07	·01			·03		·07	·27	-	-		26
27	·60	·02	·08				·11		·02	·34	-	-		27
28	1·19	·01	·40				·61		·32	-	-	·22		28
29	·02	·09	·12			·45	·11			·07	·25	·09		29
30	·20	×				·45	·02			·20	-	-		30
31	·21	×	·40	×		×	·21		×	·20	×	·78		31
TOTAL	6·86	3·79	2·58	3·19	·64	3·41	4·92	·37	3·90	1·81	4·35	4·22	Year's Total. 40·04	
* Days with .01 in. or more.	23	18	18	12	7	13	24	6	14	12	18	16	181	
* Days with .04 in. or more.	22	15	14	10	7	12	19	3	11	9	15	13	150	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H. L. Atkins

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Ovington Rectory
in the County of Hampshire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

T. C. Copy by B.R.O.

circ. 7. sent for Dec.
10.1.38.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·64	·12	–	·01		–	–	–		·02	·87	·87		1
2	·04	·87	–	·15		–	–	–	·12	–	–	·57		2
3	–	·40	·01	–		–	–	–		–	–	·02		3
4	·12	1·18	–	–		–	–			–	–	·29		4
5	·23	·06	–	–		–	·18	–		–	–			5
6	·18	·06	·15	·02	·14	–	·04	–		·08	–			6
7	–	·62	·12	·10	·10	–	–	–	·02	–	·01	·40		7
8	–	·02	–	·17	·22	–	–	–	·02	–	·01	·09		8
9	–	–	–	–	·10	·05	–	–	·30	–	–	·13		9
10	·03	·02	·79	–	·10	·37	–	–		–	–	·66		10
11	·02	–	·14	·38	·25	·62	·16	–		–	–			11
12	·53	·35	·28	–	·22	·26	·03	·14		–	–	·47		12
13	·26	·06	·68	·07		–	–	·21	·17	–	–	·57		13
14	·02	·08	·47	·14		–	–	·37	·10	–	–	·18		14
15	·42	·26	–	·12		–	·35	–	·13	–	–	·20		15
16	·04	·17	·76	·37		–	–	·46	·19	–	–			16
17	1·19	·04	·13	·18		·08	–	–	·42	–	·05			17
18	·43	·15	–	–		–	–	–	·17	–	·10	·17		18
19	·19	·08	·10	–		·12	·04	–		–	–			19
20	1·07	–	·05	·24		–	–	–	·02	–	–	·10		20
21	·95	·35	·03	·32	·07	–	·05	–		·05	·03	·05		21
22	·65	·03	·16	·05	·37	·20	·15	–		1·24	·55	·13		22
23	·75	·13	·02	–	·33	–	·02	–		·23	·46	·02		23
24	·33	·50	·01	–		–	–	–	·07	·65	–	·02		24
25	·30	·68	·27	–	1·16	–	–	–		·30	–			25
26	–	·27	·01	–		–	–	–		–	–			26
27	·04	·26	·01	·15		–	–	–		·70	–			27
28	·03	·08	–	–		–	–	–		·04	·04	·04		28
29	·03		–	–		·04	–	–		·08	·13	·01		29
30	·50	✕	–	–		–	–	·10		·25	·37			30
31	·40	✕	–	✕		✕	–	–	✕	·65	✕			31
TOTAL	9·39	6·84	4·19	2·47	3·06	1·74	1·02	1·28	1·73	4·29	2·62	4·99 ~~5·59~~	Year's Total 43·62	✓ ✓
* Days with .01 in. or more.	26	25	19	15	11	8	9	5	12	12	11	20	173	✓ ✓
* Days with .04 in. or more.	21	22	13	13	11	8	7	5	9	11	8	16	144	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Hants 5

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ovington Rectory

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 221 ft.

Nov. Took for arithmetic

Dec adjusted from nearby stations Obs^r notified LSB 5/1/39

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·06	–		–	·15	·27	–	–	·09	·05	·18		1
2	–	–	–	·03	–		·11	–	–	·38	·01	–		2
3	·05	–	–		·07		–	–	–	·70	·07	·10		3
4	·04	–	–		–		·07	–	–		·01	–		4
5	–	–	–		–		·24	·01	–	·08	–	·12		5
6	·04	–	–		–		·11	–	–	·38	·02	·02		6
7	·01	–	–		–		1·40	·25	·02	·35	–	·05		7
8	·19	–	–		–		·31	·02	–	·20	·02	·08		8
9	·09	·02	–		–	·09	·01	–	–	·02	–	1·45		9
10	·12	·04	–		–	·03	·03	·03	–		–	·17		10
11	·18	–	–		–		–	–	–	·15	·20	·27		11
12	·45	–	–		·14		–	–	–	·14	·03	·02		12
13	·29	–	–		–		–	–	–		·53	·45		13
14	·41	✓ –	–		·10		·11	–	·01		–	·03		14
15	·30	– }	–		–		·70	–	–	·40	·01	·55		15
16	·25	✓ ·03 }	·01		·02		–	–	–	·02	·02	·03		16
17	–	·10	·01		–		·01	–	·07	·25	–	–		17
18	·10	–	–		–	·03	–	–	·05		·65	–		18
19	·07	–	–		–		–	·12	·18		·46	–		19
20	–	–	–		–		–	·02	·11		·57	✓ } Snow		20
21	–	–	–		–		–	–	–		·03	x } (·50)		21
22	–	–	–		–	·13	–	·25	–		·34	x		22
23	–	–	–		–		–	–	–		·04	–		23
24	–	–	·12		–		–	–	·18		·25	–		24
25	·10	·09	·09		·17		–	–	–	·05	1·33	– }		25
26	·36	x }	·05		–		–	–	·04		–	x }		26
27	·16	✓ ·32 }	–		·08	·32	·64	–	–	·15	·38	– } (28)		27
28	·08	·07	–		·45	·10	–	} x	·13	~~·04~~	–	x }		28
29	·26		–		·39		–	} ·90	·13		·28	·08		29
30	·10	✕	–		·32	·05	–	–	·13	·05	·27	–		30
31	·21	✕	–	✕	·21	✕	–	–	✕	·25	✕	·40		31
TOTAL	3·86	·73	·28	·03	1·95	·90	4·01	1·60	1·05	3·70	5·58	4·78	Year's Total 28·46	✓
* Days with .01 in. or more.	22	~~10~~ 9	5	1	10	8	13	~~8~~ 9	11	18	22	21	149	✓
* Days with .04 in. or more.	21	~~8~~ 6	3	0	9	6	10	~~4~~ 5	9	16	14	16	115	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. L. Atkins

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ovington Rectory

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 221 ft.

Acc

Copy by B.R.O.

J.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	·19	·18	—	—	·02	20	—	—	·03		1
2	·08	—	·15		—	—	·05	·80	·62	—	—	·03		2
3	·69	—	—	·40	04	·	—	·20	—	—	·21	·24		3
4	·06	—	·46	·20	·28	—	·25	— ✓	—	·80	·09	·10		4
5	—	—	—	·18	—	—	·20	·11 ✓	—	·25	·33	·21		5
6	·42	—	·10	—	—	—	✓·82	—	—	·03	·64	—		6
7	·01	·20	—	—	—	—	—	·03	—	·11	·33	·56		7
8	·06	·25	·20	—	—	—	·04	·10	—	·27	·42	·34		8
9	·05	·05	—	—	—	—	—	·10	—	·17	·15	·33		9
10	·30	—	·01	—	—	·05	—	·16	·04	·25	·05	—		10
11	—	—	·22	—	—	·06	—	—	—	·45	·11	—		11
12	—	·04	—	—	—	—	—	—	—	—	—	—		12
13	—	—	—	·05	—	·01	·40	—	·25	1·57	·02	—		13
14	·94	—	—	·05	·05	·06	·18	—	—	·29	·77	·05		14
15	·34	—	—	—	50	·65	·24	—	·02	·29	·28	·03		15
16	·65	—	·07	·05	·05	·30	·38	—	—	—	·34	—		16
17	·40	·05	·03	—	07	·03	·18	·	—	89	·10	—		17
18	·35	—	—	—	—	·16	78	—	—	—	·48	—		18
19	·39	—	—	—	—	—	·25	—	—	·06	—	·03		19
20	·46	—	·01	—	·	—	·45	—	—	—	—	·01		20
21	·08	·31	·05	—	—	—	·10	·	·01	—	—	—		21
22	·32	·33	·02	—	—	·18	·09	—	—	—	·25	—		22
23	·04	—	·02	·15	—	—	·02	·	—	—	1·15	—		23
24	·15	·02	·01	·02	—	·25	·20	—	—	·08	—	—		24
25	·61 ✓	·20	·01	—	—	—	·05	—	—	·03	·38	·03		25
26	·06	—	·02	—	—	·22	—	—	—	·10	·39	—		26
27	—	—	·08	·06	—	—	—	—	—	—	·12	—		27
28	—	·33	·06	·04	—	·18	·13	—	—	·02	·33	·15		28
29	—	X	—	·06	—	—	·25	—	—	·03	·03	—		29
30	—	✕	—	·70	—	·32	—	—	—	—	·10	—		30
31	—	✕	—	✕	—	✕	·45	—	✕	—	✕	—		31
TOTAL	6·48	1·78	1·52	2·15	1·17	2·47	5·51	1·52	1·14	5·69	7·07	2·13	Year's Total 38·63 ✓	
* Days with ·01 in. or more.	22	10	17	13	7	13	21	8	6	18	23	15	173 ✓	
* Days with ·04 in. or more.	20	9	9	12	7	11	20	6	4	14	21	8	141 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Ovington Rectory
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 221 ft.

Jan adj for snow
Feb " " "

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	-	·07		1
2	-	·10	-	·15	-	-	-	-	-	·03	·44	·12		2
3	-	·39	-	·01	-	-	-	-	-	·17	1·33	·02		3
4	·05	·05	-	-	-	-	-	-	-	·30	·10	·02		4
5	-	·02	-	-	-	-	·25	-	-	·10	·80	·21		5
6	·26	·45	-	-	-	-	·40	-	-	·32	·02	-		6
7	·18	·35	-	-	·03	-	·10	-	-	·44	-	·25		7
8	-	-	-	-	·02	-	-	-	·02	-	-	·26		8
9	-	-	-	-	-	-	-	-	·03	·22	·16	·01		9
10	-	-	-	-	-	-	1·03	·12	-	·07	·05	·09		10
11	-	-	-	·03	-	-	·34	-	-	-	1·15	-		11
12	-	-	·29	·01	-	-	·23	-	·26	-	·07	-		12
13	-	-	·76	-	-	-	·02	-	·20	-	·95	·70		13
14	-	-	·20	·08	-	-	·13	-	·02	·35	-	·01		14
15	-	-	-	-	-	-	·87	-	·07	·10	1·09	-		15
16	-	(·60)	-	·08	-	-	·02	-	·19	·60	1·07	-		16
17	-	-	·50	·01	-	-	·01	-	-	-	·25	·16		17
18	-	(·20)	·37	·38	-	-	·39	·01	·02	·25	·07	-		18
19	-	·10	·05	-	-	-	·07	-	1·04	-	·32	-		19
20	-	·02	-	·01	-	-	·02	-	·09	·30	·05	-		20
21	-	-	-	·01	·04	-	·03	-	-	·10	·65	-		21
22	-	-	·05	-	-	·29	-	-	·16	-	·27	-		22
23	-	·09	·25	-	-	·01	-	-	·01	-	·03	-		23
24	-	-	-	-	-	-	·30	-	-	-	·07	-		24
25	-	-	·25	-	-	-	·02	-	-	-	-	-		25
26	·80	·50	·18	-	·22	·03	-	-	-	-	-	-		26
27	·53	·64	-	·17	-	-	-	-	-	-	-	-		27
28	(0·30)	·02	-	·03	·10	-	-	-	-	-	-	-		28
29	(0·40)	·09	·29	·10	-	-	-	-	-	-	-	+ ·30		29
30		X	-	·02	-	-	-	-	-	·35	-	-		30
31		X	-	X	-	X	-	-	X	·90	X	·09		31
TOTAL	(2·52)	3·62	3·19	1·09	·41	·33	4·23	·13	2·11	4·60	8·94	2·31	Year's Total 33·48	
* Days with .01 in. or more.	7	15	11	14	5	3	17	2	12	16	20	~~15~~ 14	136	
* Days with .04 in. or more.	7	12	11	6	3	1	11	1	7	15	18	~~11~~ 10	102	

20·3

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rev. H. L. Attan

[P.T.O.

X BISHOPS SUTTON X

81488

724/2

(BISHOPS SUTTON)

1934-1940

780201

C

Section **A** for the entry of Daily

AIR MINISTRY.—M

INFALL ORGANIZATION.

Station No. 724/2

FORM 1090.

REGISTER 934.

11/Hants/5

Kept at Sutton Manor, B

in the County of Hampshir

Diameter of Funnel of Gauge 5 4.

Height of top of Gauge above Ground —

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14												·54	14
15												·64	15
16												·02	16
17												·23	17
18												·41	18
19												·12	19
20												—	20
21												—	21
22												·05	22
23												·03	23
24												—	24
25												·65	25
26												·06	26
27												·24	27
28												·49	28
29												·01	29
30		×										·64	30
31		×		×		×			×		×	·24	31
TOTAL												~~18 days Tot. 4.37~~	YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side,

N

(*Signed*) ~~H. C. Mills~~ X H.C. MILLS ESQ X

P.T.O.

X BISHOP'S SUTTON X

OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 724/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Hants/5

Kept at SUTTON MANOR, BISHOP'S SUTTON
in the County of HAMPSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 4 in.
,, Ground ,, Sea Level ft.

C Dec 1934.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14												·54	14
15												·64	15
16												·02	16
17												·23	17
18												·41	18
19												·12	19
20												—	20
21												—	21
22												·05	22
23												·03	23
24												—	24
25												·65	25
26												·06	26
27												·24	27
28												·49	28
29												·01	29
30		×										·64	30
31		×		×		×			×		×	·24	31
TOTAL												~~18 days Wet. 4.37~~	YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999
*See Instruction 2 (*f*) on other side.

N

(Signed) H. C. Mills
X H.C. MILLS ESQ X

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 724/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~Sutton Manor~~, X BISHOPS SUTTON X

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	—	·12	—	·07	·02	·50	—	·12	·09	·23	—		1
2	TRACE	—	—	—	—	·13	—	—	·01	·29	·06	TRACE		2
3	—	—	·01	TRACE	—	·04	—	—	·15	1·07	·24	—		3
4	—	·05	—	·25	—	·05	—	—	·17	·33	·79	·06		4
5	—	·35	·13	·17	—	·20	—	—	·40	·01	·02	TRACE		5
6	—	·01	·01	·28	—	1·23	—	—	—	—	·04	·01		6
7	—	—	—	·24	—	·08	—	—	—	·25	·61	·08		7
8	—	—	TRACE	·32	—	·06	—	—	·09	·43	·38	TRACE		8
9	·09	—	TRACE	·59	—	·61	—	—	·13	·89	·15	—		9
10	·04	—	·22	·28	—	·03	—	—	—	—	·28	—		10
11	·33	—	—	·05	—	·22	·02	—	—	·03	·52	—		11
12	·01	·07	—	—	—	·36	—	·04	·08	—	·74	—		12
13	·09	·14	—	·04	·06	·06	—	—	·01	·01	·02	—		13
14	~~·06~~	~~·06~~	—	·06	·12	·10	—	—	—	TRACE	·19	·18		14
15	—	·15	—	·47	—	·06	—	—	·30	—	·40	·02		15
16	—	·02	·10	·13	—	·17	—	—	·43	·03	·83	—		16
17	·01	—	—	·24	·02	·20	·01	·05	·01	—	·27	—		17
18	—	—	—	·33	·04	·04	·01	·01	·52	·05	·04	—		18
19	—	·03	—	·01	·51	·06	·41	—	·03	·05	·21	—		19
20	—	·54	—	·03	·01	·03	·09	—	—	—	·44	—		20
21	TRACE	·31	—	·02	—	—	—	—	·04	·03	·01	—		21
22	—	·03	·08	·06	—	—	—	·04	·10	—	—	—		22
23	—	—	·09	—	—	—	—	·38	·01	·51	TRACE	·17		23
24	·02	·81	—	—	·07	—	—	1·12	·54	·01	—	·25		24
25	·03	·41	—	·16	·21	TRACE	—	TRACE	—	—	—	·32		25
26	TRACE	·30	—	—	—	·02	—	·28	·11	—	·01	·43		26
27	—	·44	—	—	—	—	TRACE	—	·21	—	·09	·41		27
28	—	·25	—	—	·03	—	—	·05	·46	TRACE	TRACE	·14		28
29	TRACE	×	—	—	—	—	—	·01	·57	·01	·03	·37		29
30	·10	×	—	·20	·11	—	—	·87	·03	·29	·80	·45		30
31	—	×	—	×	—	×	—	TRACE	×	·75	×	·41		31
TOTAL	0·78	3·91	0·76	3·93	1·25	3·77	1·04	2·85	4·52	5·13	7·40	3·30	Year's Total 38·64	
*Days with ·01 in. or more.	10	16	8	20	11	21	6	10	23	19	25	14	183	
*Days with ·04 in. or more.	6	12	6	17	8	17	3	8	17	12	20	12	138	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

X H.C. MILLS ESQ X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 724/2.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sutton Manor, Bishop's Sutton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	·07	·06	·46	–	·46	·41	·03	–	–	·05	·08		1
2	–	·17	·01	TRACE	–	·12	·08	·10	–	–	–	–		2
3	–	–	–	·24	–	·09	·05	–	·72	–	·34	·01		3
4	–	–	·15	–	–	·02	–	–	·34	–	·15	·07		4
5	·27	–	·06	–	·01	–	–	·03	·07	–	–	·03		5
6	·60	–	–	–	–	·04	·12	·01	·21	–	·50	·06		6
7	·17	–	·05	–	–	–	–	–	·06	–	·23	·12		7
8	·46	–	·12	–	–	–	·06	–	–	TRACE	·19	–		8
9	·51	–	·07	–	–	–	·31	–	·31	·01	·01	–		9
10	·18	–	–	–	–	–	·07	·11	TRACE	–	TRACE	–		10
11	·07	·08	–	·08	–	–	–	·03	·12	–	1·29	–		11
12	–	–	–	·16	TRACE	·31	·29	–	·62	–	·12	·17		12
13	–	–	–	–	–	·10	·02	–	–	TRACE	·06	·52		13
14	–	·08	–	–	–	·04	·52	–	·19	·04	·14	·65		14
15	·03	·06	–	–	–	TRACE	·01	–	·05	–	·05	·37		15
16	·27	·23	–	–	–	–	·10	–	–	–	·15	·08		16
17	·03	·71	–	–	·22	·20	·04	–	·01	·01	·10	·41		17
18	·11	·25	–	–	–	·76	·31	–	–	–	TRACE	·21		18
19	·24	·05	·02	–	–	·35	·04	–	–	–	–	TRACE		19
20	·16	·11	·23	·49	–	·01	·02	·13	·74	–	–	·01		20
21	–	·02	TRACE	·48	TRACE	·19	·06	–	TRACE	–	–	–		21
22	·08	·33	·11	–	·26	–	·21	–	·01	·02	–	·06		22
23	·06	–	·37	·12	·03	TRACE	·41	–	–	·08	–	–		23
24	·09	·10	–	–	·01	–	TRACE	–	·01	·46	–	–		24
25	·06	–	·11	·23	·07	–	·06	–	·13	·14	·04	–		25
26	·11	·20	·07	–	–	·01	·11	–	·01	·18	–	·01		26
27	·50	–	·15	–	–	–	·02	–	·18	·35	–	–		27
28	·85	–	·31	–	–	–	·37	–	–	–	–	·14		28
29	·01	·09	·06	–	–	·10	·08	–	–	·05	·26	·05		29
30	·13	×	TRACE	–	–	·37	–	–	–	·16	–	–		30
31	·19	×	·33	×	TRACE	×	·19	–	×	·27	×	·68		31
TOTAL	5·40	2·55	2·28	2·26	0·60	3·17	3·96	0·44	3·78	1·77	3·68	3·73	Year's Total. 33·62.	
* Days with .01 in. or more.	24	15	17	8	6	16	25	7	17	12	16	19	182	
* Days with .04 in. or more.	21	14	15	8	3	13	21	3	13	9	15	15	150	

40-9999

† Spare column, no entries required.

(*Signed*) H. P. Mills.

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 724/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Sutton Manor, Bishop's Sutton

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·58	·04	—	—	—	—	—	—	TRACE	·05	·99	·76		1
2	·02	·78	TRACE	·16	—	—	—	—	·14	—	—	·46		2
3	TRACE	·44	·03	—	—	—	TRACE	—	—	—	—	·03		3
4	·11	·91	—	—	—	—	—	—	—	—	—	·23		4
5	·21	·06	·11	·02	—	—	—	—	—	—	—	—		5
6	·14	·05	1·21	·07	·11	—	·16	—	—	·03	·01	→		6
7	—	·48	—	·09	·11	—	·02	—	TRACE	·01	—	·44		7
8	·01	·01	—	—	·19	·01	—	—	—	—	·05	·08		8
9	—	—	—	·37	·06	·07	·05	—	·29	—	—	·15		9
10	—	·01	·70	·18	·07	·32	TRACE	·01	—	—	—	·56		10
11	TRACE	—	·08	—	·38	·68	·16	—	—	—	—	·01		11
12	·42	·28	·21	·11	·83	·37	·03	·27	·14	—	—	·20		12
13	·23	·04	·90	·12	—	—	—	·12	·16	—	—	·72		13
14	·01	·05	·35	·19	—	—	—	·20	·10	—	—	·05		14
15	·26	·22	—	·23	—	—	·51	—	·19	—	—	·11		15
16	·04	·10	·46	—	—	·03	—	·49	·67	—	—	→		16
17	·62	TRACE	·11	·24	—	—	·03	—	·12	—	·02	—		17
18	·20	·10	—	—	—	—	—	—	—	—	·11	·12		18
19	·13	·13	·06	·25	—	·10	—	—	·02	—	—	—		19
20	·56	—	·04	·26	·15	TRACE	—	—	—	—	—	·03		20
21	·67	·37	·03	·04	—	—	·03	—	—	·02	—	·02		21
22	·44	·07	·28	—	·32	·09	·14	—	—	·94	·52	·14		22
23	·20	·13	—	—	·21	—	·01	—	—	·29	·36	TRACE		23
24	·47	·38	·04	—	·01	—	—	—	·09	·51	—	—		24
25	·32	·56	·25	—	1·19	—	—	—	·10	·16	—	—		25
26	—	·25	·01	—	·01	—	—	—	—	·10	—	—		26
27	·07	·13	—	·17	—	—	—	—	—	·46	—	—		27
28	·02	·11	—	—	—	—	—	—	—	·05	—	·05		28
29	·04	×	—	—	—	—	—	—	—	·10	·11	·01		29
30	·40	×	—	—	—	·01	—	·12	—	·17	·33	TRACE		30
31	·42	×	TRACE	×	—	×	—	—	×	·79	×	·02		31
TOTAL	6·59	5·70	4·86	2·50	3·64	1·68	1·14	1·21	2·02	3·68	2·50	4·19	Year's Total 39·71	✓
* Days with .01 in. or more.	25	24	17	15	13	9	10	6	11	14	9	20	173	✓
* Days with .04 in. or more.	21	21	14	14	11	6	5	5	10	11	7	14	139	✓

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. L. Miller

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No: 724/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sutton Manor, Bishop's Sutton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	—	TRACE	·12	·08	—	—	·04	—	·16		1
2	·03	TRACE	—	·05	—	—	·05	—	—	·38	—	·04		2
3	—	—	—	—	·08	TRACE	—	—	—	·64	·07	—		3
4	·06	—	—	—	—	—	·09	—	—	·06	—	·16		4
5	—	—	—	—	—	—	·16	·02	—	·44	·02	—		5
6	·02	—	—	—	—	—	·11	—	·15	·05	—	·01		6
7	·01	—	—	—	—	·01	·62	·37	·07	·38	—	·02		7
8	·15	—	—	—	—	TRACE	·30	·01	—	·26	—	·08		8
9	·13	·02	—	—	—	·06	—	·10	—	·03	—	·80		9
10	·12	·02	—	—	—	·02	·02	·10	—	—	—	·18		10
11	·14	—	—	—	—	—	—	—	—	—	·20	·23		11
12	·45	·01	—	—	—	—	·08	—	—	·15	—	—		12
13	·28	TRACE	—	—	·13	—	—	—	—	·15	·50	·27		13
14	·32	TRACE	—	—	·10	—	·09	—	·01	—	—	—		14
15	·21	·01	—	—	·01	—	·53	—	—	·36	·02	·29		15
16	·31	TRACE	·01	—	·01	—	—	·02	—	·02	·01	—		16
17	—	·11	TRACE	—	—	—	·01	—	·10	·16	TRACE	—		17
18	·10	—	—	—	TRACE	·03	—	—	·12	—	·65	·02		18
19	·04	—	—	—	—	—	—	·12	·09	—	·37	—		19
20	TRACE	—	—	—	—	—	—	·01	·06	—	·42	·05		20
21	·03	—	—	—	—	—	—	·03	·14	—	—	·35		21
22	·01	—	—	TRACE	—	·13	—	·28	—	—	·23	·33		22
23	—	—	—	—	—	—	—	—	·01	—	—	—		23
24	—	—	·13	—	—	—	—	—	·20	—	·26	—		24
25	·11	·04	·09	—	·14	—	·02	—	—	·02	1·25	·05		25
26	·33	·24	·05	—	·01	—	—	—	·01	·18	—	·32		26
27	·13	·01	—	—	·07	·30	·51	—	—	·02	·36	—		27
28	·06	·06	—	—	·45	·11	—	·68	·13	—	—	·07		28
29	·20	×	—	TRACE	·27	—	—	·02	·23	TRACE	·15	·08		29
30	·09	×	—	TRACE	·29	·01	—	—	·08	·02	·22	—		30
31	·20	×	—	×	·20	×	—	—	×	·28	×	·35		31
TOTAL	3·53	0·57	0·28	0·05	1·76	0·79	2·67	1·76	1·40	3·64	4·73	3·86	Year's Total 25·04	✓
* Days with .01 in. or more.	24	10	4	1	12	9	14	12	14	19	15	[illegible]	154	✓
* Days with .04 in. or more.	19	5	3	1	9	5	11	6	11	14	12	17	[illegible]	✓ 113

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. C. Mills

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations **Station No.** 724/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sutton Manor, BISHOP'S SUTTON
in the County of HANTS
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	·38	—	—	—	·01	·13	—	TRACE	—		1
2	·11	—	·08	·05	·19	—	·08	·84	·53	—	·01	·05		2
3	·49	—	—	·41	—	—	—	·14	—	—	·24	·05		3
4	·09	—	—	·14	·02	—	·20	·31	—	·68	·07	·27		4
5	—	—	·38	·14	·23	—	·24	·02	—	·31	·38	·08		5
6	·24	—	—	—	·02	—	·65	·01	—	—	·38	·22		6
7	·01	·16	·10	—	—	—	·01	·01	—	·08	·24	—		7
8	·05	·20	·19	—	—	—	·03	·06	—	·25	·38	·32		8
9	·03	·04	—	—	—	—	—	·10	—	·13	·16	·35		9
10	·22	—	—	—	—	·05	—	·15	·04	·19	·01	·22		10
11	—	—	·25	—	—	—	—	—	—	·41	·02	—		11
12	—	·02	—	—	—	·09	—	—	—	—	TRACE	—		12
13	—	—	—	·06	—	—	·43	—	·22	—	—	—		13
14	·63	—	—	·06	·04	·05	·07	—	—	1·43	·67	·03		14
15	·32	—	—	—	·47	·57	·13	—	·01	·22	·27	·02		15
16	·42	—	—	—	·08	·24	·02	—	—	·24	·30	—		16
17	·16	—	·07	·05	·19	·02	·35	—	—	·53	·10	—		17
18	·23	—	·01	·03	—	·10	·69	—	—	·09	·40	·01		18
19	·25	·04	·01	—	—	—	·09	—	—	—	·02	·01		19
20	·36	—	—	—	—	—	·45	—	—	—	—	—		20
21	·03	·22	·01	—	—	·02	·05	·69	—	—	·24	—		21
22	·20	·23	·05	·01	—	·15	·09	—	TRACE	—	—	—		22
23	·03	—	·02	·13	—	—	·01	·01	—	TRACE	—	—		23
24	·32	—	—	TRACE	—	·23	·07	—	·01	·11	1·10	—		24
25	·63	·24	—	—	—	—	·04	—	—	·01	·35	—		25
26	·03	—	·03	—	—	·31	—	·10	—	·11	·19	—		26
27	—	·09	·01	·07	—	·01	·10	—	—	·01	·16	·02		27
28	—	·20	·08	·02	—	·14	·15	—	—	·03	·17	·13		28
29	—	✕	·05	·06	—	—	—	—	—	—	·04	—		29
30	—	✕	—	·63	—	·35	—	·05	—	·07	·09	—		30
31	—	✕	—	✕	—	✕	·45	—	✕	·08	✕	—		31
TOTAL	4·86	1·44	1·34	2·25	1·24	2·33	4·40	2·50	0·94	4·98	5·99	1·78	Year's Total 34·05	✓
* Days with .01 in. or more.	22	10	15	15	8	14	22	14	6	19	24	14	183	✓
* Days with .04 in. or more.	16	9	9	12	6	11	18	9	4	16	20	9	139	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. C.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 724/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Sutton Manor, Bishop's Sutton

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✕

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	–	–		1
2	–	·11	–	·06	–	–	–	–	–	·02	·03	–		2
3	–	·33	–	–	–	–	–	–	–	·17	·50	–		3
4	·02	·08	–	–	–	–	–	–	–	·29	1·24	·09		4
5	–	·01	–	–	–	–	·43	–	–	·12	·09	·02		5
6	·23	·38	–	–	–	–	·37	–	–	·47	·73	·21		6
7	·20	·35	–	–	·02	–	·22	–	Trace	Trace	·01	–		7
8	–	–	–	–	–	–	·02	–	Trace	·47	·03	·25		8
9	–	–	–	–	–	–	·45	–	·03	·20	·34	·27		9
10	–	–	–	–	–	–	·28	·11	·01	·12	·08	·01		10
11	–	·03	–	·01	–	–	·27	–	–	·22	1·12	–		11
12	–	·01	·36	–	–	–	Trace	–	·19	–	·13	–		12
13	–	Trace	·68	–	–	–	·13	–	·33	–	1·02	–		13
14	–	–	·19	·08	–	–	·76	–	·01	·11	–	·43		14
15	–	–	·01	–	–	–	·01	–	·07	·68	·98	·03		15
16	–	·77	·20	·02	–	·01	·01	–	·25	–	1·02	·02		16
17	–	–	·42	–	–	–	·30	–	–	–	·25	–		17
18	·01	·39	·43	·43	–	–	·07	–	·02	·23	·03	·17		18
19	–	·08	·05	·12	–	–	·01	–	1·11	–	·26	Trace		19
20	–	·01	–	·03	–	–	·01	Trace	·12	·29	·09	Trace		20
21	·01	–	–	–	·07	–	–	Trace	–	·05	·48	–		21
22	–	–	·05	–	–	·27	–	–	·15	·02	–	–		22
23	–	·10	·18	–	–	–	–	–	·01	–	Trace	–		23
24	–	–	–	–	–	–	·35	–	–	–	·01	–		24
25	–	–	·33	–	Trace	·02	·02	–	–	–	–	–		25
26	·71	·42	·23	–	·22	–	–	–	–	Trace	·01	–		26
27	·55	·50	·02	·43	–	–	·07	–	–	–	–	–		27
28	·51	·05	–	·03	·03	–	–	–	–	Trace	–	–		28
29	·30	·20	·15	·10	·22	–	–	–	–	–	–	·29		29
30	·03	✕	–	·03	–	–	–	–	–	·29	–	Trace		30
31	Trace	✕	–	✕	–	✕	–	–	✕	·90	✕	·09		31
TOTAL	2·57	3·82	3·30	1·34	0·56	0·30	3·78	0·11	2·30	4·65	8·45	1·88	Year's Total 33·06	
* Days with .01 in. or more.	10	17	14	11	5	3	18	1	12	17	21	12	141	
* Days with .04 in. or more.	6	13	12	6	3	1	12	1	7	15	15	8	99	

† Spare column, no entries required.

(*Signed*) H. C. Miller [P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily Observatio
AIR MINISTRY.—METEOROLO

FORM 1090.

REGISTER OF

724/5
KINGSWORTHY
(WINCHESTER)
1933 - 1940

780201

(724/5)
FOR OFFICIAL USE.
GANIZATION.

Hants 15
amendment as below.
Strach

Kept at (Kings Worthy) ~~Nr~~ Winchester
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
,, Ground ,, Sea Level 304

rainfall 1.59) Suggest
1.69) +1.00

THE MORNING MEASUREMENT IS CR

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	+	·415	·115	—	·03	—	—	—	—	—	·01	—	1
2	+	—	·625	—	·25	tr	—	—	—	—	—	—	2
3	1·00	·08	·41	—	tr	—	—	—	—	—	—	—	3
4	+	·025	·01	—	·25	—	—	—	—	—		—	4
5	+	·01	·6	—	tr	—	—	—	—	—	tr	—	5
6	—	·085	·05	—	·22	—	—	—	—	·11	·04	—	6
7	·03	·275	·01	—	·1	—	—	—	—	·09	—	·01	7
8	tr	·065	·02	—	·01	—	—	—	—	·37	—	—	8
9	—	—	—	—	·045	—	—	tr	—	·17	·05	—	9
10	—	tr	—	—	·1	tr	·43	tr	—	·375	·105	—	10
11	·22	·17	—	—	·05	·04	·24	·225	—	·03	—	—	11
12	—	—	—	·05	·06	—	·15	—	1·35	—	tr	tr	12
13	·03	tr	—	—	tr	—	·18	·02	·06	·02	·05	—	13
14	tr	—	tr	—	—	·04	—	—	—	·265	·3	—	14
15	·60	—	·135	—	—	(1·00) —	·12	·44	—	·01	—	—	15
16	—	—	·825	—	—	·1	·03	—	tr	tr	—	—	16
17	tr	·025 s	·395	—	—	·06	—	·02	·15	—	·01	—	17
18	·17	tr s	·215	tr	—	·49	—	—	tr	—	·01	—	18
19	—	—	·055	—	—	·01	—	·02	·46	—	·135		19
20	—	—	·055	·01	—	·08	—	·04	·055	—	tr	·01	20
21	—	—	tr	—	—	·25	—	·08	·05	tr	—		21
22	—	—	—	—	—	·14	—	·26	·02	·15	—	·05	22
23	—	tr s	—	·27	—	·11	—	—	·39	·46	—	—	23
24	—	1·5 s	—	·50	—	·07	tr	·01	—	tr	tr	—	24
25	—	·995	—	·3	—	·17	tr	—	—	—	tr	·105	25
26	—	1·00	—	·14	tr	·99	—	—	·145	·03	—	tr	26
27	—	tr	—	—	·61	—	·02	—	tr	·29	—	·21	27
28	tr s	·01	—	·21	—	—	·34	—	—	·08	—	·04	28
29	·09	×	tr	·05	—	—	tr	—	—	tr	—	·045	29
30	·11	×	·3	tr	—	—	·07	—	·09	—	—	·05	30
31	·165	×	·09	×	—	×	tr	—	×	·02	×	·015	31
TOTAL	(2·41) ~~1·415~~	4·66 ~~4·65~~	3·91	1·53	3 1·72	(3·55) ~~2·55~~	1·58	1·11	2·77	2·46	·71	·53	(26·95) YEAR'S TOTAL
*Days with ·01 in. or more.	(13) ~~8~~	13	16	8	11	14 ~~13~~	9	9	10	15	9	9	(136)
*Days with ·04 in. or more.	(10) ~~6~~	9	13	7	9	13 ~~12~~	7	5	9	10	6	6	(104)

40-9999

*See Instruction 2 (*f*) on other side.

A N.

(~~Signed~~) Miss Rhoda P. Woodard

P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

(72415)

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Hants 15

Kept at (Kings Worthy) ~~Nr~~ Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 304 ft.

906 sent 16/6/34 suggesting amendment as below.

observer agrees 25/6/34

c 1933. cf 726 / 726/5 / 728

2" from

Stench

Jan 1-5 suggest add 1·00 inch

June 15th Kings Worthy — Old Alresford 1·59 } Suggest
Cheesland ·95 Itchen Abbas 1·69 } +1·00

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	+	·415	·115	–	·03	–	–	–	–	–	·01	–	1
2	+	–	·625	–	·25	tr	–	–	–	–	–	–	2
3	1·00	·08	·41	–	tr	–	–	–	–	–	–	–	3
4	+	·025	·01	–	·25	–	–	–	–	–		–	4
5	+	·01	·6	–	tr	–	–	–	–	–	tr	–	5
6	–	·085	·05	–	·22	–	–	–	–	·11	·04	–	6
7	·03	·275	·01	–	·1	–	–	–	–	·09	–	·01	7
8	tr	·065	·02	–	·01	–	–	–	–	·37	–	–	8
9	–	–	–	–	·045	–	–	tr	–	·17	·05	–	9
10	–	tr	–	–	·1	tr	·43	tr	–	·375	·105	–	10
11	·22	·17	–	–	·05	·04	·24	·225	–	·03	–	–	11
12	–	–	–	·05	·06	–	·15	–	1·35	–	tr	tr	12
13	·03	tr	–	–	tr	–	·18	·02	·06	·02	·05	–	13
14	tr	–	tr	–	–	·04	–	–	–	·265	·3	–	14
15	·60	–	·135	–	–	(1·00) –	·12	·44	–	·01	–	–	15
16	–	–	·825	–	–	·1	·03	–	tr	tr	–	–	16
17	tr	·025 s	·395	–	–	·06	–	·02	·15	–	·01	–	17
18	·17	tr s	·215	tr	–	·49	–	–	tr	–	·01	–	18
19	–	–	·055	–	–	·01	–	·02	·46	–	·135	+	19
20	–	–	·055	·01	–	·08	–	·04	·055	–	tr	·01	20
21	–	–	tr	–	–	·25	–	·08	·05	tr	–		21
22	–	–	–	–	–	·14	–	·26	·02	·15	–	·05	22
23	–	tr s	–	·27	–	·11	–	–	·39	·46	–	–	23
24	–	1·5 s	–	·50	–	·07	tr	·01	–	tr	tr	–	24
25	–	·995	–	·3	–	·17	tr	–	–	–	tr	·105	25
26	–	1·00	–	·14	tr	·99	–	–	·145	·03	–	tr	26
27	–	tr	–	–	·61	–	·02	–	tr	·29	–	·21	27
28	tr s	·01	–	·21	–	–	·34	–	–	·08	–	·04	28
29	·09	~~X~~	tr	·05	–	–	tr	–	–	tr	–	·045	29
30	·11	X	·3	tr	–	–	·07	–	·09	–	–	·05	30
31	·165	X	·09	X	–	X	tr	–	X	·02	X	·015	31 (26·95)
TOTAL	(2·41) ~~1·415~~	4·66 ~~4·655~~	3·91	1·53	3 1·72	(3·55) ~~2·55~~	1·58	1·11	2·77	2·46	·71	·53	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	(13) ~~8~~	13	16	8	11	14 ~~13~~	9	9	10	15	9	9	(136)
*Days with ·04 in. or more.	(10) ~~6~~	9	13	7	9	13 ~~12~~	7	5	9	10	6	6	~~99~~ (104)

40-9999

*See Instruction 2 (*f*) on other side.

D N.

(Signed) MISS Rhoda P. Woodard. P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 724/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kingsworthy Nr Winchester
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 304 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	—	—	—	·01	—	·46	·03	·04	—	·66		1
2	·08	—	·09	·07	·22	—	—	·01	·61	·165	—	·39		2
3	·045	·02	—	·395	·17	—	—	·32	·01	·315	—	·17		3
4	·12	tr	·115	·015	·01	—	—	·01	tr	·04	—	·6		4
5	—	—	·01	—	·24	—	—	·21	—	·01	·05	·47		5
6	·05	—	·385	·01	—	—	—	·01	—	·21	·07	·92		6
7	·165	—	—	tr	—	·16	—	·29	—	·125	·49	·66		7
8	—	—	—	—	·27	—	—	·02	·25	—	·88	·12		8
9	·015	—	·095	—	tr	—	—	—	—	—	·24	·57		9
10	·055	·01	·32	·23	—	—	—	·02	·01	tr	—	·16		10
11	·74	—	·5	·48	—	—	·1	·02	—	—	tr	·39		11
12	·06	tr	·025	·01	—	—	·08	·31	—	—	—	·465		12
13	·47	tr	·015	·15	—	—	1·35	·01	—	—	·06	·52		13
14	·145	—	·58	·02	—	tr	—	—	—	tr	·14	·65		14
15	·01	—	·06	tr	·18	—	—	—	tr	·145	·08	·465		15
16	·205	—	·345	·12	—	—	—	—	—	tr	tr	·04		16
17	·07	—	·015	tr	·01	—	—	—	·09	tr	tr	·22		17
18	·18	—	·09	—	—	—	—	tr	·13	—	—	·24		18
19	—	—	·47	—	tr	·03	—	tr	·07	—	—	·1		19
20	—	—	·2	·05	—	—	·12	·05	·03	·01	—	·01		20
21	—	—	—	·185	—	·12	—	—	—	·135	—	—		21
22	tr	tr	tr	—	—	—	·05	·33	·21	—	—	·03		22
23	—	·02	—	·265	—	·73	—	tr	·015	—	—	·01		23
24	—	·03	·08	·05	—	·03	·145	tr	·13	tr	—	·015		24
25	·35	—	—	·06	—	—	—	—	—	·14	—	·73		25
26	tr	—	—	·13	—	·16	—	—	·135	tr	—	·02		26
27	·01	—	—	tr	—	·06	—	—	tr	tr	—	·365		27
28	tr	—	—	—	—	—	tr	·99	—	·01	·01	·52		28
29	—	×	—	—	—	—	tr	·06	·13	—	—	·01		29
30	·07	×	—	—	—	—	tr	·14	·12	·025	—	·45		30
31	·015	×	—	×	—	×	·02	·02	×	·015	×	·09		31
TOTAL	2·895	·095	3·385	2·24	1·1	1·3	1·865	3·3	1·99	1·385	2·02	10·06	Year's Total. 31·635	
* Days with .01 in. or more.	20	4	17	16	7	8	7	18	15	14	9	30	165	
* Days with .04 in. or more.	16	0	13	12	5	5	5	10	10	9	8	24	117	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rhoda P. Woodard

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 724/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kingsworthy Nr Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 304 ft.

Rcc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·135	—	·11	·05	2·67	—	·01	·13	·35	tr		1
2	—	·03	tr	—	—	·03	tr	—	·03	·30	·06	tr		2
3	—	tr	·02	—	—	·12	—	—	·26	1·04	·10	·09		3
4	—	·09	—	—	—	·42	—	—	·26	·16	·21	·02		4
5	—	·31	·11	—	—	·16	—	—	·36	·03	·03	—		5
6	—	·01	·07	x	—	1·21	—	—	—	·01	·06	·07		6
7	—	—	tr	x ·92	—	·125	—	—	—	·11	·40	·02		7
8	—	—	tr Sn	·34	—	·14	—	—	·04	·44	·41	·01		8
9	·06	·01	·01	·56	—	·68	—	—	·21	·90	·48	—		9
10	·02	—	·14	·70	—	·01	—	—	—	tr	·35	—		10
11	·27	·01	tr	·13	—	·165	—	—	tr	tr	·35	tr		11
12	·01	·025	—	tr	—	·35	—	·02	·06	—	·92	—		12
13	·06	·165	—	·08	·05	·11	—	—	·03	tr	·08	—		13
14	tr	—	—	·02	·025	·06	—	—	tr	—	·31	·20		14
15	—	·105	—	·57	tr	·38	—	—	·27	tr	·65	·06		15
16	—	·03	·07	·14	—	·16	—	—	·60	·03	·74	—		16
17	—	—	tr	·335	·085	·21	tr	—	·02	tr	·22	—		17
18	tr	·03	—	·305	—	·07	tr	—	·43	·04	·04	—		18
19	—	·02	—	·04	x ·46	·06	1·9	—	·035	·05	·15	—		19
20	—	·39	—	·02	·19	·05	·07	—	—	tr	·54	—		20
21	—	·41	—	·05	—	—	—	—	✓·03	·06	tr	—		21
22	—	·05	·08	·15	—	—	—	—	—	·01	·03	—		22
23	—	—	—	tr	—	—	—	1·20	·10	·64	—	·09		23
24	·01	·72	x ·08	—	·05	·12	—	—	·50	·05	—	·30		24
25	·05	·20	—	·18	·01	·02	—	·24	—	—	—	·245		25
26	tr	·65	—	—	—	—	—	—	·13	·02	—	·56		26
27	—	·60	—	—	—	tr	—	—	·15	tr	·08	·47		27
28	—	·19	—	—	—	—	—	·06	·34	—	tr	·23		28
29	—	×	—	—	—	—	—	—	·41	·015	·03	·55		29
30	—	×	—	·11	·14	—	—	·92	·10	·19	·79	·55		30
31	—	×	—	×	—	×	—	·01	×	·87	×	·36		31
TOTAL	·50	4·045	·715	4·650	1·120	4·700	4·640	2·450	4·375	5·095	7·380	3·825	Year's Total. 43·495	
* Days with .01 in. or more.	8	20	9 ~~10~~	~~18~~ 19	9 ~~10~~	22	3	6	23	20	24	16	178 ~~180~~	
* Days with .04 in. or more.	4	12	7	~~15~~ 16	7 ~~8~~	19	3	4	16	14	21	13	13~~3~~ 6 4	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rhoda P. Woodard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 724/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at KINGSWORTHY (Winchester)

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level .... ft.

Acc.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·135	·08	·02	·50	–	·43	·25	tr	–	tr	·05	·10		1
2	tr	·18	tr	–	–	·10	·16	·06	✓	–	·13	·01		2
3	–	tr	–	·35	–	tr	·04	tr	4 ·86	–	·23	tr		3
4	–	–	·17	–	–	·02	tr	–	+	–	·10	·10		4
5	·40	–	·12	–	·04	tr	–	·02	·055	–	tr	·05		5
6	·605	–	tr	–	–	·09	–	·08	·18	–	·38	tr		6
7	·08	–	·10	–	–	tr	·05	tr	·04	–	·15	·115		7
8	·455	–	·20	–	–	–	–	–	tr	–	·12	–		8
9	·67	–	·15	–	–	–	·36	–	·465	·04	·02	tr		9
10	·15	–	tr	–	tr	–	·15	–	–	tr	tr	–		10
11	·06	·25	–	·03	–	tr	tr	·02	·13	–	1·15	·02		11
12	–	–	–	·03	·09	·38	·36	–	·88	–	·39	·055		12
13	tr	–	–	·045	–	·10	·05	–	–	·03	·12	·74		13
14	–	·1	–	tr	–	·04	·60	–	·19	–	·045	·775		14
15	tr	–	–	–	tr	tr	·03	–	·16	–	·04	·37		15
16	·21 sn	·33	–	tr	–	–	·08	–	·115	–	·09	·09		16
17	·01	1·00	–	tr	–	·075	·08	·16	tr	–	·13	·445		17
18	·11 sn	·40	–	–	–	·40	·26	tr	–	·05	·02	·25		18
19	·35	·05	tr	·03	–	·11	·02	–	–	–	tr	tr		19
20	·21	·17	·19	× tr	–	–	·02	–	1·03	·03	–	–		20
21	·15	·02	–	1·06 sn	–	·195	·03	–	·035	–	–	–		21
22	·09	·415	·15	tr	·07	–	·20	–	–	–	–	·04		22
23	–	tr	·38	·105	·08	–	·34	–	–	·08	–	–		23
24	·08	·07	–	–	·12	–	tr	–	tr	·50	tr	–		24
25	·09	–	·05	·24	–	–	·055	–	·03	·10	·05	–		25
26	·5	·195	·10	tr	–	·05	·05	–	·01	·24	·01	tr		26
27	·95	tr	·12	–	–	–	·05	–	·04	·32	–	·01		27
28	·01	–	·38	–	–	–	1·11	–	–	–	–	·13		28
29	–	·06	·16	–	–	–	·25	–	–	·08	·23	·07		29
30	·18	✕	tr	–	tr	·34	–	–	–	·11	–	·01		30
31	·2	✕	·40	✕	·02	✕	·18	–	✕	·20	✕	·54		31
TOTAL	5·695	3·320	2·690	2·390	0·42	2·270	4·775	0·330	4·220	1·780	3·455	3·920	Year's Total 35·265	
* Days with .01 in. or more.	22	14	15	10	6	13	24	5	17	12	19	19	176	
* Days with .04 in. or more.	20	13	14	7	5	12	19	3	13	9	16	14	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rhoda P. Woodard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 724/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Yateley Cottage Kingsworthy

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·56	·03	—	tr	—	—	—	—	·01	—	·76	·53		1
2	·05	·79	tr	·135	—	—	—	—	·20	—	—	·31		2
3	·03	·38	·015	—	—	—	·01	—	—	—	—	·02		3
4	·675	·90	tr	—	—	—	—	—	—	—	—	·29		4
5	·20	·06	·12	·01	—	—	·14	—	—	—	—	—		5
6	·12	·04	·75sn	·025	·07	—	—	—	—	·09	·01	—		6
7	—	·58	—	·16	·07	—	—	—	tr	—	—	·43sn		7
8	—	·03	·01	tr	·20	tr	—	—	—	—	—	·10		8
9	—	tr	·65sn	·33	·11	✓ ·3 }	·06	—	·27	—	·01	·15		9
10	—	·02	·10	·58	·02	✓ }	tr	—	—	—	—	·53		10
11	·02	—	·65	tr	·26	·80	·12	—	—	—	—	—		11
12	·44	·29	·30	·03	·23	·27	·01	·19	·15	—	—	·34		12
13	·19	·045	·50	·175	tr	·01	—	·24	·08	—	—	·36		13
14	·03	·03	·41	·01	—	—	—	·26	·06	—	—	·04		14
15	·30	·19	tr	·265	—	—	·36	—	·19	—	—	·29		15
16	·02	·245	·65	·125	—	·02	—	·47	·39	—	—	—		16
17	·85	·02	·05	tr	—	—	·03	—	·36	—	·06	—		17
18	·30	·09	—	— }	—	—	—	—	—	—	·11	·12		18
19	·15	·12	·06	✓ ·12 }	—	·10	·01	—	·06	—	·01	✓ }		19
20	·75	—	·03	·34	·02	·02	—	—	—	—	—	✓ ·055 }		20
21	·70	·33	·04	·045	tr	—	·06	—	·01	·03	—	·07		21
22	·50	·03	·20sn	— }	·32	·30	·11	—	—	1·05	·61	·15		22
23	·37	·12	·02	—	·46	—	·03	—	—	·25	·18	·01		23
24	·53	·50	—	—	·02	tr	—	—	·06	·85	—	—		24
25	·22	·60	·24	—	·72	tr	—	—	·05	·09	—	·03		25
26	tr	·30	·01	—	·03	—	—	—	—	·06	—	—		26
27	·02	·18	—	·13	—	—	—	—	—	1·31	—	—		27
28	·03sn	·05	—	·08	—	—	—	—	—	·06	—	·01		28
29	·01	✕	—	—	—	tr	—	tr	—	·09	·15	—		29
30	·44	✕	—	—	—	·05	—	—	—	·09	·33	—		30
31	·35	✕	—	✕	—	✕	—	—	✕	·06	✕	·03		31
TOTAL	7·265	5·96	4·805	2·56	2·53	1·87	·94	1·16	1·92	4·53	2·23	3·86	Year's Total 39·62	✓
* Days with .01 in. or more.	26	25	19	16 ✓	13	10	11	4	13	12	10	21 ✓	180	✓
* Days with .04 in. or more.	19	19	14	12 ✓	9	6	6	4	11	11	7	15 ✓	~~135~~	133 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Rhoda P. Woodard [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 724/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Yateley Cottage KINGSWORTHY

in the County of HAMPSHIRE

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·08	—	—	·02	·13	·08	—	—	·08	—	·18		1
2	·01	—	—	—	—	—	·24	—	—	·36	·01	·08		2
3	—	—	—	—	·06	—	·06	—	—	·77	·06	—		3
4	·02	—	—	—	—	tr	·08	·01	—	·05	·01	·23		4
5	tr	—	—	·02	—	tr	—	tr	—	·24	—	·02		5
6	·04	—	—	—	—	—	—	—	·11	·02	·03	—		6
7	—	—	—	—	—	·02	·51	·75	·05	·35	—	·16		7
8	·20	—	—	—	—	—	·28	·11	·02	·29	—	·09		8
9	·075	·03	—	—	—	—	—	tr	—	—	—	1·19		9
10	·10	—	—	—	—	—	·03	·01	—	—	—	·15		10
11	·16	·01	—	—	—	—	—	—	—	—	·14	·24		11
12	·38	—	—	—	·14	—	—	—	tr	·16	·01	tr		12
13	·31	tr sn	—	—	—	—	·02	—	—	·13	·39	·28		13
14	·475	·01 sn	—	—	·10	—	·08	—	tr	—	·01	tr		14
15	·10	—	—	—	—	—	·52	—	—	·31	·01	·43		15
16	·35	—	tr	—	·01	—	—	·03	—	·02	—	·06		16
17	—	·08 sn	·02	—	—	—	—	—	·08	·21	·02	—		17
18	·11	—	·01	—	—	·01	—	—	·035	—	·49	—		18
19	·11	—	—	—	—	—	—	·15	·09	—	·80	tr sn		19
20	—	—	—	—	—	—	—	·03	—	—	·60	·02		20
21	·02	—	tr	—	—	—	—	·30	·20	—	·03	·27 sn		21
22	·01	—	—	—	—	·14	—	·16	·01	—	·24	—		22
23	—	—	—	—	—	—	—	—	·06	—	·04	—		23
24	—	—	·13	—	—	—	—	[illegible]	·20	—	—	—		24
25	·09	·08	·06	—	·21	—	—	—	—	—	·94	·03		25
26	·33	—	·04	—	·06	—	·44	—	·09	·04	—	·27		26
27	·11	·34	—	—	·07	·27	·02	·50	·15	·12	—	—		27
28	·11	·07	—	—	·43	·11	—	—	·05	—	·02	—		28
29	·23	×	—	—	·29	—	—	—	·19	·02	·17	·11		29
30	·10	×	—	·01	·23	—	—	—	·06	·05	·24	tr		30
31	·20	×	—	×	·21	×	—	—	×	·25	×	—		31
TOTAL	3·63	0·70	0·26	0·03	1·83	0·68	2·36	2·15	1·395	3·47	4·26	3·91	Year's Total 24·675	
* Days with .01 in. or more.	23	8	5	2	12	6	12	11	15	18	20	17	149	
* Days with .04 in. or more.	19	5	3	2	10	4	9	7	12	15	11	14	111	

up late

† Spare column, no entries required

(*Signed*) Rhoda P. Woodard

* See Instruction 3 (f) on other side.

[P.T.O.

WINCHESTER (KINGSWORTHY)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 724/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Yakeley Cottage KINGSWORTHY

in the County of HAMPSHIRE

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Entries on May 12th, 17th, Dec 12th est'd by reference [illegible] 1938 NK

f 229809/33

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·65	—	·15	·16	·14	—	—	·015	·12	—	—	~~x~~		1
2	—	—	·01	—	—	—	·02	·78	·57	—	—	~~x~~ ·18		2
3	·10	—	—	·35	—	—	—	·20	—	—	·17	·22		3
4	—	—	·42	·23	·08	—	·365	·185	—	·59	·055	·11		4
5	·555	—	·02	·21	·35	—	·50	·04	—	·25	·57	·16		5
6	·38	—	—	—	·04	—	·94	·12	—	—	·84	·47		6
7	·02	·18	·09	—	—	—	·01	·01	—	·05	—	·37		7
8	·09	·30	·21	—	—	—	·03	·07	—	·265	·49	—		8
9	·03	·03	—	—	—	—	—	·11	—	·15	·36	·285		9
10	·29	—	·01	—	—	·07	—	·16	—	·25	·13	·01		10
11	—	—	·19	—	—	—	—	—	·04	·23	·02	—		11
12	tr	·03	—	—	— ~~1·10~~	·02	—	—	—	—	—	— ~~·85~~		12
13	—	—	—	·01	—	·04	·37	—	·34	1·14	·03	·06		13
14	·62	—	—	·01	(·04)	·03	·28	—	tr	·20	·52	·03		14
15	·33	—	—	—	±	·74	·50	—	·01	·43	·20	—		15
16	·52	—	·02	·03	✓)	·29	·01	—	tr	·02	·36	—		16
17	·23	·07	·01	tr	(·60)	·04	·53	—	—	·59	·09	—		17
18	·27	—	·04	—	—	·04	·64	—	—	·04	·39	—		18
19	·35	·01	—	—	—	—	·13	—	—	·06	—	—		19
20	·36	—	—	—	—	—	·30	—	—	·05	—	—		20
21	·05	·34	·04	—	—	—	·15	·09	—	—	—	—		21
22	·27	·44	·02	·10	—	—	·10	—	—	—	·17	—		22
23	·05	·02	—	—	—	—	·025	—	—	—	1·03	·03		23
24	·32	—	—	—	—	·38	·12	—	—	·12	—	—		24
25	·55sn	·13	·05	·01	—	—	·03	—	—	—	·27	—		25
26	·06	—	—	—	—	·01	—	·02	—	·01	·35	—		26
27	—	—	·04	·05	—	—	—	—	—	—	·10	—		27
28	—	·37	—	tr	—	—	·19	—	—	tr	·21	·07sn		28
29	—	✕	·04	·04	—	·11	·46	—	—	—	·045	—		29
30	—	✕	—	·74	—	·35	—	—	—	—	—	—	3	30
31	—	✕	—	✕	—	✕	·65	—	✕	·17	✕	—	~~5~~ 36·795	31
TOTAL	5·595	1·93	1·36	1·94	(1·25) ~~2·71~~	2·12	6·65	1·80	1·08	4·615	6·41	11·995 ~~2·845~~	Year's Total ~~39·055~~	
* Days with .01 in. or more.	21	11	16	12	8	12	22	12	5	18	21	13	161	
* Days with .04 in. or more.	19	7	10	8	7	9	16	9	4	16	19	10	134	

Miss R. ~~[illegible]~~ R. WOODARD

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Rhoda R Woodard

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 724/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Yateley Cottage Kingsworthy

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·01	·04	–	–	–	–	–	·03	–		1
2	–	·08	–	·14	–	–	–	–	–	·03	·46	–		2
3	–	·25	–	·03	–	–	–	–	–	·15	1·25	·15		3
4	·025	·08	–	–	–	–	tr	–	–	28	·19	–		4
5	–	·02	–	–	–	–	·09	–	–	·34	·55	–		5
6	·245	·40	–	–	–	–	·41	–	–	–	–	–		6
7	–	·24	–	tr	–	–	tr	tr	tr	–	–	–		7
8	·13	–	–	–	–	–	·11	–	–	·41	·45	·75 x		8
9	–	–	–	–	–	–	–	tr	·03	·18	–	·02 xx		9
10	–	–	–	–	–	–	·84	tr	–	·09	·13			10
11	–	·03	–	·01	–	–	·07	–	–	–	·92	–		11
12	–	–	·19	·01	–	–	·20	–	·19	–	·09	–		12
13	–	·02sn	·03	–	–	–	·03	–	·265	·01	1·19			13
14	–	–	·85	·07	–	–	·04	–	–	·42	–	·60 x		14
15	–	–	–	–	·03	–	·75	–	·08	·05	1·05	·02		15
16	–	·65sn	·28	·10 x	–	–	·02	–	·225	·45	·95	tr		16
17	–	–	·53	–	–	–	·01	–	tr	·02	·31	–		17
18	–	·38	·41	·30	–	–	·31	–	–	·30	·04	·13		18
19	·02	·09	·12	·15	–	–	·22	–	·92	–	·23	–		19
20	–	·01	·01	·01	–	–	·03	–	·295	·24	·08	–		20
21	–	–	tr	–	–	–	–	–	tr	·04	·45	tr		21
22	–	–	·06	·01	–	·40	·03	–	·13	·01	–	–		22
23	–	·08	·15	tr	–	·01	–	–	tr	–	·03	–		23
24	–	–	·05	–	–	–	·25	–	–	–	·02	–		24
25	·01	–	·20	·01	·02	·02	–	–	–	–	·01	–		25
26	·80	·45	·06	·01	·03	·03	tr	–	–	–	–	–		26
27	·49	·41	–	tr	·01	–	·12	–	–	–	–	–		27
28	·49	–	–	–	·20	–	–	–	–	–	–	–		28
29	·37sn	·25	·22	·08	·40	·01	–	–	–	–	–	·27		29
30	·05	✕	–	–	·01	–	–	–	–	·38	–	·01		30
31	·02	✕	–	✕	–	✕	–	–	✕	·76	✕	·085		31
TOTAL	2·65	3·44	3·16	·94	·84	·47	3·53	–	2·135	4·16	8·43	2·035	Year's Total 31·79	
* Days with .01 in. or more.	11	16	14	14 ~~15~~	8	5	17	–	8	18	20	10	143	
* Days with .04 in. or more.	7	11	12	6	4	1	12	–	7	14	16	7	97	

† Spare column, no entries required.

(*Signed*) Rhoda P. Woodard

* See Instruction 3 (f) on other side.

[P.T.O.

725

Section **A** for the entry of Daily Observ PY FOR OFFICIAL USE.
AIR MINISTRY.—METEORO ORGANIZATION.

FORM 1090.

REGISTER O

725

ALRESFORD
PERINS GRAMMER SCHOOL
1931 ONLY

Kept at ALRESFORD Perin's Grammar
in the County of Southampton.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
,, Ground ,, Sea Level 264

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	/	·10	/	/	·04	/	·05	·01	/	/	·05	1
2	·20	·08	/	·06	/	Tr	Tr	Tr	·05	·04	/	/	2
3	·10	/	/	·45	·10	/	Tr	·01	·13	·04	/	·12	3
4	/	/	·25	·20	·08	/	·20	·10	·41	·05	·22	·25	4
5	/	·05	·08	·15	·09	/	·08	·01	·35	/	·30	/	5
6	/	·10	/	·32	/	·25	·04	·11	·20	/	·04	·35	6
7	/	/	/	/	·20	·10	/	·01	·10	·40	·12	/	7
8	/	·15	/	·05	·04	·20	/	·40	·04	·08	·35	·05	8
9	/	·25	/	·08	/	·28	/	/	/	·04	·11	/	9
10	/	·08	/	/	/	·08	/	·05	/	/	·70	·08	10
11	·15	·50	/	/	/	/	/	·20	/	Tr	·35	/	11
12	·04	/	/	/	/	Tr	·15	·04	·08	Tr	·27	/	12
13	/	/	/	/	/	/	·15	·15	·30	/	/	/	13
14	/	·20	·05	/	Tr	/	·98	·20	/	/	/	/	14
15	·04	·10	/	/	·10	/	·20	·40	/	/	·08	/	15
16	/	·04	/	·04	·25	·20	/	·30	/	/	/	·05	16
17	/	·10	/	·12	/	·08	·40	·40	·06	/	/	/	17
18	·08	·05	/	·10	/	·08	·12	·04	·13	/	Tr	/	18
19	·10	Tr	·05	/	/	·20	·10	·95	/	/	·60	/	19
20	/	·10	/	·50	/	/	/	·10	/	/	/	/	20
21	·07	/	·08	·08	·20	/	/	·45	/	/	·04	/	21
22	·35	/	Tr	/	/	/	/	/	/	/	/	/	22
23	·48	/	·07	·04	·35	·04	/	/	/	/	·04	/	23
24	·08	·05	/	·15	·20	·20	·16	/	/	/	·30	Tr	24
25	·30	/	/	·55	·05	/	·55	·30	/	/	·04	/	25
26	/	·04	/	·15	/	/	·35	/	/	/	·08	Tr	26
27	·15	/	/	·01	·75	/	·05	Tr	/	/	·95	/	27
28	·08	·35	/	·15	·08	/	/	/	/	/	/	Tr	28
29	·14		/	/	·30	/	·12	/	Tr	/	Tr	/	29
30	/	×	/	/	·02	/	/	Tr	/	·10	·08	/	30
31	·40	×	/	×	·04	×	/	/	×	/	×	/	31
TOTAL	2·76	2·24	·68	3·20	2·85	1·75	3·65	4·24	1·86	·75	4·67	·95	YEAR'S TOTAL 29·63
*Days with ·01 in. or more.	16	16	7	18	16	12	15	20	12	7	18	7	164
*Days with ·04 in. or more.	16	16	7	17	15	12	15	17	11	7	18	7	158

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) George J. McKay M. Sc.

P.T.O.

725

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ALRESFORD Perin's Grammar School

in the County of Southampton.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	/	·10	/	/	·04	/	·05	·01	/	/	·05	1
2	·20	·08	/	·06	/	Tr	Tr	Tr	·05	·04	/	/	2
3	·10	/	/	·45	·10	/	Tr	·01	·13	·04	/	·12	3
4	/	/	·25	·20	·08	/	·20	·10	·41	·05	·22	·25	4
5	/	·05	·08	·15	·09	/	·08	·01	·35	/	·30	/	5
6	/	·10	/	·32	/	·25	·04	·11	·20	/	·04	·35	6
7	/	/	/	/	·20	·10	/	·01	·10	·40	·12	/	7
8	/	·15	/	·05	·04	·20	/	·40	·04	·08	·35	·05	8
9	/	·25	/	·08	/	·28	/	/	/	·04	·11	/	9
10	/	·08	/	/	/	·08	/	·05	/	/	·70	·08	10
11	·15	·50	/	/	/	/	/	·20	/	Tr	·35	/	11
12	·04	/	/	/	/	Tr	·15	·04	·08	Tr	·27	/	12
13	/	/	/	/	/	/	·15	·15	·30	/	/	/	13
14	/	·20	·05	/	Tr	/	·98	·20	/	/	/	/	14
15	·04	·10	/	/	·10	/	·20	·40	/	/	·08	/	15
16	/	·04	/	·04	·25	·20	/	·30	/	/	/	·05	16
17	/	·10	/	·12	/	·08	·40	·40	·06	/	/	/	17
18	·08	·05	/	·10	/	·08	·12	·04	·13	/	Tr	/	18
19	·10	Tr	·05	/	/	·20	·10	·95	/	/	·60	/	19
20	/	·10	/	·50	/	/	/	·10	/	/	/	/	20
21	·07	/	·08	·08	·20	/	/	·45	/	/	·04	/	21
22	·35	/	Tr	/	/	/	/	/	/	/	/	/	22
23	·48	/	·07	·04	·35	·04	/	/	/	/	·04	/	23
24	·08	·05	/	·15	·20	·20	·16	/	/	/	·30	Tr	24
25	·30	/	/	·55	·05	/	·55	·30	/	/	·04	/	25
26	/	·04	/	·15	/	/	·35	/	/	/	·08	Tr	26
27	·15	/	/	·01	·75	/	·05	Tr	/	/	·95	/	27
28	·08	·35	/	·15	·08	/	/	/	/	/	/	Tr	28
29	·14		/	/	·30	/	·12	/	Tr	/	Tr	/	29
30	/	X	/	/	·02	/	/	Tr	/	·10	·08	/	30
31	·40	X	/	X	·04	X	/	/	X	/	X	/	31
TOTAL	2·76	2·24	·68	3·20	2·85	1·75	3·65	4·24	1·86	·75	4·67	·95	YEAR'S TOTAL 29·63
*Days with ·01 in. or more.	16	16	7	18	16	12	15	20	12	7	18	7	164
*Days with ·04 in. or more.	16	16	7	17	15	12	15	17	11	7	18	7	158

40-9999

(Signed) George J. McKay
M. Sc.

P.T.O.

*See Instruction 2 (*f*) on other side.

726

Section **A** for the entry of Da
AIR MINISTRY.—

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGISTE 31.

726

ITCHEN ABBAS – CHILLAND

1931 – 1940

780201

780201

Kept at Fishing Lodge Chil

in the County of Hants.

Diameter of Funnel of Gauge Five

Height of top of Gauge above Ground

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0.06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.29	0.15			0.04		0.02					1
2		0.05		0.03		0.03	0.01	0.02	0.14				2
3	0.24	0.04		0.42			0.01		0.47	0.02		0.13	3
4	0.09		0.25	0.08	0.06		0.01	0.06	0.46		0.15	0.14	4
5				0.03	0.03		0.24	0.02	0.34	0.03	0.30		5
6		0.05		0.11	0.05	0.42		0.25	0.02		0.03	0.25	6
7		0.10		0.32		0.15		0.02	0.07	0.36			7
8				0.32	0.13	0.14		0.72	0.01	0.10	0.46	0.04	8
9	0.03	0.14		0.06	0.12	0.29	0.02	0.13		0.02	0.07	0.04	9
10		0.22		0.04		0.05	0.01				0.85	0.01	10
11		0.05				0.07		0.06			0.29		11
12	0.16	0.54				0.01	0.01	0.03	0.04		0.23		12
13	0.02						0.04		0.37				13
14			0.02				0.12	0.02			0.03		14
15		0.16				0.16	1.14	0.48	0.02		0.03		15
16	0.02	0.08			0.07	0.01	0.28	0.21	0.01			0.04	16
17		0.05		0.16	0.18	0.14	0.02	0.32	0.08				17
18	0.03	0.10		0.17		0.08	0.36	0.05	0.17				18
19	0.09	0.03	0.02	0.09		0.18	0.12	1.32			0.53		19
20	0.11			0.46		0.25	0.05	0.06			0.01		20
21		0.08		0.04		0.02	0.02	0.35					21
22	0.06				0.20			0.02					22
23	0.25		0.02	0.02	0.01						0.01		23
24	0.34			0.16	0.30						0.22	0.01	24
25	0.06			0.52	0.17	0.19	0.18	0.25			0.01		25
26	0.31	0.04		0.43	0.05	0.02	0.63				0.06		26
27				0.11			0.44				0.29		27
28	0.15	0.33		0.01	1.03		0.03				0.02		28
29				0.20	0.04						0.01		29
30	0.21	×		0.01	0.25		0.10			0.08	0.04		30
31	0.08	×		×	0.01	×	0.01	0.02	×		×		31
TOTAL	·29 ~~2.33~~ 2.54	·15 ~~2.35~~ 2.21	– ~~0.40~~ 0.31	– 3.59	·04 ~~2.70~~ 2.74	– ~~2.25~~ 2.21	·02 ~~3.85~~ 3.87	– ~~4.43~~ 4.41	– 2.20	– 0.61	– 3.64	·06 ~~0.66~~ 0.72	YEAR'S TOTAL 29.05 ~~29.07~~
*Days with ·01 in. or more.	18	17	4 ~~5~~	22	17 ~~16~~	17 ~~18~~	23 ~~22~~	20 ~~21~~	13	6	20	~~8~~ 9	186
*Days with ·04 in. or more.	14	16	1 ~~1~~	16	14 ~~13~~	12 ~~13~~	12	13	9	3	12	~~6~~ 7	129

40-9999

(*Signed*) W. J. Amdls

[P.T.O.

*See Instruction 2 (*f*) on other side.

726

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fishing Lodge Chilland Winchester.

in the County of Hants.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 200 ft.

corr. for WD.

WD.

780201

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.29	0.15			0.04		0.02					1
2		0.05		0.03		0.03	0.01	0.02	0.14				2
3	0.24	0.04		0.42			0.01		0.47	0.02		0.13	3
4	0.09		0.25	0.08	0.03		0.01	0.06	0.46		0.15	0.14	4
5				0.03	0.03		0.24	0.02	0.34	0.03	0.30		5
6		0.05		0.11	0.05	0.42		0.25	0.02		0.03	0.25	6
7		0.10		0.32		0.15		0.02	0.07	0.36			7
8				0.02	0.13	0.14		0.72	0.01	0.10	0.46	0.04	8
9	0.03	0.14		0.06	0.12	0.29	0.02	0.13		0.02	0.07	0.04	9
10		0.22		0.04		0.05	0.01				0.85	0.01	10
11		0.05				0.07		0.06			0.29		11
12	0.16	0.54				0.01	0.01	0.03	0.04		0.23		12
13	0.02						0.04		0.37				13
14			0.02				0.12	0.02			0.03		14
15		0.16				0.16	1.14	0.48	0.02		0.03		15
16	0.02	0.08			0.07	0.01	0.28	0.21	0.01			0.04	16
17		0.05		0.16	0.18	0.14	0.02	0.32	0.08				17
18	0.03	0.10		0.17		0.08	0.36	0.05	0.17				18
19	0.09	0.03	0.02	0.09		0.18	0.12	1.32			0.53		19
20	0.11			0.46		0.25	0.05	0.06			0.01		20
21		0.08		0.04		0.02	0.02	0.35					21
22	0.06				0.20			0.02					22
23	0.25		0.02	0.02	0.01						0.01		23
24	0.34			0.16	0.30						0.22	0.01	24
25	0.06			0.62	0.17	0.19	0.18	0.25			0.01		25
26	0.31	0.04		0.43	0.05	0.02	0.63				0.06		26
27				0.11			0.44				0.29		27
28	0.15	0.33		0.01	1.03		0.03				0.02		28
29				0.20	0.04						0.01		29
30	0.21	×		0.01	0.25		0.10			0.08	0.04		30
31	0.08	×		×	0.01	×	0.01	0.02	×		×		31
TOTAL	·29 ~~2.33~~ 2.54	·15 ~~2.35~~ 2.21	– ~~0.40~~ 0.31	– 3.59	·04 ~~2.70~~ 2.74	– ~~2.25~~ 2.21	·02 ~~3.85~~ 3.87	– ~~4.43~~ 4.41	– 2.20	– 0.61	– 3.64	·06 ~~0.66~~ 0.72	YEAR'S TOTAL 29.05 ~~29.07~~
*Days with ·01 in. or more.	18	17	45	22	17 ~~16~~	17 ~~18~~	23 ~~22~~	20 ~~21~~	13	6	20	~~8~~ 9	186
*Days with ·04 in. or more.	14	16	11	16	14 ~~13~~	12 ~~13~~	12	13	9	3	12	~~6~~ 7	129

40-9999

(Signed) W. J. Arnolds [P.T.O.

*See Instruction 2 (*f*) on other side.

Section A **for the entry of Daily Observations** **Station No.** 726

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~196~~1931

Kept at ITCHEN ABBAS - CHILLAND

in the County of HAMPSHIRE

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		05		03		03	01	02	14					1
2	24	04		42			01		47	02		13		2
3	09		25	08	06		01	06	46		15	14		3
4			[illegible]	03	03		24	02	34	03	30			4
5		05		11	05	42		25	02		03	25		5
6		10		32		15		02	07	36				6
7				02	13 [illegible]	14		72	01	10	46	04		7
8	03	14		06	12	29	02	13		02	07	04		8
9		22		04		05	01				85	01		9
10		05				07		06			29			10
11	16	54				01	01	03	04		23			11
12	02						04		37					12
13			02				12	02			03			13
14		16				16	114	48	02		03			14
15	02	08			07	01	28	21	01			04		15
16		05		16	18	14	02	32	08					16
17	03	10		17		08	36	05	17					17
18	09	03	02	09		18	12	132			53			18
19	11			46		25	05	06			01			19
20		08		04		02	02	35						20
21	06				20			02						21
22	25		02	02	01						01			22
23	34			16	30						22	01		23
24	06			62	17	19	18	25			01			24
25	31	04		43	05	02	63				06			25
26				11			44				29			26
27	15	33		01	103		03				02			27
28		15		20	04						01			28
29	21	X		01	25		10			08	04			29
30	08	X			01		01	02						30
31	29	X		X	04	X	02		X		X	06		31
TOTAL	2·54	2·21	0·31	3·59	2·74	2·21	3·87	4·41	2·20	0·61	3·64	0·72	Year's Total 29·05	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Station No. 726 726

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fishing Lodge Chilland Winchester

in the County of Hampshire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 200 ft.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
0.11

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06			0.15	0.18		1.62	0.04		0.35		0.74	1
2	0.11			0.18	0.80		0.02	0.64	0.03	0.06	0.02	0.02	2
3	0.01			0.24	0.07			0.07	0.08		0.02	0.23	3
4				0.25	0.02	0.13			0.43	0.03			4
5	0.01			0.01		0.15							5
6	0.25		0.01			0.01	0.07		0.18				6
7	0.43		0.06	0.47			0.05		0.20				7
8	0.04		0.07	0.01	0.08		0.16		0.27	0.07			8
9		0.01	0.34		0.31		0.01		0.70	0.30			9
10	0.56	0.02		0.21	0.20				0.02	0.03	0.01		10
11	0.54			0.31	0.05	0.10			0.04	0.11	0.15		11
12	0.04			0.05	0.01		0.02		0.01	0.02	0.03		12
13	0.39			0.01	0.03		1.25		0.13	0.13	0.01		13
14	0.12			0.29	0.04		0.01			0.96		0.07	14
15	0.14			0.23	0.02			0.01				0.01	15
16	0.04			0.05	0.92		0.04	0.02		0.06	0.10	0.02	16
17	0.20			0.10	0.05		0.07			0.02		0.02	17
18	0.01						0.02						18
19	0.01				0.05		0.07		0.18		0.16		19
20	0.02				0.24		0.01		0.04	0.18			20
21				0.21	0.05			0.53	0.01	0.71	0.28		21
22	0.02		0.04	0.22	1.05			0.01		0.25		0.11	22
23			0.17	0.03	0.02		0.07		0.33	0.26	0.33		23
24	0.02	0.02		0.02	0.60		0.07		0.09	0.55		0.16	24
25		0.06					0.55			0.06	0.03	0.01	25
26							0.55		0.02	0.30	0.04	0.01	26
27			0.04	0.02			0.07			0.14	0.01	0.01	27
28			0.49	0.27	0.10	0.02	0.32			0.28		0.05	28
29			0.03	0.04	0.05		0.19			0.04		0.01	29
30		X	0.33	0.14	0.17	0.06		0.09	0.37	0.52	0.08	0.12	30
31		X	0.03 0.15	X 0.18		X 1.62	0.11 0.04	0.01	X 0.35		X 0.74	0.35 0.31	31
TOTAL	~~3.02~~ 2.96	0.11	~~1.61~~ 1.76	~~3.61~~ 3.64	~~5.11~~ 4.93	~~2.47~~ 2.09	~~5.35~~ 3.22	~~1.42~~ 1.38	~~3.13~~ 3.48	~~5.43~~ 5.08	~~1.27~~ 2.01	~~1.94~~ 1.31	YEAR'S TOTAL 32.57
*Days with ·01 in. or more.	~~20~~ 19	4	~~11~~ 12	23	~~23~~ 22	~~6~~ 7	22	~~9~~ 8	~~18~~ 19	~~23~~ 22	~~14~~ 15	16	189
*Days with ·04 in. or more.	~~13~~ 12	1	~~8~~ 9	17	~~18~~ 17	~~4~~ 5	16	~~5~~ 4	~~13~~ 14	~~19~~ 18	~~7~~ 8	8	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. J. [illegible]

[P.T.O.

Section A **for the entry of Daily Observations** **Station No.** 726

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~32

Kept at ITCHEN ABBAS -

in the County of

Diameter of funnel of gauge ____ in.

Height of top of gauge above ground ____ ft. ____ in.

Height of ground above sea level ____ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11			18	80		02	64	03	06	02	02		1
2	01			24	07			07	08		02	23		2
3				25	02	13			43	03				3
4	01			01		15								4
5	25		01			01	07		18					5
6	43		06	47			05		20					6
7	04		07	01	08		16		27	30				7
8		01	34		31		01		70	07				8
9	56	02		21	20				02	03	01			9
10	54			31	05	10			04	11	15			10
11	04			05	01		02		01	02	03			11
12	39			01	03		125		13	13	01			12
13	12			29	04		01			96		07		13
14	14			33	02			01				01		14
15	04			05	92		04	02		06	10	02		15
16	20			10	05		07			02		02		16
17	01						02							17
18	01				05		07		18		16			18
19	02				24		01		04	18				19
20				21	05			53	01	71	28			20
21	02		04	22	105			01		25		11		21
22			17	03	02		07		33	26	33			22
23	02	02		02	60		07		09	55		16		23
24		06					55			06	03	01		24
25							55		02	30	04	01		25
26			04	02			07			14	01	01		26
27			49	27	10	02	32			28		05		27
28			03	04	05		19			04		01		28
29			33	14	17	06		09	37	52	08	12		29
30		X	03	18		162	11	01	35		74	35		30
31		X	15	X		X	04		X		X	11		31
TOTAL	2.96	0·11	1·76	3·64	4·93	2·09	3·77	1·38	3·48	5·08	2·01	1·31	Year's Total 32·52	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ____ (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fishing Lodge, Chilland, Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 200 ft.

WP

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.00

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11			0.04						0.14	0.01		1
2	0.19	0.42	0.08		0.03								2
3	0.31		0.63		0.14								3
4	0.02	0.08	0.41										4
5	0.33	0.03	0.01		0.23						0.03		5
6	0.06	0.02	0.60		0.01								6
7		0.25	0.02		0.20					0.12	0.05		7
8	0.05	0.10	0.03		0.09								8
9	0.01	0.01	0.02				0.36			0.28			9
10		0.01			0.06		0.25			0.22	0.09		10
11	0.02	0.16			0.08		0.11	0.02		0.29	0.13		11
12	0.24				0.06	0.07	0.17	0.22		0.05			12
13					0.09	0.02	0.19		1.52	0.02			13
14	0.05			0.04	0.08		0.43	0.03	0.07	0.04	0.07		14
15	0.01						0.05			0.23	0.23		15
16	0.62		0.21			0.95	0.22	0.26		0.04			16
17		0.02	0.70			0.10	0.09						17
18			0.40			0.05		0.02	0.17		0.03		18
19	0.25	0.05	0.22			0.40							19
20			0.08			0.03		0.05	0.58		0.07	0.04	20
21		0.05	0.04	0.02		0.10			0.01			0.02	21
22						0.03		0.10	0.06	0.01	0.02		22
23					0.01	0.25		0.23		0.19			23
24		0.03		0.30		0.11			0.33	0.65			24
25		1.80		0.23		0.08			0.03		0.03		25
26		1.29		0.30		0.03						0.14	26
27		1.05		0.14		1.18			0.23	0.05	0.02		27
28		0.01			0.41		0.03		0.03	0.23		0.25	28
29	0.02			0.22	0.03		0.35			0.12		0.06	29
30	0.02	×		0.05			0.04			0.02		0.03	30
31	0.12	×	0.22 .04	×		×	0.03		·14 ×	.01	×	0.08	31
TOTAL	2.~~43~~ 32	5.38	3.~~[illegible]~~ 71	1.3~~4~~ 0	1.52	3.40	2.32	0.93	3.~~93~~ 12	2.~~79~~ 57	0.7~~8~~ 7	0.62	YEAR'S TOTAL 28.~~12~~ 01
*Days with ·01 in. or more.	16 ~~17~~	17	16 ~~15~~	8 ~~9~~	14	14	13	8	11 ~~10~~	17✓	11 ~~12~~	7	15~~3~~2
*Days with .04 in. or more.	10 N	10	12 N	7 ~~8~~	10	10	11	5	8 ~~7~~	13 ~~14~~	6	5	10~~8~~7

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. J. Arnold

P.T.O.

Section **A** for the entry of Daily Observations Station No. 726

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1933

Kept at ITCHEN ABBAS - CHILLAND

in the County of HAMPSHIRE

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	19	42	08		03									1
2	31		63		14									2
3	02	08	41											3
4	33	03	01		23						03			4
5	06	02	60		01									5
6		25	02		20					12	05			6
7	05	10	03		09									7
8	01	01	02				36			28				8
9		01			06		25			22	09			9
10	02	16			08		11	02		29	13			10
11	24				06	07	17	22		05				11
12					09	02	19		152	02				12
13	05			04	08		43	03	07	04	07			13
14	01						05			23	23			14
15	62		21			95	22	26		04				15
16		02	70			10	09							16
17			40			05		02	17		03			17
18	25	05	22			40								18
19			08			03		05	58		07	04		19
20		05	04	02		10			01			02		20
21						03		10	06	01	02			21
22					01	25		23		19				22
23		03		30		11			33	65				23
24		180		23		08			03		03			24
25		129		30		03						14		25
26		105		14		118			23	05	02			26
27		01			41		03		03	23		25		27
28	02			22	03		35			12		06		28
29	02	X		05			04			02		03		29
30	12	x	22				03		14			08		30
31		x	04	x		x			x	01	x			31
TOTAL	2·32	5·38	3·71	1·30	1·52	3·40	2·32	0·93	3·17	2·57	0·77	0·62	Year's Total 28·01	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934,

Kept at Fishing Lodge, Chilland Winchester

in the County of Hants

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 200 ft.

WD alj

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.11

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		0.03						0.02	0.15	0.12				1
2	0.03							0.47	0.03	0.04	0.03	0.76		2
3	0.12		0.09	0.08	0.19			0.39	0.67	0.24	0.04	0.37		3
4	0.05	0.03							0.03	0.34		0.20		4
5	0.14		0.16	0.40	0.19					0.05	0.03	0.47		5
6	0.05		0.02		0.03			0.16			0.03	0.51		6
7	0.12		0.35		0.21	0.01		0.06		0.23	0.12	0.76		7
8					0.27	0.11		0.30		0.13		0.56		8
9								0.02	0.30		0.48	0.12		9
10	0.03		0.14						0.03		1.05	0.54		10
11	0.10		0.32	0.20				0.03			0.30	0.11		11
12	0.79		0.54	0.48			0.09	0.06				0.40		12
13	0.08		0.03				0.14	0.30				0.32		13
14	0.48		0.02	0.16			1.67	0.04		0.01	0.06	0.67		14
15	0.13		0.69			0.01		0.01		0.02	0.23	0.50		15
16			0.08		0.18				0.03	0.13	0.09	0.63		16
17	0.18		0.39						0.03	0.02	0.02	0.04		17
18	0.06			0.02	0.02				0.08			0.19		18
19	0.18		0.15	0.15					0.13			0.24		19
20			0.46	0.02		0.04			0.08	0.01		0.10		20
21			0.19	0.06			0.22	0.04	0.03	0.01				21
22				0.20		0.12	0.02	0.04		0.13				22
23							0.03	0.39	0.24			0.05		23
24		0.09		0.25		0.72		0.01	0.04	0.01		0.05		24
25			0.09	0.04		0.03	0.22		0.13					25
26	0.36			0.12	0.02	0.06				0.15		0.76		26
27				0.10		0.16	0.01		0.13			0.05		27
28	0.03			0.03		0.06			0.03	0.04		0.30		28
29						0.08	0.01	1.09				0.50		29
30		✕		0.01				0.07	0.17			0.02		30
31	0.12	✕		✕		✕		0.04	✕		✕	0.41		31
TOTAL	·03 ~~3.07~~ 3.08	~~0.15~~ 0.12	3.72	2.32	1.11	1.40	·02 ~~2.41~~ 2.43	·15 ~~3.54~~ 3.64	·12 ~~2.33~~ 2.30	~~1.68~~ 1.56	2.48	·11 ~~9.63~~ 9.74	Year's Total ~~33.84~~	33.93
*Days with ·01 in. or more.	19 ~~18~~	2 ~~3~~	16	16	8	11	10 ~~9~~	19	18	16 ~~17~~	12	28 ~~27~~	~~174~~	145
*Days with .04 in. or more.	15	1	13	12	5	8	5 ~~4~~	15 ~~14~~	11	10 ~~11~~	8	24 ~~26~~	~~128~~	130

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Arnold

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 726

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~34

COPY

Kept at ITCHEN ABBAS - CHILLAND

in the County of HAMPSHIRE

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03							47	03	04	03	76		1
2	12		09	08	19			39	67	24	04	37		2
3	05	03							03	34		20		3
4	14		16	40	19					05	03	47		4
5	05		02		03			16			03	51		5
6	12		35		21	01		06		23	12	76		6
7					27	11		30		13		56		7
8								02			48	12		8
9	03		14						30		105	54		9
10	10		32	20				03	03		30	11		10
11	79		54	48			09	06				40		11
12	08		03				14	30				32		12
13	48		02	16			167	04		01	06	67		13
14	13		69			01		01		02	23	50		14
15			08		18				03	13	09	63		15
16	18		39						03	02	02	04		16
17	06			02	02				08			19		17
18	18		15	15					13			24		18
19			46	02		04			08	01		10		19
20			19	06			22	04	03	01				20
21				20		12	02	04		13				21
22							03	39	24			05		22
23		09		25		72		01	04	01		05		23
24			09	04		03	22		13					24
25	36			12	02	06				15		76		25
26				10		16	01		13			05		26
27	03			03		06			03	04		30		27
28						08	01	109				50		28
29		X		01				07	17			02		29
30	12	X						04	12			41		30
31	03	X		X		X	02	15	X		X	11		31
TOTAL	3·08	0·12	3·72	2·32	1·11	1·40	2·43	3·67	2·30	1·56	2·48	9·74	Year's Total 33·93	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 726.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fishing Lodge. Chilland Winchester

in the County of Hants.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level about 200. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0·32

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·11		0·24		0·15				0·02	0·08	0·87	0·82		1
2	0·02		0·14		0·09	0·04	1·76		0·04	0·19	0·16			2
3	0·01					0·05			0·04	0·30	0·10			3
4			0·03			0·07			0·16	1·12	0·15			4
5		0·10	0·01	0·19		0·33			0·20	0·17	0·24	0·06		5
6		0·30	0·12	0·18		0·15			0·38	0·03	0·03			6
7			0·01	0·31		1·09					0·04			7
8				0·22		0·02				0·17	0·48	0·08		8
9				0·33		0·08			0·02	0·35	0·45			9
10	0·07		0·02	0·37		0·70			0·16	0·76	0·41	0·03		10
11	0·09		0·08	0·04		0·02					0·25			11
12	0·24	0·03		0·09		0·24					0·59			12
13	0·06	0·03				0·39		0·04	0·09		0·39			13
14	0·07	0·10		0·08	0·06	0·11			0·01	0·01	0·05			14
15	0·01	0·01				0·05			0·02		0·36	0·15		15
16	0·01	0·10		0·63		0·25			0·20		0·53			16
17		0·02	0·08	0·23		0·16			0·65		0·87			17
18				0·30	0·15	0·21	0·02	0·05	0·03		0·08			18
19		0·02		0·27	0·08	0·07			0·38	0·01	0·04			19
20		0·01		0·02	0·37	0·07	0·20		0·03	0·12	0·17			20
21		0·28			0·04	0·05	0·14		0·03	~~0·05~~	0·50			21
22		0·32		0·07					0·02	0·05	0·01			22
23		0·05	0·08	0·15				0·10	0·08					23
24			0·09					0·33	0·03	0·62		0·10		24
25	0·02	0·87			0·07			1·28	0·45	0·03		0·33		25
26	0·04	0·44			0·14	0·06			0·02			0·30		26
27		0·48				0·03		0·20	0·10	0·01	0·08	0·54		27
28		0·55						0·02	0·14			0·49		28
29					0·02			0·07	0·50			0·29		29
30		X						0·02	0·30		0·03	0·60		30
31	0·06	X ·24	–	X ·15	0·03	X	–	0·80 ·82	X ·08	0·16 ·87	X ·82	0·62 ·32		31
TOTAL	·70 0·~~81~~	3·95 ~~3·71~~	·66 0·90	3·63 ~~3·48~~	1·05 ~~1·20~~	4·24	2·12	2·93 ~~2·91~~	4·16 ~~4·10~~	4·97 ~~4·18~~	6·83 ~~6·88~~	3·91 ~~4·41~~	Year's Total. ~~38·94~~	39·15
* Days with .01 in. or more.	12 ~~13~~	18 ~~17~~	10 ~~11~~	17 ~~16~~	10 ~~11~~	22	4	~~10~~ 11	26	17	24	13	184	
* Days with .04 in. or more.	7 ~~8~~	12 ~~11~~	6 ~~7~~	16 ~~15~~	8 ~~9~~	19	3	8	17 ~~16~~	12	21	12	141	

40-9999

† Spare column, no entries required.

(*Signed*) W.

* See Instruction 2 (f) on other side.

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 726

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~35

Kept at ITCHEN ABBAS - CHILLAND

COPY

in the County of HAMPSHIRE

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02		14		09	04	176		04	19	16			1
2	01					05			04	30	10			2
3			03			07			16	112	15			3
4		10	01	19		33			20	17	24	06		4
5		30	12	18		15			38	03	03			5
6			01	31		109					04			6
7				22		02				17	48	08		7
8				33		08			02	35	45			8
9	07		02	37		70			16	76	41	03		9
10	09		08	04		02					25			10
11	24	03		09		24					59			11
12	06	03				39		04	09		39			12
13	07	10		08	06	11			01	01	05			13
14	01	01				05			02		36	15		14
15	01	10		63		25			20		53			15
16		02	08	23		16			65		87			16
17				30	15	21	02	05	03		08			17
18		02		27	08	07			38	01	04			18
19		01		02	37	07	20		03	12	17			19
20		28			04	05	14		03		50			20
21		32		07					02	05	01			21
22		05	08	15 [illegible]				10	08					22
23			09					33	03	62		10		23
24	02	87			07			128	45	03		33		24
25	04	44			14	06			02			30		25
26		48				03		20	10	01	08	54		26
27		55						02	14			49		27
28		24			02			07	50			29		28
29		X						02	30		03	60		29
30	06	x		15	03			80	08	16	82	62		30
31		x		x		x		02	x	87	x	32		31
TOTAL	0·70	3·95	0·66	3·63	1·05	4·24	2·12	2·93	4·16	4·97	6·83	3·91	Year's Total 39·15	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Fishing Lodge Chilland Winchester

in the County of Hampshire

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 200 ft.

corrd for. W D. 18.1.37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
0.60

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.32	0.20	0.09	0.40		0.03	0.25	0.16			0.21			1
2	0.15		0.06	0.40		0.56	0.28	0.01			0.06	0.08		2
3		0.27		0.02		0.09	0.03	0.07			0.02			3
4				0.29		0.02	0.10	0.01	0.31		0.32			4
5		0.12	0.15				0.01		0.60		0.10	0.08		5
6	0.38		0.10		0.07				0.08		0.01			6
7	0.75					0.06		0.07	0.15		0.46			7
8			0.08			0.01	0.02	0.	0.04		0.12	0.04		8
9	0.50		0.20				0.15		0.01		0.12	0.14		9
10	0.57		0.10				0.38		0.44	0.02				10
11	0.16						0.12	0.04		0.01				11
12	0.07			0.05			0.02	0.03	0.04		1.27			12
13				0.16	0.05	0.37	0.36		0.62		0.31	0.08		13
14				0.10		0.08	0.07			0.03	0.04	0.60		14
15		0.11				0.04	0.61		0.27	0.01	0.15	0.64		15
16	0.05	0.05					0.02		0.10	0.03	0.05	0.31		16
17	0.19	0.30			0.01		0.09		0.11		0.11	0.09		17
18	0.05	1.02			0.09	0.15	0.06		0.01		0.11	0.36		18
19	0.10	0.26				0.33	0.25			0.03	0.02	0.18		19
20	0.32	0.05	0.01	0.07		0.08	0.01	0.15						20
21	0.24	0.11	0.12	0.40		0.11	0.02		0.75	0.01				21
22		0.37				0.09	0.05		0.02					22
23	0.11	0.07	0.15		0.10		0.20					0.07		23
24	0.09		0.46	0.13	0.06		0.25		0.01	0.05				24
25	0.10				0.05		0.01			0.45				25
26	0.05		0.07	0.23	0.07		0.12		0.09	0.15	0.06			26
27	0.20	0.16	0.07	0.01			0.05		0.02	0.12				27
28	0.39		0.11				0.10		0.24	0.30				28
29	0.98		0.42				0.57					0.17		29
30	0.02	×	0.05			0.07	0.10			0.05	0.23	0.10		30
31	0.14 .20	× .09	.40	×	.03	× .25	0.92 .16		×	0.14 .21	×	0.02 .60		31
TOTAL	5.81 ~~5.93~~	2.98 ~~3.09~~	2.55 ~~2.24~~	1.86 ~~2.26~~	0.53	2.31 ~~2.09~~	4.23 ~~4.37~~	.38 ~~0.54~~	3.91	1.61 ~~1.40~~	3.56 ~~3.77~~	3.56 ~~2.96~~	Year's Total. ~~33.01~~	33.29
* Days with .01 in. or more.	23	13	16	11 ~~12~~	9 ~~8~~	15	29	7 ~~8~~	19	15 ~~14~~	18 ~~19~~	16 ~~15~~	191	
* Days with .04 in. or more.	22	13	15	9 ~~10~~	7	14 ~~13~~	20	4 ~~5~~	14	8 ~~7~~	15 ~~16~~	15 ~~14~~	156	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. J. Arnold

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 726

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~36

Kept at ITCHEN ABBAS- CHILLAND

in the County of HAMPSHIRE

COPY

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	15		06	40		56	28	01			06	08		1
2		27		02		09	03	07			02			2
3				29		02	10	01	31		32			3
4		12	15				01		60		10	08		4
5	38		10		07				08		01			5
6	75					06		07	15		46			6
7			08			01	02		04		12	04		7
8	50		20				15		01		12	14		8
9	57		10				38		44	02				9
10	16						12	04		01				10
11	07			05			02	03	04		127			11
12				16	05	37	36		62		31	08		12
13				10		08	07			03	04	60		13
14		11				04	61		27	01	15	64		14
15	05	05					02		10	03	05	31		15
16	19	30			01		09		11		11	09		16
17	05	102			09	15	06		01		11	36		17
18	10	26				33	25			03	02	18		18
19	32	05	01	07		08	01	15						19
20	24	11	12	40		11	02		75	01				20
21		37				09	05		02					21
22	11	07	15		10		20					07		22
23	09		46	13	06		25		01	05				23
24	10				05		01			45				24
25	05		07	23	07		12		09	15	06			25
26	20	16	07	01			05		02	12				26
27	39		11				10		24	30				27
28	98	09	42				57					17		28
29	02	~~X~~	05			07	10			05	23	10		29
30	14	X				25	02			14		02		30
31	20	X	40	X	03	X	16		X	21	X	60		31
TOTAL	5·81	2·98	2·55	1·86	0·53	2·31	4·23	0·38	3·91	1·61	3·56	3·56	Year's Total 33·29	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Itchen Abbas (Chilland)

in the County of Hants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

W/D

Corrected for wrong day 22-1-38. W

Circ. C. sent 18.1.38

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·60	0·42	0·07				0·03				0·67	0·37		1
2	0·47			0·02					0·02	0·02	0·85	0·60		2
3	0·04	0·70		0·13					0·17			0·44		3
4		0·37					0·02					0·03		4
5	0·11	0·96		0·01								0·23		5
6	0·15	0·05	0·14	0·02			0·12							6
7	0·10	0·07	0·48	0·08	0·09		0·03			0·07	0·02			7
8		0·50		0·10	0·04							0·32		8
9		0·02			0·17						0·02	0·11		9
10		0·02		0·25	0·07	0·03	0·05		0·27			0·05		10
11			0·73	0·44	0·02	0·31		0·03				0·57		11
12	0·02		0·05		0·25	0·65	0·12							12
13	0·40	0·28	0·18	0·09	0·40	0·26	0·02	0·19	0·15			0·40		13
14	0·20	0·05	0·76	0·16	0·01			0·12	0·08			0·47		14
15	0·02	0·04		0·03				0·34	0·08			0·14		15
16	0·26	0·17		0·28			0·34	~~0·15~~	0·15					16
17	0·02	0·21	0·61	0·17		0·08		0·47	0·15					17
18	0·90	0·06	0·06				0·04	~~0·28~~	0·28		0·05			18
19	0·22		0·02	0·01				~~0·02~~	0·02		0·11	0·12		19
20	0·13	0·07	0·05	0·13		0·10		~~0·03~~	0·03			·		20
21	0·75		0·04	0·30	0·04	0·01		~~0·02~~	0·02			0·06		21
22	0·70	0·32	0·02	0·04			0·06					0·05		22
23	0·57	0·03	0·16		0·31	0·30	0·11			1·12	0·62	0·10		23
24	0·31	0·11	0·02		0·30		0·02			0·28	0·36			24
25	0·63	0·47				0·01		~~0·12~~	0·12	0·65		0·03		25
26	0·28	0·55	0·25		0·89			~~0·06~~	0·06	0·14				26
27		0·30	0·02		0·03					0·12				27
28		0·18		0·13						0·65				28
29	0·02			0·01						0·06		0·03		29
30	0·03	✕								0·07	0·15	0·01		30
31	0·45	✕		✕		✕			✕	0·08	✕			31
TOTAL	·42 7·~~38~~ 20	·07 5·~~95~~ 60	- ~~3·36~~ 29	· 2·40	- 2·62	·03 1·7~~5~~8	- 0·9~~8~~ 3	- 1·15	- 1·60	·67 3·~~26~~ ·93	·37 2·~~8~~5 5	0·02 ~~4·13~~ 3·78	Year's Total ~~37·41~~	36·83
* Days with .01 in. or more.	24.	23.	1~~7~~6	19	13	10 ~~9~~	1~~1~~0	5	14	1~~2~~1	9	19	175	
* Days with .04 in. or more.	13.	20.	1~~2~~1	13	10	6.	7.	4	10	1~~0~~1	7	1~~5~~4	132 ~~133~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Arnold [P.T.O.

Section A **for the entry of Daily Observations** **Station No.** 726

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~37

Kept at ITCHEN ABBAS - CHILLAND

in the County of HAMPSHIRE

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	47			02					02	02	85	60		**1**
2	04	70		13					17			44		**2**
3		37					02					03		**3**
4	11	96		01			Trace					23		**4**
5	15	05	14	02			12							**5**
6	10	07	48	08	09		03			07	02			**6**
7		50		10	04							32		**7**
8		02			17						02	11		**8**
9		02		25	07	03	05		27			05		**9**
10			73	44	02	31		03				57		**10**
11	02		05		25	65	12							**11**
12	40	28	18	09	40	26	02	19	15			40		**12**
13	20	05	76	16	01			12	08			47		**13**
14	02	04		03				34	08			14		**14**
15	26	17		28			34		15					**15**
16	02	21	61	17		08		47	15					**16**
17	90	06	06				04		28		05			**17**
18	22		02	01					02		11	12		**18**
19	13	07	05	13		10			03					**19**
20	75		04	30	04	01			02			06		**20**
21	70	32	02	04			06					05		**21**
22	57	03	16		31	30	11			112	62	10		**22**
23	31	11	02		30		02			28	36			**23**
24	63	47				01			12	65		03		**24**
25	28	55	25		89				06	14				**25**
26		30	02		03					12				**26**
27		18		13						65				**27**
28	02	07		01						06		03		**28**
29	03	X								07	15	01		**29**
30	45	x				03				08	37			**30**
31	42	x		x		x			x	67	x	02		**31**
TOTAL	7·20	5·60	3·~~2~~59	2·40	2·62	1·78	0·93	1·15	1·60	3·93	2·55	3·78	Year's Total 3~~6~~83 71	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Fishing Lodge, Chilland
in the County of Hants. Nr. Winchester
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 1 ft. 2½ in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.37

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	0.23	0.05			0.18	0.02			0.22	0.25	0.15		1
2		0.08			0.03	0.11	0.22		0.02	0.19		0.18		2
3	0.03					0.01	0.14			0.22		0.07		3
4	0.03			0.04	0.07		0.01			0.70	0.05	0.02		4
5							0.06			0.02		0.21		5
6							0.22			0.33	0.01			6
7	0.03					0.01	0.06		0.25	0.08	0.02	0.02		7
8	0.02					0.01	0.86	0.46	0.04	0.28		0.07		8
9	0.20						0.23	0.03		0.22		0.02		9
10	0.11	0.04				0.02	0.02			0.01		1.23		10
11	0.09	0.02				0.02	0.03			0.01		0.15		11
12	0.17						0.01				0.15	0.25		12
13	0.37	0.02			0.83		0.08			0.14	0.01	0.05		13
14	0.25						0.01			0.13	0.44	0.35		14
15	0.50				0.10		0.09		0.03			0.02		15
16	0.14						0.50			0.33		0.50		16
17	0.18		0.03		0.02			0.02			0.03			17
18	0.07						0.02		0.07	0.18				18
19						0.02			0.02		0.50			19
20	0.08							0.11	0.14		0.62			20
21								0.04	0.20		0.62	·02		21
22	0.03											0.53 ~~0.55~~	~~0.55~~ }	22 Snow
23				0.01		0.17		0.20			0.24			23
24									0.06		0.04			24
25			0.13						0.09		0.15			25
26	0.10	0.16	0.06		0.19			0.02	0.01	0.03	1.02			26
27	0.30	0.28	0.05		0.03				0.07	0.12		0.31	~~0.31~~	27 Snow
28	0.11	0.03			0.08	0.27	0.47	0.02	0.05		0.42			28
29	0.10	0.05			0.41	0.07		0.58	0.10		0.02			29
30	0.26	×			0.30			0.05	0.13	0.02	0.25	0.14	[illegible]	30
31	0.10 0.23	×	—	×	0.37 0.38	0.02 ×			0.22 ×	0.03 ~~0.28~~	0.15 ×	0.37		31
TOTAL	3.50 ~~3.29~~	0.68 ~~0.86~~	0.27 ~~0.32~~	0.05 ✓	1.81 ~~1.63~~	0.73 ~~0.89~~	3.03 ~~3.05~~	1.53 ✓	1.50 ~~1.28~~	3.29 ~~3.26~~	4.74 ~~4.84~~	4.51 4.29	Year's Total 25.64 ~~25.29~~	✓
* Days with .01 in. or more.	23 ✓	8 ✓	4 ~~5~~	2 ✓	12 ~~11~~	11 ✓	17 ~~18~~	10 ✓	16 ~~15~~	19 ✓	18 ✓	19 ~~18~~	~~158~~	159 ✓
* Days with .04 in. or more.	18 ~~17~~	5 ✓	3 ~~4~~	1 ✓	9 ~~8~~	4 ~~5~~	11 ✓	6 ✓	12 ~~10~~	13 ✓	13 ✓	14 ✓	~~107~~	109 ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Arnold

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 726

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~38

Kept at ITCHEN ABBAS – CHILLAND

in the County of HAMPSHIRE

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		08			03	11	22		02	19		18		1
2	03					01	14			22		07		2
3	03			04	07		01			70	05	02		3
4							06			02		21		4
5							22			33	01			5
6	03					01	06		25	08	02	02		6
7	02					01	86	46	04	28		07		7
8	20						23	03		22		02		8
9	11	04				02	02			01		123		9
10	09	02				02	03			01		15		10
11	17						01				15	25		11
12	37	02			13		08			14	01	05		12
13	25						01			13	44	35		13
14	50				10		09		03			02		14
15	14						50			33		50		15
16	18		03		02			02			03			16
17	07						02		07	18				17
18						02			02		50			18
19	08							11	14		62			19
20								04	20		62	02		20
21	03											53		21
22				01		17		20			24			22
23									06		04			23
24			13						09		15			24
25	10	16	06		19			02	01	03	102			25
26	30	28	05		03				07	12		31		26
27	11	03			08	27	47	02	05		42			27
28	10	05			41	07		58	10		02			28
29	26	X			30			05	13	02	25	14		29
30	10	x			27	02			22	03	15			30
31	23	x		x	18	x			x	25	x	37		31
TOTAL	3·50	0·68	0.27	0·05	1·81	0·73	3·03	1·53	1·50	3·29	4·74	4·51	Year's Total 25·64	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Fishing Lodge Chilland Winchester

in the County of Hampshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 2½ in.

" Ground " Sea Level 200 ft.

W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0.00

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.37		0.20		0.80			0.56			0.09	0.12		1
2			0.11	0.18	0.13			0.02	0.16			0.04		2
3	0.06			0.08			0.01	0.82	0.70			0.05		3
4	0.58			0.30				0.20			0.18	0.24		4
5			0.40	0.15	0.07		0.40	0.16		0.67	0.07	0.08		5
6				0.15	0.37		0.15	0.09			0.70	0.15		6
7	0.36		0.09	0.01			0.75	0.04			0.50			7
8	0.02	0.13					0.01	0.03		0.06	0.54	0.45		8
9	0.08	0.22	0.19				0.02	0.08		0.27	0.25	0.27		9
10	0.05	0.03						0.10		0.10	0.20	0.24		10
11	0.30					0.05		0.12	0.03	0.38				11
12			0.20							0.30	0.13			12
13		0.03				0.02				0.01	0.02			13
14	0.70			0.02		0.02	0.35		0.25	1.53				14
15	0.30			0.01	0.06	0.02	0.12			0.35	0.63	0.06		15
16	0.48				0.39	0.65	0.65		0.02	0.33	0.20	0.03		16
17			0.05		0.04	0.25	0.06		0.01		0.30			17
18	0.24	0.04		0.03	0.11	0.02	0.23			0.42	0.09			18
19	0.28		0.05			0.06	0.76				0.40			19
20	0.31						0.12			0.05				20
21	0.37						0.35		0.01					21
22	0.03	0.27	0.04			0.02	0.10		0.01					22
23	0.25	0.60	0.02			0.13	0.10				0.18			23
24	0.34			0.11			0.01	0.01			1.00			24
25	0.18		0.02			0.20	0.07			0.06				25
26	0.68	0.13	0.03				0.03			0.04	0.36			26
27	0.05						0.11	0.02		0.09	0.27			27
28		0.15	0.07					0.02		0.02	0.12			28
29			0.05			0.15				0.02	0.18	Snow 0.20		29
30		✕				0.22	0.30			0.03	0.05	0.02		30
31		✕		✕		✕	0.01		✕	0.05	✕			31
TOTAL	5.36 ~~5.73~~	·20 1.80 ~~1.00~~	1.30 ~~1.55~~	·30 1.84 ~~1.64~~	1.07 ~~1.87~~	1.81	4.75 ~~4.71~~	1.71 ~~2.27~~	~~1.28~~ 1.19 ~~1.19~~	·09 4.87 ~~4.78~~	·17 6.49 ~~6.46~~	1.95	Year's Total ~~34.93~~	33.54 ~~34.56~~
* Days with .01 in. or more.	~~21~~ 20	10 ~~9~~	13 ~~14~~	11 ~~10~~	7 8	13 ~~13~~	23 22	13 ~~14~~	8	20 ~~19~~	22 ~~22~~	12 ~~13~~	17 32	
* Days with .04 in. or more.	~~18~~ 17	8 ~~7~~	10 ~~11~~	7 6	7 8	8	17 ~~16~~	8 ~~9~~	3	16 ~~15~~	21 21	10 ~~11~~	133 2	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Arnold

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 726

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~39

Kept at ITCHEN ABBAS- CHILLAND

in the County of HAMPSHIRE

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			11	18	13			02	16			04		1
2	06			08			01	82	70			05		2
3	58			30				20			18	24		3
4			40	15	07		40	16		67	07	08		4
5				15	27		15	09			70	15		5
6	36		09	01			75	04			50			6
7	02	13					01	03		06	54	45		7
8	08	22	19				02	08		27	25	27		8
9	05	03						10		10	20	24		9
10	30					05		12	03	38				10
11			20							30	13			11
12		03				02				01	02			12
13	70			02		02	35		25	153				13
14	30			01	06	02	12			35	63	06		14
15	48				39	65	65		02	33	20	03		15
16			05		04	25	06		01		30			16
17	24	04		03	11	02	23			42	09			17
18	28		05			06	76				40			18
19	31						12			05				19
20	37						35		01					20
21	03	27	04			02	10		01					21
22	25	60	02			13	10				18			22
23	04			11			01	01			100			23
24	18		02			20	07			06				24
25	68	13	03				03			04	36			25
26	05						11	02		09	27			26
27		15	07					02		02	12			27
28		20	05			15				02	18	20		28
29		X				22	30			03	05	02		29
30		x		80			01			05	12			30
31		x		x		x	56		x	09	x			31
TOTAL	5·36	1·80	1·3~~0~~2	1·84	1·07	1·81	5·27	1·71	1·19	4·87	6·49	1·83	Year's Total 34·5~~4~~6	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 726.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Fishing Lodge Chilland Nr. Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 200 ft.

W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.07

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			0.14		0.03						0.59			1
2					0.01						0.03	0.02		2
3		0.04		0.14			0.01			0.03	0.47	0.10		3
4		0.36		0.02						0.13	1.07			4
5	0.03	0.02								0.22	0.65			5
6							0.07				0.64	0.17		6
7	0.26	0.35					0.30			0.39				7
8	0.20	0.27			0.03				0.01	0.				8
9							0.10		0.01	0.55		0.21		9
10							0.01	0.02	0.04	0.14	0.45	0.25		10
11							1.25		0.01	0.05	0.10	0.01		11
12				0.02			0.03				0.95	0.05		12
13			0.20	0.02			0.21		0.20		0.10			13
14		0.04	0.68						0.25		1.11			14
15			0.13	0.08			0.10		0.02	0.37		0.54		15
16					0.02		0.82			0.05	1.10			16
17		0.60	0.35	0.10			0.02		0.16	0.49	1.01			17
18			0.37				0.02		0.01		0.22			18
19		0.33	0.31	0.30			0.32		0.02	0.27	0.08	0.15		19
20		0.09	0.09	0.10			0.23		1.05		0.17			20
21			0.01	0.01			0.01		0.20	0.25	0.05			21
22					0.02		0.04			0.03	0.38			22
23			0.05			0.27			0.14	0.01				23
24		0.08	0.18	0.01		0.02			0.03		0.03			24
25				0.01			0.33							25
26			0.21			0.01	0.02							26
27	0.77	0.38	0.11		0.20	0.04								27
28	0.50	0.54		0.03	0.02		0.08							28
29		0.02		0.01	0.10									29
30	0.54	0.14 ✕	0.20	0.10	0.12							0.25		30
31		✕		0.03 ✕		✕			✕	0.28 0.39	✕	0.02 0.07		31
TOTAL	2.30	3.26 ~~3.12~~	2.89 ~~3.03~~	0.98 ~~0.95~~	0.52 ~~0.55~~	0.34	3.97	0.02	2.15	3.85 ~~3.26~~	8.11 ~~8.70~~	1.84 ~~1.77~~	Year's Total ~~30.16~~	30.23
* Days with .01 in. or more.	6	14 ~~13~~	13 ~~14~~	15 ~~14~~	8 ~~9~~	4	19	1	14	16 ~~15~~	18 ~~19~~	12 ~~11~~	~~139~~	140
* Days with .04 in. or more.	5	12 ~~11~~	12 ~~13~~	6	3	2	12	-	7	13 ~~12~~	16 ~~17~~	9 ~~8~~	96	94

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Arnold [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 726

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~40

COPY

Kept at ITCHEN ABBAS- CHILLAND
in the County of HAMPSHIRE
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					01						03	02		1
2		04		14			01			03	47	10		2
3		36		02						13	107			3
4	03	02								22	15			4
5							07				64	17		5
6	26	35					30			39				6
7	20	27			03				01					7
8							10		01	55		21		8
9							01	02	04	14	45	25		9
10							125		01	05	10	01		10
11				02			03				95	05		11
12			20	02			21		20		10			12
13		04	68						25		111			13
14			13	08			10		02	37		54		14
15					02		82			05	110			15
16		60	35	10			02		16	49	101			16
17			37				02		01		22			17
18		33	31	30			32		02	27	08	15		18
19		09	09	10			23		105		17			19
20			01	01			01		20	25	05			20
21					02		04			03	38			21
22			05			27			14	01				22
23		08	18	01		02			03		03			23
24				01			33							24
25			21			01	02							25
26	77	38	11		20	04								26
27	50	54		03	02		08							27
28	33	02		01	10									28
29	21	14	20	10	12							25		29
30		x		03						28		02		30
31		x		x		x			x	59	x	07		31
TOTAL	2·30	3·26	2·89	0·98	0·52	0·34	3·97	0·02	2·15	3·85	8·11	1·84	Year's Total 30·23	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

726/5

ITCHEN ABBAS

1931 - 1940

780201

Section A for the entry of Daily

AIR MINISTRY.—M

NFALL ORGANIZATION.

FOR OFFICIAL USE.

726/5

Hants/5

Low up 1930

FORM 1090.

REGISTE 931 .

Kept at ITCHEN ABBAS

in the County of HAMPSHIR

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	·15	·03	—	·02	Tr	—	·15	·01	Tr	—	1
2	·20	·02	—	·36	—	—	·02	—	·48	·01	Tr	·13	2
3	·08	—	·23	·06	·05	—	·01	·06	·49	—	·19	·13	3
4	Tr	Tr	·03	Tr	·03	—	·21	—	·26	·02	·32	·01	4
5	—	·03	—	·10	·05	·35	·03	·15	·01	—	·02	·27	5
6	—	·08	Tr	·28	—	·11	Tr	·01	·05	·37	·14	Tr	6
7	—	Tr	—	Tr	·13	·13	—	·73	Tr	·09	·38	·02	7
8	·01	·12	—	·04	·10	·28	Tr	·14	—	—	·07	·02	8
9	—	·22	Tr	·04	—	·05	—	—	—	—	·77	·01	9
10	·01	·03	—	—	Tr	·11	·02	·04	—	·01	·36	—	10
11	·14	·58	—	—	Tr	Tr	—	·02	·03	—	·21	—	11
12	·01	—	—	—	—	Tr	·06	·01	·36	—	Tr	—	12
13	—	—	·01	—	—	Tr	·14	—	—	—	—	—	13
14	·01	·15	Tr	—	—	·18	1·13	·43	Tr	—	·03	—	14
15	—	·06	—	·02	·08	—	·22	·22	Tr	—	—	·03	15
16	·03	·05	—	·10	·17	·15	—	·20	·08	—	—	—	16
17	·03	·06	—	·10	—	·07	·35	·30	·16	—	—	—	17
18	·07	·02	·01	·04	—	·16	·09	1·33	—	—	·53	—	18
19	·10	—	—	·38	—	·32	·04	·06	—	—	Tr	—	19
20	—	·08	·07	·03	—	—	Tr	·35	—	—	Tr	—	20
21	·05	—	—	—	·18	Tr	—	—	—	—	Tr	—	21
22	·32	·03	·01	·02	Tr	—	—	—	—	—	Tr	—	22
23	·37	—	—	·13	·28	—	—	—	—	—	·23	Tr	23
24	·04	·01	—	·49	·15	·17	·18	·23	—	—	·01	·01	24
25	·31	Tr	—	·44	·04	—	·61	—	—	—	·06	Tr	25
26	—	Tr	—	·10	Tr	—	·45	—	—	—	·30	Tr	26
27	·11	·31	—	—	1·04	—	·01	—	—	—	Tr	—	27
28	·02	·19	Tr	·19	·02	—	—	—	—	Tr	Tr	Tr	28
29	·16	×	—	—	·22	—	·10	—	—	·04	·04	·01	29
30	·03	×	—	—	Tr	—	Tr	·02	—	—	·02	—	30
31	·31	×	—	×	·02	×	·02	—	×	—	×	·03	31
TOTAL	2·41	2·08	0·51	2·95	2·56	2·10	3·69	4·30	2·07	0·55	3·68	0·67	YEAR'S TOTAL 27·57
*Days with ·01 in. or more.	21	18	7	19	15	13	18	17	10	7	17	11	173
*Days with ·04 in. or more.	13	12	3	15	12	12	12	13	8	3	13	3	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R V Savile Lt Col. [P.T.O.

LT. COL. R.V. SAVILE

726/5

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Hants/5

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Com mp 1930

Kept at ITCHEN ABBAS

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 8 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	·15	·03	—	·02	Tr	—	·15	·01	Tr	—	1
2	·20	·02	—	·36	—	—	·02	—	·48	·01	Tr	·13	2
3	·08	—	·23	·06	·05	—	·01	·06	·49	—	·19	·13	3
4	Tr	Tr	·03	Tr	·03	—	·21	—	·26	·02	·32	·01	4
5	—	·03	—	·10	·05	·35	·03	·15	·01	—	·02	·27	5
6	—	·08	Tr	·28	—	·11	Tr	·01	·05	·37	·14	Tr	6
7	—	Tr	—	Tr	·13	·13	—	·73	Tr	·09	·38	·02	7
8	·01	·12	—	·04	·10	·28	Tr	·14	—	—	·07	·02	8
9	—	·22	Tr	·04	—	·05	—	—	—	—	·77	·01	9
10	·01	·03	—	—	Tr	·11	·02	·04	—	·01	·36	—	10
11	·14	·58	—	—	Tr	Tr	—	·02	·03	—	·21	—	11
12	·01	—	—	—	—	Tr	·06	·01	·36	—	Tr	—	12
13	—	—	·01	—	—	Tr	·14	—	—	—	—	—	13
14	·01	·15	Tr	—	—	·18	1·13	·43	Tr	—	·03	—	14
15	—	·06	—	·02	·08	—	·22	·22	Tr	—	—	·03	15
16	·03	·05	—	·10	·17	·15	—	·20	·08	—	—	—	16
17	·03	·06	—	·10	—	·07	·35	·30	·16	—	—	—	17
18	·07	·02	·01	·04	—	·16	·09	1·33	—	—	·53	—	18
19	·10	—	—	·38	—	·32	·04	·06	—	—	Tr	—	19
20	—	·08	·07	·03	—	—	Tr	·35	—	—	Tr	—	20
21	·05	—	—	—	·18	Tr	—	—	—	—	Tr	—	21
22	·32	·03	·01	·02	Tr	—	—	—	—	—	Tr	—	22
23	·37	—	—	·13	·28	—	—	—	—	—	·23	Tr	23
24	·04	·01	—	·49	·15	·17	·18	·23	—	—	·01	·01	24
25	·31	Tr	—	·44	·04	—	·61	—	—	—	·06	Tr	25
26	—	Tr	—	·10	Tr	—	·45	—	—	—	·30	Tr	26
27	·11	·31	—	—	1·04	—	·01	—	—	—	Tr	—	27
28	·02	·19	Tr	·19	·02	—	—	—	—	Tr	Tr	Tr	28
29	·16	×	—	—	·22	—	·10	—	—	·04	·04	·01	29
30	·03	×	—	—	Tr	—	Tr	·02	—	—	·02	—	30
31	·31	×	—	×	·02	×	·02	—	×	—	×	·03	31
													YEAR'S TOTAL
TOTAL	2·41	2·08	0·51	2·95	2·56	2·10	3·69	4·30	2·07	0·55	3·68	0·67	27·57
*Days with ·01 in. or more.	21	18	7	19	15	13	18	17	10	7	17	11	173
*Days with ·04 in. or more.	13	12	3	15	12	12	12	13	8	3	13	3	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R V Savile Lt Col. [P.T.O.

LT. COL: R.V. SAVILE

X ITCHEN ABBAS (ITCHEN LODGE) X

5874/30.

726/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Hants/5

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at ITCHEN ABBAS
in the County of HAMPSHIRE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground — ft 9 in.
,, Ground ,, Sea Level 200 ft.

Low mp 1930/31.

Itchen Abbas 726/5 31.56
Chilland 726 32.52

OK print this year.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	—	·18	·79	—	·02	·68	·03	·07	·01	Tr	1
2	—	—	—	·23	·06	—	—	·07	·12	—	·02	·24	2
3	—	—	—	·24	·02	·13	Tr	—	·34	·01	—	Tr	3
4	·01	—	—	Tr	—	·15	Tr	—	—	—	·01	—	4
5	·28	—	·01	—	Tr	—	·08	—	·18	—	—	—	5
6	·35	—	·04	·46	Tr	—	·03	—	·21	—	—	—	6
7	·04	—	·05	—	·09	—	·19	—	·25	·30	—	·01	7
8	—	Tr	·33	Tr	·30	—	—	—	·60	·08	—	—	8
9	·47	Tr	Tr	·17	·20	—	—	Tr	·02	·02	·02	—	9
10	·65	Tr	—	·31	·05	·13	—	—	·03	·11	·14	—	10
11	·02	Tr	—	·04	·01	—	·02	Tr	·02	·01	·02	·02	11
12	·46	—	—	—	·03	·01	—	·01	·13	·15	Tr	Tr	12
13	·10	Tr	—	·30	·06	—	1·22	—	—	·94	Tr	·04	13
14	·13	—	—	·28	·02	—	Tr	·04	—	·01	—	Tr	14
15	·04	—	—	·03	·72	—	·06	—	—	·06	·10	·01	15
16	·24	Tr	—	·12	·09	—	·05	—	—	—	—	·01	16
17	·01	—	—	·01	—	—	·02	—	Tr	·05	—	—	17
18	Tr	—	—	—	·05	—	·07	—	·15	—	·16	—	18
19	·01	—	—	—	—	—	—	—	·04	·15	—	Tr	19
20	Tr	—	—	·21	·23	—	Tr	·47	Tr	·70	·27	·01	20
21	Tr	—	·02	·15	·99	—	—	·01	—	·26	—	·10	21
22	—	Tr	·16	·03	·02	Tr	·06	·01	·35	·17	·35	Tr	22
23	·01	·02	Tr	·01	·62	—	·05	—	·09	·67	—	·14	23
24	Tr	·07	—	—	—	—	·59	—	·06	·06	·03	—	24
25	Tr	Tr	—	—	—	—	·51	—	·01	·30	·04	Tr	25
26	—	—	·09	·02	—	—	·07	—	—	·13	Tr	Tr	26
27	—	—	·48	·32	·10	·01	·27	—	—	·27	—	·04	27
28	—	—	·02	·04	·05	Tr	·19	—	—	·04	Tr	—	28
29	—	—	·39	·16	·17	·05	Tr	·06	·35	·51	·09	·11	29
30	Tr	X	·03	·19	—	1·54	·12	—	·36	—	·73	·34	30
31	Tr	X	·15	X	—	X	·04	—	X	—	X	·10	31
TOTAL	2·93	0·09	1·77	3·50	4·67	2·02	3·66	1·35	3·34	5·07	1·99	1·17	YEAR'S TOTAL 31·56
*Days with ·01 in. or more.	16	2	12	21	21	7	19	8	19	23	14	13	175
*Days with ·04 in. or more.	11	1	8	16	16	5	15	5	14	19	8	8	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R.V. Savile

X LT. COL. R.V. SAVILE X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ITCHEN ABBAS

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·41	·10	—	·03	—	—	—	—	Tr	·01	—	1
2	·22	—	·63	—	·14	—	—	—	—	—	Tr	—	2
3	Tr	·09	·40	—	Tr	—	—	—	—	—	—	—	3
4	·32	·03	Tr	—	·24	—	—	—	—	—	·03	—	4
5	·05	·02	·54	—	Tr	—	—	—	—	—	—	—	5
6	—	·23	·02	—	·22	—	—	—	—	·09	·05	—	6
7	·05	·09	·02	—	·10	—	Tr	—	—	·10	—	Tr	7
8	·01	Tr	·02	—	—	—	·34	—	—	·30	—	—	8
9	—	Tr	—	—	·06	—	·25	Tr	—	·33	·08	—	9
10	Tr	·17	—	—	·08	Tr	·09	Tr	—	·32	·10	—	10
11	·24	Tr	—	—	·07	·06	·15	·22	—	·05	Tr	—	11
12	—	—	—	·05	·10	Tr	·14	—	1·23	—	—	—	12
13	·05	Tr	—	—	·08	·04	·44	·03	·03	·03	·06	—	13
14	Tr	—	—	—	Tr	—	·03	—	—	·23	·20	Tr	14
15	·58	—	·21	—	—	1·69	·19	·25	—	·02	Tr	—	15
16	—	Tr	·67	—	—	·10	·14	—	Tr	Tr	—	—	16
17	Tr	·02	·39	—	—	·04	—	·02	·15	—	·01	—	17
18	·24	Tr	·22	—	—	·37	—	—	—	—	·01	—	18
19	—	·03	·09	—	—	·03	—	·03	·50	—	·05	·03	19
20	—	·05	·03	·02	—	·08	—	·03	·01	—	Tr	Tr	20
21	—	Tr	—	—	Tr	·03	—	·06	·05	Tr	—	Tr	21
22	—	—	—	—	Tr	·23	—	·10	—	·17	Tr	—	22
23	—	1·83	—	·32	—	·10	—	—	·36	·69	—	—	23
24	—		—	·25	—	·12	—	—	·04	—	·02	—	24
25	—	1·32	—	·30	Tr	Tr	—	—	·01	Tr	—	·11	25
26	—	1·10	—	·15	Tr	1·01	—	—	·30	·03	Tr	Tr	26
27	—	·01	—	—	·42	—	·01	—	·02	·23	Tr	·22	27
28	—	Tr	—	·22	·03	—	·29	—	—	·10	Tr	·06	28
29	·07	X	Tr	·04	Tr	—	·01	—	—	·01	—	·02	29
30	·09	X	·22	—	—	—	·07	—	·11	Tr	—	·07	30
31	·20	X	·04	X	—	X	—	Tr	X	Tr	X	—	31
TOTAL	2·29	5·40	3.60	1.35	1.57	3·90	2.15	0·74	2.81	2·70	0·62	0·51	YEAR'S TOTAL 27·64
*Days with ·01 in. or more.	13	14	15	8	12	13	13	8	12	15	11	6	140
*Days with .04 in. or more.	12	9	11	7	10	11	10	4	8	11	6	6	105

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Savile Lt Col

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ITCHEN ABBAS

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 200 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	Tr	—	—	—	—	—	·48	·02	·03	·02	·65		1
2	·11	—	·08	·09	·21	—	—	Tr	·65	·21	Tr	·37		2
3	·04	·04	—	—	—	—	—	·28	—	·26	—	·17		3
4	·11	—	·10	·40	·18	—	—	Tr	—	·04	·03	·44		4
5	Tr	—	·01	—	·02	—	—	·14	—	Tr	·06	·53		5
6	·03	—	·34	·01	·22	·01	—	·01	—	·19	·09	·77		6
7	·11	Tr	—	—	—	·09	—	·31	—	·11	—	·52		7
8	—	—	—	—	·26	Tr	—	·01	·24	—	·47	·11		8
9	·02	—	·11	—	—	—	—	—	—	—	1·08	·51		9
10	·08	·01	·34	·21	—	—	—	·03	—	Tr	·30	·09		10
11	·80	—	·50	·44	—	—	·08	·07	—	Tr	—	·45		11
12	·05	·01	·03	—	—	—	·12	·29	—	—	Tr	·25		12
13	·46	—	·01	·15	—	—	1·50	·04	—	Tr	·05	·72		13
14	·11	Tr	·64	·02	—	Tr	—	—	—	Tr	·23	·50		14
15	Tr	—	·06	—	·18	—	—	—	·01	·13	·08	·61		15
16	·18	—	·37	—	—	—	—	—	·01	Tr	—	·05		16
17	·05	Tr	Tr	·01	·02	—	—	—	·06	·03	Tr	·19		17
18	·14	—	·15	·18	—	—	—	—	·10	—	Tr	·24		18
19	Tr	—	·47	Tr	Tr	·04	—	·02	·08	—	·01	·10		19
20	—	—	·17	·05	—	—	·21	Tr	·02	·02	—	—		20
21	—	—	Tr	·20	—	·13	—	·04	—	·11	Tr	Tr		21
22	—	·01	—	—	—	—	·02	·29	·25	—	Tr	·05		22
23	—	·02	—	·25	—	·49	—	Tr	·02	—	—	·04		23
24	—	·02	·08	·03	—	·04	·21	—	·12	—	—	Tr		24
25	·34	—	—	·11	·02	·10	—	—	·01	·14	—	·80		25
26	·01	Tr	—	·11	—	·15	Tr	—	·12	—	—	·04		26
27	·04	—	—	·01	—	·04	—	—	—	—	—	·30		27
28	—	—	—	—	—	·04	·01	1·03	—	·02	·01	·48		28
29	—	×	—	—	—	—	—	·06	·15	—	·01	·02		29
30	·08	×	—	—	—	—	Tr	·02	·11	} ·03	Tr	·40		30
31	·03	×	—	×	—	×	·01	·07	×		×	·14		31
TOTAL	2·81	0·11	3·46	2·27	1·11	1·13	2·16	3·19	1·97	1·32	2·44	9·54	Year's Total 31·51	
*Days with ·01 in. or more.	20	6	16	16	8	10	8	17	16	14	13	28	172	
*Days with .04 in. or more.	15	1	13	11	5	9	5	12	10	8	8	27	124	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) R. L. Savile. Lt Col.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. ✓ **Station No** 726/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ITCHEN ABBAS

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft 1½ in.

,, Ground ,, Sea Level ~~200~~ ft.

Print [illegible] 6/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·14	—	·08	·05	1·39	—	·04	·17	·18	Tr	1
2	—	—	Tr	—	—	·05	·01	—	·05	·29	·09	—	2
3	—	—	·02	·03	—	·05	—	—	·20	1·00	·13	Tr	3
4	—	·07	—	·18	Tr	·36	—	·02	·13	·20	·22	·06	4
5	—	·33	·13	·17	—	·06	—	—	·38	·01	·02	·02	5
6	—	·01	Tr	·31	—	1·15	—	—	—	Tr	·04	Tr	6
7	—	Tr	Tr	·23	Tr	·02	—	—	—	·19	·47	·07	7
8	—	Tr	Tr	·32	—	·07	—	—	—	·31	·41	Tr	8
9	·07	—	Tr	·40	—	·93	—	—	·18	·85	·30	·02	9
10	·09	—	·14	·04	—	·01	—	—	—	—	·33	—	10
11	·26	·02	—	·07	—	·18	·02	—	—	·01	·61	—	11
12	·02	·02	—	Tr	—	·40	—	·04	·11	—	·42	—	12
13	·05	·10	—	·08	·07	·11	—	—	—	—	·04	—	13
14	—	—	—	·03	·05	·03	—	—	·02	—	·40	·16	14
15	—	·10	—	·58	—	·20	—	—	·21	Tr	·50	·03	15
16	—	·02	·07	·18	—	·17	—	—	·56	·04	·77	—	16
17	Tr	—	Tr	·15	·22	·22	·02	·05	·06	—	·21	Tr	17
18	—	·03	—	·28	Tr	·07	—	·02	·43	·04	·03	—	18
19	—	Tr	—	·02	·36	·06	·19	—	·07	·04	·23	Tr	19
20	Tr	·37	—	·03	·02	·05	·11	—	—	—	·47	—	20
21	—	·42	—	·04	—	Tr	—	—	—	·04	·01	—	21
22	—	·04	·08	·13	—	—	—	·12	·07	Tr	Tr	—	22
23	—	Tr	·06	—	—	—	—	·36	·02	·61	—	·13	23
24	·01	·91	—	—	·09	—	—	1·26	·52	·03	·01	·29	24
25	·02	·42	—	·17	·16	·05	—	—	—	Tr	—	·30	25
26	Tr	·54	Tr	—	—	·02	—	·21	·11	Tr	—	·63	26
27	—	·50	—	—	·03	—	Tr	—	·15	—	·06	·46	27
28	—	·27	—	—	—	—	—	·06	·47	—	Tr	·27	28
29	Tr	×	Tr	—	—	—	—	—	·35	·01	·03	·54	29
30	·05	×	—	·13	·06	—	—	·84	·06	·16	·78	·56	30
31	—	×	—	×	—	×	—	—	×	·89	×	·29	31
TOTAL	0·59	4·16	0·64	3·57	1·14	4·31	1·74	2·98	4·19	4·89	6·76	3·83	YEAR'S TOTAL 38·80
*Days with ·01 in. or more.	9	17	7	21	10	22	6	10	21	18	25	15	181
*Days with .04 in. or more.	5	12	6	17	8	18	3	8	19	14	20	12	142

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) R. Savile.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ITCHEN ABBAS

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·15	0·08	0·04	0·38	—	0·58	0·28	0·01	—	—	0·06	0·07		1
2	Tr	·18	·01	—	—	·06	·08	·07	Tr	—	·01	Tr		2
3	—	—	—	·35	—	·01	·04	—	·49	—	·33	·01		3
4	Tr	—	·15	—	—	·02	—	—	·32	—	·10	·06		4
5	·41	—	·13	—	·05	—	—	·02	·06	—	Tr	·02		5
6	·60	—	Tr	—	—	·05	—	·05	·16	—	·55	—		6
7	·06	—	·08	—	—	Tr	·02	—	·03	—	·13	·07		7
8	·42	—	·18	—	—	—	·15	—	—	—	·14	·08		8
9	·55	—	·10	—	—	—	·36	—	·38	·01	·01	Tr		9
10	·16	—	—	—	—	Tr	·13	·02	—	·01	Tr	Tr		10
11	·06	·12	—	·06	—	—	—	·05	·02	—	1.30	·01		11
12	Tr	—	—	·18	·05	·36	·36	—	·60	—	·28	·08		12
13	—	—	—	·11	—	·10	·06	—	—	·02	·13	·53		13
14	—	·12	—	Tr	—	·04	·59	—	·21	·01	·04	·55		14
15	·01	·05	Tr	—	—	Tr	·02	—	·08	—	·03	·31		15
16	·21	·29	Tr	—	·01	—	·09	—	·12	—	·11	·08		16
17	·04	1·13	Tr	—	·13	·11	·07	—	·01	·01	·11	·26		17
18	·10	·18	—	—	—	·38	·26	—	—	·02	·01	·11		18
19	·34	·05	·01	·04	—	·09	·02	·16	—	·01	Tr	Tr		19
20	·21	·13	·14	·40	—	—	·01	—	·75	·01	—	Tr		20
21	—	·04	—	·64	—	·20	·04	—	Tr	Tr	—	—		21
22	·08	·38	·14	Tr	·13	—	·20	—	Tr	—	—	·05		22
23	·08	Tr	·35	·12	·05	—	·28	—	—	·04	—	Tr		23
24	·09	·09	—	—	·04	—	Tr	—	—	·44	·05	·01		24
25	·08	—	·09	·20	·08	—	·17	—	·11	·14	—	—		25
26	·16	·18	·06	·01	—	Tr	·05	—	·02	·12	—	·01		26
27	·40	—	·09	—	—	—	·06	—	·30	·29	—	—		27
28	1·00	Tr	·40	—	—	—	·49	—	—	—	Tr	·18		28
29	·01	·07	·07	—	—	·14	·12	—	—	·05	·21	·09		29
30	·14	×	Tr	—	Tr	·26	·01	—	—	·15	—	Tr		30
31	·19	×	·38	×	·02	×	·16	—	×	·20	×	·57		31
TOTAL	5·55	3·09	2·42	2·49	0·56	2·40	4·12	0·36	3·76	1·53	3·60	3·15	Year's Total 33·03 ✓	
* Days with .01 in. or more.	24	15	17	11	9	14	26	7	16	16	18	20	193 ✓	
* Days with .04 in. or more.	22	15	15	10	7	12	21	3	12	8	13.	15	153 ✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Savile.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ITCHEN ABBAS

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·53	0·02	—	0·01	—	—	Tr.	—	0·01	Tr	0·85	0·65		1
2	·03	·60	·01	·12	—	—	—	—	·15	—	·01	·46		2
3	·01	·35	Tr	—	—	—	·01	—	—	—	Tr	·01		3
4	·10	·92	—	Tr	—	—	—	Tr	—	—	—	·26		4
5	·15	·05	·12	·02	—	—	·13	Tr	—	—	—	—		5
6	·09	·04	·70	·09	·09	—	·03	—	—	·06	Tr	—		6
7	—	·54	—	·10	·07	—	—	—	·01	—	—	·38		7
8	·01	·02	—	Tr	·18	Tr	—	—	—	—	·02	·11		8
9	—	Tr	—	·29	·09	·04	·04	—	·26	—	—	·13		9
10	·01	·02	·70	·39	·04	·34	—	·03	Tr	—	—	·46		10
11	Tr	—	·08	·01	·24	·66	·13	—	—	—	—	Tr		11
12	·38	·30	·20	·10	·21	·24	·02	·21	·14	—	—	·40		12
13	·22	·05	·54	·17	—	Tr	—	·13	·08	—	—	·44		13
14	·01	·04	·51	·04	—	—	—	·35	·06	—	—	·14		14
15	·29	·17	—	·24	—	—	·34	—	·14	—	Tr	·19		15
16	·05	·18	·57	·17	—	·11	·03	·45	·19	—	—	—		16
17	·89	·05	·07	—	—	Tr	—	—	·15	Tr	·04	—		17
18	·24	·10	—	—	—	—	—	—	—	Tr	·12	·14		18
19	·13	·09	·06	·15	—	·10	—	—	·03	Tr	Tr	·01		19
20	·78	—	·03	·26	·04	Tr	—	—	—	·01	—	·05		20
21	·70	·29	·02	·04	Tr	—	·05	—	·01	·01	·01	·05		21
22	·55	·03	·16	—	·32	·26	·11	—	—	1·10	·58	·09		22
23	·32	·12	·02	—	·28	—	·02	—	Tr	·23	·34	·01		23
24	·57	·45	·01	—	·01	—	—	—	·12	·59	—	·02		24
25	·26	·53	·24	—	·91	—	—	—	·06	·15	Tr	·01		25
26	—	·33	·01	—	·02	—	—	—	—	·09	—	—		26
27	·03	·18	—	·14	—	—	—	—	—	·78	Tr	—		27
28	·02	·03	—	Tr	—	Tr	—	—	—	·05	—	·02		28
29	·02	×	—	—	—	—	—	—	—	·06	·13	·01		29
30	·45	×	—	—	—	·03	—	—	—	·11	·36	Tr		30
31	·40	×	—	×	—	×	—	—	×	·61	×	·01		31
TOTAL	7·24	5·50	4·05	2·34	2·50	1·78	0·91	1·17	1·41	3·85	2·46	4·05	Year's Total. 37·26	✓
* Days with .01 in. or more.	27	25	18	17	13	8	11	5	14	13	10	23	184	✓
* Days with .04 in. or more.	19	20	12	14	11	7	5	4	10	11	7	15	135	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Savile.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at ITCHEN ABBAS
in the County of HAMPSHIRE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·05	—	—	0·01	0·13	0·35	—	—	0·06	—	0·16		1
2	·03	—	—	·03	Tr	—	·10	—	—	·31	—	·07		2
3	Tr	—	Tr	—	·07	·01	—	—	—	·60	·04	Tr		3
4	·04	—	Tr	—	—	—	·05	·01	—	·02	Tr	·16		4
5	Tr	—	Tr	Tr	—	—	·24	·02	—	·31	—	Tr		5
6	·02	—	—	—	Tr	Tr	·05	—	·14	·05	·01	Tr		6
7	·01	—	Tr	—	—	·01	·95	·45	·29	·30	·01	·06		7
8	·19	—	—	—	—	Tr	·23	·03	·02	·18	—	·02		8
9	·12	·03	—	—	—	·04	Tr	—	—	·01	—	1·13		9
10	·10	—	—	—	—	·02	·03	Tr	—	·01	—	·13		10
11	·17	Tr	—	—	—	—	Tr	—	—	Tr	·15	·24		11
12	·39	·01	—	—	·12	—	·05	—	—	·13	Tr	·02		12
13	·25	Tr	—	—	—	—	—	—	—	·14	·40	·32		13
14	·45	Tr	Tr	—	·10	—	·09	—	·03	—	Tr	·01		14
15	·11	·01	—	—	·01	—	·56	—	—	·35	·01	·47		15
16	·21	Tr	·01	—	·01	—	·01	·02	—	·03	·05	·02		16
17	—	·10	·01	—	—	—	·01	—	·06	·19	Tr	—		17
18	·06	—	Tr	—	Tr	·02	—	—	·03	Tr	·48	—		18
19	·08	—	—	—	—	—	—	·12	·13	—	·64	Tr		19
20	—	—	—	—	Tr	—	—	·04	·05	Tr	·57	·02		20
21	·02	—	—	—	—	—	—	·02	·16	Tr	·02	·58		21
22	·01	—	—	Tr	—	·20	—	·22	Tr	—	·22	·19		22
23	—	—	Tr	Tr	—	Tr	—	—	—	Tr	·02	Tr		23
24	—	Tr	·13	—	—	—	—	—	·16	—	·16	—		24
25	·09	·07	·06	Tr	·20	—	Tr	—	—	·03	·91	·04		25
26	·28	·29	·04	—	·01	—	—	—	·07	·11	—	·28		26
27	·11	·02	—	—	·08	·27	·44	—	·02	·01	·35	—		27
28	·07	·05	—	—	·41	·07	—	·63	·11	—	—	·07		28
29	·25	×	—	—	·30	—	—	·05	·10	·01	·21	·06		29
30	·08	×	—	·02	·27	·02	—	—	·15	·03	·15	Tr		30
31	·17	×	—	×	·18	×	—	—	×	·24	×	·33		31
TOTAL	3·32	0·63	0·25	0·05	1·77	0·79	3·16	1·61	1·52	3·12	4.40	4.38	Year's Total 25·00	# ✓
*Days with ·01 in. or more.	24	9	5	2	13	10	14	11	15	21	18	21	163	# ✓
*Days with .04 in. or more.	19	5	8	0	9	5	11	6	11	13	13	16	111	# ✓

† Spare column, no entries required.

(*Signed*)

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 726/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at ITCHEN ABBAS

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	—	0·10	0·19	0·14	—	—	0·01	0·15	—	—	0·03		1
2	·07	—	—	·08	—	—	·01	·75	·73	—	Tr	·04		2
3	·55	—	—	·30	—	—	—	·19	—	—	·19	·21		3
4	·05	—	·41	·09	·04	—	·40	·15	Tr	·64	·06	·06		4
5	—	Tr	—	·20	·26	—	·08	·09	—	·19	·59	·17		5
6	·32	·01	·08	—	·02	—	·72	·03	—	—	·42	—		6
7	Tr	·12	—	—	—	—	Tr	·03	—	·10	·49	·36		7
8	·05	·21	·20	—	—	—	·03	·10	—	·26	·26	·31		8
9	·03	·02	Tr	—	—	—	—	·09	—	·14	·25	·20		9
10	·28	—	·01	—	—	·06	—	·12	·03	·41	·09	—		10
11	—	Tr	·21	—	—	—	—	—	—	·30	·07	—		11
12	—	·03	—	—	—	·03	—	—	—	—	·01	—		12
13	—	—	—	·03	—	·01	·35	—	·25	1·44	·03	—		13
14	·66	—	—	·01	·05	·03	·12	—	—	·25	·56	·06		14
15	·28	—	—	Tr	·42	·62	·49	—	·02	·44	·17	·03		15
16	·53	—	·06	·03	·04	·26	·05	—	Tr	—	·26	—		16
17	·23	·03	—	·01	·12	·02	·17	—	—	·48	·08	Tr		17
18	·24	Tr	·04	—	—	·04	·71	—	—	—	·35	—		18
19	·30	—	·01	—	—	—	·12	—	—	·06	—	·02		19
20	·36	Tr	Tr	—	—	—	·33	—	—	—	—	·01		20
21	·03	·28	·04	—	—	·02	·10	—	·01	Tr	Tr	—		21
22	·22	·49	·02	Tr	—	·13	·09	—	·02	—	·17	—		22
23	·04	—	·01	·10	—	—	—	—	—	·02	·95	·01		23
24	·35	Tr	—	Tr	—	·20	·02	—	—	·05	—	Tr		24
25	·51	·10	·03	Tr	—	—	·05	—	—	·03	·26	·01		25
26	·04	Tr	·01	—	—	·15	—	·04	—	·09	·24	·01		26
27	—	·16	·08	·05	—	·01	Tr	·01	—	·01	·10	—		27
28	·01	·20	·05	·02	—	·14	·15	—	—	·01	·17	·15		28
29	—	X	—	·05	—	—	·24	—	—	·05	·02	—		29
30	—	×	—	·76	—	·20	—	—	—	·05	·09	—		30
31	—	×	—	×	—	×	·53	—	×	·09	×	—		31
TOTAL	5·15	1·65	1·36	1·92	1·09	1·92	4·76	1·61	1·21	5·11	5·88	1·68	Year's Total 33·34	
* Days with .01 in. or more.	21	11	16	14	8	15	20	12	7	21	24	16	185	
* Days with .04 in. or more.	18	7	10	9	7	9	17	8	3	17	21	9	135	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. W. Savile

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 726/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at ITCHEN ABBAS I. Co.
in the County of HAMPSHIRE
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	Tr	·02	—	—	—	—	—	·03	—		1
2	—	·08	—	·12	—	—	·01	—	—	·03	·46	·03		2
3	Tr	·28	—	·02	—	—	Tr	—	—	·13	1·23	·10		3
4	·04	·06	—	Tr	—	—	—	—	—	·24	·12	·02		4
5	—	·01	—	—	—	—	·06	—	—	·11	·65	·15		5
6	·24	·38	—	—	—	—	·29	—	—	·31	·01	—		6
7	·21	·25	—	Tr	·03	—	—	—	Tr	·01	—	—		7
8	·01	—	—	—	—	Tr	·05	Tr	·01	·62	·03	·21		8
9	—	—	—	—	—	—	—	·01	·03	·15	·46	·24		9
10	—	—	—	—	—	—	·94	Tr	·01	·04	·08	·01		10
11	—	·03	—	·02	—	—	·03	—	—	—	1·00	·05		11
12	—	Tr	·20	—	—	—	·19	—	·19	Tr	·07	—		12
13	—	·02	·65	—	—	—	—	—	·24	Tr	1·10	Tr		13
14	—	Tr	·13	·06	—	—	·08	—	·02	·36	—	·56		14
15	—	—	—	Tr	·02	—	·82	—	·07	·04	1·02	·01		15
16	Tr	·66	·24	·07	—	Tr	·01	—	·17	·48	1·01	·01		16
17	—	Tr	·44	—	—	—	·02	—	—	Tr	·22	—		17
18	Tr	·38	·31	·29	—	—	·29	·01	·03	·25	·07	·14		18
19	—	·08	·08	·10	—	—	·19	—	·95	—	·19	Tr		19
20	—	Tr	—	·01	—	—	·01	·01	·16	·24	·05	—		20
21	·01	—	—	—	·03	—	·04	Tr	Tr	·03	·50	—		21
22	Tr	·01	·05	·01	·01	·27	—	—	·11	·01	—	—		22
23	—	·07	·17	Tr	—	·01	—	—	·02	—	·02	Tr		23
24	—	—	Tr	—	—	—	·27	—	—	—	·01	Tr		24
25	·03	—	·21	Tr	·02	·01	·01	—	—	Tr	—	—		25
26	·71	·38	·11	Tr	·18	·02	—	—	—	—	—	—		26
27	·52	·50	Tr	·08	Tr	—	·07	—	—	—	Tr	Tr		27
28	·39	·01	—	·05	·12	—	—	—	—	—	—	·01		28
29	·44	·14	·19	·01	·08	Tr	—	—	—	—	—	·24		29
30	·04	✕	—	·03	—	—	—	—	—	·31	—	Tr		30
31	—	✕	Tr	✕	—	✕	—	—	✕	·68	✕	·08		31
TOTAL	2·64	3·35	2·78	0·96	0·51	0·31	3·38	0·03	2·01	4·04	8·33	1·86	Year's Total 30·20	
* Days with .01 in. or more.	11	18	12	13	9	4	18	3	13	18	21	15	155	
* Days with .04 in. or more.	8	12	12	8	3	1	12	—	7	14	16	9	102	

† Spare column, no entries required.

(*Signed*) R. Savile [P.T.O.

* See Instruction 3 (f) on other side.

727

Section **A** for the entry of Daily

AIR MINISTRY.—MET

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTER

31.

727

OLD ALRESFORD

1931- 1938

78 02 01

Kept at Old Alresfo

in the County of Han

o 727

686272/26

Diameter of Funnel of Gauge 5" i

Height of top of Gauge above Ground 1

„ Ground „ Sea Level app

THE MORNING MEASUREMEN **AY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	-	-	·04	-	-	-	-	·04	-	-	-	1
2	·09	-	-	·39	-	-	-	-	·50	·04	-	-	2
3	-	-	·19	·25	·12	-	-	·08	·25	-	·20	·30	3
4	-	-	·06	-	·10	-	·19	-	·21	·03	·25	·03	4
5	-	·05	·05	·14	·05	·24	·03	·05	-	-	·02	·30	5
6	-	·10	-	·29	-	-	·04	-	-	·36	·12	-	6
7	-	-	-		·14	·18	-	·36	-	·05	·34	·04	7
8	-	·12	-	-	·04	·30	-	-	-	-	·08	·03	8
9	-	·17	-	·07	-	·04	-	-	-	-	·68	·02	9
10	-	-	-	-	-	·11	-	·58	-	-	·36	-	10
11	·16	·60	-	-	-	-	-	-	·05	-	·21	-	11
12	-	-	-	-	-	-	·09	·02	·33	-	-	-	12
13	·03	-	-	-	-	-	·04	-	-	-	-	-	13
14	-	·16	-	-	-	-	1·00	·55	-	-	·05	-	14
15	-	·05	-	·04	·09	-	·15	·20	-	-	-	-	15
16	·03	·04	-	·10	-	·20	-	·38	-	-	-	-	16
17	-	-	-	·13	-	·06	·36	-	·24	-	·55	-	17
18	·06	·10	-	·08	-	·04	·09	·96	-	-	-	-	18
19	·12	-	-	·51	-	·33	·10	·33	-	-	-	-	19
20	-	·05	·06	·05	-	-	-	·37	-	-	-	-	20
21	·05	-	-	-	·42	-	-	-	-	-	-	-	21
22	·30	·07	·04	-	-	-	-	-	-	-	-	-	22
23	·37	-	-	·13	·33	-	-	-	-	-	·25	-	23
24	·04	-	-	·47	·16	·16	·14	·45	-	-	·02	-	24
25	·31	·01	-	·55	·09	-	·63	-	-	-	-	-	25
26	-	-	-	·12	-	-	·33	-	-	-	·94	-	26
27	·15	·33	-	-	·80	-	·04	-	-	-	-	-	27
28	·04	·10	-	·16	·40	-	-	-	-	-	-	-	28
29	·16	-	-	-	·23	-	·10	-	-	·08	-	-	29
30	-	×	-	-	-	-	-	-	-	-	-	-	30
31	·35	×	-	×	·05	×	·05	·05	×	-	×	-	31
TOTAL	2·46	1·95	·40	3·52	3·02	1·66	3·38	4·38	1·62	·56	4·07	·72	YEAR'S TOTAL 27·74
*Days with ·01 in. or more.	~~16~~	~~14~~	~~5~~	~~17~~	~~14~~	~~10~~	~~16~~	~~13~~	~~7~~	~~5~~	~~14~~	~~6~~	~~137~~
*Days with ·04 in. or more.	14	13	5	17	14	10	15	12	7	4	12	3	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A. C. Broad

[P.T.O.

727

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Old Alresford

in the County of Hants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level approx 300 ft.

Station No 727

File. Ref. 686272/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	-	-	·04	-	-	-	-	·04	-	-	-	1
2	·09	-	-	·39	-	-	-	-	·50	·04	-	-	2
3	-	-	·19	·25	·12	-	-	·08	·25	-	·20	·30	3
4	-	-	·06	-	·10	-	·19	-	·21	·03	·25	·03	4
5	-	·05	·05	·14	·05	·24	·03	·05	-	-	·02	·30	5
6	-	·10	-	·29	-	-	·04	-	-	·36	·12	-	6
7	-	-	-		·14	·18	-	·36	-	·05	·34	·04	7
8	-	·12	-	-	·04	·30	-	-	-	-	·08	·03	8
9	-	·17	-	·07	-	·04	-	-	-	-	·68	·02	9
10	-	-	-	-	-	·11	-	·58	-	-	·36	-	10
11	·16	·60	-	-	-	-	-	-	·05	-	·21	-	11
12	-	-	-	-	-	-	·09	·02	·33	-	-	-	12
13	·03	-	-	-	-	-	·04	-	-	-	-	-	13
14	-	·16	-	-	-	-	1·00	·55	-	-	·05	-	14
15	-	·05	-	·04	·09	-	·15	·20	-	-	-	-	15
16	·03	·04	-	·10	-	·20	-	·38	-	-	-	-	16
17	-	-	-	·13	-	·06	·36	-	·24	-	·55	-	17
18	·06	·10	-	·08	-	·04	·09	·96	-	-	-	-	18
19	·12	-	-	·51	-	·33	·10	·33	-	-	-	-	19
20	-	·05	·06	·05	-	-	-	·37	-	-	-	-	20
21	·05	-	-	-	·42	-	-	-	-	-	-	-	21
22	·30	·07	·04	-	-	-	-	-	-	-	-	-	22
23	·37	-	-	·13	·33	-	-	-	-	-	·25	-	23
24	·04	-	-	·47	·16	·16	·14	·45	-	-	·02	-	24
25	·31	·01	-	·55	·09	-	·63	-	-	-	-	-	25
26	-	-	-	·12	-	-	·33	-	-	-	·94	-	26
27	·15	·33	-	-	·80	-	·04	-	-	-	-	-	27
28	·04	·10	-	·16	·40	-	-	-	-	-	-	-	28
29	·16	-	-	-	·23	-	·10	-	-	·08	-	-	29
30	-	×	-	-	-	-	-	-	-	-	-	-	30
31	·35	×	-	×	·05	×	·05	·05	×	-	×	-	31
TOTAL	2·46	1·95	·40	3·52	3·02	1·66	3·38	4·38	1·62	·56	4·07	·72	YEAR'S TOTAL 27·74
*Days with ·01 in. or more.	~~16~~	~~14~~	~~5~~	~~17~~	~~14~~	~~10~~	~~16~~	~~13~~	~~7~~	~~5~~	~~14~~	~~6~~	~~137~~
*Days with ·04 in. or more.	14	13	5	17	~~14~~	10	15	12	7	4	12	3	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. E. Broad

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Old Alresford

in the County of Hants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level approx 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21			·17	·70		·02	·61	·05	·11	·02		1
2				·29	·10			·08	·04		·01	·26	2
3				·24	·04	·15			·55	·04			3
4	·03		·02			·16					·03		4
5	·25						·07		·21				5
6	·37		·04	·49			·04		·17				6
7	·04		·05		·06		·05		·36	·28			7
8			·32		·23				·65	·20			8
9	·49			·15	·21								9
10	·85	·05		·40	·06	·07			·04	·14	·20		10
11	·08	·03		·06				·04	·02	·02	·03		11
12	·40				·03			·03	·10	·29			12
13	·18			·27	·06		1·52		·03	·92		·09	13
14	·15			·16				·04		·03			14
15	·04			·04	·29		·06			·05	·07	·02	15
16	·26			·16	·08		·59						16
17	·02									·04			17
18	·01				·05		·10		·20		·15	·03	18
19	·04								·05	·16			19
20				·22	·28			·95		·75	·28	·02	20
21				·09	1·25			·13		·27		·10	21
22			·17		·05		·20		·32	·30	·37		22
23				·05	·50				·10	·60		·14	23
24		·06					·55		·04	·10	·05		24
25							·75		·05	·30	·03		25
26			·08				·15			·03	·04		26
27			·46	·26	·13	·04	·34			·22		·08	27
28			·02	·07	·06		·20			·05			28
29			·43	·19	·22	·06		·09	·30	·50	·09	·09	29
30		×	·04	·22		1·41	·09		·38		·67	·37	30
31		×	·26	×		×	·04		×		×	·13	31
TOTAL	3·42	·14	1·89	3·53	4·40	1·89	4·77	1·97	3·66	5·40	2·04	1·33	YEAR'S TOTAL 34·44
*Days with ·01 in. or more.	16	3	11	18	19	6	16	8	19	22	14	11	163
*Days with .04 in. or more.	13	2	9	18	18	6	15	7	17	19	9	8	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. E. Broad

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Old Alresford
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level approx 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·40	·08		·03									1
2	·25		·69		·50									2
3	·02	·10	·48											3
4	·33				·32						·05			4
5	·08	·03	·66		—									5
6	-	·23	·06		·20					·09	·06			6
7	·06	·14	·03		.07					·11				7
8	·03				.01		·30			·22				8
9		·03			.08		·23			·20	·07			9
10		·18			·04		·04			·35	·06			10
11	·28				·20	·40	·24	·25		·03				11
12				·14			·10		1·18					12
13	·07				·09	·10	·44		·06		·05			13
14							·03			·24	·24			14
15	·65		·20			1·59	·04	·18		·03				15
16			·75			·11	·05			·04				16
17			·38			·08		·03	·20		·02			17
18	·31		·17			·35					·04			18
19			·09			·07		·03	·77		·03	·04		19
20		·12	·03	·03		.10		·05	.04					20
21		·03				.04		·07	·05					21
22						·38		·24		·17				22
23				·32		·05			·30	·45				23
24		1·82		·23		.24			·02		·04			24
25		1·43		·32					·03			·13		25
26		1·15		·13		·78			·25	·03		.02		26
27		·04			·40					·30		.22		27
28				·08	.03		·23			·07		.05		28
29	·05		·01	.04					·16					29
30	·07	×	·17				·06					·09		30
31	·27	×	·03	×		×		·02	×		×			31
													Year's Total	
TOTAL	2·67	5·70	3·83	1·29	1·97	4·29	1·76	·87	3·06	2·33	·66	·55	28·98	
*Days with ·01 in. or more.	14	13	15	8	12	13	11	8	11	14	10	6	135	
*Days with .04 in. or more.	12	10	11	7	9	13	10	5	9	11	8	5	110	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Broad

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Old Alresford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level approx 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	-	-	-	-	-	-	.57	.03	.11	.05	.58		1
2	.13	-	.10	.08	.23	-	-	-	.93	.14	.03	.38		2
3	.04	.04	-	.03	-	-	-	.07	-	.32	-	.08		3
4	.16	-	.09	.40	.20	-	-	-	-	.09	.04	.63		4
5	-	-	.02	-	.03	-	-	.15	-	-	.06	.50		5
6	.02	-	.37	-	.24	11	-	-	-	.20	.13	.85		6
7	.13	-	-	-		08	-	.30	-	.11	-	.58		7
8	-	-	-	-	.27	-	-	-	.15	-	.47	.05		8
9	-	-	.71	-	-	-	-	-	-	-	1.38	.74		9
10	.06	.02	.32	.23	-	-	-	.04	-	-	.30	.06		10
11	.77	-	.45	.34	-	-	.10	.19	-	-	-	.38		11
12	.11	-	.03	.03	-	-	.12	.22	-	-	-	.17		12
13	.51	-	.02	.11	-	-	1.00	.04	-	-	.03	.87		13
14	.12	-	.58	.07	-	-	-	-	-	-	.30	.53		14
15	.02	-	.03	-	.18	-	-	-	.02	.08	.09	.48		15
16	.15	-	.36	-	-	-	-	-	.02	-	-	.03		16
17	.07	-	.02	-	-	-	-	-	.09	.04	-	.25		17
18	.11	-	.09	.22	-	-	-	-	.19	-	-	.29		18
19	-	-	.41	.04	-	04	-	-	.10	-	-	.10		19
20	-	-	.25	.04	-	-	.29	.03	-	-	-	.03		20
21	-	-	.01	.27	-	12	-	.05	-	.09	-	-		21
22	-	-	-	-	-	-	.02	.26	.23	-	-	.05		22
23	-	.04	-	.25	-	45	-	.01	-	-	-	.04		23
24	-	.03	.09	.04	-	02	.14	-	.12	-	-	-		24
25	.30	.02	-	.12	.02	03	-	-	-	.19	-	.73		25
26	.03	-	-	.31	-	14	-	-	.11	-	-	.09		26
27	.04	-	-	.02	-	05	-	-	-	-	-	.20		27
28	-	-	-	-	-	04	.02	.92	-	-	-	.58		28
29	-	-	-	-	-	-	-	.07	.17	-	-	.03		29
30	.10	×	-	-	-	-	-	-	.05	.06	-	.40		30
31	.04	×	-	×	-	×	-	.01	×	.	×	.12		31
TOTAL	2.95	.15	3.35	2.60	1.17	1.08	1.69	2.93	2.21	1.43	2.88	9.82	Year's Total 32.26	
*Days with .01 in. or more.	20	5	18	17	7	10	7	15	13	11	11	29	163	
*Days with .04 in. or more.	17	2	12	14	5	8	5	12	10	11	[illegible]	26	131	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Broad

[P.T.O.

X Alresford Place X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Old Alresford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level approx 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	-	·10	-	·07	·04	·50	-	·06	·12	·27	-		1
2	-	-	-	-	-	·13	-	-	·07	·24	·18	-		2
3	-	-	·03	·05	-	·03	-	-	·04	1·07	·16	-		3
4	-	·06	-	·14	-	·05	-	-	·23	·21	·66	·05		4
5	-	·38	·14	·20	-	·16	-	-	·42	·01	·03	-		5
6	-	-	-	·32	-	1·04	-	-	-	-	·04	-		6
7	-	-	-	·25	-	·06	-	-	-	·23	·58	·08		7
8	-	-	-	·26	-	·08	-	-	·04	·46	·29	·02		8
9	·08	-	·04	·54	-	·77	-	-	·13	·74	·28	-		9
10	·05	-	·12	·20	-	·03	-	-	-	-	·33	·01		10
11	·28	-	-	·07	-	·16	·04	-	-	-	·68	-		11
12	·10	·04	-	-	-	·48	-	·05	·07	-	·62	-		12
13	·08	·11	-	·05	·02	·10	-	-	·01	-	·03	-		13
14	-	-	-	·09	·10	·05	-	-	·02	-	·32	·14		14
15	-	·12	-	·58	-	·07	-	-	·38	·03	·45	·04		15
16	-	·04	·10	·12	-	·08	-	-	·54	·04	·70	-		16
17	·03	-	-	·29	-	·22	·03	-	·08	-	·34	-		17
18	-	-	-	·31	·03	·06	-	-	·45	·05	·04	-		18
19	-	·02	-	·02	·43	·10	·22	-	·03	·05	·22	-		19
20	-	·39	-	·05	-	·05	·09	-	·02	-	·45	-		20
21	-	·42	-	·06	-	-	-	-	-	·04	·02	-		21
22	-	·04	·11	·04	-	-	-	·03	·09	-	-	-		22
23	-	-	·10	-	-	-	-	·33	·02	·40	-	·04		23
24	·03	·87	-	-	·10	-	-	1·21	·55	·14	-	·37		24
25	·05	·55	-	·15	·22	·11	-	-	-	-	-	·25		25
26	-	·45	-	-	-	·02	-	·25	·12	-	-	·60		26
27	-	·48	-	-	-	-	-	·03	·22	-	·10	·47		27
28	-	·22	-	-	·04	-	-	·15	·40	-	-	·19		28
29	-	-	-	-	-	-	-	·04	·48	·03	·03	·55		29
30	·11	×	-	·14	-	-	-	·85	·09	·17	·77	·45		30
31	-	×	-	×	-	×	-	-	×	·64	×	·54		31
TOTAL	·98	4·19	·74	4·03	1·01	3·89	·88	2·94	4·56	4·67	7·59	3·80	Year's Total. 39·28	
* Days with .01 in. or more.	10	15	8	21	8	22	5	9	24	18	24	15	179	
* Days with .04 in. or more.	8	14	7	20	6	19	4	7	19	15	20	13	152	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. E. Stroad

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Old Alresford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level approx 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.23	.10	.06	.55	-	.30	.27	.07	-	-	.06	.08		1
2	-	.20	-	-	-	.35	.09	.06	-	-	-	-		2
3	-	-	-	.26	-	.10	.05	-	.52	-	.33	.02		3
4	-	-	.17	-	-	-	-	-	.30	-	.11	.05		4
5	.38	-	.05	-	-	-	-	.03	.10	-	-	.07		5
6	.39	-	-	-	-	.06	-	.04	.20	-	.50	-		6
7	.26	-	.08	-	-	-	.02	-	.04	-	.23	.08		7
8	.50	-	.16	-	-	-	.11	-	-	-	.15	.12		8
9	.56	-	.07	-	-	-	.37	-	.27	-	.04	.03		9
10	.18	-	-	-	-	-	.10	.04	-	-	-	-		10
11	.06	.04	-	.10	-	-	-	.05	.21	-	1.31	.02		11
12	-	-	-	.18	-	.25	.26	-	.33	-	.32	.15		12
13	-	-	-	-	-	.15	.12	-	-	-	.10	.60		13
14	-	.18	-	-	-	.04	.48	-	.08	.04	.07	.63		14
15	-	.03	-	-	-	-	.05	-	.14	-	.04	.36		15
16	.25	.29	-	-	-	-	.10	-	.03	-	.16	.09		16
17	-	.90	-	-	.36	.16	.08	-	-	-	.10	.32		17
18	.15	.40	-	-	-	.52	.30	-	-	-	.02	.16		18
19	.35	.06	.02	-	-	.28	.09	.13	-	.03	-	-		19
20	.16	.10	.21	.47	-	-	-	-	.75	-	-	.02		20
21	-	-	-	.49	-	.18	.13	-	.01	-	-	-		21
22	.09	.30	.10	-	.27	-	.11	-	-	-	-	05		22
23	.07	-	.40	.13	.04	-	.46	-	-	.05	-	-		23
24	.10	.10	-	-	-	-	-	-	.02	.47	-	-		24
25	.06	-	.07	.22	.05	-	.10	-	.08	.03	.04	-		25
26	.03	.16	.10	-	-	-	.13	-	.04	.22	-	-		26
27	.59	-	.15	-	-	-	.03	-	.16	.34	-	-		27
28	.97	-	.22	-	-	-	.43	-	-	-	-	.20		28
29	.03	.10	.18	-	-	.05	.18	-	-	.05	.25	.06		29
30	.16	✕	-	-	-	.24	-	-	-	.14	-	.02		30
31	.18	✕	.27	✕	-	✕	.14	-	✕	.30	✕	.65		31
TOTAL	5.75	2.96	2.31	2.40	.72	2.68	4.20	.42	3.28	1.67	3.83	3.78	Year's Total 34.00	
* Days with .01 in. or more.	22	14	16	8	4	13	24	7	17	10	17	21	173	
* Days with .04 in. or more.	20	13	15	8	4	13	22	6	14	8	16	16	155	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) A. E. Broad

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Old Alresford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level approx 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	·06	–	–	–	–	–	–	–	–	1·22	·79		1
2	·03	·66	·01	·15	–	–	–	–	·17	–	–	·50		2
3	·01	·39	·02	–	–	–	–	–	–	–	–	·02		3
4	·12	1·00	–	–	–	–	–	–	–	–	–	·25		4
5	·20	·06	·10	–	–	–	·13	–	–	–	–	–		5
6	·16	·04	1·15	·04	·10	–	·04	–	–	·08	–	–		6
7	–	·55	–	·17	·16	–	–	–	–	·02	–	·34		7
8	–	·03	–	–	·18	–	–	–	–	–	·05	·08		8
9	–	–	–	·20	·06	·06	·03	–	·26	–	–	·15		9
10	–	–	·67	·40	·07	·36	–	–	–	–	–	·56		10
11	–	–	·11	–	·25	·51	·11	–	–	–	–	·03		11
12	·43	·30	·19	·12	·34	·28	·04	·30	·12	–	–	·25		12
13	·20	·05	·84	·15	–	–	–	·15	·21	–	–	·70		13
14	·03	·04	·30	·07	–	–	–	·26	·09	–	–	·08		14
15	·32	·19	–	·23	–	–	·40	–	·13	–	–	·08		15
16	·03	·16	·55	·22	–	·04	–	·43	·69	–	–	–		16
17	·83	–	·11	–	–	–	·06	–	·15	–	·04	–		17
18	·34	·10	–	–	–	–	–	–	–	–	·11	·12		18
19	·15	·12	·08	·18	–	·10	–	–	–	–	–	–		19
20	·82	–	·04	·23	·12	·02	–	–	–	–	–	·06		20
21	·83	·47	·03	·04	–	–	·04	–	–	·02	–	·05		21
22	·53	·07	·22	–	·29	·15	·05	–	–	·83	·50	·10		22
23	·29	·12	·03	–	·27	–	·11	–	–	·37	·33	–		23
24	·63	·39	·04	–	·03	–	–	–	·13	·56	–	–		24
25	·31	·66	·23	–	1·20	–	–	–	·09	·29	–	–		25
26	–	·23	–	–	–	–	–	–	–	·11	–	–		26
27	·07	·22	–	·18	–	–	–	–	–	·60	–	–		27
28	·02	·08	–	–	–	–	–	–	–	·05	–	·07		28
29	·02	–	–	–	–	·01	–	–	–	·11	·14	·03		29
30	·49	×	–	–	–	·03	–	–	–	·12	·37	–		30
31	·36	×	–	×	–	×	–	–	×	·43	×	·02		31
TOTAL	7·77	5·99	4·72	2·38	3·07	1·56	1·01	1·14	2·04	3·59	2·76	4·28	Year's Total 40·31	✓
* Days with .01 in. or more.	25	23	18	14	12	10	10	4	10	13	8	20	167	✓
* Days with .04 in. or more.	19	22	14	14	11	7	9	4	10	11	8	16	145	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. E. Broad [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Old Alresford

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level approx 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·06	-	-	-	·08	·19	-	-	·06	-	·18		1
2	·04	-	-	·05	-	-	-	-	-	·39	-	·07		2
3	-	-	-	-	·08	-	-	-	-	·61	·10	-		3
4	·06	-	-	-	-	-	·15	-	-	·04	·02	·16		4
5	-	-	-	-	-	-	·20	-	-	·38	-	-		5
6	·03	-	-	-	-	-	·11	-	·15	·05	·03	·03		6
7	·02	-	-	-	-	-	·96	·17	·02	·33	-	·04		7
8	·18	-	-	-	-	-	·22	·02	-	·21	-	·07		8
9	·09	·04	-	-	-	·06	-	·08	-	·03	-	1·25		9
10	·10	·03	-	-	-	·03	·03	·15	-	·02	-	·18		10
11	·17	-	-	-	-	-	-	-	-	-	·20	·23		11
12	·42	-	-	-	·12	-	·03	-	-	·14	·02	·02		12
13	·29	-	-	-	-	-	-	-	-	·13	·46	·41		13
14	·37	-	-	-	·08	-	·06	-	·01	-	-	-		14
15	·15	·03	-	-	-	-	·50	-	-	·34	-	·42		15
16	·28	-	·03	-	·03	-	-	·02	-	·04	-	-		16
17	-	·08	-	-	-	-	-	-	·08	·18	-	-		17
18	·10	-	-	-	·02	·04	-	-	·03	-	·65	-		18
19	·05	-	-	-	-	-	-	·10	·15	-	·34	-		19
20	-	-	-	-	-	-	-	·06	·08	-	·46	·04		20
21	·04	-	-	-	-	-	-	·02	·10	-	·03	·46		21
22	·02	-	-	-	-	·12	-	·24	-	-	·24	-		22
23	-	-	-	·02	-	-	-	-	-	-	·04	·02		23
24	-	-	·14	-	-	-	-	-	·19	-	·18	-		24
25	·10	·07	·08	-	·14	-	·02	-	-	·03	1·30	-		25
26	·33	·27	·05	-	·02	-	-	-	-	·20	-	·40		26
27	·12	·03	-	-	·08	·28	·50	-	-	·03	·37	-		27
28	·09	·05	-	-	·40	·10	-	·69	·10	-	-	·27		28
29	·15	-	-	-	·30	-	-	·04	·15	·02	·09	·10		29
30	·08	✕	-	·02	·17	·09	-	-	·10	·06	·32	-		30
31	·22	✕	-	✕	·20	✕	-	-	✕	·20	✕	·35		31
TOTAL	3·50	·66	·30	·09	1·64	·80	2·97	1·59	1·16	3·49	4·85	4·65	Year's Total 25·70	
* Days with .01 in. or more.	24	9	4	3	12	8	12	11	12	21	17	19	152	
* Days with .04 in. or more.	21	6	3	1	9	7	9	8	9	16	13	16	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FOR OFFICIAL USE. 728

FALL ORGANIZATION.

FORM 10

REGISTER

31.

728

WORTHY DOWN
WINCHESTER
1931-1935

780201

219

Kept at Worthy Down.

in the County of Hants.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·53				2
3			·21									·39	3
4													4
5													5
6										·40			6
7													7
8													8
9											·72		9
10													10
11		·53											11
12													12
13													13
14							1·60						14
15													15
16													16
17													17
18								1·24					18
19						·85							19
20													20
21													21
22													22
23	·48												23
24													24
25				·55									25
26													26
27					·74								27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	2·53	2·02	0.42	3·54	2·66	2·72	4·79	4·61	2.00	0.60	3·54	0.77	YEAR'S TOTAL 30·20
*Days with ·01 in. or more.	19	19	7	17	16	14	14	16	12	9	17	12	172
*Days with ·04 in. or more.	15	12	3	14	14	10	12	12	6	2	13	3	116
40-9999	61·2	51·4	10·7	89·8	67·6	69·0	121·6	117·0	50·7	15·2	89·9	19·6	766·4

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

728

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1931.

219

Kept at Worthy Down. Winchester

in the County of Hants.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 272 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·53				2
3			·21									·39	3
4													4
5													5
6										·40			6
7													7
8													8
9											·72		9
10													10
11		·53											11
12													12
13													13
14							1·60						14
15													15
16													16
17													17
18								1·24					18
19						·85							19
20													20
21													21
22													22
23	·48												23
24													24
25				·55									25
26													26
27					·74								27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·53	2·02	0.42	3·54	2·66	2·72	4·79	4·61	2.00	0.60	3·54	0.77	YEAR'S TOTAL 30·20
*Days with ·01 in. or more.	19	19	7	17	16	14	14	16	12	9	17	12	172
*Days with ·04 in. or more.	15	12	3	14	14	10	12	12	6	2	13	3	116
40-9999	64·2	51·4	10·7	89·8	67·6	69·0	121·6	117·0	50·7	15·2	89·9	19·6	766·4

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

728

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

219

Kept at Worthy Down, Winchester.
in the County of Hants.

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level 272 ft.

MM

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6				·54									6
7													7
8									1·05				8
9													9
10	·67												10
11													11
12													12
13							·91						13
14													14
15					1·22								15
16													16
17													17
18													18
19													19
20								·44					20
21													21
22													22
23										·74			23
24		·07											24
25													25
26													26
27			·54										27
28													28
29		×											29
30		×				1·76					0·84	·32	30
31		×		×		×			×		×		31
TOTAL	3·32	0·08	2·00	3·42	5·20	2·15	3·21	0·67	3·88	4·70	2·10	1·30	YEAR'S TOTAL 32·03
*Days with ·01 in. or more.	16	2	10	19	22	11	16	6	19	22	14	12	169
*Days with ·04 in. or more.	10	1	7	15	16	4	12	4	13	20	7	7	116
40-9999	84·3	2·1	50.8	86.8	132·0	54·6	81·5	16·9	98·5	119·2	53·3	32·9	

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

728

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Worthy Down

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 276 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 3·0 mm.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·2	0·1	-	3·9	26·2	-	0·2	1·7	0·5	0·9	0·1	0·1	1
2	0·2	0·1	-	6·4	2·8	Trace	-	1·2	0·8	Trace	0·2	6·2	2
3	Trace	-	-	5·3	0·5	0·1	-	0·1	11·6	Trace	-	Trace	3
4	0·5	-	-	-	-	2·7	Trace	-	-	-	0·4	-	4
5	8·2	Trace	0·1	-	Trace	Trace	2·0	-	4·2	-	-	-	5
6	10·5	-	1·4	13·8	0·7	-	0·4	-	4·7	-	-	-	6
7	0·8	-	0·8	Trace	1·1	-	0·3	-	6·1	4·4	-	0·1	7
8	Trace	Trace	9·3	Trace	5·1	-	-	-	26·6	6·7	-	Trace	8
9	10·9	Trace	-	2·2	6·7	-	-	-	0·4	1·1	-	-	9
10	16·9	0·2	Trace	10·3	1·5	4·2	-	-	0·1	3·4	3·2	-	10
11	1·2	Trace	-	0·8	0·4	Trace	-	0·1	0·6	0·6	0·4	0·5	11
12	11·2	Trace	-	0·1	1·1	0·1	-	Trace	2·6	2·2	0·2	0·2	12
13	5·1	Trace	-	6·0	1·2	-	23·0	-	0·4	17·9	Trace	0·7	13
14	4·9	Trace	-	10·8	0·2	-	-	0·6	Trace	4·3	0·1	0·1	14
15	0·3	-	-	0·5	31·1	-	1·0	Trace	Trace	1·2	2·9	0·3	15
16	9·5	-	-	2·2	0·4	-	3·6	-	0·1	-	-	0·4	16
17	0·1	-	-	0·1	-	-	0·1	-	Trace	1·1	0·1	-	17
18	0·3	-	-	Trace	1·0	-	1·6	-	5·9	-	4·7	Trace	18
19	-	-	-	-	Trace	-	-	-	1·0	3·2	Trace	-	19
20	-	-	-	3·3	6·3	-	Trace	11·2	Trace	17·5	4·0	0·1	20
21	Trace	-	Trace	3·0	23·8	-	-	Trace	-	5·2	-	4·5	21
22	0·1	Trace	6·6	0·4	Trace	0·5	1·2	0·1	9·5	3·4	9·4	Trace	22
23	0·3	Trace	0·1	0·6	11·2	0·1	0·1	-	0·8	18·8	Trace	4·7	23
24	-	1·7	-	-	Trace	-	12·4	-	1·8	2·4	0·8	Trace	24
25	-	-	-	-	Trace	-	11·5	-	2·0	6·2	0·6	0·1	25
26	-	-	2·8	0·1	-	-	7·7	0·1	-	3·7	0·8	Trace	26
27	Trace	-	13·6	7·5	2·1	0·5	8·6	-	Trace	4·4	Trace	1·7	27
28	Trace	-	0·2	1·0	1·3	0·2	4·5	-	-	1·4	0·1	Trace	28
29	-	-	11·6	3·7	7·0	1·4	0·1	1·6	7·7	9·2	3·9	2·0	29
30	0·1	×	0·9	4·8	0·3	44·8	0·6	0·2	11·1	Trace	21·4	8·2	30
31	-	×	3·4	×	-	×	2·6	-	×	-	×	3·0	31
TOTAL	84·3	2·1	50·8	86·8	132·0	54·6	81·5	16·9	98·5	119·2	53·3	32·9	YEAR'S TOTAL 812·9
Days with 0·2 mm. or more.	16	2	10	19	22	7	16	6	19	22	14	12	165
Days with 1·0 mm. or more.	10	1	7	15	16	4	12	4	13	20	7	7	116

(144 W)

40-9999

(Signed) S. G. Peters [P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Winchester, Worthy Down

in the County of Hants

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12									1.33				12
13							.46						13
14											.34		14
15	0.62							.54					15
16			0.97										16
17													17
18													18
19													19
20													20
21													21
22													22
23				0.29						.46			23
24		1.21											24
25													25
26						1.07							26
27					.59							.18	27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.31	4.77	3.93	1.09	1.70	2.56	2.57	1.06	2.99	2.31	0.78	0.48	YEAR'S TOTAL 26.55
*Days with ·01 in. or more.	24	16	17	7	14	14	12	5	13	15	10	6	153
*Days with ·04 in. or more.	11	9	15	6	9	12	11	4	7	11	6	4	105
40-9999	58.6		99.8	27.8		65.1	65.4						

*See Instruction 2 (*f*) on other side.

(Signed)..........

P.T.O.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN ~~192~~ 1933

Kept at Worthy Down
in the County of Hampshire
by Meteorological Office

Lat. 51° 7' N Long. 1° 19' W
Time of Observation 07 & 18h. ; 09h. Sept. onwards
Nearest Railway Station Worthy Down (G.W.)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 276 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

←---Read at 07h---------→ ←Read at 09h------→

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6·1	13·4	2·2	0·1	0·5	–	–	–	–	–	0·5	–	1
2	12·5	–	14·4	–	6·9	0·1	–	–	–	Trace	0·1	–	2
3	Trace	2·3	9·4	–	0·3	–	–	–	–	–	Trace	–	3
4	6·6	0·9	1·0	–	6·7	–	–	–	–	–	–	–	4
5	1·4	0·8	14·0	–	0·2	–	–	–	–	–	–	–	5
6	–	6·8	5·1	–	6·0	–	–	–	–	2·2	1·1	–	6
7	0·8	3·6	1·0	–	1·6	–	Trace	–	–	2·0	–	0·1	7
8	0·4	Trace	0·4	–	0·2	–	11·1	–	–	6·7	–	Trace	8
9	Trace	Trace	0·1	–	1·5	–	5·8	Trace	–	4·6	1·3	–	9
10	Trace	5·2	–	–	2·3	trace.	2·9	0·1	–	10·8	2·4	–	10
11	6·1	–	–	–	1·3	1·6	10·2	5·0	0·3	0·3	Trace	–	11
12	Trace	–	–	1·5	0·3	–	4·3	–	33·8	Trace	Trace	Trace	12
13	1·3	–	–	–	1·7	0·8	11·7	–	0·3	1·1	1·1	–	13
14	Trace	Trace	–	–	0·1	–	2·2	Trace	–	6·3	8·6	–	14
15	15·8	–	3·4	–	–	1·2	4·8	13·6	–	0·2	0·1	–	15
16	–	0·2	24·7	–	–	2·2	~~Trace~~ 1·0	–	0·3	–	–	–	16
17	Trace	0·2	11·2	–	–	1·5	Trace	Trace	2·8	–	0·2	Trace	17
18	1·0	0·8	2·7	Trace	–	9·4	Trace	–	–	–	0·2	–	18
19	–	1·2	3·9	Trace	–	0·4	–	0·1	14·4	–	3·7	2·1	19
20	–	0·6	1·1	Trace	–	2·4	–	0·3	1·1	–	Trace	Trace	20
21	–	0·1	–	–	Trace	7·3	–	2·1	0·9	Trace	Trace	–	21
22	–	Trace	–	–	–	3·6	–	5·7	0·7	3·6	Trace	–	22
23	0·1	0·1	–	7·4	–	2·7	–	trace	12·6	11·6	–	–	23
24	–	30·8	–	7·2	–	2·4	Trace	trace	Trace	Trace	Trace	–	24
25	–	30·1	–	7·3	–	2·3	Trace	–	0·1	Trace	0·4	2·4	25
26	–	24·7	–	0·7	–	27·2	–	–	6·0	0·8	–	0·1	26
27	–	0·4	–	0·1	15·1	–	0·4	–	0·2	6·1	Trace	4·6	27
28	Trace	–	–	1·6	–	Trace	9·0	–	–	2·1	Trace	0·9	28
29	2·0		0·2	1·9	–	Trace	Trace	–	–	0·1	~~Trace~~ –	0·5	29
30	2·4		3·5	–	–	–	2·0	–	2·5	–	–	1·4	30
31	2·1		1·5		–		Trace	–		0·2		–	31
	2·31	4·78	3·93	1·09	1·70	2·56	2·57	1·06	2·99	2·31	0·78	0·48	26·57
TOTAL	58·6	121·2	99·8	27·8	43·1	65·1	65·4	26·9	76·0	58·7	~~20·9~~ 19·9	12·1	YEAR'S TOTAL 674·4
Days with 0·2 mm. or more	13	16	17	7	14	14	12	5	13	15	10	6	142
Days with 1·0 mm. or more	11	9	15	6	9	12	11	4	7	11	6	4	105

(44.284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~4~~ 728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at WORTHY DOWN

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 275 ft.

No. longer M.W. Rstn

Days. Convert. ✓ alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	0.6	-	-	-	Tr^{fe}	0.2	-	10.7	3.8	0.5	0.5	17.1		1
2	2.9	-	2.3	1.4	4.6	-	-	-	16.4	4.1	0.2	9.8		2
3	1.3	0.3	0.1^{x}	-	-	-	-	4.6	Tr^{w}	8.1	-	5.2		3
4	3.7	-	3.1	8.5	4.3	-	Tr^{w}	-	Tr.	3.7	0.1	11.6		4
5	0.2	-	0.2	-	1.0	-	Tr^{w}	5.1	Tr^{w}	Tr.	0.7	12.9		5
6	1.2	Tr$^{(w)}$.	9.5	0.1	4.5	-	-	1.4	-	5.5	1.7	28.2		6
7	4.7	Tr.	-	-	-	2.3	-	6.1	-	2.9	Tr^{x}	18.4		7
8	-	Tr^{x}	-	-	7.2	Tr.	-	0.3	2.6	Tr^{w}	11.1	3.2		8
9	0.4	-	2.1	-	-	-	-	Tr.	-	Tr^{w}	22.6	16.4		9
10	1.6	0.4	14.2	7.0	-	-	-	1.6	Tr^{fe}	0.1	6.2	4.8		10
11	23.3	Tr$^{fx.}$	13.5	9.7	-	-	2.2	2.2	-	Tr$^{fe,w.}$	-	8.3		11
12	0.8	0.1$^{fex.}$	0.7	-	-	-	1.5	4.7	-	Tr^{w}	Tr	10.3		12
13	13.1	0.2^{fx}	0.3	4.1	-	-	37.5	0.1	-	-	1.6	15.8		13
14	4.6	-	14.9	0.6	Tr.	0.1	-	Tr^{fe}	Tr^{fe}	0.3	4.0	19.5		14
15	0.2	Tr^{fx}	2.0	Tr.	3.4	Tr.	-	-	Tr.	3.5	2.0	12.4		15
16	4.4	Tr^{fe}	9.7	0.1	Tr.	-	Tr^{fe}	-	-	-	0.1	1.0		16
17	1.3	0.1^{fe}	-	0.2	0.4	-	Tr^{w}	-	1.8	0.3	-	5.5		17
18	8.4	Tr^{x}	3.2	3.7	-	-	-	-	2.8	-	Tr^{fe}	5.4		18
19	-	-	10.6	0.6	Tr.	1.0	-	0.5	2.2	Tr.	0.2^{xfe}	2.3		19
20	-	-	4.3	2.0	-	-	2.9	-	Tr.	0.2	Tr.^{xfe}	-		20
21	-	-	Tr.	4.8	-	2.8	-	1.7	0.2	3.8	0.1^{x}	Tr.$^{w.}$		21
22	-	0.4	Tr.	-	-	-	0.4	9.9	5.1	Tr^{wfe}	Tr^{wfe}	X		22
23	-	0.4	Tr.	6.1	-	19.3	0.1	Tr.	0.9	Tr.^{w}	0.1	X		23
24	-	0.7	2.0	1.6	-	1.5	4.2	Tr$^{w.}$	2.4	-	Tr.	—		24
25	10.4	-	-	2.4	1.0	-	Tr.	-	Tr.	3.7	0.1	X		25
26	0.1	Tr	Tr.	3.7	-	4.2	Tr.	-	3.3	-	-	X		26
27	0.3	Tr.	-	Tr.	-	2.4	-	-	Tr.	-	Tr.	33.5 X		27
28	0.1	Tr.	-	-	-	1.6	0.5	24.4	-	0.4	0.3	10.7		28
29	Tr.	-	-	-	-	-	-	2.0	3.5	Tr$^{w.}$	0.1	0.6		29
30	1.5	×	-	-	-	-	0.1	4.2	3.0	1.1	0.1	12.0		30
31	0.6	×	-	×	Tr.	×	0.2	-	×	0.2	×	2.2		31
TOTAL	3.34 85.7	0.10 26	3.65 92.7	2.23 56.6	1.04 26.4	1.39 35.4	1.95 49.6	3.13 79.5	1.89 48.0	1.51 38.4	2.04 51.8	10.52 267.1	Year's Total. 833.8	32.81 ✓
* Days with 0.2 mm. or more.	21	6	16	15	8	9	8	15	13	15	12	? 28	166	
* Days with 1.0 mm. or more.	14	0	13	12	7	8	5	13	11	9	7	? 28	134	

(144w) * See Instructions 2 (f) on other side.

40-9999

† Spare column, no entries required.

(*Signed*) S. E. Peters

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 228 ~~147~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

~~allocate Days~~

Stn

JL

Kept at WORTHY DOWN

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	0·4	Tr.	3·1	-	1·7	1·5	× Office closed		0·8	0·5	6·4	-		1
2	-	Tr.	-	-	-	4·0	-		0·1	7·1	0·8	0·1		2
3	Tr.	Tr.	0·8	0·2	-	1·4	-		19·8	24·3	2·3	-		3
4	-	2·5	-	4·8	-	11·0	-		1·9	8·8	4·6	1·9		4
5	-	8·3	3·3	5·2	-	0·5	-		7·9	1·9	0·4	0·3		5
6	-	0·2	0·1	7·7	-	33·4	-		-	-	0·8	Tr		6
7	Tr.	Tr.	-	7·3	-	0·4	51·2		-	3·4	8·0	1·5		7
8	-	Tr.	Tr.	8·8	-	1·1	Tr		0·5	7·7	13·7	Tr.		8
9	1·7	-	0·5	12·9	-	16·9	Tr(w)		5·7	26·6	20·6	0·2		9
10	0·4	-	1·5	1·0	-	0·3	-		-	-	13·8	Tr.		10
11	5·9	0·2	-	2·8	-	6·8	Tr.	Office Closed	Tr.	Tr.	15·6	Tr.		11
12	0·2	0·6	-	-	-	5·8	-	~~8~~/7	2·0	-	8·0	-		12
13	1·6	2·6	-	3·7	1·6	2·7	-	to	0·9	Tr.	1·8	-		13
14	Tr(wfe)	-	-	7·0	0·8	1·4	-	25/8	0·5	0·2	7·3	3·8		14
15	-	2·5	-	16·3	Tr.	7·0	-		6·1	Tr	11·5	0·8		15
16	-	0·7	1·3	3·6	-	2·0	-		17·2	0·8	22·4	-		16
17	0·2	-	Tr(fe)	7·9	2·0	5·7	0·2		1·1	-	3·7	-		17
18	-	0·2	Tr(w)	(7·5)	0·9	1·7	0·5		9·5	0·9	0·5	Tr(fe)		18
19	-	0·3	Tr(w)	×	8·9	1·9	5·1		1·6	1·4	3·8	-		19
20	Tr.	10·7	Tr(w)	✓	3·9	0·9	5·3	× Accumulation since 27/7/35	Tr(w)	-	13·4	-		20
21	Tr.	12·4	-	×	-	0·1	-		0·7	1·0	Tr(fe)	Tr(x)		21
22	-	1·3	1·6	5·6	-	Tr(w)	-		1·5	Tr(fe)	Tr(fe)	-		22
23	Tr.(w)	-	2·5	-	0·1	Tr.(w)	-		0·9	16·9	Tr(x)	1·8		23
24	0·4	21·2	-	-	2·0	Tr(w)	-		11·7	Tr.	Tr(x)	×		24
25	1·5	13·8	Tr.	4·3	2·7	2·6	-	43·8	Tr(w)	Tr(fe)	Tr(fe)	× Accumulated		25
26	0·1	9·8	Tr(fe)	-	-	0·5	-	5·9	3·3	0·1	0·2	×		26
27	-	10·3	Tr(fe)	-	-	-	-	0·3	5·3	Tr.	1·8	61·9		27
28	-	3·5	-	Tr(w)	0·8	-	-	3·1	14·3	Tr.	Tr.	Office closed		28
29	0·1		Tr.	Tr(w)	-	-·×·	-	Tr.	6·8	0·3	0·3			29
30	1·1	×	-	3·1	Tr.	-·×·	-	20·6	1·3	6·2	20·3	17·9		30
31	-	×	×	×	-	×	-·×·	Tr	×	28·1	×	10·4		31
TOTAL	13·6	101·1	14·7	109·7	25·4	109·6	62·3	73·7	121·4	133·2	182·0	100·6	Year's Total. 1047·3	41 : 23 ✓
* Days with 0.2 mm. or more.	·54 10	3·98 18	·58 8	4·32 ×21	1·00 10	4·31 22	2·45 ×5	2·90 ×9	4·78 23	5·24 17	7·17 24	3·96 ×15	×	18 2 ✓
* Days with 1.0 mm. or more.	5	12	6	×19	7	17	×3	×6	17	12	18	×12	×	13 4 ✓

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

·×· Office closed – but no rain probable.

(Signed) E. L. Luckham

[P.T.O.

729

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGI

OFFICIAL USE.

ZATION.

FORM 1090.

REGISTER OF R

729

WESTON

1931-1940

780201

Kept at Weston

in the County of Hampshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in

,, Ground ,, Sea Level 330' ft

THE MORNING MEASUREMENT IS CRE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05		0.22		0.11			0.23	0.01			1
2	0.15	0.05	0.28	0.42				0.03	0.57				2
3			0.04	0.12	0.33		0.03	0.06	0.66		0.14	029	3
4		0.05			0.10		0.20	0.14	0.10	0.06	0.17		4
5		0.07		0.20		0.36	0.04	1.77	0.03			0.26	5
6		0.10		0.33		0.03	0.30	~~0.02~~	0.02	0.41	0.12	0.10	6
7					0.09	0.27		0.45		0.14	0.48		7
8		0.27			0.04	0.32	0.05	0.28			0.16	0.10	8
9		0.38	0.05	0.05		0.07	0.01				0.76		9
10	0.15	0.05				0.18	0.06	0.10			0.65		10
11	0.15	0.37			0.02						0.36		11
12	0.04						0.15	0.19	0.56				12
13			0.03				0.03						13
14		0.14				0.02	0.53	0.46					14
15	0.08	0.03		0.03	0.19		0.35	0.30			0.02	0.04	15
16		0.04		0.15	0.23	0.22		0.04					16
17		0.06		0.18		0.03	0.39		0.19				17
18	0.07	0.06		0.20		0.23	0.18	1.35		0.02	0.70		18
19	0.08			0.35		0.06	0.05	0.16					19
20		0.14	0.07	0.03				0.64			0.04		20
21			0.02		0.28								21
22	0.57		0.23								0.03		22
23	0.45			0.20	0.38						0.42		23
24	0.08	0.02	0.01	0.83	0.11		0.31	0.40					24
25	0.19			0.60	0.08	0.10	0.17				0.09		25
26		0.03		0.18			0.49				0.43		26
27	0.25	0.62			0.72		0.06				0.05		27
28		0.13									0.08		28
29	0.28			0.20	0.30		0.17			0.07		0.03	29
30	0.02	×									0.02		30
31	0.68	×		×	0.08	×	0.06	0.03	×		×	0.05	31
TOTAL	3.27	2.66	0.73	4.36	2.95	2.00	3.93	6.40	2.36	0.71	4.67	0.87	YEAR'S TOTAL 35.11
*Days with ·01 in. or more.	15	19	8	18	14	13	20	16	8	6	18	7	162
*Days with ·04 in. or more.	14	17	5	16	13	11	17	15	6	4	14	6	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Pumfreward

P.T.O.

729

Section **A** for the entry of Daily Observations OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Weston

in the County of Hampshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

,, Ground ,, Sea Level 330' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05		0.22		0.11			0.23	0.01			1
2	0.15	0.05	0.28	0.42				0.03	0.57				2
3			0.04	0.12	0.33		0.03	0.06	0.66		0.14	029	3
4		0.05			0.10		0.20	0.14	0.10	0.06	0.17		4
5		0.07		0.20		0.36	0.04	1.77	0.03			0.26	5
6		0.10		0.33		0.03	0.30	~~0.02~~	0.02	0.11	0.12	0.10	6
7					0.09	0.27		0.45		0.14	0.48		7
8		0.27			0.04	0.32	0.05	0.28			0.16	0.10	8
9		0.38	0.05	0.05		0.07	0.01				0.76		9
10	0.15	0.05				0.18	0.06	0.10			0.65		10
11	0.15	0.57			0.02						0.36		11
12	0.04						0.15	0.19	0.56				12
13			0.03				0.03						13
14		0.14				0.02	0.53	0.46					14
15	0.08	0.03		0.03	0.19		0.35	0.30			0.02	0.04	15
16		0.04		0.15	0.23	0.22		0.04					16
17		0.06		0.15		0.03	0.39		0.19				17
18	0.07	0.06		0.20		0.23	0.18	1.35		0.02	0.70		18
19	0.08			0.35		0.06	0.05	0.16					19
20		0.11	0.07	0.03				0.64			0.04		20
21			0.02		0.28								21
22	0.37		0.23								0.03		22
23	0.45			0.20	0.38						0.42		23
24	0.08	0.02	0.01	0.83	0.11		0.31	0.40					24
25	0.19			0.60	0.08	0.10	0.17				0.09		25
26		0.03		0.18			0.49				0.43		26
27	0.25	0.62			0.72		0.06				0.05		27
28		0.13									0.03		28
29	0.28			0.20	0.30		0.17			0.07		0.03	29
30	0.02	×									0.02		30
31	0.68	×		×	0.08	×	0.06	0.03	×		×	0.05	31
TOTAL	3.27	2.56	0.73	4.36	2.95	2.00	3.93	6.40	2.36	0.71	4.67	0.87	YEAR'S TOTAL 35.11
*Days with ·01 in. or more.	15	19	8	18	14	13	20	16	8	6	18	7	162
*Days with ·04 in. or more.	14	17	5	16	13	11	17	15	6	4	14	6	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Weston, Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

July 13th & 22nd referred to Obsr. who confirms readings. T.

f. 661497/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.12			0.23	0.63			0.05	0.02	0.05	0.03		1
2				0.33	0.17			0.03	0.15	0.01		0.48	2
3				0.12	0.02				0.59				3
4	0.03					0.14					0.05		4
5	0.43		0.02				0.15		0.28	0.07			5
6	0.69		0.03	0.20					0.22				6
7	0.06		0.06						0.23	0.22			7
8			0.36		0.29				0.55	0.43			8
9	0.39			0.26	0.10						0.05		9
10	0.60	0.15		0.33	0.09	0.04			0.07		0.03		10
11	0.14			0.05	0.01		0.20	0.08	0.02	0.11		0.02	11
12	0.76							0.01	0.19	0.45	0.04	~~0.02~~	12
13	0.14			0.39	0.08		1.54		0.01	0.88			13
14	0.22			0.06	0.07					0.02		0.10	14
15	0.15			0.04	0.28					0.05	0.08		15
16	0.22			0.12	0.02								16
17	0.05			0.10						0.03			17
18	0.05				0.07		0.05		0.02	0.02	0.10		18
19	0.01								0.05	0.37			19
20				0.35	0.02			0.58		1.01	0.26		20
21				0.11	1.72			0.03		0.60		0.12	21
22			0.14		0.13		1.43	0.17	0.48	0.49	0.54		22
23	0.02	0.06		0.09	0.31		0.15		0.18	1.31		0.19	23
24		0.06					0.66		0.22	0.08			24
25							1.18		0.01	0.49	0.06		25
26			0.14	0.06			0.49			0.09	0.04		26
27			0.60	0.59	0.14		0.28			0.36			27
28				0.09	0.08	0.10	0.25			0.02			28
29			0.48	0.20	0.14	0.07		0.28	0.34	0.45	0.07	0.17	29
30		×	0.07	0.29		2.15	0.17		0.53		0.87	0.33	30
31	~~4.08~~	×	0.14	×		×	0.05		×		×	0.12	31
TOTAL	4.08	0.27	2.04	4.01	4.37	2.50	6.60	1.23	4.16	7.61	2.22	1.53	YEAR'S TOTAL 40.62
*Days with ·01 in. or more.	17	3	10	20	19	5	13	8	19	23	13	8	~~141~~ 158
*Days with .04 in. or more.	14	3	8	20	15	5	13	5	15	18	11	7	~~120~~ 134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Weston, Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" Ground " Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.13	0.65	0.14											1
2	0.47		0.90		0.57						0.05			2
3		0.04	0.53											3
4	0.28				0.32									4
5	0.14	0.07	0.83											5
6		0.25	0.06		0.26					0.09	0.09			6
7	0.12	0.06	0.02		0.37					0.17				7
8	0.04						0.36			0.17				8
9					0.02		0.40			0.17	0.08			9
10		0.09			0.03		0.10	0.01		0.58	0.03			10
11	0.20				0.17	0.10	0.14	0.17		0.08				11
12					0.04		0.20		1.30			0.07		12
13					0.07	0.05	0.84	0.10	0.08	0.19	0.07			13
14							0.14			0.30	0.46			14
15	1.12		0.53				0.08	0.49		0.05				15
16			0.85			0.28								16
17			0.43			0.03		0.09	0.16					17
18	0.43		0.10			0.40					0.03			18
19		0.06	0.14					0.01	0.27					19
20		0.15	0.04	0.04		0.11			0.05					20
21						0.41		0.04	0.07	0.03				21
22						0.17		0.29	0.05	0.26	0.02			22
23			~~[illegible]~~	0.15	0.03	0.11			0.32	0.20				23
24		1.65	~~[illegible]~~	0.30		0.02			0.73					24
25		1.65	~~[illegible]~~	0.34	0.05	0.04			0.07		0.02	0.13		25
26		1.25	~~[illegible]~~	0.23		0.35			0.55			0.03		26
27					0.56					0.26		0.39		27
28							0.31			0.10		0.23		28
29	0.10			0.04						0.04				29
30		×	0.17				0.09		0.12			0.08		30
31	0.25	×	0.05	×		×			×		×			31
TOTAL	3.28	6.02	4.79	1.10	2.49	2.07	2.66	1.20	3.77	2.69	0.85	0.93	Year's Total 31.85	
*Days with ·01 in. or more.	11	11	14	6	12	12	10	8	12	15	9	6	126	
*Days with .04 in. or more.	11	11	13	6	9	10	10	6	12	14	5	6	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Percy Seward

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WESTON, PETERSFIELD

in the County of HANTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ~~1"~~ ft 12" in.

,, Ground ,, Sea Level 330' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						0.08		0.51		0.14	0.05	0.90		1
2	0.10		0.12	0.15	0.19	0.05			1.71	0.21		0.43		2
3	0.10	0.03		0.12				0.17		0.39		0.29		3
4	0.17		0.22	0.20	0.20			0.17		0.37	0.04	0.50		4
5								0.22			0.06	0.57		5
6	0.06		0.37	0.03	0.19	0.17				0.31	0.20	1.28		6
7	0.08					0.04		0.44		0.28		0.55		7
8					0.20			0.02	0.22		1.27	0.10		8
9			0.20								1.17	0.60		9
10	0.12		0.40	0.29				0.05			0.70	0.07		10
11	0.84		0.50	0.27			0.17	0.05				0.74		11
12							0.17	0.10				0.14		12
13	0.60			0.10			0.38				0.44	0.12		13
14	0.13		0.59	0.04							0.37	1.18		14
15			0.02		0.15					0.10	0.15	0.60		15
16	0.35		0.50						0.05			0.01		16
17	0.15		0.01		0.05					0.06		0.43		17
18	0.08		0.20	0.39					0.07			0.68		18
19			0.46	0.05		0.10			0.24			0.19		19
20			0.04	0.12			0.27	0.05		0.03				20
21				0.30		0.16		0.06		0.18				21
22							0.23	0.33	0.41			0.14		22
23				0.40		0.65		0.21				0.08		23
24		0.07	0.06	0.55		0.17	0.05	0.02	0.21	0.25				24
25	0.40			0.25						0.02		1.07		25
26	0.04			0.10		0.25	0.02		0.14			0.05		26
27				0.03		0.07						0.48		27
28						0.31		0.97		0.01		0.48		28
29								0.16	0.16			0.04		29
30	0.06	×						0.02	0.13	0.06	0.04	0.42		30
31		×		×		×	0.03		×	0.02	×	0.18		31
TOTAL	3.28	0.10	3.69	3.39	0.98	2.05	1.32	3.55	3.34	2.43	4.49	12.32	Year's Total 40.94	
*Days with ·01 in. or more.	15	2	14	17	6	11	8	17	10	15	11	28	154	
*Days with ·04 in. or more.	15	1	12	15	6	11	6	14	10	12	11	27	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Seward

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. **Station No.** 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WESTON, Petersfield,

in the County of Hampshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06		0.17		0.08		0.70		0.16	0.13	0.31			1
2						0.02				0.72	0.03			2
3			0.03			0.09			0.45	1.50	0.20			3
4		0.09		0.21		0.06			0.04	0.13	0.80	0.16		4
5		0.30	0.12	0.22		0.03			0.38	0.03	0.09	0.02		5
6			0.02	0.40		1.22					0.16			6
7				0.46		0.06					0.78	0.11		7
8			0.02	0.36		0.04					0.78			8
9	0.09			0.41		0.56			0.15	0.45	0.06			9
10	0.28		0.27			0.02				1.21	0.63			10
11	0.25	0.07		0.09		0.23	0.10				0.81	0.02		11
12		0.10				0.38		0.06	0.16	0.03	0.97			12
13	0.07	0.16		0.31		0.07		*~~0.32~~			0.25			13
14				0.02	0.14	0.12		*~~1.07~~	0.08		0.15	0.34		14
15		0.27		0.80		0.02		*	0.17	0.02	0.45	0.12		15
16		0.10	0.07	0.19		0.35			0.80		1.09			16
17				0.28		0.27		0.10	0.02	0.03	0.34			17
18		0.06		0.42		0.05	0.02		0.60	0.06	0.06			18
19		0.02		0.07	0.70	0.04	0.35		0.09	0.06	0.30			19
20		0.63		0.08	0.09	0.02	0.21		0.07		0.45			20
21		0.77		0.03						0.08	0.02			21
22		0.11						0.06	0.08					22
23			0.12					*0.32		0.46		0.15		23
24	0.10	0.88			0.08			*1.07	0.60	0.02		0.49		24
25	0.15	0.35		0.17	0.16							0.62		25
26		0.57				0.02		0.21	0.14			0.60		26
27		0.69						0.02	0.20		0.17	0.53		27
28		0.20			0.12				0.38		0.02	0.22		28
29								0.17	0.53	0.05		0.58		29
30	0.10	×		0.10				1.05	0.02	0.36	1.37	0.92		30
31		×		×		×		0.03	×	0.66	×	0.66		31
TOTAL	1.10	5.37	0.82	4.62	1.37	3.67	1.38	3.09	5.12	5.99	10.29	5.44	Year's Total. 48.26	
* Days with .01 in. or more.	8	17	8	18	7	20	5	10	18	18	24	15	168	
* Days with .04 in. or more.	8	15	5	16	7	15	4	9	16	14	21	13	145	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Percy Seward

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Weston, Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.22	0.18	0.02	0.67		0.51	0.47	0.04			0.05	0.09		1
2		0.11				0.18	0.12	0.18						2
3				0.37		0.16	0.03		0.22		0.40	0.02		3
4			0.16			0.06			0.38		0.18	0.05		4
5	0.89		0.06			0.02		0.09	0.04			0.05		5
6	0.82							0.05	0.38		0.84			6
7	0.26		0.22				0.01				0.19	0.08		7
8	0.56		0.16				0.05				0.52	0.15		8
9	0.53		0.08				0.33		0.17					9
10	0.15						0.06	0.82						10
11	0.10	0.30		0.05			0.07	0.25	0.07		1.73			11
12				0.07		0.24	0.49		0.43		0.27	0.11		12
13						0.05	0.11			0.04	0.13	0.47		13
14		0.22				0.10	0.55		0.08	0.02	0.09	1.00		14
15	0.04	0.05					0.14		0.11		0.09	0.47		15
16	0.28	0.40					0.10				0.10	0.41		16
17		1.05				0.45	0.02	0.03	0.02	0.02	0.17	0.81		17
18	0.17	0.35				0.59	0.35			0.03		0.21		18
19	0.42	0.04	0.13			0.18	0.03	0.22			0.02			19
20	0.39	0.09	0.10	0.61		0.29			0.75					20
21		0.09		0.81		0.12	0.12							21
22	0.14	0.40	0.16		0.25		0.32					0.07		22
23			0.42	0.16	0.08		0.81			0.07				23
24	0.16	0.05			0.04		0.11		0.04	0.44				24
25	0.07		0.20	0.29	0.09		0.08		0.08	0.20	0.03			25
26		0.19	0.07						0.08	0.22		0.03		26
27	0.68		0.04						0.23	0.28				27
28	1.09		0.55				0.28					0.25		28
29		0.16	0.07			0.37	0.05			0.07	0.20	0.10		29
30	0.20	✕				0.26				0.11				30
31	0.29	✕	0.42	✕	0.09	✕	0.15		✕	0.09	✕	0.50		31
TOTAL	7.46	3.68	2.86	3.03	0.55	3.58	4.85	1.68	3.08	1.59	6.01	4.87	Year's Total 42.24	
* Days with .01 in. or more.	20	15	16	8	5	15	24	8	15	12	16	18	172	
* Days with .04 in. or more.	20	15	15	8	5	14	20	7	14	9	14	16	157	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) …………

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Weston, Petersfield, Hants.

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. *** in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·87	·02									1·01	·56		1
2	·03	1·04		·07					·03	·07	+	·46		2
3	·02	·26		·33					·07					3
4	·15	1·37		·07								·31		4
5	·38	·05	·12	·02			·17							5
6	·34	·22	1·05		·12		·03	·01						6
7		·72		·23	·19				·03	·13		·27		7
8		·01	·04		·32	·01					·07	·05		8
9				·52	·11	·09	·17		·34			·06		9
10			·56	·17	·23	·25		·07				·66		10
11	·79		·13		·23	·02	·17							11
12	·25	·35	·24	·13	·89	·33	·01	·57	·11			·43		12
13	·03	·06	1·04	·13	·04			·15	·31			·98		13
14	·47	·03	·10	1·42				·18	·23			·20		14
15		·20		·50			·42		·16			·02		15
16		·20	·70	·25		·01		·84	·81					16
17	·86		·16	·02					·18		·09			17
18	·43	·12									·18	·09		18
19	·14	·14	·10	·45		·12			·06			·06		19
20	·60	·10	·29	·20								·08		20
21	·86	·34	·02	·03			·04				·03	·12		21
22	·63	·04	·10		·32	·27	·22			1·17	·71	·24		22
23	·26	·14			·31		·12			·35	·59			23
24	·56	·49								·70		·05		24
25	·25	·55	·27		1·14				·13	·27				25
26		·32								·17				26
27	·07	·19		·09						·58		·02		27
28	·10	·05								·11				28
29	·05									·08	·05			29
30	·55	×				·04		·77		·32	·37			30
31	·37	×		×		×			×	1·00	×	·04		31
TOTAL	9·06	6·91	5·03	4·72	4·10	1·14	1·35	2·59	2·46	4·95	3·10	4·69	Year's Total 50·10	✓ ✓
* Days with .01 in. or more.	24	23	15	17	12	9	9	7	12	12	9	19	168	✓ ✓
* Days with .04 in. or more.	21	20	14	15	12	6	7	6	10	12	8	17	148	✓ ✓

† Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Weston, Petersfield,

in the County of Hants.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.03				0.05	0.18			0.11		0.17		1
2							0.32			0.35	0.02	0.02		2
3					0.03					0.88	0.13			3
4	0.04						0.50	0.01		0.15		0.31		4
5				0.02		0.03	0.37			0.33				5
6	0.10						0.09		0.16		0.03			6
7							0.90	0.83	0.33	0.42		0.07		7
8	0.35						0.12	0.03		0.42		0.04		8
9	0.30					0.19				0.04		1.02		9
10	0.16	0.03				0.02	0.02	0.03				0.18		10
11	0.23										0.27	0.27		11
12	0.51				0.16					0.23	0.07			12
13	0.51									0.28	0.80			13
14	0.53				0.09		0.07					0.43		14
15	0.20	0.04			0.02		0.50			0.54	0.02			15
16	0.48		0.02				~~0.05~~	0.05		0.07	0.01	0.55		16
17		0.10	0.01		0.02				0.21	0.10	0.04	0.05		17
18	0.18				0.14				0.45	0.03	0.64			18
19	0.02							0.12	0.32		0.37	0.01		19
20	0.01							0.10	0.13		0.73	0.03		20
21	0.04							0.01	0.11			0.31		21
22	0.02							0.26			0.39	0.20		22
23											0.10			23
24			0.25						0.27		0.41			24
25	0.19	0.03	0.13	0.01	0.16		0.02	0.02		0.04	1.23			25
26	0.45	0.25	0.08						0.12	0.18		0.25		26
27	0.24	0.03			0.15	0.37	0.79				0.62			27
28	0.15	0.10			0.30	0.22		0.70	0.08			0.12		28
29	0.35				0.53				0.02		0.26	0.09		29
30	0.09	X			0.30				0.08	0.03	.24 0.04			30
31	0.26	X		X	0.29	X			X	0.36	X	0.41		31
TOTAL	5.41	0.61	0.49	0.03	2.19	0.88	3.88	2.16	2.28	4.56	6.38	4.53	Year's Total 33.40	✓
* Days with .01 in. or more.	23	8	5	2	12	6	12	11	12	18	19	19	147	✓
* Days with .04 in. or more.	20	4	3	0	9	4	10	6	11	16	15	16	114	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at WESTON, PETERSFIELD.

in the County of HANTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

" Ground " Sea Level 330' ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01							·04	·26			·11		1
2	·08		·17	·25	·15		·11	·72	·33		·03	·05		2
3	·67			·28				·16			·37	·46		3
4	·06		·51	·61	·10		·17	·52		·55	·10	·05		4
5			·01	·15	·21		·33			·44	·90	·18		5
6	·39		·03	·20			·67	·05			·37			6
7	·02	·18					·03	·07		·05	·31	·83		7
8	·08	·29	·28				·04			·38	·47	·50		8
9	·07	·04						·23		·29	·33	·57		9
10	·27		·04			·05		·20	·09	[illegible]	·09			10
11		·02	·18							·48 ·50	·03			11
12		·04				·06								12
13				0·09			·43		·25	1·73				13
14	·84			0·08		·06	·09			·50	·52	·05		14
15	·42				·82	·55	·10		·03	·22	·32	·08		15
16	·41		·08	·12	·18	·15	·17		·08		·39			16
17	·35	·12	·01	·01	·13		·17			·29	·09			17
18	·25					·16	·49				·45			18
19	·45		·03				·56			·10				19
20	·50					·02	·18							20
21	·07	·45	·09			·09	·03							21
22	·39	·36				·28	·01				·15			22
23	·04		·03	·13			·03			~~·09~~	1·19			23
24	·50					·12	·09			·09				24
25	1·12	·17	·04			·14	·08				·67			25
26		·04						·02		·15	·39			26
27	0·02	·25	·04	·09		·07				·05	·28			27
28		·27	·01	·18		·16	·02			·05	·27	·20		28
29				·06			·14			·04	·05			29
30				·57		·16				·09	·08			30
31							·32			·09				31
Total	7·01	2·23	1·55	2·82	1·59	2·07	4·26	2·01	1·04	6·09	8·15	3·08	Year's Total 41·90	
* Days with ·01 in. or more.	22	12	15	14	6	14	22	9	6	19	23	11	173	
* Days with ·04 in. or more.	19	11	9	13	6	13	17	8	5	19	21	11	152	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Weston Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ✓ in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·0·3			1
2		4		·53	·03					·04	·65			2
3		·71								·19	1·28	·17		3
4		·15								·38	·03	·06		4
5		·02					·22			·12	·70	·31		5
6	·42	·61					·19			·58	·05			6
7	·21	·50					✓					✓		7
8							4 ·06			·58	·05	✓ ·30		8
9							✓	·02	·02	·32	·61	·30		9
10							4 ·20	·10		·04	·14	✓		10
11		·12	·42				·18				1·33			11
12			1·05	·02			·27		·15		·07			12
13		·02	·28				·17		·16		1·35			13
14		✓		·11			·18		·01			4 ·84		14
15				4			·85		·05	·02	·76	·05		15
16	·02	4 ·75	·36	·12		✓	✓		·23	4 ·88	1·11	·04		16
17			·44				✓		4	✓	·53			17
18	·02	·44	·27	·43			✓ ·05		✓ ·20	4	·04	·20		18
19		4	4	·15			·04		·67		·41			19
20		✓	✓ ·07	·12			·02	·05	·10	·14	·15			20
21	·04	·11		~~·15~~	·15		·04				·67			21
22			·04	·02		·25			·18					22
23		·10	·31		·02						·02			23
24					✓		·19							24
25			·58	·02			·05				·02			25
26	·91	·49	·28		·24									26
27	·62	·66	·03				·08							27
28	·73	·05	✓	·07	·13							✓		28
29	·72	·34	4 ·28	·13	·24							4 ·41		29
30		✕		·05						·45		✓		30
31	·09	✕		✕		✕			✕	·95	✕	·16		31
TOTAL	2·78	5·07	4·36	1·77	·81	·25	2·79	·17	1·77	4·69	9·95	2·84	Year's Total 38·25	✓
* Days with .01 in. or more.	9	18	14	13	7	2	20	3	11	15	21	15	~~130~~	148
* Days with .04 in. or more.	7	14	12	11	4	1	14	2	8	13	17	11	~~112~~	114

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Percn Seward

[P.T.O.

X LANGRISH VICARAGE

729/7

COPY FO

Section **A** for the entry of Daily Observation

AIR MINISTRY.—METEOROLO

IZATION

FORM 1090

REGISTER OF

729/7

LANGRISH VICARAGE

1936 ONLY

Kept at ~~Langrish Vicarage~~

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – i

,, Ground ,, Sea Level 390

10/5 9/35

THE MORNING MEASUREMENT SHOULD

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·12	·15	·49		·31	·59	·02			·05	·09		1
2		·13		·01		·18	·09	·18						2
3				·34		·02	·03		·30		·44	·02		3
4			·13			·07			·31		·13	·04		4
5	·74		·05			·02		·08	·04		·03	·04		5
6	·75							·03	·31		·61			6
7	·19		·14						·02		·21	·09		7
8	·45		·13				·18				·37	·17		8
9	·36		·08				·30		·18					9
10	·10						·10		·14					10
11	·09	·22		·05			·01				1·40			11
12				·06 Snow		·24	·40	·52	·37	·01	·20	·13		12
13						·04	·07				·15	·21		13
14		·14				·08	·51		·03	·06	·05	·52		14
15							·07		·07		·07	·23		15
16	Rain/Snow ·11	·45					·10				·11	·09		16
17	·02	·95							·02	·02	·15	·46		17
18	Snow ·11	·24				·94	·27			·01		·14		18
19	·35	·04	·14			·18				·01				19
20	·15	·12	·12	·45		·03	·01	·16	·80					20
21		·12		Snow & Rain ·82		·34	·10		·02					21
22	Snow/Rain ·16	·36	·15		·32		·33					·07		22
23	·03		·57	·14	·08		·64			·10				23
24	·10	·06			·03		·02		·01	·36				24
25	·07		·18	·25	·08		·16		·08	·16	·03			25
26	·13	·15	·05			·01			·05	·18		·03		26
27	·61		·03				·03		·25	·24				27
28	·99		·45				·26					·19		28
29	·01	Snow & Rain ·09	·05			·53	·14			·06	·24	·08		29
30	·16	✕			TR	·34				·12				30
31	·18	✕	·34	✕	·05	✕	·21		✕	·13	✕	·37		31
TOTAL	6·11	3·19	2·70	2·61	·56	3·33	4·62	·99	3·00	1·46	4·24	2·97	Year's Total 35·78	
* Days with .01 in. or more.	23	14	16	9	5	15	23	6	17	13	16	18	175	
* Days with .04 in. or more.	20	14	15	8	4	11	18	4	12	9	14	16	145	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ~~Curate ... Wilson~~ [P.T.O.

X REV. C. H. WILSON X

X LANGRISH VICARAG

COPY FOR

729/7

Section **A** for the entry of Daily Observations

Station No. ~~700/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ~~Langrish Vicarage - Petersfield.~~

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 390 ft.

Total n/p too moved from Swanmore vicarage, Bish. Waltham 700/5 9/35

No more forms to be ~~sent~~ sent

16/4/37

152190/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·12	·15	·49		·31	·59	·02			·05	·09		1
2		·13		·01		·18	·09	·18						2
3				·34		·02	·03		·30		·44	·02		3
4			·13			·07			·31		·13	·04		4
5	·74		·05			·02		·08	·04		·03	·04		5
6	·75							·03	·31		·61			6
7	·19		·14						·02		·21	·09		7
8	·45		·13				·18				·37	·17		8
9	·36		·08				·30		·18					9
10	·10						·10		·14					10
11	·09	·22		·05			·01				1·40			11
12				·06 Snow		·24	·40	·52	·37	·01	·20	·13		12
13						·04	·07				·15	·21		13
14		·14				·08	·51		·03	·06	·05	·52		14
15							·07		·07		·07	·23		15
16	Rain/Snow ·11	·45					·10				·11	·09		16
17	·02	·95							·02	·02	·15	·46		17
18	Snow ·11	·24				·94	·27			·01		·14		18
19	·35	·04	·14			·18				·01				19
20	·15	·12	·12	·45		·03	·01	·16	·80					20
21		·12		Snow/Rain ·82		·34	·10		·02					21
22	Snow/Rain ·16	·36	·15		·32		·33					·07		22
23	·03		·57	·14	·08		·64			·10				23
24	·10	·06			·03		·02		·01	·36				24
25	·07		·18	·25	·08		·16		·08	·16	·03			25
26	·13	·15	·05			·01			·05	·18		·03		26
27	·61		·03				·03		·25	·24				27
28	·99		·45				·26					·19		28
29	·01	Snow/Rain ·09	·05			·53	·14			·06	·24	·08		29
30	·16	✕			TR	·34				·12				30
31	·18	✕	·34	✕	·05	✕	·21		✕	·13	✕	·37		31
TOTAL	6·11	3·19	2·70	2·61	·56	3·33	4·62	·99	3·00	1·46	4·24	2·97	Year's Total 35·78	
* Days with .01 in. or more.	23	14	16	9	5	15	23	6	17	13	16	18	175	
* Days with .04 in. or more.	20	14	15	8	4	11	18	4	12	9	14	16	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ~~Courtney H. Wilson~~ [P.T.O.

X REV. C. H. WILSON X

730.

730

PETERSFIELD

MONKS BARN

1931 - 1939

1933 A/B 780201

Form 1093.

AIR MINISTRY.
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
KINGSWAY, LONDON, W.C.2,
or
METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

RAINFALL IN 1931

NOTE.—Records taken in millimetres should be entered on Form 1094

At Monks Barn, PETERSFIELD

In the County of HANTS

Rain Gauge Diameter of Funnel 5 in.

Height of Top Above Ground 1 ft. in.

Height of Top Above Sea Level 300 ft.

PLEASE FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date.	·01 in. or more	·04 in. or more
JAN.	3·20	·67	31	19	14
FEB.	2·37	·53	28	16	13
MAR.	·68	·22	22	8	4
APR.	4·68	·84	24	20	14
MAY	3·15	·68	26	18	13
JUNE	1·83	·44	5	10	9
JULY	3·45	·70	14	19	14
AUG.	6·38	1·97	4	17	14
SEPT.	2·48	·74	12	10	8
OCT.	·59	·38	6	5	3
NOV.	4·53	·80	10	17	12
DEC.	·76	·31	6	9	3
Total	34·10			168	121

Signature F. G. Padwick

Titles M.A. J.P.

[Please fill in the other side also.]

*See Instruction 2 (*f*) below.

Every
no

lso the space for

Name a

should be sent:—

Hour o

ımmer

Nearest

Direction from gauge

Nearest

Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

730.

Form 1093.

AIR MINISTRY.
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
Kingsway, London, W.C.2,
or
Meteorological Office,
10, Rothesay Place, Edinburgh.

RAINFALL IN 1931

NOTE.—Records taken in millimetres should be entered on Form 1094

At Monks Barn, PETERSFIELD

In the County of HANTS

PLEASE FILL IN.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: Above Ground 1 ft. in.
Height of Top: Above Sea Level 300 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date.	·01 in. or more	·04 in. or more
JAN.	3·20	·67	31	19	14
FEB.	2·37	·53	28	16	13
MAR.	·68	·22	22	8	4
APR.	4·68	·84	24	20	14
MAY	3·15	·68	26	18	13
JUNE	1·83	·44	5	10	9
JULY	3·45	·70	14	19	14
AUG.	6·38	1·97	4	17	14
SEPT.	2·48	·74	12	10	8
OCT.	·59	·38	6	5	3
NOV.	4·53	·80	10	17	12
DEC.	·76	·31	6	9	3
Total	34·10			168	121

Signature F. G. Padwick

Titles M.A. J.P.

[*Please fill in the other side also.*]

*See Instruction 2 (*f*) below.

---

articulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

730

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Monks Barn

In the County of Hampshire

Rain Gauge { Diameter of Funnel .... in.
Height of Top above Ground .... ft .... in.
Height of Ground above Sea Level .... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·27	·78	12	16	4
FEB.	·30	·21	13	3	3
MAR.	~~·98~~ 1·89	·63	27	9	7
APRIL	4·09	·50	27	17	15
MAY	4·08	1·64	21	18	12
JUNE	2·51	2·07	30	6	6
JULY	4·51	·97	25	12	11
AUG.	2·08	·65	20	8	5
SEPT.	3·96	·64	3	20	13
OCT.	7·26	1·32	23	20	18
NOV.	2·30	1·07	30	9	7
DEC.	1·58	·50	2	11	6
Total	~~36·92~~ 37·83			149	111

Signature F. G. Padwick

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
F. G. Padwick
Monks Barn, Petersfield

Hour of observation by the clock—in Winter 9 o'clock in Summer 9 o'clock

Nearest Railway Station Petersfield Distance .... Direction from gauge ....

Nearest Parish Church at Petersfield Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

March Plas.

March referred to Obs. who gives revised value.

f 84807/31.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

(730)

11/Hants/6

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At (Monks Barn) Petersfield

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* *in.*
- *Height of Ground above Sea Level* 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.68	1·06	11	23	14
FEB.	·11	·03	24	5	0
MAR.	3·64	·59	14	16	12
APRIL	1·09	·49	19	20	14
MAY	·88	·23	8	8	5
JUNE	2·00	·56	22	11	10
JULY	2·00	·47	13	7	4
AUG.	2·40	1·03	28	18	15
SEPT.	3·05	1·58	2	15	9
OCT.	1·86	·40	3	15	9
NOV.	4·22	1·32	10	13	9
DEC.	12·31	1·31	6	29	26
Total	37·32	✓		180	125

Signature F. G. Padwick Esq.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 o clock in Summer 9 o' clock

Nearest Railway Station Petersfield Distance 1 mile Direction from gauge S. W

Nearest Parish Church at Petersfield Distance 1 mile Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

OK by surrounding stns.

Print

NR 1933 illness

OK previously

+84807/31.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

730

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Monks Barn, Petersfield

In the County of Hants

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft* ...... *in.*

Height of Ground above Sea Level 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	90	·25	11	7	7
FEB.	5·06	·95	24	18	16
MAR.	·79	·20	12	8	6
APRIL	4·57	·19	15	15	13
MAY	1·11	·52	19	9	8
JUNE	3·64	1·42	6	20	12
JULY	·99	·35	1	6	4
AUG.	3·04	·06	25	10	9
SEPT.	4·80	·70	16	21	17
OCT.	6·28	1·13	9	19	10
NOV.	9·66	1·30	30	25	21
DEC.	5·44	1·10	30	15	14
Total	46·28			173	137

Signature Francis G Padwick

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

F. G. Padwick

Monks Barn, Petersfield

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station Petersfield Distance 1 Direction from gauge ......

Nearest Parish Church at Petersfield Distance 1 Direction from gauge ......

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
7 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

730

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Monksbarn, Petersfield

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* ..... *in.*
- *Height of Ground above Sea Level* 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·47	1·11	27	22	19
FEB.	3·55	1·17	17	15	15
MAR.	2·27	·82	23	11	8
APRIL	3·25	1·07	1	9	8
MAY	·75	·45	27	7	4
JUNE	3·34	·43	18	18	15
JULY	4·68	·83	23	23	17
AUG.	1·65	·63	11	7	6
SEPT.	2·81	·77	19	13	9
OCT.	1·54	·49	27	11	8
NOV.	4·89	1·71	11	15	12
DEC.	4·66	1·00	14	17	15
TOTAL	39·86 ✓			168 ✓	136 ✓

Signature Francis G Padwick

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter ..... in Summer .....

Nearest Railway Station ..... Distance ..... Direction from gauge .....

Nearest Parish Church at ..... Distance ..... Direction from gauge .....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move ..... Distance ..... Direction .....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **E**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) It is known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
15 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January* 1st *is the rainfall for the* 24 *hours following* 9 *a.m. on January* 1st; *it is therefore the amount measured on January* 2nd. 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

Circ D sent 10·3·38 LR

730

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Monkesbarn, Petersfield

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9.38	1.03	21	26	19
FEB.	6.62	1.30	4	25	20
MAR.	4.80	·97	13	20	14
APRIL	4.05	1·46	14	17	11
MAY	3.60	.72	12	15	11
JUNE	1.20	.29	12	9	7
JULY	1.03	.31	15	10	6
AUG.	1.29	.57	17	4	4
SEPT.	2.48	.99	16	13	11
OCT.	4.40	1.32	22	14	11
NOV.	2.10	1.09	1	10	6
DEC.	4.89	1.13	13	19	13
TOTAL	~~46.62~~ 45·84			182	133

Signature Francis G Padwick

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......... in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
17 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 730

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Monks Barn

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

Totals

F. G. Padwick

Days acc.

27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·00	·05	·00	·00	·00	·0·5	·06	·00	·04	·06	·00	·14		1
2	·00	·00	·00	·03	·00	·00	·00	·00	·01	·35	·02	·03		2
3	·00	·00	·00	·00	·06	·00	·01	·00	·00	·65	·10	·00		3
4	·03	·00	·00	·00	·00	·00	·42	·02	·00	·20	·01	·36		4
5	·00	·00	·00	·00	·00	·00	·30	·00	·00	·41	·00	·00		5
6	·06	·00	·00	·00	·00	·00	·07	·00	·16	·01	·00	·05		6
7	·00	·00	·00	·00	·00	·03	·92	·17	·30	·39	·00	·04		7
8	·33	·00	·00	·06	·00	·00	·09	·02	·00	·33	·00	·00		8
9	·23	·03	·00	·00	·00	·16	·00	·05	·00	·03	·00	1·28		9
10	·11	·00	·00	·00	·00	·06	·00	·00	·00	·00	·01	·19		10
11	·21	·03	·00	·00	·00	·00	·03	·00	·00	·00	·34	·31		11
12	·48	·00	·00	·00	·14	·00	·02	·00	·00	·26	·00	·01		12
13	·42	·00	·00	·00	·00	·00	·00	·00	·00	·24	·74	·47		13
14	·59	·00	·00	·00	·14	·00	·00	·00		·00	·00	·00		14
15	·18	·00	·00	·00	·02	·00	·90	·00		·48	·03	·60		15
16	·56	·04	·02	·00	·01	·00	·00	·04		·04	·02	·03		16
17	·00	·10	·00	·00	·00	·00	·03	·00	·13	·10	·00	·00		17
18	·18	·00	·02	·00	·09	·00	·00	·00	·48	·02	·72	·00		18
19	·03	·00	·00	·00	·00	·00	·00	·08	·24	·00	·33	·00		19
20	·00	·00	·00	·00	·00	·00	·00	·10	·09	·00	·81	·005		20
21	·05	·00	·00	·00	·00	·00	·00	·00	·11	·00	·00	·0045		21
22	·02	·00	·00	·00	·00	·04	·00	·32	·02	·00	·39	·008 62		22
23	·00	·00	·00	·00	·00	·00	·00	·00	·32	·00	·04	~~·33~~ 5		23
24	·00	·00	·21	·00	·00	·00	·00	·00	·00	·00	·52	·00 5		24
25	·19	·03	·15	·03	·10	·00	·00	·00	·02	·04	1·15	·04 5		25
26	·45	·27	·09	·00	·00	·00	·00	·00	·15	·22	·00	~~·29~~ 5	✓	26
27	·17	·00	·00	·00	·16	·34	·74	·00	·00	·00	·56	·00		27
28	·13	·00	·00	·00	·29	·19	·00	·65	·03	·01	·00	·00		28
29	·17	·11	·00	·00	·48	·00	·00	·00	·06	·02	·32	·22		29
30	·09	✕	·00	·00	·21	·00	·00	·00	·04	·04	·22	·00		30
31	·23	✕	·00	✕	·30	✕	·00	·00	✕	·28	✕	·43		31
TOTAL	1·91	·66	·49	·06	2·00	·87	3·59	1·45	2·20	4·18	6·33	4·77	Year's Total 31·51	
* Days with .01 in. or more.	~~21~~ 22	8	5	2	12	7	12	9	16	21	18	~~18~~ 18	~~149~~ 150	
* Days with .04 in. or more.	~~18~~ 19	5	3	0	10	6	8	7	12	16	13	15	~~106~~ 114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

#2

11 41 48 2·20 47

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 730

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Monks Barn, Petersfield

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

Mr F. G. Padwick

annual total corr. for B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	6.96	2.22	1.70	2.55	1.49	1.73	420	2.06	1.10	530	7.30	2.26	Year's Total ~~40.03~~	39 97
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Padwick [P.T.O.

7/31

Section **A** for the entry of Daily

AIR MINISTRY.—MET

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTER

31.

731

TILMORE

HOLLY BRAKE

1931 - 1937

780201

Kept at Holly Brake . Tilmore .

in the County of Hants

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREME … **AY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	—	.22	—	.09	—	.01	.15	.01	—	—	1
2	.16	.05	—	.45	—	—	.01	.01	.58	—	—	.02	2
3	.12	.01	.23	.12	.37	—	.01	.06	.59	—	.09	.15	3
4	—	.03	.03	—	.10	—	.14	.10	.07	.07	.14	.01	4
5	—	.02	—	.15	—	.44	.04	2.42	—	.01	.03	.16	5
6	—	.09	—	.22	—	—	.12	—	.01	.35	—	.04	6
7	—	—	—	.01	.12	.20	—	.33	—	.09	.49	—	7
8	.02	.11	—	.02	.03	.27	.08	.15	—	—	.16	.06	8
9	—	.11	.02	.02	—	.03	—	—	—	—	.77	.01	9
10	.01	.13	.01	—	—	.15	.02	.09	—	—	.51	—	10
11	.13	.52	—	—	.01	—	.25	—	.04	—	.46	—	11
12	.03	—	—	—	—	—	—	.05	.72	—	—	—	12
13	.01	—	.01	—	—	—	.02	.01	.01	—	—	—	13
14	.01	.12	—	—	—	.01	.63	.52	—	—	.01	—	14
15	—	.08	—	.02	.12	—	.10	.23	—	—	.01	.03	15
16	—	.03	—	.17	.22	.18	.02	.04	.04	—	—	—	16
17	—	.04	—	.14	—	—	.44	—	.10	.02	—	—	17
18	.05	—	.04	.16	—	.14	.10	1.20	—	—	.64	—	18
19	.08	—	—	.40	—	.12	.12	.17	—	—	.01	—	19
20	—	.09	.05	.02	—	—	—	.63	—	—	.02	—	20
21	.04	—	.01	—	.27	—	—	—	—	—	.01	—	21
22	.50	.01	.22	—	.01	—	—	—	.02	—	—	—	22
23	.40	—	—	.18	.39	—	—	—	—	—	.38	.01	23
24	.09	—	—	.80	.09	.10	.23	.45	—	—	.01	—	24
25	.18	—	—	.64	.07	—	.23	—	—	—	.05	—	25
26	—	.01	—	.26	—	—	.38	—	—	—	.42	—	26
27	.14	.45	—	—	.76	—	.11	—	—	—	.03	—	27
28	.05	.10	—	.16	.01	—	—	—	—	—	.04	.01	28
29	.18	X	—	—	.23	—	.12	—	—	.05	—	.01	29
30	.01	X	—	—	—	—	—	.04	—	—	—	—	30
31	.60	X		X	.08	X	.05		X		X		31
TOTAL	2.81	2.04	.62	4.16	2.88	1.73	3.22	6.51	2.33	.60	4.28	.51	YEAR'S TOTAL 31.69
*Days with ·01 in. or more.	20	19	9	19	16	11	21	18	11	7	20	11	182
*Days with ·04 in. or more.	14	13	4	14	12	9	16	15	8	4	12	4	125

40-9999

(Signed) Leonard. J. Tatham

P.T.O.

*See Instruction 2 (*f*) on other side.

/31

Section **A** for the entry of Daily C

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Holly Brake - Filmore - Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	—	.22	—	.09	—	.01	.15	.01	—	—	1
2	.16	.05	—	.45	—	—	.01	.01	.58	—	—	.02	2
3	.12	.01	.23	.12	.37	—	.01	.06	.59	—	.09	.15	3
4	—	.03	.03	—	.10	—	.14	.10	.07	.07	.14	.01	4
5	—	.02	—	.15	—	.44	.04	2.42	—	.01	.03	.16	5
6	—	.09	—	.22	—	—	.12	—	.01	.35	—	.04	6
7	—	—	—	.01	.12	.20	—	.33	—	.09	.49	—	7
8	.02	.11	—	.02	.03	.27	.08	.15	—	—	.16	.06	8
9	—	.11	.02	.02	—	.03	—	—	—	—	.77	.01	9
10	.01	.13	.01	—	—	.15	.02	.09	—	—	.51	—	10
11	.13	.52	—	—	.01	—	.25	—	.04	—	.46	—	11
12	.03	—	—	—	—	—	—	.05	.72	—	—	—	12
13	.01	—	.01	—	—	—	.02	.01	.01	—	—	—	13
14	.01	.12	—	—	—	.01	.63	.52	—	—	.01	—	14
15	—	.08	—	.02	.12	—	.10	.23	—	—	.01	.03	15
16	—	.03	—	.17	.22	.18	.02	.04	.04	—	—	—	16
17	—	.04	—	.14	—	—	.44	—	.10	.02	—	—	17
18	.05	—	.04	.16	—	.14	.10	1.20	—	—	.64	—	18
19	.08	—	—	.40	—	.12	.12	.17	—	—	.01	—	19
20	—	.09	.05	.02	—	—	—	.63	—	—	.02	—	20
21	.04	—	.01	—	.27	—	—	—	—	—	.01	—	21
22	.50	.01	.22	—	.01	—	—	—	.02	—	—	—	22
23	.40	—	—	.18	.39	—	—	—	—	—	.38	.01	23
24	.09	—	—	.80	.09	.10	.23	.45	—	—	.01	—	24
25	.18	—	—	.64	.07	—	.23	—	—	—	.05	—	25
26	—	.01	—	.26	—	—	.38	—	—	—	.42	—	26
27	.14	.45	—	—	.76	—	.11	—	—	—	.03	—	27
28	.05	.10	—	.16	.01	—	—	—	—	—	.04	.01	28
29	.18	x	—	—	.23	—	.12	—	—	.05	—	.01	29
30	.01	×	—	—	—	—	—	.04	—	—	—	—	30
31	.60	×		×	.08	×	.05		×	—	×	—	31
TOTAL	2.81	2.04	.62	4.16	2.88	1.73	3.22	6.51	2.33	.60	4.28	.51	YEAR'S TOTAL 31.69
*Days with ·01 in. or more.	20	19	9	19	16	11	21	18	11	7	20	11	182
*Days with ·04 in. or more.	14	13	4	14	12	9	16	15	8	4	12	4	125

40-9999

(Signed) Leonard J. Tatham

P.T.O.

*See Instruction 2 (*f*) on other side.

731

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 731

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Holly Brake. Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	—	.18	.55	—	—	.01	.02	.03	.02	—	1
2	—	—	—	.28	.12	—	—	.02	.12	—	.01	.43	2
3	—	—	—	.11	.03	—	—	—	.69	.04	—	—	3
4	.02	—	—	—	—	.20	—	—	—	—	.01	—	4
5	.26	—	.02	—	—	.01	.16	—	.18	—	—	—	5
6	.50	—	.05	.19	.01	—	—	—	.14	—	—	.01	6
7	—	—	.06	—	—	—	—	—	.09	.20	—	—	7
8	—	—	.34	—	.31	—	—	—	.52	.38	—	—	8
9	.42	—	—	.11	.15	—	—	—	—	.14	.06	—	9
10	.62	.15	—	.30	.04	.02	—	—	.05	.08	.03	—	10
11	.11	—	—	.03	.01	—	.03	.11	.05	.05	.02	.02	11
12	.48	—	—	—	—	—	—	.01	.15	.49	.01	.01	12
13	.20	—	—	.25	.06	—	.86	—	.02	1.04	—	.03	13
14	.15	.02	—	.08	.06	—	—	.01	—	—	—	—	14
15	.06	—	—	.02	.36	—	—	—	—	.07	.04	—	15
16	.15	—	—	.18	.01	—	—	—	—	—	—	.01	16
17	.01	—	—	.09	—	—	—	—	—	.01	—	.01	17
18	.02	—	—	—	.05	—	.08	—	.02	—	.08	—	18
19	—	—	—	—		—	—	—	.04	.26	—	—	19
20	.01	—	—	.48	.01	—	—	.59	—	.94	.18	—	20
21	—	—	—	.16	1.62	—	—	.05	—	.46	—	.08	21
22	.02	—	.13	.02	.05	—	.33	.09	.50	.38	.45	—	22
23	.01	.03	—	.07	.35	—	.03	—	.15	1.10	—	.15	23
24	—	.07	—	—	—	—	.59	—	.18	.07	.03	—	24
25	.01	.01	—	—	—	—	.97	—	.03	.44	.02	—	25
26	—	—	.12	.03	—	.06	.71	—	—	.09	.02	—	26
27	—	—	.52	.45	.11	.07	.10	—	—	.30	.01	—	27
28	—	—	.01	.04	.02	—	.19	—	—	.02	—	—	28
29	—	—	.49	.16	.15	.02	—	.20	.32	.46	.05	.09	29
30	—	×	.03	.22	—	2.00	.08	—	.55	—	.88	.26	30
31	—	×	.12	×	—	×	.10	—	×	—	×	.12	31
TOTAL	3.13	.28	1.89	3.45	4.07	2.38	4.23	1.09	3.82	7.05	1.92	1.22	YEAR'S TOTAL 34.53
*Days with .01 in. or more.	18	* 5	11	21	20	7	13	9	19	22	17	12	174
*Days with .04 in. or more.	11	2	8	17	15	4	11	5	15	19	7	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

731

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 731

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Holly Brake. Filmore. Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.12	.57	.10	—	.02	—	—	—	—	—	.01	—		1
2	.46	—	.72	—	.79	—	—	—	—	—	.03	—		2
3	—	.16	.42	—	—	—	—	—	—	—	—	—		3
4	.26	.03	—	—	.28	—	—	—	—	—	.05	—		4
5	.10	—	.80	—	—	—	—	—	—	—	—	—		5
6	—	.21	.06	—	.24	—	—	—	—	.10	.05	—		6
7	.10	.04	.07	—	.19	—	—	—	—	.11	—	.02		7
8	.03	—	—	—	.02	—	.33	—	—	.14	—	—		8
9	—	—	—	—	.05	—	—	—	—	.17	.06	—		9
10	—	.09	—	—	.02	.01	.34	.01	—	.50	.03	—		10
11	.24	—	—	—	.12	.04	.08	.16	—	.01	—	— ~~.45~~		11
12	—	—	—	.01	.02	—	.23	—	1.25	—	—	.05		12
13	.03	—	—	—	.09	.10	.66	.05	.09	.15	.04	—		13
14	—	—	—	—	—	—	.12	—	—	.26	.42	—		14
15	.72	—	.34	—	—	—	.08	.34	—	.04	—	—		15
16	.01	—	.78	—	—	.18	.15	—	—	.01	—	—		16
17	—	.01	.42	—	—	.09	—	.08	.11	—	.03	—		17
18	.28	.01	.16	—	—	.35	—	—	—	—	.02	—		18
19	—	.06	.16	—	—	.05	—	.01	.28	—	—	.01		19
20	—	.21	.03	.03	—	.11	—	—	.05	—	—	—		20
21	—	.01	.01	—	—	.43	—	.03	.08	.02	—	—		21
22	—	—	—	—	—	.10	—	.28	.01	.27	.03	—		22
23	—	.03	—	.18	.08	.10	—	—	.28	.14	—	—		23
24	—	1.44	—	.21	—	—	—	—	.75	.01	—	—		24
25	—	1.41	—	.28	—	.01	—	—	—	—	.03	.08		25
26	—	1.45	—	.12	—	.40	—	—	.91	.04	—	.03		26
27	—	—	—	—	.59	—	—	—	.01	.26	—	.28		27
28	—	—	—	—	—	—	.28	—	—	.09	—	5 .18		28
29	.06	×	.01	.02	—	—	.01	—	—	—	—	—		29
30	.09	×	.17	—	—	—	.06	—	.15	.04	—	.10		30
31	.17	×	.03	×	—	×	—	—	×	—	×	—		31
TOTAL	2.67	5.73	4.28	.85	2.51	1.97	2.34	.96	3.97	2.36	.80	.75	Year's Total 29.19	
*Days with ·01 in. or more.	14	15	16	7	13	13	11	8	12	18	12	8	147	
*Days with .04 in. or more.	11	10	12	4	9	11	10	5	10	14	5	5	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Leonard J. Tatham

[P.T.O.

File Number 752929/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 731

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Holly Brake, Filmore Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	—	—	·07	—	·45	—	·11	·04	·54		1
2	·11	—	·10	·20	·05	·06	—	—	1·42	·22	·01	·45		2
3	·06	·02	—	·14	—	—	—	·09	—	·36	—	·18		3
4	·14	—	·14	·18	·16	—	—	·27	—	·34	·03	·50		4
5	·01	—	·01	—	·01	—	—	·17	—	—	·06	·55		5
6	·02	—	·30	·01	·15	·30	—	·09	—	·23	·15	1·10		6
7	·05	—	—	—	—	·08	—	·35	—	·17	—	·48		7
8	—	—	—	—	·19	—	—	·01	·21	—	1·02	·11		8
9	·01	·01	·15	—	—	—	—	—	—	—	1·23	·56		9
10	·05	—	·40	·26	—	—	—	·03	—	—	·60	·05		10
11	·86	—	·47	·21	—	—	·34	·05	—	—	—	·61		11
12	·02	·01	·02	—	—	—	·16	·42	—	—	·02	·12		12
13	·51	—	·02	·06	—	—	·48	—	—	·01	·29	·14		13
14	·18	—	·51	·04	—	—	—	—	—	·01	·32	1·04		14
15	—	—	·03	—	·13	·02	—	—	—	·13	·14	·68		15
16	·25	—	·47	—	—	—	—	—	·02	·01	—	·29		16
17	·09	—	·03	—	·04	—	—	—	·02	·04	—	—		17
18	·11	—	·11	·35	—	—	—	—	·04	—	—	·51		18
19	—	—	·46	—	—	·05	—	—	·16	—	—	·14		19
20	—	—	·01	·05	—	—	·30	·03	·02	·01	—	·01		20
21	—	—	·01	·25	—	·15	—	·04	—	·13	—	—		21
22	—	·01	—	—	—	—	·05	·20	·35	—	—	·12		22
23	·01	·01	—	·31	—	·56	—	·07	—	—	—	—		23
24	—	·02	·06	·05	—	·15	·04	·06	·18	—	—	—		24
25	·43	·01	—	·23	—	—	—	—	—	·17	—	·96		25
26	·05	—	—	·12	—	·22	—	—	·09	·01	—	·04		26
27	·01	—	—	·03	—	·08	—	—	—	—	—	·40		27
28	—	—	—	·03	—	·06	—	1·02	—	—	·01	·46		28
29	—	×	—	—	—	—	—	·20	·19	—	—	·02		29
30	·05	×	—	—	—	—	—	·01	·09	·03	—	·31		30
31	·03	×	—	×	—	×	·02	—	×	·01	×	·15		31
TOTAL	3·06	·09	3·30	2·52	·73	1·80	1·39	3·26	2·79	1·99	3·92	10·52	Year's Total. 35·37	
* Days with .01 in. or more.	22	7	18	17	7	12	7	18	12	17	13	27	177	
* Days with .04 in. or more.	13	0	11	14	6	11	6	14	9	10	9	25	128	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Leonard J. Tatham

[P.T.O.

75292 7/27

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 731

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Holly Brake. Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	—	.16	.03	.07	.03	.35	—	.29	.19	.37	—		1
2	—	—	.01	—	—	.01	—	—	.05	.59	—	—		2
3	—	—	.02	.01	—	.08	—	—	.32	1.60	.18	—		3
4	—	.08	—	.22	—	.07	—	—	.10	.17	.95	.12		4
5	—	.25	.10	.22	—	.02	—	—	.33	.02	.04	.02		5
6	—	.01	.03	.32	—	1.20	—	—	—	.01	.11	—		6
7	—	—	—	.34	—	.07	—	—	—	.10	.71	.10		7
8	—	—	.03	.32	—	.03	—	—	—	.40	.62	.01		8
9	.06	—	.35	.44	—	.55	—	—	.14	1.10	.09	—		9
10	.21	—	—	—	—	.03	—	—		—	.53	.02		10
11	.26	.02	—	.11	—	.17	.13	—	—	.03	.73	—		11
12	—	.03	—	—	—	.39	—	.06	.12	—	.82	—		12
13	.05	.14	—	.23	.05	.07	—	—	.01	.01	.18	—		13
14	—	—	—	.01	.11	.09	—	—	.01	—	.15	.23		14
15	—	.19	—	.80	—	.02	—	—	.16	.01	.44	.08		15
16	—	.04	.07	.08	—	.20	—	—	.68	.03	.90	—		16
17	—	—	—	.19	—	.24	—	.11	—	—	.32	—		17
18	—	.02	—	.35	.01	.01	.04	.01	.48	.07	.05	—		18
19	—	.01	—	.05	.49	.03	.26	—	.06	.04	.26	—		19
20	—	.46	—	.08	.08	.02	.20	—	.08	—	.40	—		20
21	—	.74	—	.01	—	—	—	—	—	.07	.02	—		21
22	—	.08	—	—	—	—	—	.05	.08	—	.01	—		22
23	—	.01	.08	—	—	—	—	.37	—	.46	—	.22		23
24	.06	.84	.01	—	.11	—	—	1.05	.54	.03	.01	.39		24
25	.10	.25	—	.18	.09	—	—	—	—	—	—	.46		25
26	.01	.45	—	—	—	.03	—	.18	.10	—	—	.59		26
27	—	.71	—	—	—	—	—	.04	.16	—	.14	.50		27
28	—	.13	—	—	.07	—	—	.11	.30	.01	.01	.22		28
29	—	x	—	—	—	—	—	.84	.50	.04	.01	.65		29
30	.10	X	—	.10	—	—	—	03	.02	.21	1.19	.85		30
31	—	X	—	X		X		—	X	.64	X	.66		31
TOTAL	.92	4.46	.86	4.09	1.08	3.36	.98	2.85	4.53	5.83	9.24	5.12	Year's Total. 43.32	
* Days with .01 in. or more.	9	19	10	20	9	21	5	11	21	22	26	16	189	
* Days with .04 in. or more.	8	13	5	16	8	11	5	9	18	14	21	13	141	

40-9999 E. J. Tatham Esq. MD.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E J Tatham MD

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 731

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Holly Brake. Tilmore. Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·14	·03	·53	—	·46	·47	·01	—	—	·07	·09		1
2	—	·07	—	·01	—	·21	·10	·15	·01	—	·01	—		2
3	—	—	—	·35	—	·02	·06	—	·24	—	·40	·03		3
4	—	—	·12	—	—	·08	—	—	·26	—	·15	·05		4
5	·90	—	·04	—	—	—	—	·08	·05	—	·02	·09		5
6	·70	—	—	—	—	·04	—	·02	·35	—	·75	—		6
7	·19	—	·14	—	—	·01	·01	—	·03	—	·20	·09		7
8	·58	—	·09	—	—	—	·09	—	—	—	·59	·12		8
9	·51	—	·06	—	—	—	·31	—	·13	—	·01	—		9
10	·17	—	—	—	·03	—	·11	—	·01	—	·01	—		10
11	·08	·30	—	·01	—	—	·03	·40	·02	—	1·62	—		11
12	—	—	—	·01	—	·25	·40	·69	·50	—	·25	·09		12
13	—	—	—	·01	—	·02	·06	—	·05	·02	·09	·42		13
14	—	·15	—	—	—	·09	·60	—	—	·04	·15	1·00		14
15	·04	·04	—	—	—	—	·06	—	·13	—	·08	·38		15
16	·33	·36	—	—	—	—	·09	—	—	—	·12	·14		16
17	·03	1·02	—	—	—	·31	·03	·02	·03	—	·15	·58		17
18	·12	·37	—	—	—	·44	·36	—	—	·04	—	·15		18
19	·41	—	·12	·02	—	·34	·03	·14	—	—	·02	—		19
20	·29	·12	·15	·48	—	·04	·02	—	·75	—	—	—		20
21	—	·09	—	·69	·01	·22	·36	—	·01	—	—	·01		21
22	·13	·41	·13	—	·44	—	·25	—	·01	·02	—	—		22
23	·05	·01	·49	·15	·09	—	·68	—	—	·06	—	—		23
24	·10	·05	—	—	·01	—	·05	—	·15	·40	—	·07		24
25	·05	—	·16	·26	·10	—	·02	—	—	·14	·04	—		25
26	·10	·17	·07	·02	—	·01	·03	—	·10	·18	—	·02		26
27	·72	—	·07	—	—	—	—	—		·31	—	—		27
28	1·00	·01	·43	—	—	—	·27	—	·13	—	—	·21		28
29	—	·14	·09	—	—	·38	·09	—	—	·05	·20	·08		29
30	·18	✕	·01	—	·03	·26	—	—	—	·11	—	·01		30
31	·23	✕	·45	✕	·01	✕	·15	—	✕	·16	✕	·41		31
Total	7·06	3·45	2·65	2·54	·72	3·18	4·73	1·51	2·96	1·53	4·93	4·04	Year's Total 39·30	
* Days with .01 in. or more.	23	16	17	8	8	17	26	8	19	12	20	20	194	
* Days with .04 in. or more.	23	14	15	3	3	13	19	5	12	10	15	16	148	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest J. Tatham

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 731

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Holly Brake. Tilmore Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Inc.

Moved

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·83	·11	—	·06	—	—	—							1
2	·04	·76	—	·35	—	—	—							2
3	·01	·24	·03	·01	—	—	—							3
4	·12	1·18	—	—	—	—	·01							4
5	·33	·06	·15	·02	—	—	·18							5
6	·30	·08	1·00 Snow	·02	·10	—	·01							6
7	—	·71	—	·14	·33	—	—							7
8	·01	·02	·04	—	·25	·02	—							8
9	—	—	—	·39	·15	·11	·10							9
10	·01	—	·81	·14	·22	·30	—							10
11	—	—	·12	—	·28	·09	·16							11
12	·67	·29	·23	·10	·79	·30	·02							12
13	·30	·06	·83	·16	·03	·02	—							13
14	·01	·01	·33	1·47	—	—	—							14
15	·50	·14	·01	·40	—	—	·44							15
16	·01	·13	·78	·37	—	·02	—							16
17	·90	·02	·18	—	—	·01	—							17
18	·45	·10	—	·03	—	—	—							18
19	·09	·15	·08	·30	—	·13	—							19
20	·70	—	·11	·28	·30	—	—							20
21	·85	·37	·03	·02	·04	—	·03							21
22	·69	·07	·15	—	·26	·24	·15							22
23	·34	·12	·01	—	·32	—	·08							23
24	·56	·47	·03	—	·01	—	—							24
25	·19	·44	·32	—	·53	—	·01							25
26	—	·37	·02	—	—	—	—							26
27	·10	·14	—	·10	—	—	—							27
28	·09	·10	—	·01	—	—	—							28
29	·04	·09	—	—	—	—	—							29
30	·58	✕	—	—	—	·66	—							30
31	·35	✕		✕	—	✕			✕		✕			31
TOTAL	9·07	6·23	5·36	4·37	3·61	1·30	1·19						~~Year's Total~~ 2[illegible].13	imp
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest J. Tatham kito [P.T.O.

731/2

PETERSFIELD
(COLLYERS.)

1935 - 1940

780201

Section **A** for the entry of D
AIR MINISTRY.
INFALL ORGANIZATION.

Station No. 731/2

FORM 1090.

REGIST 1935.

Kept at (Collyers),
/36 Totals
Core H. 30/6.

in the County of Ham

Diameter of Funnel of Gauge 5
B.A.
Days.

Height of top of Gauge above Grour

,, Ground ,, Sea L

THE MORNING MEASURE AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
(·65)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·16		·09				·03	·05	·68	1·20		1
2			·17	·02	·10	·03	·37		·19	·20	·32	·03		2
3						·01			·36	·45	·13	·01		3
4		·01	·03	·01		·18			·17	1·69	·19			4
5		·09		·21		·06			·19	·11	1·14	·14		5
6		·23	·05	·25		·04			·33	·04	·04	·02		6
7		·06	·10	·31		1·16			·01		·08	Tr		7
8				·35		·09					·74	·10		8
9				·28		·04				·47	·57	·01		9
10	·06		·02	·53		·52			·14	1·26	·17	·01		10
11	·14		·20	·06		·03				·02	·47	·01		11
12	·29	·02	·13	·13		·13	·09			·04	·71	Tr		12
13		·09				·37		·06	·13		·74			13
14	·12	·21		·25		·05			·01		·20			14
15				·01	·16	·08				·01	·18	·22		15
16		·23		·78	·01	·02			·20	·02	·41	·08		16
17		·07	·09	·05		·22			·78	·03	·98	·01		17
18				·21	·01	·21		·08			·36			18
19		·06		·41	·02	·01	·04	·03	·52	·08	·06			19
20		·01		·06	·45	·04	·02		·08	·05	·23			20
21		·66		·07	·08	·03	·24		·10		·47			21
22		·79		Tr		·01			Tr	·07	·02			22
23		·11	·01	·03		·03		·05	·09					23
24			·12					·27		·41		·11		24
25	·07	·85	·01		·06			1·10	·56	·10		·56		25
26	·16	·32		·14	·01						·01	·42		26
27	·01	·24						·20	·13			·49		27
28		·93						·06	·17		·17	·47		28
29		·16 X			·03				·21	·02	·02	·25		29
30		X						·07	·61	·03	·01	·67		30
31	·13	X		·09 X	·02	X	–	·97	·05 X	·25	1·20 X	·74		31
TOTAL	·98	5·14 ~~4·98~~	·93 ~~1·90~~	4·25 ~~4·16~~	·95 ~~1·40~~	3·36	·76	·03 ~~3·11~~	5·03 ~~5·10~~	·68 ~~5·40~~	9·62 ~~4·10~~	(·65) ~~5·55~~	Year's Total 44·97	
* Days with .01 in. or more.	8	~~18~~ 19	~~12~~ 11	20 21	~~12~~ 11	22	5	2·92 11	21	6·08 21	26	5·00 20	196	
* Days with .04 in. or more.	7	~~15~~ 16	~~8~~ 7	~~16~~ 17	~~6~~ 5	14	4	9	19	15	22	13	148	

ok print

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X Fraser Parker Esq. X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 731/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

490450/36

Totals Gags

Circ H. sent 30/6.

Kept at (Collyers), Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" Ground " Sea Level X 350 X ft.

corrd - for W.D. and B.A. from ~~[illegible]~~ Stn 6b in file

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·65)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·16		·09				·03	·05	·68	1·20		1
2			·17	·02	·10	·03	·37		·19	·20	·32	·03		2
3						·01			·36	·45	·13	·01		3
4		·01	·03	·01		·18			·17	1·69	·19			4
5		·09		·21		·06			·19	·11	1·14	·14		5
6		·23	·05	·25		·04			·33	·04	·04	·02		6
7		·06	·10	·31		1·16			·01		·08	Tr		7
8				·35		·09					·74	·10		8
9				·28		·04				·47	·57	·01		9
10	·06		·02	·53		·52			·14	1·26	·17	·01		10
11	·14		·20	·06		·03				·02	·47	·01		11
12	·29	·02	·13	·13		·13	·09			·04	·71	Tr		12
13		·09				·37		·06	·13		·74			13
14	·12	·21		·25		·05			·01		·20			14
15				·01	·16	·08				·01	·18	·22		15
16		·23		·78	·01	·02			·20	·02	·41	·08		16
17		·07	·09	·05		·22			·78	·03	·98	·01		17
18				·21	·01	·21		·08			·36			18
19		·06		·41	·02	·01	·04	·03	·52	·08	·06			19
20		·01		·06	·45	·04	·02		·08	·05	·23			20
21		·66		·07	·08	·03	·24		·10		·47			21
22		·79		Tr		·01			Tr	·07	·02			22
23		·11	·01	·03		·03		·05	·09					23
24			·12					·27		·41		·11		24
25	·07	·85	·01		·06			1·10	·56	·10		·56		25
26	·16	·32		·14	·01						·01	·42		26
27	·01	·24						·20	·13			·49		27
28		·93						·06	·17		·17	·47		28
29		·16 X			·03				·21	·02	·02	·25		29
30								·07	·61	·03	·01	·67		30
31	·13			·09	·02	–	–	·97	·05	·25	1·20	·74		31
TOTAL	– ·98	5·14 ~~4·98~~	·93 ~~1·90~~	4·25 ~~4·16~~	·95 ~~1·40~~	3·36	·76	·03 ~~3·11~~	5·03 ~~5·10~~	·68 ~~5·40~~	9·62 ~~9·10~~	(·65) ~~5·55~~	Year's Total 44·97	
* Days with .01 in. or more.	8	~~18~~ 19	~~12~~ 11	20 21	~~14~~ 11	22	5	2·92 11	21	6·03 21	26	5·00 20	196	
* Days with .04 in. or more.	7	~~15~~ 16	~~8~~ 7	~~16~~ 17	~~6~~ 5	14	4	9	19	15	22	13	148	

ok print

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) X Fraser Parker Esq. X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 731/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Petersfield (Collyers)

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 350 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·13	·08	·73	—	·23	·48	·02	—	—	·08	·09		1
2	·01	·07	—	·02	—	·41	·12	·18	—	—	—	—		2
3	—	—	—	·32	—	·01	·07	—	·16	—	·40	·02		3
4	—	—	·14	—	—	·05	—	—	·39	—	·03	·03		4
5	·41	·01	·05	—	—	·02	—	·09	·05	—	·12	·10		5
6	·80	—	—	—	—	·04	—	·02	·32	—	·68	—		6
7	·41	—	·17	—	—	—	·01	—	·03	—	·26	·06		7
8	·58	—	·11	—	—	—	·17	—	—	—	·46	·20		8
9	·52	—	·07	—	—	—	·31	—	·17	—	—	—		9
10	·12	—	—	—	·01	—	·09	—	—	—	—	—		10
11	·08	·07	—	·07	—	—	·01	1 inch	—	—	1·36	—		11
12	·01	—	—	·05	—	·22	·38	·01	·46	—	·39	·10		12
13	—	—	—	—	—	·09	·08	—	—	—	—	·38		13
14	—	·33	—	—	—	·11	·58	—	·03	·05	·23	·77		14
15	·01	·05	—	—	—	—	·05	—	·10	—	·08	·43		15
16	·24	·39	—	—	—	—	·10	—	—	—	·14	·11		16
17	·20	·91	—	—	·01	·03	·01	·02	—	·02	·19	·73		17
18	·13	·25	—	—	—	·79	·32	—	—	—	—	·20		18
19	·39	·08	·04	·01	—	·30	·02	·16	—	·02	—	—		19
20	·21	·10	·21	·46	—	·03	—	—	·79	—	—	—		20
21	—	—	—	·73	·01	·26	·15	—	·02	—	—	—		21
22	·09	·48	·10	—	·32	—	·14	—	—	—	—	·08		22
23	·08	—	·47	·16	·8	—	·76	—	—	·08	—	—		23
24	·11	·07	—	—	—	—	·02	—	·04	·37	—	—		24
25	·06	—	·09	·28	·09	—	·12	—	·05	·04	·04	—		25
26	·01	·17	·15	—	—	·02	·02	—	·12	·29	—	·01		26
27	·72	—	·02	—	—	—	—	—	·13	·30	—	—		27
28	1·05	·12	·37	—	—	—	·26	—	—	—	—	·23		28
29	·03	—	·14	—	—	·34	·07	—	—	·07	·22	·10		29
30	·21		·01	—	·02	·25	·17	—	—	·12	—	·31		30
31	·19		·26		·01		—	—		·16		—		31
TOTAL	7·70	3·23	2·48	2·83	·55	3·20	4·51	1·50	2·86	1·52	4·68	3·95	Year's Total ~~39·11~~	/ 39·01
* Days with .01 in. or more.	~~7·70~~ 26	15	17	10	8	17	25	8	15	11	15	18	185	✓
* Days with .04 in. or more.	~~26~~ 22	14	16	8	4	12	19	4	12	9	14	15	149	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Fraser Parkes

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 731/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Petersfield (Collyers)
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
,, Ground ,, Sea Level 350 ft.

G/J/29

490450/36/M.O.7.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·97	·16		·05					·03	·04	1·21	·52		1
2	·04	·87		·37					·07		·01	·50		2
3	·02	·27	tce	·02										3
4	·14	1·13										·24		4
5	·30	·09	·18				·26							5
6	·29	·03	·12	·03	·11		·02			·02	·02			6
7		·80	·77	·18	·27				·02	·08		·25		7
8		·02	·01		·26	·01					·03	·07		8
9		tce		·31	·15	·11	·09		·32			·11		9
10	tce	·02	·69	·30	·04	·27		·08				·62		10
11	tce		·17		·41	·10	·09					·05		11
12	·66	·29	·24	·07	·67	·30	·09	·18	·21			·25		12
13	·28	·07	·72	·16	·04	·01		·46	·26			1·36		13
14	·03	·01	·41	1·03				·09	·28			·12		14
15	·41	·19		·34			·42		·11					15
16	·03	·12	·59	·27		·02		·53	·84					16
17	·72	tce	·19	·05			·02		·17		·10			17
18	·42	·07		tce	·01						·14	·07		18
19	·10	·22	·12	·35		·12			·06			·04		19
20	·66		·09	·29	·26							·04		20
21	·81	·36	·02	·03			·03				·01	·11		21
22	·50	·08	·05		·25	·23	·05			·94	·79	·22		22
23	·34	·10	·16		·30		·19			·39	·55	·02		23
24	·52	·49	·04		·01		·02		·02	·61		·03		24
25	·23	·44	·27		·77				·13	·28				25
26	tce	·40	·03							·08				26
27	·06	·15		·11						·64				27
28	·03	·15		·02						·10		·01		28
29	·02									·04	·06	·01		29
30	·74	✕				·07				·16	·31			30
31	·37	✕		✕		✕			✕	·38	✕	·03		31
TOTAL	8·69	6·53	4·87	3·98	3·44	1·24	1·28	1·34	2·52	3·76	3·23	4·64	Year's Total 45·5$\overset{2}{5}$	✓
* Days with .01 in. or more.	25	24	19	18	14	10	11	5	13	13	11	21	184	✓
* Days with .04 in. or more.	20	20	16	14	12	7	7	5	10	12	7	16	146	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Fraser Parkes [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 731/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Collyers, Petersfield

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 9 in.

,, Ground ,, Sea Level 350' ft.

Totals

W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·05			·01	·04	·32		·03	·06		·14		1
2	·02			·03			·01			·37	·09	·03		2
3					·06	·01	·01			·67	·12			3
4	·01						·31			·26	·01	·28		4
5				·01			·07			·39		·09		5
6	·07					·02	·79		·17		·03	·02		6
7	tr					·01	·23	·16	·23	·40	·02	·06		7
8	·30					·02	·01	·03		·36		·05		8
9	·16	·06				·12	·03			·06		·94		9
10	·17	·03				·08		·13		·03		·19		10
11	·23	·01								tr	·23	·24		11
12	·49				·14		·02			·11	·10			12
13	·40	·01			·01					·47	·67	·38		13
14	·46				·10		·03							14
15	·10	·03			·02		·76			·47	·02	·44		15
16	·51	·02	·03				tr	·06		·07	·02	·04		16
17		·12	·01				·04		·16	·10				17
18	·17				·07				·49	·01	·60			18
19	·03							·10	·14		·29			19
20	·01				·01			·10	·21		·75			20
21	·05							tr	·11			·19		21
22	·02			tr		·06		·31			·32	·18		22
23				·01					·01		·03			23
24			·20						·25		·47			24
25	·18	·03	·18	·02	·13		·02	tr		·03	1·12	·10		25
26	·54	·25	·10		·01	·01			·01	·19		·29		26
27	·18	·04	·01		·10	·40	·61		·18		·55			27
28	·15	·09			·36	·17	·01	·54	·06	tr		·12		28
29	·28				·39				·05	tr	·15	·12		29
30	·12	✕			·19				·08	·05	·34	·01		30
31	·23	✕		✕	·30	✕			✕	·24	✕	·39		31
TOTAL	4·89	·74	·53	·07	1·90	·94	3·58	1·43	2·18	4·34	5·93	4·30	Year's Total 30·83	✓
* Days with .01 in. or more.	25	12	6	4	15	11	16	8	15	19	20	21	172	✓
* Days with .04 in. or more.	19	6	3	·	10	6	8	7	12	16	14	18	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 731/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Petersfield (Colliers)

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·15	·22	·18			·06	·29			·13		1
2	·11			·07			·19	·42	·39		·01	·06		2
3	·51			·61				·42	tr	tr	·38	·31		3
4	·15		·45	·13	·01		·15	·60		·56	·09	·06		4
5			·02	·12	·24		·31	·01		·32	·66	·20		5
6	·25		·03		·04		·65	·02			·26	tr		6
7	·07	·17				tr	·08	·07		·06	·26	·39		7
8	·09	·30	·30				·06			·27	·31	·63		8
9	·08	·05						·19		·44	·24	·45		9
10	·28	·01				·03		·25	·08	·47	·05	·01		10
11		·02	·25							·57	·02			11
12		·01	·01			·02				·04		tr		12
13				·10		·03	·23		·13	1·73	·02	·01		13
14	·76			·07	·06	·04	·28			·22	·86	·06		14
15	·39		·01	tr	·57	·39	·11		·05	·38	·19	·09		15
16	·55		·08	·13	·31	·25	·13		·07	·03	·45	tr		16
17	·26	·13	·02	·04	·19		·22			·30	·11			17
18	·26					·11	·29				·48	·02		18
19	·37		·03				·35			·10	·02	·03		19
20	·35		tr			·03	·12							20
21	·17	·27	·09			·12	·03							21
22	·34	·37	·03	·02		·27	·04				·12			22
23	·03	tr	·04	·13			·03			·01	1·05			23
24	·18	·01	tr			·12	·08			·09	·56			24
25	·67	·21	·05				·09			·01				25
26	·15		·02			·07		·01		·15	·37	tr		26
27		·17	·09	·10			·01			·04	·39			27
28		·35	·02	·13		·17	·01			·07	·20	·14		28
29				·07		·01	·13			·03	·07			29
30		✕		·63		·06				·08	·13	·05		30
31		✕		✕		✕	·19	tr	✕	·09	✕			31
TOTAL	6·04	2·07 2·7	1·69	2·57	1·60	1·72	3·75	2·05	1·01	6·06	7·30	2·64	Year's Total 38·50	✓
* Days with .01 in. or more.	22	13	18	15	8	15	23	10	6	23	25	16	194	✓
* Days with .04 in. or more.	20	9	9	14	7	10	19	7	6	21	21	12	155	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 731/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Petersfield (Cottyers)
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft. 9 in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·03			1
2		·06		·40						·02	·66			2
3		·71		·02			tr			·21	1·24	·16		3
4	tr	·48								·32	·08	·07		4
5		·04	tr				·05			·13	·65	·30		5
6	·37	·46			tr		·26			·52	·07	tr		6
7	·27	·49			·02		·01			·01		·01		7
8							·06	tr		·41	·05	·31		8
9		·01					·01		·02	·34	·46	·25		9
10							·19	·07	·01	·15	·11	·01		10
11		·02					·19				1·19			11
12			·40	·03			·22		·11		·09			12
13		·02	·82				·16		·25		1·80			13
14		·01	·31	·07			·09		·01	·26		·50		14
15				·04	tr		·91		·06	·03	·64	·02		15
16	tr	·56	·24	·07		·02	·02		·22	·72	1·10	·04		16
17			·25				·02		·04		·48			17
18	·01	·43	·43	·42			·02		·02	·31	·03	·21		18
19		·12	·03	·16			·05	tr	·71		·29	tr		19
20		·02	·02	·11			·02	·03	·12	·06	·14	tr		20
21	tr		tr		·10		·09				·56			21
22	·02		·01	·01	·09	·20		tr	·15	·08				22
23			·27	tr	·01	·03	tr	tr	tr		·03			23
24			tr	·01	·01		·23					tr		24
25			·37	·01		tr	·03			·01	·02			25
26	·74	·37	·36		·21	tr		tr			·01			26
27	·57	·61	·01		tr		·14							27
28	tr ×	·07	·02	·09	·23									28
29	·49	·31	·21	·11	·15			tr				·38		29
30	(1·10)	×		·06						·36		·02		30
31	×	×		×		×			×	·87	×	·14		31
TOTAL	~~2·17~~ 3·08	4·79	3·75	1·61	·82	·25	2·77	·10	1·72	4·81	9·73	2·42	Year's Total ~~34·94~~ ~~35·74~~	35·85
* Days with .01 in. or more.	7 9	18	15	15	8	3	20	2	12	18	22	14	154 6	
* Days with .04 in. or more.	7 5	13	13	10	5	1	13	1	8	14	17	10	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Fraser Parkes.

[P.T.O.

732

—

732

STONER HILL

1931 -1932

780201

Section **A** for the entry of Daily Observati

AIR MINISTRY.—METEO

RGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER

Kept at Stoner Hill

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 f

„ Ground „ Sea Level

THE MORNING MEASUREMEN AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0·06	-	0·20	-	0·02	-	0·02	0·29	0·01	-	-	1
2	0·18	0·05	-	0·49	-	-	-	-	0·52	-	0·022	0·06	2
3	0·15	-	0·26	0·17	0·30	-	0·02	0·11	0·66	-	0·18	0·25	3
4	-	0·08	0·02	tr	0·13	-	0·16	0·10	0·10	0·09	0·26	0·01	4
5	0·01	0·04	-	0·21	-	0·41	0·04	2·17	0·02	0·02	0·05	0·27	5
6	0·01	0·10	-	0·27	-	0·13	0·36	-	0·01	0·44	0·13	0·03	6
7	-	tr	-	0·02	0·22	0·18	-	0·41	-	0·09	0·49	tr	7
8	0·01	0·25	tr	0·03	-	0·29	0·01	0·16	-	tr	0·19	0·08	8
9	-	0·27	0·03	0·03	-	0·09	0·01	-	-	-	0·08	0·01	9
10	0·01	0·10	0·01	-	-	0·18	0·07	0·14	-	tr	0·57	-	10
11	0·16	0·61	-	-	0·01	tr	-	-	0·05	-	0·69	-	11
12	0·04	-	-	-	-	-	0·11	0·06	0·76	-	-	tr	12
13	0·01	-	0·01	-	-	-	0·06	tr	-	-	-	-	13
14	0·01	0·14	0·01	-	0·02	0·02	0·72	0·42	-	-	0·03	-	14
15	0·03	0·09	-	0·04	0·14	-	0·08	0·32	-	-	0·01	0·06	15
16	-	0·04	-	0·19	0·27	0·22	0·06	0·08	0·12	-	-	-	16
17	0·01	0·07	-	0·13	-	0·04	0·48	-	0·09	0·03	-	-	17
18	0·07	0·04	0·04	0·13	-	0·14	0·15	1·45	-	tr	0·69	-	18
19	0·12	-	-	0·39	-	0·01	0·10	0·24	tr	-	tr	-	19
20	-	0·15	0·05	0·03	-	-	-	0·51	-	-	0·05	-	20
21	0·08	tr	0·01	-	0·27	-	-	-	-	-	0·02	-	21
22	0·57	0·02	0·23	0·02	0·01	-	-	-	-	-	tr	-	22
23	0·59	-	-	0·17	0·35	-	-	-	tr	-	0·48	0·02	23
24	0·07	-	tr	0·88	0·11	0·14	0·21	0·48	-	-	0·01	tr	24
25	0·21	tr	-	0·55	0·09	-	0·57	-	-	-	0·07	tr	25
26	-	0·03	-	0·22	-	-	0·43	-	-	-	0·56	tr	26
27	0·19	0·53	-	-	0·74	-	0·09	-	-	-	0·07	-	27
28	0·06	0·12	-	0·17	tr	-	-	-	-	-	0·04	0·02	28
29	0·21		-	-	0·27	-	0·17	-	-	0·05	tr	-	29
30	tr	×	-	0·01	-	-	-	-	-	-	0·01	-	30
31	0·69	×	-	×	0·27	×	0·04	-	×	tr	×	0·02	31
													YEAR'S TOTAL
TOTAL	3·49	2·77	0·67	4·35	3·20	1·87	3·94	6·67	2·62	0·73	5·42	0·83	36·56
Days with ·01 in. or more.	23	19	10	21	15	13	21	15	10	7	22	11	187
Days with ·04 in. or more.	15	17	4	15	12	10	18	14	8	4	16	5	138

40-9999

(Signed) C. J. P. Cave

[P.T.O.

732

Section **A** for the entry of Daily Observat

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stoner Hill

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9 in.

„ Ground „ Sea Level 748 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0·06	-	0·20	-	0·02	-	0·02	0·29	0·01	-	-	1
2	0·18	0·05	-	0·49	-	-	-	-	0·52	-	0·022	0·06	2
3	0·15	-	0·26	0·17	0·30	-	0·02	0·11	0·66	-	0·18	0·25	3
4	-	0·08	0·02	tr	0·13	-	0·16	0·10	0·10	0·09	0·26	0·01	4
5	0·01	0·04	-	0·21	-	0·41	0·04	2·17	0·02	0·02	0·05	0·27	5
6	0·01	0·10	-	0·27	-	0·13	0·36	-	0·01	0·44	0·13	0·03	6
7	-	tr	-	0·02	0·22	0·18	-	0·41	-	0·09	0·49	tr	7
8	0·01	0·25	tr	0·03	-	0·29	0·01	0·16	-	tr	0·19	0·08	8
9	-	0·27	0·03	0·03	-	0·09	0·01	-	-	-	0·08	0·01	9
10	0·01	0·10	0·01	-	-	0·18	0·07	0·14	-	tr	0·57	-	10
11	0·16	0·61	-	-	0·01	tr	-	-	0·05	-	0·69	-	11
12	0·04	-	-	-	-	-	0·11	0·06	0·76	-	-	tr	12
13	0·01	-	0·01	-	-	-	0·06	tr	-	-	-	-	13
14	0·01	0·14	0·01	-	0·02	0·02	0·72	0·42	-	-	0·03	-	14
15	0·03	0·09	-	0·04	0·14	-	0·08	0·32	-	-	0·01	0·06	15
16	-	0·04	-	0·19	0·27	0·22	0·06	0·08	0·12	-	-	-	16
17	0·01	0·07	-	0·13	-	0·04	0·48	-	0·09	0·03	-	-	17
18	0·07	0·04	0·04	0·13	-	0·14	0·15	1·45	-	tr	0·69	-	18
19	0·12	-	-	0·39	-	0·01	0·10	0·24	tr	-	tr	-	19
20	-	0·15	0·05	0·03	-	-	-	0·51	-	-	0·05	-	20
21	0·08	tr	0·01	-	0·27	-	-	-	-	-	0·02	-	21
22	0·57	0·02	0·23	0·02	0·01	-	-	-	-	-	tr	-	22
23	0·59	-	-	0·17	0·35	-	-	-	tr	-	0·48	0·02	23
24	0·07	-	tr	0·88	0·11	0·14	0·21	0·48	-	-	0·01	tr	24
25	0·21	tr	-	0·55	0·09	-	0·57	-	-	-	0·07	tr	25
26	-	0·03	-	0·22	-	-	0·43	-	-	-	0·56	tr	26
27	0·19	0·53	-	-	0·74	-	0·09	-	-	-	0·07	-	27
28	0·06	0·12	-	0·17	tr	-	-	-	-	-	0·04	0·02	28
29	0·21		-	-	0·27	-	0·17	-	-	0·05	tr	-	29
30	tr	×	-	0·01	-	-	-	-	-	-	0·01	-	30
31	0·69	×	-	×	0·27	×	0·04	-	×	tr	×	0·02	31
TOTAL	3·49	2·77	0·67	4·35	3·20	1·87	3·94	6·67	2·62	0·73	5·42	0·83	YEAR'S TOTAL 36·56
Days with ·01 in. or more.	23	19	10	21	15	13	21	15	10	7	22	11	187
Days with ·04 in. or more.	15	17	4	15	12	10	18	14	8	4	16	5	138

40-9999

(Signed) C. J. P. Cave

[P.T.O.

732

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stoner Hill

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level 747 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·13	0·01	-	0·22	0·65	-	-	tr	0·03	0·04	0·05	-	1
2	0·01	-	-	0·29	0·10	-	-	0·03	0·34	-	0·02	0·40	2
3	tr	-	-	0·12	0·03	0·03	-	-	0·58	0·06	-	tr	3
4	0·04	-	-	-	-	0·23	0·04	-	-	-	0·03	-	4
5	0·41	tr	0·02	-	tr	-	0·10	-	0·33	-	tr	-	5
6	0·64	-	0·06	0·20	-	-	0·02	-	0·16	-	-	-	6
7	0·01	-	0·08	-	-	-	0·01	-	0·08	0·26	-	-	7
8	-	-	0·34	0·01	0·40	-	-	-	0·69	0·39	-	-	8
9	0·69	tr	-	0·20	0·07	-	-	-	0·10	0·14	0·05	-	9
10	0·76	0·14	-	0·37	0·06	0·06	-	-	0·05	0·09	tr	0·01	10
11	0·16	tr	-	0·03	0·02	-	0·03	0·13	0·07	0·04	0·03	0·02	11
12	0·74	0·01	-	0·01	-	-	-	0·02	0·24	0·35	0·01	0·01	12
13	0·13	-	-	0·28	0·08	-	0·79	-	tr	1·05	-	0·05	13
14	0·15	0·03	-	0·06	0·08	-	-	tr	-	0·01	tr	tr	14
15	0·12	-	-	0·03	0·31	-	-	-	-	0·08	0·04	0·01	15
16	0·27	-	-	0·14	-	-	-	-	-	-	-	0·03	16
17	0·03	-	-	0·11	-	-	0·02	-	tr	0·03	tr	tr	17
18	0·06	-	-	-	0·05	-	0·09	-	0·02	-	0·09	-	18
19	tr	-	-	-	-	-	-	-	0·04	0·35	0·01	-	19
20	tr	-	-	0·42	tr	-	-	0·53	-	1·01	0·24	0·02	20
21	-	-	-	0·14	1·79	-	-	0·29	-	0·56	-	0·11	21
22	0·02	-	0·16	0·03	0·09	-	0·09	0·13	0·45	0·35	0·53	-	22
23	0·02	0·05	-	0·05	0·40	-	0·10	-	0·15	1·03	tr	0·18	23
24	-	0·11	-	-	-	-	0·82	-	0·21	0·08	0·03	0·01	24
25	-	-	-	-	-	0·08	0·91	-	tr	0·45	0·04	0·01	25
26	-	-	0·11	0·06	-	-	0·73	-	-	0·09	0·03	-	26
27	-	-	0·72	0·50	0·12	0·06	0·20	-	-	0·31	0·01	tr	27
28	-	-	tr	0·07	0·14	-	0·25	-	-	0·02	-	tr	28
29	-	-	0·66	0·15	0·15	0·09	0·01	0·24	0·32	0·50	0·14	0·11	29
30	tr	×	0·02	0·24	-	2·15	0·16	-	0·65	-	0·95	0·33	30
31	-	×	0·19	×	-	×	0·03	-	×	-	×	0·15	31
TOTAL	4·39	0·35	2·36	3·73	4·54	2·70	4·40	1·37	4·51	7·29	2·30	1·45	YEAR'S TOTAL 39·39
*Days with ·01 in. or more.	18	6	10	23	17	7	18	7	18	23	17	15	179
*Days with ·04 in. or more.	13	3	8	19	15	6	12	5	16	20	9	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) C. J. P. Cave.

P.T.O.

733

~~733~~

EASTON LISS

1931–1932

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGISTER

Kept at Easton L

in the County of Han

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREME **Y.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 1931

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·20	Trace				·27	·005			1
2	·21	·03		·45		·06		·03	·44		·01	·05	2
3	·10		·22	·15	·42		·03	·07	·64		·20	·21	3
4		·03	·04	Trace	·05		·16	·06	·06	·04	·16	·005	4
5		·01		·17		·45	·05	·74		·02	·05	·24	5
6		·09		·22	Trace	·08	·09		Trace	·35	·20	·03	6
7				·01	·14	·15		·32		·07	·56		7
8	·02	·17	·02	·02	·02	·30	·01	·20		·01	·12	·07	8
9		·18	·01	·02		·06					·42	Trace	9
10	·01	·10	·01			·15	·05	·11			·63		10
11	·10	·45			·005	·006			·03		·40		11
12	·03	Trace				Trace	·27	Trace	·34				12
13	·01		·01		·005		·01	·02			Trace		13
14		·12		·04			·70	·68					14
15	·02	·07			·14		·12	·33	·005		·02	·05	15
16		·04		·21	·28	·17	·06	·07	·08				16
17		·02		·11	Trace	·02	·46	Trace	·10	·02			17
18	·04	·05	·05	·07		·32	·16	1·18	Trace		·61		18
19	·09			·39		·08	·15	·14	·08		·005		19
20		·11	·04	·04				·58			·02		20
21	·06				·30				·005				21
22	·54	·02	·25					Trace			·02		22
23	·53			·11					·02		·41		23
24	·07		·005	·70	·57	·07	·24	·42	Trace		·01		24
25	·19			·52			·32		Trace		·05		25
26		·02		·21			·38				·34	·01	26
27	·15	·43		Trace	·52		·06				·04		27
28	·04	·11		·11					Trace		·005	·01	28
29	·12				·21		·14			·06	·01		29
30		×			Trace			Trace	Trace		·005		30
31	·52	×		×	·08	×	·03		×		×	·01	31
TOTAL	2·85	2·08	·65	3·45	2·43	1·91	3·49	4·95	2·09	·57	4·58	·68	YEAR'S TOTAL 30·33
*Days with ·01 in. or more.	19	19	9	19	11	12	20	15	10	7	20	9	140
*Days with ·04 in. or more.	14	12	5	16	10	11	16	13	8	4	14	5	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Miss. E. Barton

[P.T.O.

733

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Easton Liss

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1631

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·20	Trace				·27	·005			1
2	·21	·03		·45		·06		·03	·44		·01	·05	2
3	·10		·22	·15	·42		·03	·07	·67		·20	·21	3
4		·03	·04	Trace	·05		·16	·06	·06	·04	·16	·005	4
5		·01		·17		·45	·05	·74		·02	·05	·24	5
6		·09		·22	Trace	·08	·09		Trace	·35	·20	·03	6
7				·01	·14	·15		·32		·07	·56		7
8	·02	·17	·02	·02	·02	·30	·01	·20		·01	·12	·07	8
9		·18	·01	·02		·06					·72	Trace	9
10	·01	·10	·01			·15	·05	·11			·63		10
11	·10	·45			·005	·006			·03		·40		11
12	·03	Trace				Trace	·27	Trace	·34				12
13	·01		·01		·005		·01	·02			Trace		13
14		·12		·04			·70	·68					14
15	·02	·07			·14		·12	·33	·005		·02	·05	15
16		·04		·21	·28	·17	·06	·07	·08				16
17		·02		·11	Trace	·02	·46	Trace	·10	·02			17
18	·04	·05	·05	·07		·32	·16	1·18	Trace		·61		18
19	·09			·39		·08	·15	·14	·08		·005		19
20		·11	·04	·04				·58			·02		20
21	·06				·30				·005				21
22	·54	·02	·25					Trace			·02		22
23	·53			·11					·02		·41		23
24	·07		·005	·70	·57	·07	·24	·42	Trace		·01		24
25	·19			·52			·32		Trace		·05		25
26		·02		·21			·38				·34	·01	26
27	·15	·43		Trace	·52		·06				·04		27
28	·04	·11		·11					Trace		·005	·01	28
29	·12				·21		·14			·06	·01		29
30		×			Trace			Trace	Trace		·005		30
31	·52	×		×	·08	×	·03		×		×	·01	31
TOTAL	2·85	2·08	·65	3·75	2·73	1·91	3·49	4·95	2·09	·57	4·58	·68	YEAR'S TOTAL 30·33
*Days with ·01 in. or more.	19	19	9	19	11	12	20	15	10	7	20	9	170
*Days with ·04 in. or more.	14	12	5	16	10	11	16	13	8	4	14	5	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Miss C. Barton

P.T.O.

733

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Easton LISS

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
1932

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·22	·62				·02	·03	·03		1
2		·01		·30	·11					·06	·02	·47	2
3				·11	·02	·06			·80				3
4	·03					·17							4
5	·33		·02										5
6	·50		Trace	·19					·40				6
7			·10	·01			·04		·12	·32			7
8			·31	·16	·42				·57	·27			8
9	·78	·005			·05					·08	·04		9
10	·90	·16		·28	·02	·09			·10		·08		10
11	·10			·04			·44	·06				✓	11
12	·65								·24	·62	·05		12
13	·17			·24	·10		·57			·86		x	13
14	·21	·02		·06	·08								14
15	·11	Trace		·03	·42						·06	✓	15
16	·24			·16								✓	16
17	·02			·13						·11			17
18	·04				·06		·08				·09		18
19	Trace									·31		✓	19
20				·41	·005			·95	·06	·92	·21	✓ ·14	20
21	·005			·13	1·14			·19		·46	·48	x	21
22	·005	Trace	·18	·09	·10		·08		·45	·49		·09	22
23		·05		·02	·12				·23	·92		·16	23
24		·05					·68		·10	·12			24
25			·08		·005	·08	1·00		·02	·41	·08		25
26			·61			·15	·64			·10			26
27				·47	·14		·23			·28			27
28			·49	·05	·05		·14					·03	28
29			·03	·21	·30	·10		·22	·27	·50	x	x	29
30		✕		·15	·05	1·82	·14		·45		x 1·04	x ·32	30
31		✕	·15	✕		✕	·05		✕		✕	·12	31 d
													YEAR'S TOTAL
TOTAL	4·18	·29	1·97	3·46	3·80	2·47	4·09	1·42	3.83	6·86	2·18	1·33	35·88
*Days with ·01 in. or more.	~~14~~	~~5~~	~~9~~	~~21~~	~~17~~	~~7~~	~~12~~	~~4~~	~~14~~	~~18~~	~~11~~	~~X14~~	~~139~~
*Days with ·04 in. or more.	12	3	7	18	15	7	12	4	12	14	9	~~8~~8	12~~4~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. P. H. Selby

[P.T.O.

734

Section **A** for the entry of Daily O

AIR MINISTRY.—METI

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

734

HEATHMOUNT

1931 - 1936

780201

Kept at Heathmount

in the County of Hants

Diameter of Funnel of Gauge A in

Height of top of Gauge above Ground

,, Ground ,, Sea Level 4

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04	·03	·19		·05			·28	·01			1
2	·16	·04		·43			·01		·47		·01	·05	2
3	·09		·22	·16	·43		·02	·15	·74	·03	·14	·26	3
4			·03		·04		·18	·04	·08		·26	·01	4
5		·03		·13		·42	·05	·61		·02	·09	·25	5
6		·09		·21		·02	·07		·01	·34	·24	·03	6
7				·01	·17	·23		·30		·07	·48		7
8	·02	·19	·01	·01		·30		·24		·01	·18	·06	8
9		·25		·02		·05	·01				·77		9
10		·12				·12	·02	·10			·62	·01	10
11	·07	·54							·02		·51		11
12	·03						·21	·02	·27				12
13	·01		·02		·01		·01				·01		13
14	·01	·13				·01	·58	·64					14
15	·01	·05		·03	·14		·04	·32			·01	·05	15
16		·03		·18	·27	·16	·01	·06	·07				16
17	·01	·02		·15	·01	·01	·45		·09	·03			17
18	·03	·03	·05	·07		·35	·12	1·26	·01		·61		18
19	·08			·36		·05	·38	·16			·01		19
20		·11	·03	·04				·52			·02		20
21	·06		·01		·30								21
22	·47	·03	·22						·02		·01		22
23	·66			·09	·39	·02			·03		·43	·01	23
24	·04		·01	·54	·09	·07	·30	·46			·01		24
25	·19	·01		·45	·10		·33				·05		25
26		·02		·23			·39				·38		26
27	·17	·45			·52		·05				·06		27
28	·03	·08		·12							·01		28
29	·10				·38		·15			·06	·01	·01	29
30		×							·01		·01		30
31	·44	×		×	·08	×	·02		×		×	·02	31
TOTAL	2.68	2.26	·63	3.42	2.93	1.86	3.40	4.86	2.10	·57	4.93	·76	YEAR'S TOTAL 30.40
*Days with ·01 in. or more.	20	19	10	19	14	14	21	14	13	8	24	11	187
*Days with ·04 in. or more.	12	12	3	15	12	10	14	13	7	3	14	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Richd A. Bosanquet

[P.T.O.

734

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Heathmount

in the County of Hants

Diameter of Funnel of Gauge A in.

Height of top of Gauge above Ground ft 15 in.

" Ground " Sea Level 490·14 ft.

da40 ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04	·03	·19		·05			·28	·01			1
2	·16	·04		·43			·01		·47		·01	·05	2
3	·09		·22	·16	·43		·02	·15	·74	·03	·14	·26	3
4			·03		·04		·18	·04	·08		·26	·01	4
5		·03		·13		·42	·05	·61		·02	·09	·25	5
6		·09		·21		·02	·07		·01	·34	·24	·03	6
7				·01	·17	·23		·30		·07	·48		7
8	·02	·19	·01	·01		·30		·24		·01	·18	·06	8
9		·25		·02		·05	·01				·77		9
10		·12				·12	·02	·10			·62	·01	10
11	·07	·54							·02		·51		11
12	·03						·21	·02	·27				12
13	·01		·02		·01		·01				·01		13
14	·01	·13				·01	·58	·64					14
15	·01	·05		·03	·14		·04	·32			·01	·05	15
16		·03		·18	·27	·16	·01	·06	·07				16
17	·01	·02		·15	·01	·01	·45		·09	·03			17
18	·03	·03	·05	·07		·35	·12	1·26	·01		·61		18
19	·08			·36		·05	·38	·16			·01		19
20		·11	·03	·04				·52			·02		20
21	·06		·01		·30								21
22	·47	·03	·22						·02		·01		22
23	·66			·09	·39	·02			·03		·43	·01	23
24	·04		·01	·56	·09	·07	·30	·46			·01		24
25	·19	·01		·45	·10		·33				·05		25
26		·02		·23			·39				·38		26
27	·17	·45			·52		·05				·06		27
28	·03	·08		·12							·01		28
29	·10				·38		·15			·06	·01	·01	29
30		×							·01		·01		30
31	·44	×		×	·08	×	·02		×		×	·02	31
TOTAL	2.68	2·26	·63	3.42	2.93	1.86	3.40	4·86	2.10	·57	4.93	·76	YEAR'S TOTAL 30·40
*Days with ·01 in. or more.	20	19	10	19	14	14	21	14	13	8	24	11	187
*Days with ·04 in. or more.	12	12	3	15	12	10	14	13	7	3	14	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Richd A. Bosanquet

[P.T.O.

734

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

5" MO gauge installed mid July 1932 (despatched 18/7/32)

days ✓

Kept at Heathmount Liss
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 15 in.
" Ground " Sea Level 490.15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·22	·57					·03	·01		1
2		0·01		·28	·11			·01	·22		·01		2
3				·11		·03			·62	·06		·44	3
4	·03					·20							4
5	·37		·01		·01		·14		·21				5
6	·58		·01	·22					·15				6
7	·03						·02		·11	·19			7
8			·34	·01	·35				·52	·41			8
9	·87			·15	·12					·12	·02		9
10	·93	·09		·29		·09			·04	·05	·09		10
11	·13			·02	·04		·54	·13	·11	·03	·02	·02	11
12	·65	·01			·01				·18	·45	·01		12
13	·18			·22	·09		·62			·91		·04	13
14	·18	·02		·07	·05								14
15	·13			·02	·38			·02		·06	·06	·01	15
16	·26			·12	·01							·02	16
17	·02			·12						·05			17
18	·04				·04		·10		·02		·10		18
19									·03	·31	·01	·01	19
20				·30	·01			·95		·93	·22	·01	20
21	·01			·13	1·03			·23		·47		·07	21
22	·01		·17	·02	·08		·24	·07	·41	·34	·49		22
23	·01	·02		·03	·15		·03		·15	1·01		·14	23
24		·06					·55		·16	·10	·02		24
25						·03	1·09		·01	·47	·04		25
26			·07	·05			·41			·02	·03	·02	26
27			·57	·35	·14	·10	·20			·34		·01	27
28				·06			·21			·01			28
29			·48	·21	·30	·02		·23	·25	·50	·11	·07	29
30		×	·01	·11	·09	1·95	·09		·42		·81	·22	30
31		×	·11	×		×	·11		×		×	·10	31
TOTAL	4·53	·21	1·77	3·11	3·61	2·42	4·35	1·64	3·61	6·86	2·06	1·18	YEAR'S TOTAL 35·35
Days with ·01 in. or more.	18	6	9	22	19	7	14	7	17	22	16	14	171
Days with ·04 in. or more.	12	2	6	17	15	4	12	5	14	18	8	7	120

40-9999

(Signed) Richd. A. Bosanquet

P.T.O.

734

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Heathmount Liss

in the County of Hants

Diameter of Funnel of Gauge A in.

Height of top of Gauge above Ground ft 15 in.

" Ground " Sea Level 490·14 ft.

J.O.O. 24/1/34

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·65	·09		·02				·01				1
2	·63		·75		1·27						·02		2
3		·11	·52								·01		3
4	·27		·01		·37						·02		4
5	·12	·06	·85										5
6		·23	·10		·24					·07	·05		6
7	·08	·06	·02		·07					·17			7
8	·01						·24			·06			8
9					·03		·34			·13	·08		9
10	·01	·15					·09	·01		·46	·01		10
11	·23				·04	·09	·10	·25		·01			11
12				·01			·14		1·28			·04	12
13	·03				·06	·49	·69	·12	·12	·12	·04		13
14							·24			·26	·23		14
15	·63		·41				·06	·36		·03			15
16			1·08			·19	·07			·02			16
17			·38			·15		·08	·01		·02		17
18	·35		·21			·28			·07				18
19		·07	·17			·01		·01	·27		·04	·01	19
20		·08	·11	·04		·10			·39				20
21		·01				·04		·07	·13	·01			21
22						·04		·31	·02	·43	·03		22
23				·18	·04	·09			·46	·10			23
24		1·29		·16		·01			·18				24
25		1·16		·38					·08		·05		25
26		1·05		·11	·01	·42			1·75	·02		·07	26
27		·01			·64		·02		·01	·21		·22	27
28							·29			·09		·20	28
29	·06		·01	·01			·07			·01			29
30	·08	×	·14						·48	·02		·06	30
31	·21	×	·01	×		×			×		×		31
TOTAL	2·85	4·93	4·86	·89	2·79	1·91	2·35	1·21	5·26	2·22	·60	·60	YEAR'S TOTAL 30·47
*Days with ·01 in. or more.	14	13	16	7	11	12	12	8	15	18	12	6	144
*Days with ·04 in. or more.	11	11	12	5	8	10	11	6	11	11	6	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Richd. A. Bosanquet

3-1-34

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 734

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Heathmount. Liss

in the County of Hants

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ft 15 in.

,, Ground ,, Sea Level 490·14 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01					·04		·46	·08	·13	·02	·55	1
2	·08	·03	·07	·09	·01				1·34	·23	·01	·46	2
3	·05			·02		·02				·40		·19	3
4	·19		·10	·04	·16			·16		·38	·03	·56	4
5			·01		·01			·17			·05	·54	5
6	·07		·37	·01	·17	·16		·15		·30	·20	1·20	6
7	·09					·04		·26		·19		·52	7
8					·21				·24		1.09	·12	8
9			·13								·89	·51	9
10	·04		·28	·27				·04	·01		·47	·04	10
11	·88		·42	·20			·18	·06				·47	11
12	·03		·01				·10	·32				·09	12
13	·58		·02	·07			1·17	·03		·01	·12	·16	13
14	·14		·45	·05							·36	·93	14
15			·02		·13	·06			·01	·08	·13	·38	15
16	·30		·43							·01		·02	16
17	·12		·02		·03				·01	·03	·01	·32	17
18	·06		·11	·27					·01			·48	18
19			·43	·12		·05			·17			·12	19
20			·01	·06			·39	·04		·02			20
21				·30	·01	·21		·02		·19			21
22		·01					·04	·28	·34		·01	·14	22
23		·01		·28		·74			·01			·04	23
24		·02	·06	·10		·18	·37	·08	·18				24
25	·32			·20			·01			·22		·81	25
26	·05			·15		·21			·10	·01		·03	26
27	·01			·07		·05			·01			·37	27
28				·01		·14	·01	·81		·01	·01	·45	28
29							·01	·19	·13		·02	·01	29
30	·07	×						·06	·08			·46	30
31	·05	×		×		×			×		×	·07	31
TOTAL	3.14	·07	2.94	2·31	·73	1.90	2.28	3.13	2.72	2·21	3.42	10.04	YEAR'S TOTAL
*Days with ·01 in. or more.	19	4	17	18	8	12	9	16	15	15	15	28	34·89 176
*Days with .04 in. or more.	16	0	11	15	4	11	6	14	9	9	8	25	128

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Richd. H. Bosanquet

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 734

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Heathmount Liss

in the County of Hants

Diameter of Funnel of Gauge A in.

Height of top of Gauge above Ground ft. 15 in.

,, Ground ,, Sea Level 490·14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06		·18		·03	·05	·24		·16	·18	·31			1
2	·01									·60	·02			2
3			·01	·01		·07			·36	·92	·12			3
4		·10		·28		·06			·15	·36	·09	·13		4
5		·23	·10	·13		·05			·39	·04		·01		5
6		·01	·02	·24		1·32					·12			6
7				·32		·10					·63	·11		7
8				·37		·01				·43	·62			8
9	·04			·55		·47				1·39	·19			9
10	·21		·22			·02					·53	·01		10
11	·20			·13		·16	·02				·71			11
12		·10				·44		·08	·08		·91			12
13	·05	·16		·21		·02			·01		·13			13
14		·20			·12	·06					·21	·21		14
15				·67					·18		·36	·04		15
16		·09	·03			·18			·83	·03	·87	·01		16
17	·01			·17	·02	·26		·06			·29			17
18		·04		·38			·10		·59	·05	·02			18
19		·03		·05	·43	·06	·29		·05	·05	·25			19
20		·79		·05	·17	·02	·09		·09		·36			20
21		·67								·04	·01			21
22	·01	·05						·05	·06					22
23			·08					·37		·39		·14		23
24	·06	·72	·01		·10			1·10	·55	·03		·34		24
25		·37		·13	·10	·13						·35		25
26	·04	·33				·02		·16	·11			·61		26
27		·71					·01	·02	·16		·15	·39		27
28		·18			·14				·32	·01		·27		28
29								·14	·65	·03	·02	·62		29
30	·04	×		·06				·91	·04	·23	1·03	·72		30
31		×		×	·01	×			×	·72	×	·74		31
TOTAL	·73	4·78	·65	3·75	1·12	3·50	·75	2·89	4·78	5·50	7·95	4·70	Year's Total. 41·10	
* Days with .01 in. or more.	11	17	8	16	9	19	6	9	18	17	23	16	169	
* Days with .04 in. or more.	8	15	4	15	6	14	4	8	17	13	19	13	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Rich. A. Bosanquet [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 734

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Heathmount

in the County of Hampshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·09	·01	·49		·36	·39	·23			·11	·07		1
2		·08		·01		·32	·09	·14			·01			2
3				·37		·02	·02		·22		·39			3
4			·13			·10			·23		·18	·04		4
5	·48							·06						5
6	·59		·01			·02		·02	·43		·69			6
7	·25		·10				·03		·07		·19	·10		7
8	·55		·11				·10				·51			8
9	·67		·06				·31		·07	·01		·11		9
10	·15						·08							10
11	·04	·31		·03			·04	1·03			1·60			11
12						·30	·36		·39		·29	·11		12
13						·06				·01		·59		13
14		·10				·11	·62		·03	·02	·27	1·12		14
15	·01						·02		·14		·06	·51		15
16		·27					·04				·14	·16		16
17	·32	·95			·34	·17	·01		·02	·01	·15	·73		17
18	·10	·32				·28	·35			·03		·21		18
19	·37	·03	·09			·77	·01	·16		·02	·01			19
20	·30	·07	·11	·53		·05	·02		·60					20
21		·06		·38	·01	·22	·05		·02					21
22	·14	·34	·08		·43	·01	·19		·01			·08		22
23			·41	·11	·04		·68			·07				23
24	·11	·05					·06		·02	·41				24
25	·06		·11	·22	·04	·01	·14		·15	·15	·03			25
26		·15	·08				·06		·07	·14		·02		26
27	·61		·17						·21	·39				27
28	1·05		·35				·27					·21		28
29	·02	·11	·07			·37	·05			·05	·20	·06		29
30	·22	✕			·06	·47				·14				30
31	·17	✕	·34	✕		✕	·12		✕	·15	✕			31
TOTAL	6·42	2·93	2·23	2·14	·92	3·62	4·11	1·64	2·68	1·60	4·8~~8~~3	4·10	Year's Total 37·22	✓
* Days with .01 in. or more.	21	14	16	8	6	17	25	6	16	14	16	15	174	✓
* Days with .04 in. or more.	19	13	14	6	5	13	19	5	11	8	13	14	140	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) The late R.A. Bosanquet Esq. [P.T.O.

—
73415

LISS
(THE GARTH)
1937 - 1939

780201

Section **A** for the entry of Daily

AIR MINISTRY.—M

Station No. 734/5

ALL ORGANIZATION

FORM 1090

REGISTE 37

Kept at The Garth Liss from

in the County of Hants

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT ... PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Moved from Station No. 1874/7.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept. LISS	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									—	·04	·93	·25	30	1
2									?					2
3									—			·34		3
4									—			·25		4
5									—					5
6										·02	·02			6
7										·05		·24	~~·24~~	7
8											·04			8
9									·20			·07		9
10												·58	c 2·75	10
11												tr		11
12									·11			·49		12
13									·17			·92		13
14									·17			·02		14
15									·18			tr		15
16									·55			tr		16
17									·25					17
18											·16	·10		18
19									·09		tr			19
20										·02		tr		20
21											·07	·10		21
22										1·23	·68	·19		22
23										·31	·32	·03		23
24									·08	·66	tr			24
25									·07	·17	·37	tr		25
26									·01					26
27										1·88	tr	·08		27
28										·09				28
29										·03	·09			29
30		×								·27	see 1·12	tr		30
31		×		×		×			×	·70	×	·04		31
TOTAL									1·88	4·49	2·31	4·74	Year's Total 44·47	31·07 13·40
* Days with .01 in. or more.									11	14	8	16	162	
* Days with .04 in. or more.									10	9	7	13	128	

thunderstorm ... 1 c 4·30 p

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) N

5·67

[P.T.O.

Section **A** **for the entry of Daily Observations**

Station No. 734/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Garth Liss from Sept 1 to Dec 31 | Also at Heathlands from Jan 1 to Aug 31

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 15 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept. Liss	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									—	·04	·93	~~·22~~ ·25	[illegible] 30	1
2									? [illegible]					2
3									—			·34		3
4									—			·25		4
5									—					5
6										·02	·02			6
7										·05		·24	~~·24~~	7
8											·04			8
9									·20			·07		9
10												·58	c 2·75	10
11												tr		11
12									·11			·49		12
13									·17			·92		13
14									·17			·02		14
15									·18			tr		15
16									·55			tr		16
17									·25					17
18											·16	·10		18
19									·09		tr			19
20										·02		tr		20
21											·07	·10		21
22										1·23	·68	·19		22
23										·31	·32	·03		23
24									·08	·66	tr			24
25									·07	·17	·27	tr		25
26									·01					26
27										1·88	tr	·08		27
28										·09				28
29										·03	·09			29
30		×								·27	see 1·12	tr		30
31		×		×		×			×	·70	×	·04		31
TOTAL									1·88	4·47	2·31	4·74	Year's Total 44·47	31·07 13·40
* Days with .01 in. or more.									11	14	8	16	162	
* Days with .04 in. or more.									10	9	7	13	128	

thunderstorm [illegible] c 12-30p

Moved from Station No. 1814/7.

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) N

6·67

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~734/5~~ ~~750434/27~~ 734/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Garth, Liss

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

,, Ground ,, Sea Level 230 ft.

Jan 11th–16th estd at 2·33 to agree with monthly total and with neighbouring stations. 98.

7. 750432/27

Dec 31st estd from nearby stations.

C [illegible] 1937

Hants 6

All

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·01			tr	x	·08		·01	(·90) from Sept 19 ~~1·09~~		·08		1
2	·03	–								·15	·01			2
3	·01	–			·08					·75	·08	·02		3
4	–	–					·34	·03		·49	tr			4
5	tr	–					·20			·16	tr	·23		5
6	·04	–					·04			·35	·02			6
7	tr	–					x	·25		·02	–	·05		7
8	·25	–					1·84 x	·08		·33				8
9	·32	·08				x				·01		1·16		9
10	·05	·02				(·13)	·02	·11		·04	·01	x		10
11	x										·26	·36 x		11
12	x				·10					·30				12
13	x									·17	·58	·33		13
14	x				·06		·03		·01	–		·01		14
15	x					~~1·48~~	1·06			·46		·37		15
16	x 2·33	·01								·04	·02	·01		16
17	–	~~·01~~					·02		·12		·01			17
18	·13 x	·01					tr		·56		·50			18
19		~~·01~~						·10	x		·27	x		19
20									x		·77	x		20
21	tr			tr		~~·02~~		·23	x			x		21
22	·02					·02		·19			x	x		22
23	–										·34			23
24	·16								(1·00)		·48			24
25	x		·19	·01	x		·02	tr		·04	1·22	x		25
26	·44 x	·25	·13			·39					·51	·86 x		26
27	x	x	·06		x		·62			·17				27
28	·25 x	·11 x			(1·35) x	·17		·55	x	·02		·11		28
29	·18				x					·01	·31			29
30	·15	✕		tr	x					·04	·20			30
31	·28	✕		✕	x	✕			✕	·26	✕	·35		31
TOTAL	2·31 4·64	·44 ~~·55~~	·38 ~~·40~~	·01	1·59 ~~·24~~	~~1·48~~ ~~·53~~ ·71	3·27	1·54	1·70 ~~1·05~~	3·90 ~~3·81~~	5·09	(3·94) ~~3·59~~	Year's Total ~~26·25~~	27·21
* Days with .01 in. or more.	25	8 ~~7~~	5	1	~~3~~ 9	~~4~~ 5	12	8	~~6~~ 14	20	~~16~~ 17	~~21~~ 18	~~128~~	–
* Days with .04 in. or more.	21	~~4~~ 3	3	0	~~3~~ 9	~~3~~ 4	8	7	~~4~~ 8	16	11	~~18~~ 13	98	–

6th June to 15th [illegible] entries to 15th

[illegible] for 23rd

[illegible] Sept 19 to 30th

Snow or sleet accumulated

W/p low GB 3/4/39

x numbers approximate: the falls on each day of snow or sleet were not taken.

† Spare column, no entries required.

* See Instruction 3 (f) on other side. (Signed) T. A. Fitzpatrick [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

~~Station~~ File No. F750432/27

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Station number 734/5

Kept at The Garth Liss

in the County of Hants

Diameter of Funnel of Gauge 3 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 230 ft.

1st April & June amended for arith. Nov. 15th + 26th amended by nearby stns

Clerk arith.

Circ D 5/40.

Obs. agrees to amendments W.E.R.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·12	·19	·20		·10	·01	·82		tr	·08		1
2				·08			·16	·67	·30		(·03) ·03			2
3	1·03			·47				·09			·36	·45		3
4			·38	·18	·10		·15	·77		·42	·12	·15		4
5			tr	·15	·09		·28			·43	·72	·05		5
6	·32	·02	·03				·62	·05		·12	·27			6
7		·14					·04	·03			·23	·70		7
8	·06	·25					·04			·35	·44	·25		8
9	·07							·15		·20	·08			9
10	·29		·44		tr	·06		·20	·05	·43	·02	·33		10
11		·07			tr					·45	·02			11
12		·02			tr	·03								12
13				·11		tr	·35		·11		·02	·01		13
14	·86		tr	·01	·05	·46	·04			2·04	·87			14
15	·53		tr		·93	·09	·20		·04	·22	~~·36~~			15
16	·49	~~·10~~			·12					·10	·36			16
17			·08		·13				·08	·08				17
18	·16	tr	·05		tr	·11				·04	·45			18
19	·34									·05				19
20	·38		tr			·06						·12		20
21	·07	·31	·09	away from home	tr		away from home	·09	·02		·01			21
22	·33		·07			·22			tr					22
23			·04			tr				·01		·03		23
snow & sleet 24						·09					1·86			24
25	1·05	·27	·05							·16	·44			25
26	~~1·02~~ 0·02					·01		·01		·10	(·50)			26
27		·35	·08	·46		·04				·05	·19			27
28		·11	·02	·24		·12				·04	·12	·19		28
29				·10		tr	1·50			·03				29
30		×		·69		·05				·06	·17			30
31		×		×		×	·34		×	·05	×			31
TOTAL	6·00	~~1·62~~ 1·64	1·45	~~2·93~~ 2·62	1·62	~~1·37~~ 1·34	3·82	2·07	1·42	5·43	~~5·51~~ 5·64	2·36	Year's Total. ~~35·60~~	37·41 37·95
* Days with .01 in. or more.	20 or more	10	12	11 or more	7	13	?	10	7	24	22	11	137 or more	Print VH
* Days with .04 in. or more.	18	8	10	10 or more	7	10	?	7	6	22	18	9	125	d.

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) T. H. Fitzpatrick

0

P.T.O.

LISS (EDENSO

735/5

LISS

(EDENSOR)

1939 - 1940

780201

Section **A** for the entry of I
AIR MINISTRY

Station No. 735/5
INFALL ORGANIZATION

FORM 1090

REGIS 1939

Kept at Edensor, Liss

in the County of Ham

Diameter of Funnel of Gauge 5

Height of top of Gauge above Grou

,, Ground ,, Sea

2143/38

THE MORNING MEASURE VIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5.42	1.48	1.46	1.64	1.98	1.18	3.10	2.01	1.57	4.84	6.78	2.36	Year's Total 33.82	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. B. Thring [P.T.O.

LISS (EDENSO

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations.** **Station No.** 735/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Edensor. Liss Forest. Liss

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. 9 in.

,, Ground ,, Sea Level ....ft.

742143/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5.42	1.48	1.46	1.64	1.98	1.18	3.10	2.01	1.57	4.84	6.78	2.36	Year's Total 33.82	[illegible] CSH
* Days with .01 in. or more.														
* Days with .04 in. or more.														

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. B. Thring

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 735/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

LISS (EDENSOR)

REGISTER OF RAINFALL IN 1936

Kept at ~~Edensor, Liss Forest, Liss~~

in the County of ~~Hants~~

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

July cord by surr stas.

File No. 742, 143/38

See back for snow

Obs. not rectified wt.

np 1939 742143/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				x	~~10~~									1
2				.38						.07	.03	.15		2
3		.59								.22	.49	.03		3
4		.05		.10						.27	1.19	.27		4
5							.05							5
6	.32	.43					.29			.47	.51			6
7	.27	.29												7
8							~~.21~~		.03	.47	.07			8
9								.08		.47	.48	.32		9
10		.04					(.21)			.17	.12	.03		10
11							(.10)				1.25			11
12			.35	.03			.18		.16		.14			12
13		.02	.94				.14		.28		1.20	.54		13
14			.33	.12			.18			.30	.04			14
15							1.01		.07	.03	.60	.05		15
16		.55	.26			.05	.10		[illegible]	.62	1.24	.03		16
17	.04		.37						.24		.51			17
18		37 ~~.16~~	.21	.43			.02		.10	.32	.04	.19		18
19		.10	.05	.11			.13	.05	.63		.26			19
20				.07					.05	.30	.14			20
21	.08				.32	.30			.12	.03	.55			21
22					1.01									22
23		.08	.23	.02								.02		23
24				.04		.03	.21					.03		24
25		.34	.50											25
26	x .95		.48	.09	26		.03				.02	~~.30~~		26
27	x	.46			18		.06							27
28		.04			21									28
29		.34	.19	.10								.30		29
30	+ x 1.55	✕		.10						.35		.11		30
31		✕		✕		✕			✕	.92	✕		34.25	31
TOTAL	3.21	3.70	3.91	1.59	.98 ~~1.07~~	.38	2.71 ~~2.01~~	.13	1.68	5.01	8.88	2.07	Year's Total ~~34.16~~	Print wt.
* Days with .01 in. or more.	7	14	11	12	5	3	14	2	9	15	19	13	124	
* Days with .04 in. or more.	7	13	11	10	4	2	12	2	8	13	17	8	107	

X

+ See Back

X C. B. Thring X

O

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. B. Thring

P.T.O.

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

1931.

~~735~~

LISS

KIPPENCES

1931 - 1940

780201

c. 7 ream 27·1·32

735

FOR OFFICIAL USE.

INFALL ORGANIZATION.

Kept at Kippen

in the County of H

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR … DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19		·06		·02	·25	·01			1
2	·24	·07		·51				·03	·48			·06	2
3	·10		·20	·18	·42		·02	·16	·67		·16	·26	3
4			·05		·09		·14	·03	·08	·03	·24		4
5		·05		·12		·43	·06	·54			·06	·24	5
6		·10		·21		·11	·09			·39	·23	·03	6
7					·18	·07		·38		·07	·60	·01	7
8		·15	·01	·02		·28		·16		·01	·05	·05	8
9		·22	·03	·02		·08		~~·37~~			·74		9
10		·13	·01			·14	·02	·09			·61		10
11	·12	·59				·01			·02		·50		11
12	·04	·01					·08	·01	·27				12
13			·01		·01		·01	·01					13
14	·01	·14			·02		·72	·66					14
15	·02	·06		·04	·10		·04	·15			·01	·05	15
16		·05		·21	·25	·20	·01	·03	·11				16
17				·20		·03	·42	·01	·06	·03			17
18	·05	·06	·04	·12		·13	·05	1·42			·63		18
19	·09			·44		·11	·41	·14	·02				19
20		·12	·03	·04				·44			·02		20
21	·05				·30								21
22	·49	·03	·24	·11									22
23	·57			·11	·40	·01			·01		·43	·01	23
24	·05			·68	·08	·10	·19	·39			·01		24
25	·30			·60	·07		·35				·05		25
26		·01		·24			·33				·33		26
27	·20	·49		·01	·50		·06				·04		27
28	·04	·15		·12									28
29	·16	×			·25		·15			·07			29
30	·01										·02		30
31	·43	×		×	·12	×	·05		×		×		31
TOTAL	2·96	2·43	·62	4·17	2·79	1·76	3·20	4·62	1·91	·61	4·73	·71	YEAR'S TOTAL 30·57 ~~29·57~~
Days with ·01 in. or more.	18	17	9	20	14	14	19	18	10	7	18	8	172
Days with ·04 in. or more.	14	14	4	17	12	11	15	11	7	3	14	5	128

46

7

4

1

40-9999

M

5

6

(Signed) W. A. H. Thorold

[P.T.O.

Section **A** for the entry of [redacted] Form 27·1·32 FOR OFFICIAL USE. 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at [illegible]

in the County of Hants

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 150 ft.

~~days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19		·06		·02	·25	·01			1
2	·24	·07		·51				·03	·48			·06	2
3	·10		·20	·18	·42		·02	·16	·67		·16	·26	3
4			·05		·09		·14	·03	·08	·03	·24		4
5		·05		·12		·43	·06	·54			·06	·24	5
6		·10		·21		·11	·09			·39	·23	·03	6
7					·18	·07		·33		·07	·60	·01	7
8		·15	·01	·02		·28		·16		·01	·05	·05	8
9		·22	·03	·02		·08		[illegible]			·74		9
10		·13	·01			·14	·02	·09			·61		10
11	·12	·59				·01			·02		·50		11
12	·04	·01					·08	·01	27				12
13			·01		·01		·01	·01					13
14	·01	·14			·02		·72	·66					14
15	·02	·06		·04	·10		·04	·15			·01	·05	15
16		·05		·21	·25	·20	·01	·03	·11				16 46
17				20		·03	·42	·01	·06	·03			17
18	·05	·06	·04	·12		·13	·05	1·42			·63		18
19	·09			·44		·11	·41	·14	·02				19
20		·12	·03	·04				·44			·02		20
21	·05				·30								21
22	·40	·03	·24	·11									22
23	·57			·11	·40	·01			·01		·43	·01	23
24	·05			·68	·08	·10	·19	·39			·01		24
25	·30			·60	·07		·35				·05		25
26		·01		·24			·33				·33		26
27	·20	·49		·01	·50		·06				·04		27
28	·04	·15		·12									28
29	·16				·25		·15			·07			29 7
1 30	·01	×									·02		30 4
31	·42	×		×	·12	×	·05		×		×		31 30·57
TOTAL	2·96	2·43	·62	4·17	2·79	1·76	3·20	4·62	1·97	·61	4·73	·71	YEAR'S TOTAL ~~30·57~~ ~~29·57~~
Days with ·01 in. or more.	18	17	9	20	14	14	19	18	10	7	18	8	172
Days with ·04 in. or more.	14	14	4	17	12	11	15	11	7	3	14	5	128

40-9999 6 M 5

(Signed) W. A. H. Thorold [P.T.O.]

64 8 241/28 735

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Liss, Rippences

in the County of Hampshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·07		·19		·06		·02	·25	·01			1
2	·10			51				·03	·48			·06	2
3			·20	·18	·42		·02	·16	67		·16	·26	3
4			·05		·09		·14	·03	·08	·03	·24		4
5		·05		·12		·43	·06	·54			·06	·24	5
6		·10		·21		·11	·09			·39	·23	·03	6
7					·18	·07		·33		·07	·60	·01	7
8		·15	·01	·02		·28		·16		·01	·05	·05	8
9		22	·03	·02		·08					·74		9
10		·13	·01			·14	·02	·09			·61		10
11	·12	59				·01			·02		·50		11
12	·04	·01					·08	·01	·27				12
13			·01		·01		·01	·01					13
14	·01	·14			·02		·72	·66					14
15	·02	·06		·04	·10		·04	·15			·01	·05	15
16		·0~~3~~ 5		·21	·25	·20	·01	·03	·11				16
17				·20		·03	·42	·01	·06	·03			17
18	·05	·06	·04	·12		·13	·05	1·42			·63		18
19	·09			·44		·11	·41	·14	·02				19
20		·12	·03	·04				·44			·02		20
21	·05				·30								21
22	·49	·03	·24	·11									22
23	·57			·11	·40	·01			·01		·43	·01	23
24	·05			·68	·08	·10	·19	·39			·01		24
25	·30			·60	·07		·35				·05		25
26		·01		·24			·33				·33		26
27	·20	·49		·01	·50		·06				·04		27
28	·04	·15		·12									28
29	·16				·25		·15			·07			29
30	·01	×									·02		30
31	42	×		×	·12	×	·05		×		×		31
TOTAL	2·96	~~2·23~~ 2·43	·62	4·17	~~2·59~~ 2·79	1·76	3·20	4·62	1·97	·61	4·73	·71	YEAR'S TOTAL 30·57
*Days with ·01 in. or more.	18 ~~17~~	17	9	20	14	14	19	18	10	7	18	8	172
*Days with ·04 in. or more.	15 ~~14~~	14	4	17	12	11	15	11	7	3	14	5	128

40-9999 M

*See Instruction 2 (*f*) on other side

(*Signed*) Rev. W. A. H. Thorold [P.T.O.

W W W CK K9 679

735

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1096

REGISTER OF RAINFALL IN 1932.

Kept at Rippences Liss
in the County of Hants
Diameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 250 ft.

2·00 BA. 3·83 1·12 ~~1·11~~ 8 424

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
9am

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·01		·27	·62				·01	·02	·01		1
2				·26	·06				·34		·01	·42	2
3				·09	·03	·01			·55	·07			3
4	·03					·16	·03				·02		4
5	·36		·01		·01		·16		·21				5
6	·66		·02	·24			·02		·12				6
7			·07						·11	·29			7
8			·27		·37				·55	·35			8
9	·82			(·60)	·14					·05	·05		9
10	·83	·10			·03	·09			·03	·06	·04		10
11	·11			·04			·57	·04	·05	·03	·03	·02	11
12	·69	·01							·17	·46			12
13	·14			·22	·08		·55			·97		·05	13
14	·15			·05	(·29)					·01			14
15	·09			·03						·06	·07		15
16	·22			·16								·02	16
17	·03			·17			·02			·06			17
18	·03				·04		·10		·02		·10		18
19									·04	·30			19
20				·35	·01			1·05		·94	·20		20
21				·16	1·34			·05		·50		·08	21
22	·01		·17	·05	·08		·22	·04	·41	·35	·19		22
23	·01	·04		·03	·16		·05		·16	·90		·15	23
24		·07					·59		·16	·09	·03		24
25						·02	·52			·44	·08	·01	25
26			(·61)	·06			·38			·07	·03		26
27				·34	·14	·09	·39			·29	·01		27
28				·06	·06		·20			·01			28
29			·59	·25	·17	·07	·01	·16	·25	·48	·10	·08	29
30		×	·01	·19	·22	1·87	·10		·44	·01	·76	·24	30
31		×	·15	×		×	·03		×		×	·11	31
TOTAL	4·31 ✓	·23 ✓	1·90 ✓	3·72	4·05 ✓	2·31 ✓	4·24 ✓	1·34 ✓	3·62	6·81 ✓	2·00	1·18 ✓	YEAR'S TOTAL 35·61
*Days with ·01 in. or more.	16 ✓	5 ✓	10 ✓	~~18~~ 21	19 ✓	7 ✓	17 ✓	5 ✓	~~11~~ 19	24 ✓	16	10 ✓	167 ✓
*Days with ·04 in. or more.	11 ✓	3 ✓	7 ✓	~~11~~ 19	15 ✓	5 ✓	12 ✓	15	14 ✓	19 ✓	9 ✓	7 ✓	~~124~~ ·126

/21
57
78
57

612
272

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) Wilfrid A. Thorold

P.T.O.

250

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kippences. Liss

in the County of Hants

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 250 ft.

vice F. 7/M.O.7 sent 23/1/34 J.W.O.

JWO 12/1/34

BA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·59	·09	-	·02	-	-	-	-	-	·01	-	1
2	·62	-	·77	-	·97	-	-	-	-	-	-	-	2
3	-	·11	·49	-	-	-	-	-	-	-	-	-	3
4	·28	·03	-	-	·37	-	-	-	-	-	·08	-	4
5	·14	·02	·86	-	-	-	-	-	-	-	-	-	5
6	-	·24	-	-	·23	-	-	-	-	·15	·05	-	6
7	·09	·06	·10	-	·08	-	-	-	-	·10	-	-	7
8	·01	-	-	-	·01	-	·30	-	-	·06	-	-	8
9	-	·01	-	-	-	-	·37	-	-	·27	·08	-	9
10	-	·17	-	-	-	·02	·06	-	-	·45	·01	-	10
11	·24	-	-	-	·04	·05	-	·15	-	-	-	-	11
12	-	-	-	·02	·02	·14	·27	-	1·30	-	-	-	12
13	·03	-	-	-	·04	·22	·49	·02	·07	·09	·04	·05	13
14	-	-	-	-	-	-	·16	·25	-	·27	·26	-	14
15	·70	-	·36	-	-	-	·01	·02	-	·04	-	-	15
16	·01	-	·95	-	-	·19	·07	-	·01	·01	-	-	16
17	-	·01	·39	-	-	·16	-	·11	·09	-	·02	-	17
18	·34	·08	·24	-	-	-	-	-	-	-	-	-	18
19	-	-	·11	-	-	·01	·06	-	·28	-	·05	·01	19
20	-	·20	·11	·04	-	·10	-	-	·21	-	-	-	20
21	-	·01	-	-	-	·13	-	-	·01	·01	-	-	21
22	-	-	-	-	-	·05	-	·41	·05	·44	·02	-	22
23	-	·02	-	·17	·05	·10	-	-	·40	·10	-	-	23
24	-	1·77	-	·15	-	-	-	-	·33	-	-	-	24
25	-	1·45	-	·34	-	·01	-	-	·10	-	·01	·07	25
26	-	1·15	-	·08	-	·28	-	-	1·20	·04	-	·01	26
27	-	-	-	-	·68	-	-	-	-	·23	-	·30	27
28	-	-	-	-	·02	-	·25	-	-	·20	-	·17	28
29	·06	-	·01	·03	-	-	-	-	·01	-	-	·09	29
30	·10	×	·11	-	-	-	·08	-	·44	·04	-	-	30
31	·21	×	·01	×	-	×	-	-	×	-	×	-	31
TOTAL	2·96	5·92	4·60	·83	2·53	1·46	2·12	·96	4·50	2·50	·63	·70	YEAR'S TOTAL ~~27.71~~ 29.71
*Days with ·01 in. or more.	14	16	14	7	12	13	11	6	14	16	11	7	141
*Days with .04 in. or more.	11	10	12	5	7	10	10	4	11	14	6	5	105

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) W.A. de B. Thorold.

P.T.O.

735

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Liss, Kippences
in the County of Hampshire
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

Observer dead

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·59	·09	–	·02								1
2	·62		·77		·97								2
3		·11	·49										3
4	·28	·03			·37								4
5	·14	·02	·86										5
6		·24			·23								6
7	·09	·06	·10		·08								7
8	·01				·01								8
9		·01											9
10		·17											10
11	·24				·04								11
12				·02	·02								12
13	·03				·04								13
14													14
15	·70		·36										15
16	·01		·95										16
17		·01	·39										17
18	·34	·08	·24										18
19			·11										19
20		·20	·11	·04									20
21		·01											21
22													22
23		·02		·17	·05								23
24		1·77		·15									24
25		1·45		·34									25
26		1·15		·08									26
27					·68								27
28					·02								28
29	·06		·01	·03									29
30	·10	X	·11										30
31	·21	X	·01	X		X			X		X		31
TOTAL	2·96	5·92	4·60	·83	2·53								YEAR'S TOTAL
*Days with ·01 in. or more.	14	16	14	7	12								
*Days with ·04 in. or more.	11	10	12	5	9								

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) Rev. W. A. H. Thorold

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 735.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kippences

in the County of Hants

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 350 ft.

B.A

aly

32.5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
9. A.M.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	–	–	–	–	–	·47	–	–	·01	·74	1
2	·08	–	·07	·10	–	–	–	–	1·44	·33	–	·29	2
3	·07	·03		–	–	–	–	·02	–	·36	–	·24	3
4	·18	–	·10	·06	·20	–	–	·15	–	–	·02	·52	4
5	–	–		–	–	–	–	·17	–	–	·07	·62	5
6	·03	–	·36	–	·18	·30	–	·27	–	·70	·23	1·15	6
7	·05	–	–	–	–	·04	–	·18	–		–	·55	7
8	–	–	–	–	·19	–	–	–	·26	–	1·10	·18	8
9	–	–	·19	–		–	–	–	–	–	·92	·55	9
10	·06	–	·34	·27	–	–	–	·05	–	–	·44	·05	10
11	·76	–	·45	·21	–	–	·15	·04	–	–	–	·49	11
12	·03	–	·02	–	–	–	·13	32	–	–	·01	·08	12
13	·61	–	·01	·09	–	–	1.18	·07	–	–	·11	·33	13
14	·17	–	·48	·03	–	·02	–	–	–	–	·34	·04	14
15	·01	–	·01	–	·18	–	–	–	–	·09	·15	·64	15
16	·25	–	·47	–	·02	–	–	–	–	–	–	·01	16
17	·10	–		–	·07	–	–	–	·05	–	·01	·34	17
18	·08	–	·19	·27	–	–	–	·01	·02	–	–	·47	18
19	–	–	·44	·05	–	·03	–	–	·17	–	–	·11	19
20	–	–	·01	–	–	·02	·40	–	–	·03	–	–	20
21	–	–	–	·28	–	·18	–	·09	–	·14	–	–	21
22	–	–	–	–	–		·15	·15	·32	–	–	·13	22
23	–	–		·34	–	·78	–	–	·06	–	–	·03	23
24	–	·04	·06	·15	–	·32	·21	·09	·13	–	–	–	24
25	·40	–	–	–	–	–	–	–	–	·22	–	·84	25
26	·01	–	–	–	–	·23	–	–	·07	–	–	·05	26
27	–	–	–	–	–	·03	–	–	–	–	–	·38	27
28	–	–	–	–	–	·09	–	81	–	–	–	·45	28
29	–	–	–	–	–	–	–	36	·14	–	·03	·03	29
30	·07	×	–	–	–	–	–		·10	–	–	·47	30
31	·04	×	–	×	–	×	–	·01	×	·02	×	·13	31
TOTAL	3·01	·07	3·20	1·85	·84	2·04	2·22	3·26	2·76	1·89	3·44	9·91	YEAR'S TOTAL 34·49
*Days with ·01 in. or more.	19	2	15	11	6	11	6.	18 ~~17~~	11	9 ~~8~~	13	28	~~144~~ 148
*Days with .04 in. or more.	14	1	11	10	5	7.	6.	15 ~~14~~	10	7 ~~8~~	8	25	~~117~~ 119

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. ✓

Station No. 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kippences, Liss

in the County of Hants

Diameter of Funnel of Gauge 5 ~~4~~ in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 250 ft.

BA

Nov. corrected for BA.

Now cond. for BA. Observer notified

Observer concurs. GAR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 9. A.M.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05		·17	·02	·03	·02	·24	–	·49	·17	·40	–		1
2	–	–	–	–	–	–	–	–	·04	·44	·02	–		2
3	–	·02	·02	–	–	·02	–	–	·44	1·29	·13	–		3
4	–	·08	–	·32	–	·11	–	–	·03	·21	·12	·10		4
5	–	·28	·12	·19	–	–	–	–	·35	·07	·02			5
6	–	–	·02	·27	–	1·45	–	–	–	–	·12	–		6
7	–	–	–	·29	–	·03	–	–	–	·08	·67	·13		7
8	–	–	–	·43	–	·01	–	–	–	·30	·52			8
9	·04	–	·01	·53	–	·59	–	–	·11	1·20	·17	–		9
10	·19	–	·24	·01	–	–	–	–	–	–	·52	·02		10
11	·30	–	–	·17	–	·27	·03	–	–	–	·73	–		11
12	–	·10	–	–	–	·35	–	·05	·10	–	·86	–		12
13	·04	·17	–	·23	·03	·08	–	–	–	–	·12	–		13
14	–	·01	–	–	·14	·05	–	–	·04	·01	·22	·22		14
15	–	·18	–	·65	–	·01	–	–	·11	·02	·38	·03		15
16	–	·08	–	·26	–	·22	–	–	1·39	·02	·01	–		16
17	–	–	·03	·17	·03	·25	–	·06	–	–	·21	–		17
18	–	·03	–	·44	–	·02	·10	–	·53	·05	·04	–		18
19	–	·01	–	·02	·48	·01	·27	–	·08	·04	·26	–		19
20	–	·71	–	·05	–	·05	·08	–	·02	–	·38	–		20
21	–	·68	–	–	–	·01	–	–	·07	·04	·01	–		21
22	–	·05	·02	–	–	–	–	·05	·06	–	–	·10		22
23	–	–	·09	–	–	–	–	·45	·01	·39	–	·19		23
24	·07	·73		–	·03	–	–	·97	·50	·04	–	·13		24
25	·05	·40	–	·15	·20	·16	–	·20	–	–	–	·57		25
26	–	·51	–	–	–	·03	–	·02	·10	–	·01	·64		26
27	–	·75	–	–	–	–	–	–	·20	–	·16	·44		27
28	–	·15	–	–	·11	–	–	–	·37	·02	·03	·16		28
29	–	–	–	–	–	–	–	·10	·54	·02	·02	·66		29
30	·05	×	–	·09	–	–	–	·98	·11	·22	·91	·77		30
31		×	–	×	·01	×	–	·01	×	·77	×	·64		31
TOTAL	·79	4·94	·72	4·09	1·06	3·74	·72	2·89	5·69	5·40	~~8·85~~ 8·04 ✓	4·80	Year's Total. 43·65	42·88 ✓
* Days with .01 in. or more.	8	18	9	18	9	20	5	10	22	20	26	15	150	✓
* Days with .04 in. or more.	8	14	4	15	4	11	4	8	20	15	20	13	136	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Kippences – Liss

in the County of Hampshire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 250 ft.

Corrected for
B.A. ·1Ig.
Circ D sent 22.1.37. Ig. Observer agrees. Ig.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·08	·02	·44	–	·44	·57	·05	–	–	–	·07		1
2	·01	·09	–	·01	–	·25	·05	·12	–	–	·42	–		2
3	–	–	–	·39	–	·02	–	–	·27	–	–	–		3
4	–	–	·14	–	–	·10	–	–	·26	–	·10	·06		4
5	·68	–	·01	–	–	–	–	–	·05	–	–	·05		5
6	·70	–	–	–	–	·02	·02	·01	·39	–	·61	–		6
7	·21	–	·09	–	–	–	·03	–	–	–	·31	·09		7
8	·61	–	·10	–	–	–	·09	–	–	–	·37	·10		8
9	·60	–	·05	–	–	–	·28	–	·09	–	·02	–		9
10	·15	–	–	–	–	–	·09	·52	–	–	–	–		10
11	·05	·31	–	·01	–	–	–	·02	·11	–	1·55	–		11
12	·01	–	–	·02	–	·32	·41	–	·36	–	·26	·11		12
13	–	–	–	–	–	·01	–	–	–	–	·12	·95		13
14	–	–	–	–	–	·11	·62	–	·03	·03	·13	·48		14
15	·02	·14	–	–	–	–	·02	–	·14	–	·06	·04		15
16	·29	·25	–	–	–	–	·04	–	–	–	·16	·12		16
17	·02	1·05	–	–	–	·31	·02	·02	–	·02	·13	·70		17
18	·15	·40	–	–	–	·35	·35	–	–	·03	–	·16		18
19	·02	·02	·04	·10	–	·68	·01	·15	–	–	·02	–		19
20	·37	·10	·21	·46	–	·05	·03	–	1·06	–	–	–		20
21	·22	–	–	·43	–	·21	·06	–	–	·02	–	–		21
22	·14	·45	·09	–	·38	·02	·26	–	–	–	–	·07		22
23	·04	–	·41	·12	·06	–	·65	–	–	·08	–	·01		23
24	·09	·08	–	–	–	–	·02	–	·03	·42	–	–		24
25	·06	·01	·13	·25	·05	·01	·22	–	·04	·15	·05	–		25
26	·04	·15	·09	–	–	–	·11	–	·18	·16	–	·01		26
27	·70	–	·16	–	–	–	·02	–	·13	·43	–	–		27
28	1·05	–	·41	–	–	·18	·20	–	–	–	–	·22		28
29	·02	·11	·05	–	–	·16	·06	–	–	·05	·20	·12		29
30	·23	✕	–	–	·04	·31	·01	–	–	·23	·01	·01		30
31	·15	✕	·38	✕	–	✕	·22	–	✕	·18	✕	·58		31
TOTAL	6·86	3·24	2·38	2·23	·53	3·55	4·39	·89	3·14	1·80	4·52	3·95	Year's Total 7 38·48	
* Days with .01 in. or more.	27✓	14✓	16✓	10✓	4✓	18✓	26✓	7✓	14✓	12✓	17✓	19✓	184✓	
* Days with .04 in. or more.	21✓	12✓	14✓	7✓	4✓	13✓	17✓	4✓	12✓	8✓	14✓	16✓	142✓	

† Spare column, no entries required.

(*Signed*) W. A. de B. Thorold [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

B. A.

Kept at Kippences, Liss

in the County of Hampshire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ..... ft. 9 in.

,, Ground ,, Sea Level 250 ft.

Not BA. H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 9.a.m.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·64	·15	–	·04	–	–	–	–	–	·06	1·15	·78		1
2	·02	·86	–	·30	–	–	–	–	·05	–	–	·37		2
3	·01	·22	–	–	–	–	–	–	·09	–	–	·10		3
4	·10	1·12	–	·01	–	–	–	–	–	–	–	·19		4
5	·21	·04	·15	–	–	–	·17	–	–	–	–	–		5
6	·25	·10	·87	·04	·08	–	–	–	–	–	–	–		6
7	–	·63	–	·11	·12	–	–	–	–	·07	–	·15		7
8	–	·02	·02	·03	·15	·02	–	–	–	–	·09	·07		8
9	–	–	–	·34	·12	·09	·09	–	1·14	–	–	·13		9
10	–	–	·73	·09	·19	·21	–	·02	–	–	–	·75		10
11	–	–	·13	–	·33	–	·12	–	–	–	–	–		11
12	·71	·30	–	·09	·79	·35	–	·55	·10	–	–	·44		12
13	·25	·06	·98	·23	–	·03	–	·09	·17	–	–	1·12		13
14	·02	·02	·12	·66	–	–	–	·03	·21	–	–	·02		14
15	·35	·26	–	·30	·01	–	·38	–	·23	–	–	–		15
16	–	·15	·70	·29	–	·06	–	·46	·55	–	–	–		16
17	·84	·03	·16	–	–	·02	·03	–	·28	–	·12	–		17
18	·37	·12	–	–	–	–	–	–	–	–	·13	–		18
19	·12	·13	·12	·34	–	·11	·08	–	·06	–	–	–		19
20	·68	–	·07	·29		·02	·02	–	–	–	–	·05		20
21	·95	·47	·03	–	·58	·20	–	–	–	–	–	·15		21
22	·71	·03	·16	–	–	–	·20	–	–	1·28	·74	–		22
23	·25	·16	–	–	·28	–	·02	–	–	·27	·27	·17		23
24	·52	·41	·01	–	·35	–	–		–	·68	–	·05		24
25	·26	·52	·28	–	·03	–	–	–	·14	·40	–	·02		25
26	·05	·26	·02	–	·49	–	–	–	·02	·21	–	–		26
27	·03	·16	–	·10	–	–	–	–	–	1·01	–	–		27
28	·05	·05	–	–	–	–	–	–	–	·09	–	·02		28
29	·01	–	–	–	–	–	–	–	–	·29	·08	–		29
30	·49	×	–	–	–	·02	–	–	–	·18	·32	·03		30
31	·36	×	–	×	–	×	–	–	×	·63	×	·05		31
TOTAL	8·25 ✓	6·27 ✓	4·55 ✓	3·26 ✓	3·52 ✓	1·13 ✓	1·11 ✓	1·15 ✓	3·04 ✓	5·17 ✓	2·90 ✓	4·66 ✓	Year's Total 45·01 ✓	
* Days with .01 in. or more.	25 ✓	24 ✓	16 ✓	16 ✓	13 ✓	11 ✓	9 ✓	5 ✓	12 ✓	12 ✓	8 ✓	19 ✓	170 ✓	
* Days with .04 in. or more.	20 ✓	20 ✓	12 ✓	14 ✓	11 ✓	6 ✓	6 ✓	3 ✓	11 ✓	12 ✓	8 ✓	15 ✓	138 ✓	

† Spare column, no entries required.

(*Signed*) W. A. de B. Thorold [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rippenses Liss

in the County of Hants

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 250 ft.

Dec Jus ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

9. AM

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1		·06				·05	·07		·03	·10		·03		1	
2				·02						·29		·02		2	
3					·02					·81	·10			3	
4	·02						·35	·06		·25		·26		4	
5							·14			·41				5	
6	·04	·06							·07	·06	·03	·02		6	
7							·84	·27	·09	·34		·05		7	
8	·25						·08	1·89		·39		·02		8	
9	·19	·05				·09	·01	·05		·04				9	
10	·16						·01	·24		·05		·15		10	
11	·20									·01	·25	·23		11	
12	·59				·10					·18	·20			12	
13	·32									·29	·56	·35		13	
14	·55				·06		·03		·02					14	
15	·19	·01					1·08			·47		·40		15	
16	·52	·04						·02		·05	·03	·02		16	
17							·03		·29	·10				17	
18	·16				·07				·36		·54			18	
19								·05	·20		·22		4	19	
20								·09	·05		·83		✓	20	
21								·07	·09				4	21	
22	·02					·04		·17			·34		4	22	
23											·02			23	
24			·18					·01	·35		·45			24	
25	·27		·14		·10		·02		·01	·04	1·30		✓	25	
26	·48	·33	·06					·02	·14	·17		·81	✓	26	9
27	·01	·09			·14	·39	·61		·01		·53			27	
28	·24	·07			·11	·18		·57	·04		·29	·05		28	
29	·21				·47			·01	·02	·01	·19	·10		29	
30	·16	✕			·28				·02	·05	·13			30	
31	·23	✕		✕	·26	✕			✕	·38	✕	·39		31	
TOTAL	4·81	·71	·38	·02	1·61	·75	3·27	3·52	1·79	4·49	6·01	2·90	Year's Total 30·26	✓	
* Days with ·01 in. or more.	20	8	3	2	10	5	12	14	16	21	17	20 ~~15~~	~~148~~	✓ 148	
* Days with .04 in. or more.	17	7	3	·	9	5	7	10	10	19	14	13 ~~10~~	~~111~~	✓ 114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. A. du B. Thorold [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Kippences . Leis

in the County of Hants

Diameter of Funnel of Gauge ~~4~~ 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	·13	·20	·22	-	·13	-	·92	-	-	·14		1
2	-	-	-	·09	-	-	·14	·66	·32	-	·01	·01		2
3	·54	-	-	·59	-	-	·16	·18	-	-	·38	·42		3
4	·10	-	·36	·13	-	-	-	·20	-	-	·14	·08		4
5	·03	-	·02	·17	·20	-	·25	·02	-	·44	·76	·15		5
6	·25	-	·06	-	·07	-	·72	-	-	·42	·24	-		6
7	·06	·07	-	-	-	-	·02	-	-	·13	·35	·52		7
8	·02	·34	·26	-	-	-	-	-	-	·40	·48	·50		8
9	·06	·08	-	-	-	-	-	·27	-	·21	·14	·43		9
10	·29	-	-	-	-	·06	-	·22	·05	·39	·06	-		10
11	-	-	-	-	-	-	-	-	-	·52	-	-		11
12	·02	-	-	-	-	·03	-	-	·14	-	-	-		12
13	-	-	-	·09	-	·03	·38	-	·01	1·89	-	-		13
14	·94	-	-	·05	·06	·41	·08	-	·04	·30	1·00	·02		14
15	·56	-	-	-	·72	·14	·23	-	-	·32	·22	·04		15
16	·49	-	·28	·10	·18	-	·19	-	-	·10	·42	-		16
17	·34	·02	-	-	·19	-	·30	-	·06	·11	-	-		17
18	·26	-	·06	-	-	·08	·33	-	-	·10	·53	·02		18
19	·35	-	-	-	-	-	·32	-	-	-	-	·03		19
20	·39	-	-	-	-	-	·19	-	-	-	-	-		20
21	·08	·44	·09	-	-	·05	·04	·10	·02	-	-	-		21
22	·30	·37	-	-	-	·20	·02	-	-	·01	·13	-		22
23	·02	-	-	·23	-	-	-	-	-	·12	1·14	-		23
24	·35	-	-	-	-	·10	·13	-	-	-	-	-		24
25	·68	·24	·10	-	-	-	·19	-	-	-	·71	-		25
26	·02	-	-	-	-	-	-	-	-	·15	·57	-		26
27	-	·20	·09	·08	-	·03	-	-	-	-	·29	-		27
28	-	·27	-	·23	-	·19	-	-	-	·08	·14	·20		28
29	-	-	-	·08	-	-	·15	-	-	·03	·08	-		29
30	-	✕	-	·65	-	·04	-	-	-	·05	·13	-		30
31	-	✕	-	✕	-	✕	·33	-	✕	·06	✕	-		31
													Year's Total	
TOTAL	6·17	2·03	1·45	2·69	1·64	1·36	4·30	2·15	1·56	5·88	7·86	2·56	39·62	✓
* Days with .01 in. or more.	25	9	10	13	7	12	20	7	8	20	21	13	168	✓
* Days with .04 in. or more.	17	8	9	13	7	9	18	6	6	18	20	9	140	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) W. A. de B. Tharold

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 735

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1940

Kept at Kippences. Liss

in the County of Hants

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ......ft. 9 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	–	–		1
2	–	·10	–	·43	–	–	–	–	–	·07	·60	–		2
3	–	·45	–	·01	–	–	–	–	–	·16	1·26	·16		3
4	–	·06	–	·06	–	–	–	–	–	·32	·03	·03		4
5	–	–	–	–	–	–	·04	–	–	·11	·50	–		5
6	·34	·38	–	–	–	–	·32	–	–	·54	–	·11		6
7	·25	·39	–	–	–	–	–	–	–	–	–	–		7
8	–	–	–	–	–	–	–	–	–	·50	–	·50		8
9	–	–	–	–	–	–	–	–	·02	·34	·58	·32		9
10	–	–	–	–	–	–	·23	·08	–	·14	·10	–		10
11	–	–	–	–	–	–	·2[illegible]	–	–	–	1·50	–		11
12	–	–	·40	–	–	–	·22	–	·28	–	·23	–		12
13	–	–	·98	–	–	–	·08	–	·18	–	1·22	–		13
14	–	–	·27	·14	–	–	·19	–	·01	·40	–	·58		14
15	–	–	–	–	–	–	·98	–	·06	·03	·65	·02		15
16	–	·53	·25	·11	–	–	·08	–	·28	·62	1·33	–		16
17	–	–	·36	–	–	–	·07	–	–	–	·48	–		17
18	–	·40	·24	·45	–	–	·08	–	·10	·29	·03	·20		18
19	–	·11	·08	·12	–	–	–	–	·68	–	·30	–		19
20	–		–	·06	–	–	–	·04	·05	·25	·14	–		20
21	–	–	–	–	·28	–	–	–	–	–	·68	–		21
22	–	–	–	–	–	·28	–	–	·14	–	–	–		22
23	–	–	·23	–	–	·02	–	–	–	–	–	–		23
24	–	·09	–	–	–	–	·20	–	–	–	–	–		24
25	–	–	·48	·07	–	–	–	–	–	–	–	–		25
26	·96	·37	·37	–	·22	–	–	–	–	–	–	–		26
27	·38	·54	–	–	–	–	·09	–	–	–	–	–		27
28	–	·08	–	·06	·16	–	–	–	–	–	–	–		28
29	1·00	·28	·20	·09	·32	–	–	–	–	–	–	·35		29
30	–	✕	–	–	–	–	–	–	–	·42	–	–		30
31	·09	✕	–	✕	–	✕	–	–	✕	1·11	✕	·12		31
TOTAL	3·02	3·80	3·86	1·60	·98	·30	2·78	·12	1·80	5·30	9·63	2·39	Year's Total 35·58	
* Days with .01 in. or more.	6	13	11	11	4	2	13	2	10	15	16	10	113	"d"
* Days with .04 in. or more.	6	13	11	10	4	1	13	2	8	14	14	8	104	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. L. de B. Thorold

[P.T.O.

~~736~~

HAWKLEY

HAWKLEY HURST

1931- 1940

780201

736.

Section **A** for the entry of Daily Obse

AIR MINISTRY.—ME

ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIST

~~192~~ 1931.

Kept at Hawkley Hurs

in the County of Hamp

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	—	·77	—	·08	—	·03	·24	·02	—	—	1
2	·16	·05	—	·48	—	—	—	·03	·50	·01	·02	·07	2
3	·10	—	·16	·22	·31	—	·02	·18	·67	—	·29	·32	3
4	·08	·07	·05	—	·09	—	·16	·02	·09	·06	·25	·04	4
5	—	·03	—	·15	—	·45	·07	1·25	·02	·01	·06	·30	5
6	—	·12	—	·24	·05	·10	·21	—	—	·39	·20	·04	6
7	—	—	—	·02	·21	·20	—	·40	—	·08	·45	·01	7
8	—	·20	·01	·02	—	·27	·02	·31	—	·01	·17	·08	8
9	—	·26	·05	·03	—	·07	·01	—	—	—	·68	·02	9
10	—	·16	·04	—	—	·18	·04	·15	—	—	·54	—	10
11	·01	·65	—	—	—	—	—	—	·05	—	·26	—	11
12	13	·02	—	—	—	—	·10	·03	·36	—	—	—	12
13	·03	·14	·02	—	—	—	·04	·01	—	—	—	—	13
14	·01	·03	—	—	—	—	·87	·60	—	—	·03	—	14
15	·02	·09	—	·05	·16	—	·08	·30	—	—	·02	·07	15
16	—	·07	—	·23	·36	·22	·01	·08	·15	—	—	—	16
17	—	07	—	·22	—	·04	·40	·10	·04	·04	—	—	17
18	·03	·06	·04	·17	—	·15	·07	1·41	—	—	·71	—	18
19	·06	·02	—	·45	—	·06	·42	·28	—	—	·01	—	19
20	·11	·12	·04	·07	—	—	—	·44	—	—	·03	—	20
21	—	—	·02	·02	·34	—	—	—	·01	—	—	—	21
22	·08	·05	·18	·04	·01	—	—	—	—	—	·01	—	22
23	·46	—	—	·18	·38	—	—	—	·03	—	·44	·03	23
24	·63	—	—	·76	·12	·14	·28	·40	—	—	·01	·01	24
25	·07	—	—	·52	·11	—	·36	—	—	—	·08	·02	25
26	·33	·03	—	·16	—	—	·36	—	—	—	·46	—	26
27	—	·59	—	·01	·57	—	·12	—	—	·03	·10	—	27
28	·22	·23	—	·15	—	—	—	—	—	·01	·05	—	28
29	·07	×	—	—	·39	—	·16	—	—	·08	·02	—	29
30	·17	×	—	·01	—	—	—	—	·02	—	—	—	30
31	·48	×	—	×	·12	×	·06	—	×	—	×	·04	31
													YEAR'S TOTAL
TOTAL	3·27	3·12	0·61	4·37	3·22	1·96	3·86	6·02	2·18	0·74	4·89	1·05	35·29
Days with ·01 in. or more.	21	22	10	23	14	12	21	18	12	11	23	13	200
Days with ·04 in. or more.	15	17	7	17	13	12	17	13	8	5	15	8	147

40-12-1-27
144w)

(Signed) T. Clive Davies

P.T.O.

736.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN ~~192~~ .1931.

Kept at Hawkley Hurst, Hawkley

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

„ Ground „ Sea Level 422 ft.

dafy

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	—	·17	—	·08	—	·03	·24	02	—	—	1
2	·16	·05	—	·48	—	—	—	·03	·50	·01	·02	·07	2
3	·10	—	·16	·22	·31	—	·02	·18	·67	—	·29	·32	3
4	·08	·07	·05	—	·09	—	·16	·02	·09	·06	·25	·04	4
5	—	·03	—	·15	—	·45	·07	1·25	·02	·01	·06	·30	5
6	—	·12	—	·24	·05	·10	·21	—	—	·39	·20	·04	6
7	—	—	—	·02	·21	·20	—	·40	—	·08	·45	·01	7
8	—	·20	·01	·02	—	·27	·02	·31	—	·01	·17	·08	8
9	—	·26	·05	·03	—	·07	·01	—	—	—	·68	·02	9
10	—	·16	·04	—	—	·18	·04	·15	—	—	·54	—	10
11	·01	·65	—	—	—	—	—	—	·05	—	·26	—	11
12	·13	·02	—	—	—	—	·10	·03	·36	—	—	—	12
13	·03	·14	·02	—	—	—	·04	·01	—	—	—	—	13
14	·01	·03	—	—	—	—	·87	·60	—	—	·03	—	14
15	·02	·09	—	·05	·16	—	·08	·30	—	—	·02	·07	15
16	—	·07	—	·23	·36	·22	·01	·08	·15	—	—	—	16
17	—	·07	—	·22	—	·04	·40	·10	·04	·04	—	—	17
18	·03	·06	·04	·17	—	·15	·07	1·41	—	—	·71	—	18
19	·06	·02	—	·45	—	·06	·42	·28	—	—	·01	—	19
20	·11	·12	·04	·07	—	—	—	·44	—	—	·03	—	20
21	—	—	·02	·02	·34	—	—	—	·01	—	—	—	21
22	·08	·05	·18	·04	·01	—	—	—	—	—	·01	—	22
23	·46	—	—	·18	·38	—	—	—	·03	—	·44	·03	23
24	·63	—	—	·76	·12	·14	·28	·40	—	—	·01	·01	24
25	·07	—	—	·52	·11	—	·36	—	—	—	·08	·02	25
26	·33	·03	—	·16	—	—	·36	—	—	—	·46	—	26
27	—	·59	—	·01	·57	—	·12	—	—	·03	·10	—	27
28	·22	·23	—	·15	—	—	—	—	—	·01	·05	—	28
29	·07	X	—	—	·39	—	·16	—	—	·08	·02	—	29
30	·17	X	—	·01	—	—	—	—	·02	—	—	—	30
31	·48	X	—	X	·12	X	·06	—	X	—	X	·04	31
													YEAR'S TOTAL
TOTAL	3·27	3·12	0·61	4·37	3·22	1·96	3·86	6·02	2·18	0·74	4·89	1·05	35·29
Days with ·01 in. or more.	21	22	10	23	14	12	21	18	12	11	23	13	200
Days with ·04 in. or more.	15	17	7	17	13	12	17	13	8	5	15	8	147

40-12-1-27
144w)

(Signed) T. Clive Davies

[P.T.O.

736

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 736

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hawkley Hurst
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 11 in.
,, Ground ,, Sea Level 432 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.03	–	.31	.75	–	.02	.13	.02	.06	.02	–	1
2	.01	–	–	.26	.08	–	–	.02	.28	–	.04	.41	2
3	–	–	–	.14	.05	.03	–	.02	.56	.08	–	–	3
4	.06	–	–	–	–	.27	.06	–	–	–	.05	–	4
5	.40	–	.02	–	–	–	.14	–	.22	–	–	–	5
6	.76	–	.04	.32	.02	–	.05	–	.20	–	–	–	6
7	–	–	.09	.02	–	–	.02	–	.13	.30	–	–	7
8	–	–	.32	.03	.38	–	–	–	.73	.44	–	–	8
9	.92	–	–	.17	.18	–	–	–	.02	.06	.06	–	9
10	.81	.17	–	.42	.06	.06	–	–	.06	.11	.03	–	10
11	.08	–	–	.04	.03	–	.39	.54	.07	.04	.03	–	11
12	.68	.03	–	–	.02	–	–	–	.19	.24	.02	.03	12
13	.13	.02	–	.26	.07	–	.48	–	–	1.05	–	.06	13
14	.12	.02	–	.14	.08	–	–	.02	–	.02	.02	–	14
15	.12	–	–	.03	.38	–	–	–	–	.09	.03	.01	15
16	.31	–	–	16	.02	–	–	–	–	–	–	.03	16
17	.03	–	–	.14	–	–	.04	–	–	.09	–	–	17
18	.05	–	–	–	.04	–	.11	–	.06	–	.12	–	18
19	–	–	–	–	–	–	–	–	.05	.29	–	–	19
20	.01	–	–	.32	.02	–	–	.67	–	.94	.21	.02	20
21	–	–	–	.09	1.65	–	–	.45	–	.47	–	.12	21
22	.02	–	.20	.04	.11	–	.37	.03	.42	.34	.48	–	22
23	.02	.04	–	.05	.21	–	.06	–	.12	.92	–	.16	23
24	–	.10	–	–	–	–	.68	–	.19	.11	.04	–	24
25	–	–	–	–	–	.05	.74	–	.02	.43	.06	–	25
26	–	–	.08	.09	–	–	.48	–	–	.09	.04	–	26
27	–	–	.68	.45	.19	.11	.59	–	–	.28	.02	–	27
28	–	–	–	.07	.11	–	.23	–	–	.04	.02	–	28
29	–	–	.75	.23	.19	.08	–	.19	.28	.48	.16	.12	29
30	–	✕	.04	.27	.17	2.12	.12	–	.52	–	.87	.32	30
31	–	✕	.35	✕	–	✕	.03	–	✕	–	✕	.14	31
													YEAR'S TOTAL
TOTAL	4.65	0.41	2.57	4.05	4.81	2.72	4.61	2.07	4.14	6.97	2.32	1.42	40.74
*Days with ·01 in. or more.	18	7	10	23	22	7	18	9	19	23	19	11	186
*Days with .04 in. or more.	13	3	9	20	17	6	15	5	16	22	11	7	144

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) T. Clive Davies

P.T.O.

736

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~736~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 422 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.63	.12	—	.05	—	—	—	—	.34	.01	—	1
2	.68	—	.92	—	.94	—	—	—	—	—	.02	—	2
3	.01	.14	.60	—	—	—	—	—	—	—	.02	—	3
4	.31	.08	—	—	.30	—	—	—	—	—	.08	—	4
5	.17	.02	.87	—	—	—	—	—	—	—	—	—	5
6	.03	.27	.13	—	.25	—	—	—	—	.15	.07	—	6
7	.09	.16	.02	—	.12	—	—	—	—	.16	—	—	7
8	.04	—	—	—	—	—	.36	—	—	.15	—	—	8
9	—	.02	—	—	.06	—	.36	—	—	.29	.12	—	9
10	.02	.23	—	—	.02	.02	.08	—	—	.57	.02	—	10
11	.28	—	—	—	.08	.08	.06	.14	—	.09	—	—	11
12	—	—	—	.02	.03	.20	.09	—	1.30	—	—	.04	12
13	.04	—	—	—	.07	.12	.71	.04	.07	.02	.12	—	13
14	—	—	—	—	—	—	.11	.05	—	.45	.34	.02	14
15	.72	—	.38	—	—	.02	.05	.70	—	.03	—	—	15
16	.02	—	1.06	—	—	.21	.11	—	.02	.05	—	—	16
17	—	.03	.42	—	—	.17	—	.08	.10	—	.05	—	17
18	.37	.04	.31	—	—	.36	—	—	—	—	—	—	18
19	—	.03	.15	—	—	.02	.08	.05	.33	—	.04	.03	19
20	—	.24	.07	.08	—	.05	—	.03	.08	—	—	—	20
21	—	—	—	—	.03	.15	—	.21	.13	.03	—	—	21
22	—	—	—	—	—	.11	.02	.28	.06	.48	.03	—	22
23	—	.02	—	.22	.12	.14	—	—	.29	.12	—	—	23
24	—	1.54	—	.24	—	.15	—	—	—	—	—	—	24
25	—	1.36	—	.31	—	—	—	—	.34	—	.05	.07	25
26	—	1.14	—	16	—	.27	—	—	.09	.07	—	.02	26
27	—	—	—	—	.64	—	—	—	.91	.26	.02	.23	27
28	—	—	—	—	—	—	.27	—	—	.14	—	.16	28
29	.07		.03	.07	—	—	—	—	—	.02	—	—	29
30	.11	×	.12	—	—	—	.12	—	—	.02	—	.14	30
31	.22	×	.02	×	—	×	—	.01	×	—	×	—	31
TOTAL	3.33	5.95	5.22	1.10	2.71	2.07	2.42	1.59	3.72	3.44	0.99	0.71	YEAR'S TOTAL 33.25
*Days with ·01 in. or more.	17	16	15	7	13	15	13	10	12	19	14	8	159
*Days with .04 in. or more.	13	11	12	6	10	12	12	8	11	14	8	5	122

40-9999

*See Instruction 2 (*f*) on other side.

0

(*Signed*) T. Clive Davies

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 736.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 422 ft.

bap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	–	–	–	·02	–	·62	·16	·09	·04	·58		1
2	·08	–	·10	·15	·08	–	–	–	1·58	·27	·02	·41		2
3	·10	·03	–	·05	–	–	–	·09	–	·51	–	·37		3
4	·22	–	·16	·06	·22	–	–	·02	–	·09	·05	·65		4
5	–	–	·01	–	·01	–	–	·19	–	–	·10	·62		5
6	·09	–	·38	·03	·22	·26	–	·26	–	·30	·22	·97		6
7	·16	–	–	–	–	·05	–	·13	–	·25	–	·70		7
8	–	–	–	–	·20	·02	–	·02	–	·02	·97	·16		8
9	·01	–	·18	–	–	–	–	–	·03	–	1·06	·67		9
10	·08	–	·44	·27	–	–	–	·06	–	–	·42	·11		10
11	1·00	–	·39	·22	–	–	·40	·07	–	–	–	·52		11
12	·05	·01	–	–	–	–	·17	·52	–	–	·03	·12		12
13	·66	–	·01	·10	–	–	1·13	·09	–	·02	·12	·26		13
14	·14	–	·53	·07	–	–	–	–	–	–	·43	·83		14
15	·02	–	·02	–	·18	·03	–	–	–	·13	·16	1·10		15
16	·30	–	·44	–	·03	–	–	–	·07	·01	–	·02		16
17	·48	–	–	·01	·14	–	–	–	·03	·05	·02	·36		17
18	·22	–	·09	·42	–	–	–	–	·07	–	–	·53		18
19	–	–	·59	–	–	·07	–	·06	·15	–	–	·22		19
20	–	–	·06	·06	·01	–	·33	–	·02	·03	–	–		20
21	–	–	–	·32	–	·23	–	·15	·03	·19	–	–		21
22	–	·02	–	–	–	–	·09	·15	·33	–	–	·15		22
23	–	–	–	·36	–	·69	–	–	·05	–	–	·02		23
24	–	·03	·08	·11	–	·30	·32	–	·19	–	–	–		24
25	·30	–	–	·20	–	–	–	–	·02	·30	–	·95		25
26	·04	–	–	·29	–	·20	–	–	·15	·04	–	·11		26
27	·02	–	–	·05	–	·04	–	–	·01	·01	–	·38		27
28	–	–	–	–	–	·08	·02	·90	–	·04	·01	·54		28
29	–	×	–	–	–	–	·01	·13	·16	–	·03	·02		29
30	·06	×	–	–	–	–	–	·20	·14	–	–	·55		30
31	·03	×	–	×	–	×	–	–	×	·04	×	·15		31
TOTAL	3·77	0.09	3·48	2·77	1·09	1·99	2·47	3·66	3·19	2·39	3·68	12·07	Year's Total 40·65 ✓	
*Days with ·01 in. or more.	21	4	15	17	9	12	8	17	17	18	15	28	181	
*Days with .04 in. or more.	16	0	12	15	6	9	6	15	11	13	10	25	138	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) T. Clive Davies

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 736

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 432 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	—	·15	·03	·05	·05	·25	—	·52	·15	·81	—		1
2	—	—	—	—	—	—	—	—	·05	·53	·06	—		2
3	—	·02	·03	—	—	·08	—	—	·23	1·03	·14	—		3
4	—	·09	—	·34	—	·10	—	·01	·06	·29	·17	·11		4
5	—	·29	·13	·21	—	·05	—	—	·38	·05	·03	·02		5
6	—	·02	·03	·30	—	1·40	—	—	—	—	·11	·01		6
7	—	·02	—	·32	—	·22	—	—	—	·08	·72	·10		7
8	—	—	·02	·31	—	·20	—	—	—	·32	·62	·02		8
9	·03	—	—	·57	—	·51	—	—	·13	1·18	·15	—		9
10	·20	—	·21	·01	—	·03	—	—	—	—	·37	·03		10
11	·39	·05	—	·17	—	·46	·10	—	—	·03	·70	—		11
12	·01	·09	—	—	—	·41	—	·05	·12	—	·74	—		12
13	·06	·16	—	·22	·05	·05	—	—	—	·02	·04	—		13
14	—	—	—	·02	·08	·07	—	—	·03	·01	·24	·22		14
15	—	·17	—	·69	—	·10	—	—	·18	·02	·38	·04		15
16	—	·06	·07	·18	—	·21	—	—	1·17	·05	·85	·03		16
17	·02	—	—	·19	—	·30	·06	·05	—	—	·36	—		17
18	—	·06	—	·45	·54	·07	·11	·02	·57	·06	·04	—		18
19	—	·03	—	·05	—	·06	·26	—	·07	·05	·26	—		19
20	—	·76	—	·08	·07	·02	·04	—	·03	—	·41	—		20
21	—	·73	—	·04	—	·01	—	—	—	·05	·02	—		21
22	—	·05	·01	·02	—	—	—	·04	·25	—	—	—		22
23	—	·02	·12	—	—	—	—	·46	·02	·42	—	·16		23
24	·06	·88	—	—	·15	—	—	·96	·56	·04	—	·41		24
25	·06	·33	—	·14	·14	·07	—	—	—	—	·02	·40		25
26	·02	·40	—	—	—	·04	—	·26	·12	—	·02	·58		26
27	—	·85	—	—	—	—	·02	·07	·25	—	·26	·46		27
28	—	·10	—	—	·11	—	—	·03	·51	·04	—	·20		28
29	—	✕	—	—	—	—	—	·08	·52	·03	·03	·68		29
30	·08	✕	—	·17	—	—	—	·92	·24	·25	·86	·76		30
31	—	✕	—	✕	—	✕	—	·03	✕	·76	✕	·62	Year's Total	31
TOTAL	1·02	5·18	0·77	4·51	1·19	4·51	0·84	2·98	6·01	5·46	8·41	4·85	45·73	
* Days with .01 in. or more.	11	21	9	21	8	22	7	13	21	22	26	18	199	
* Days with .04 in. or more.	7	16	5	17	8	19	6	9	18	17	21	13	156	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Clive Davies [P.T.O.

Jan. 2nd 1936

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 736

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 422 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·07	·05	·50	–	·58	·34	·09	–	–	·08	·09		1
2	·03	·08	·02	·04	–	·17	–	·12	–	–	·02	–		2
3	–	–	–	·44	–	–	·05	–	·34	–	·36	·02		3
4	–	–	·15	–	–	·07	–	–	·28	–	·16	·06		4
5	·69	–	·03	–	–	–	–	·08	·03	–	·02	·08		5
6	·71	–	–	–	–	·04	–	·03	·43	–	·53	·03		6
7	·21	–	·18	–	–	·03	·04	–	·07	–	·28	·09		7
8	·64	–	·12	–	–	–	·12	–	–	–	·35	·12		8
9	·67	–	·07	–	–	–	·30	–	·13	–	·02	·02		9
10	·22	–	–	–	·03	–	·14	·15	·01	–	–	–		10
11	·06	·18	–	·05	–	–	·01	–	·10	–	1·52	–		11
12	–	–	–	·04	–	·28	·44	·03	·29	–	·29	·11		12
13	–	–	–	·11	–	·03	·04	–	–	·04	·04	·50		13
14	–	·14	–	–	–	·12	·62	–	·02	·02	·19	1·03		14
15	–	·06	–	–	–	–	·05	–	·10	–	·10	·48		15
16	·28	·29	–	–	·01	–	·12	–	–	–	·23	·11		16
17	·04	1·09	–	–	–	·40	·02	·02	·04	·02	·16	·79		17
18	·14	·26	–	–	–	·36	·39	–	–	·04	·02	·23		18
19	·38	·06	·13	·10	–	·70	–	·17	–	·02	·03	–		19
20	·17	·09	·16	·50	–	·06	·03	–	·80	–	–	–		20
21	–	·05	–	·34	·02	·31	·15	–	·01	–	–	–		21
22	·14	·44	–	–	·30	–	·37	–	–	·02	–	·08		22
23	·04	·02	·36	·16	·09	–	·79	–	–	·06	–	–		23
24	·10	·11	–	–	–	–	·06	–	·02	·45	–	–		24
25	·06	–	·13	·23	·07	·01	·07	–	·14	·12	·05	–		25
26	·06	·18	·11	–	–	–	·23	–	·03	·33	–	·03		26
27	·67	–	·08	–	–	–	·02	–	·12	·42	–	–		27
28	1·13	–	·41	–	–	·24	·24	–	–	–	–	·26		28
29	·03	·16	·13	–	–	·15	·14	–	–	·06	·21	·09		29
30	·26	✕	·01	–	·10	·29	–	–	–	·21	–	–		30
31	·14	✕	·38	✕	·01	✕	·15	–	✕	·23	✕	·44		31
TOTAL	7·08	3·28	2·52	2·51	0·63	3·84	4·93	·69	2·96	2·04	4·66	4·66	Year's Total 39·80	
* Days with .01 in. or more.	24	16	17	11	8	17	25	8	18	14	20	20	198	
* Days with .04 in. or more.	22	15	14	11	4	14	21	5	12	10	15	16	159	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Clive Davies [P.T.O.

21.1.37

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 736

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 422 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.91	.10		.05					.02	.11	1.00	.68		1
2	.05	.98		.41					.22			.51		2
3	.02	.26										.02		3
4	.13	1.06		.02			.02					.27		4
5	.27	.07	.18	.02			.15							5
6	.17	.05	.63	.04	.10		.02			.04	.03			6
7		.65		.17	.18				.03	.03		.16		7
8		.03	.03		.19	.03					.05	.10		8
9				.38	.15	.11	.08		.31			.16		9
10			.68	.11	.18	.21	.02					.78		10
11	.01		.09	.02	.40	.05	.14					.03		11
12	.69	.29	.24	.06	.52	.35	.02	.33	.10			.36		12
13	.27	.06	.74	.27	.01	.02		.20	.22			.89		13
14	.03	.03	.41	.72				.13	.23			.03		14
15	.36	.18		.30		.06	.37		.20		.02			15
16	.03	.14	.62	.30				.40	.69					16
17	.76	.08	.17	.06			.03		.23		.04			17
18	.45	.09		.03		.08			.12		.16	.09		18
19	.07	.17	.12	.31		.15	.14		.06			.06		19
20	.75		.07	.29	.46			.01				.03		20
21	1.09	.52	.03	.04	.01		.04				.02	.09		21
22	.64	.03	.15		.33	.19	.19			.97	.80	.21		22
23	.32	.15	.03		.34		.03			.60	.31	.03		23
24	.58	.44	.02						.11	.59		.04		24
25	.25	.45	.28		.76				.09	.38		.02		25
26		.44	.05							.15	.02			26
27	.09	.17		.11						.72				27
28	.08	.15		.03						.12		.03		28
29										.08	.08			29
30	.66	✕				.04		.04	.02	.17	.27			30
31	.37	✕		✕		✕			✕	.56	✕	.04		31
TOTAL	9.05	6.59	4.54	3.74	3.63	1.29	1.25	1.11	2.65	4.52	2.80	4.63	Year's Total 45.80	✓
* Days with .01 in. or more.	25	24	18	21	13	11	13	6	15	13	12	22	193	✓
* Days with .04 in. or more.	21	21	14	16	11	9	7	5	12	12	8	15	151	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Clive Davies [P.T.O.

3.1.38

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 736

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 422 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·06	—	—	·04	—	·21	—	·10	·10	—	·14		1
2	·03	·02	—	·04	·03	—	—	—	—	·34	—	·03		2
3	—	—	—	—	·08	—	·01	—	—	·84	·13	—		3
4	·04	—	—	—	—	·01	·11	—	—	·37	·02	·31		4
5	·02	—	—	·02	—	—	·31	—	—	·51	—	—		5
6	·05	—	—	—	—	·02	·09	·02	·13	·04	·02	·04		6
7	·02	—	—	—	—	·01	1·23	—	·12	·38	·03	·06		7
8	·26	—	—	—	—	—	·13	·19	·02	·48	—	·06		8
9	·17	·05	—	—	—	·06	·02	·25	—	·04	—	1·32		9
10	·16	—	—	—	—	·02	·03	—	—	·04	—	·20		10
11	·20	·02	—	—	—	—	·01	·43	—	·01	·31	·28		11
12	·53	·03	—	—	·12	—	·02	—	—	·17	·08	·02		12
13	·40	·02	—	—	·03	—	—	—	—	·25	·68	·43		13
14	·55	·03	—	—	·09	—	·04	—	·03	—	·03	·02		14
15	·20	·06	—	—	·04	—	1·08	~~1·08~~	—	·39	·02	·40		15
16	·52	·05	·02	—	·01	—	—	—	—	·07	·03	·02		16
17	—	·10	·03	—	—	—	·03	·05	·18	·16	·02	—		17
18	·16	—	—	—	·10	·01	·01	—	·24	—	·52	—		18
19	·04	—	—	—	—	—	—	—	·26	—	·28	·04		19
20	·02	—	—	—	—	—	—	·15	·07	—	·77	·02		20
21	·04	—	—	—	—	—	—	·01	·11	—	·02	·32		21
22	·02	—	—	·01	—	·05	—	·07	—	—	·38	·25		22
23	—	—	—	·02	—	·01	—	·17	·02	—	·11	—		23
24	—	—	·16	—	—	—	—	—	·31	—	·27	—		24
25	·16	·02	·11	·02	·16	—	·03	—	·04	·05	1·51	·03		25
26	·55	·30	·07	—	·02	·02	·01	·02	·11	·19	—	·31		26
27	·21	·05	·02	—	·15	·35	·72	—	—	·01	·61	—		27
28	·08	·09	—	—	·54	·24	—	·48	·12	·02	—	·12		28
29	·16	—	—	—	·51	—	—	—	·04	·02	·21	·13		29
30	·13	✕	—	—	·22	·02	—	—	·05	·08	·33	·02		30
31	·25	✕	—	✕	·35	✕	—	—	✕	·31	✕	·39		31
TOTAL	4·97	·90	·41	·11	2·49	0·82	4·09	1·84	1·95	4·87	6·38	4·96	Year's Total 33·79	✓
* Days with .01 in. or more.	26	14	6	5	16	12	18	11	17	23	22	24	194	✓
* Days with .04 in. or more.	021	8	3	1	12	4	9	8	14	19	14	17	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Clive Davies

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 736

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No. 33978/39

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 422 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.17	.21	.28	—	.03	.02	.36	—	—	.15		1
2	.07	—	.01	.07	—	—	.12	.82	.27	—	—	.06		2
3	.61	.02	—	.47	—	—	—	.13	.02	.55	.34	.34		3
4	.08	—	.33	.25	.06	—	.15	.39	—	.37	.17	.06		4
5	—	—	.02	.13	.19	—	.21	.02	—	—	.80	.18		5
6	.28	—	.11	—	.18	—	.76	.06	—	—	.20	.02		6
7	.06	.14	—	—	—	.10	.03	.05	—	.06	.39	.48		7
8	.10	.30	.25	—	—	—	.06	.03	—	.42	.58	.55		8
9	.11	.07	—	—	—	—	.02	.25	—	.29	.07	.54		9
10	.36	—	.01	—	—	.06	—	.19	.07	.30	.02	—		10
11	—	.02	.26	—	—	—	—	.01	—	.46	.04	—		11
12	—	.06	.01	—	—	.03	—	—	—	—	.02	—		12
13	—	—	.02	.13	—	.03	.46	—	.13	1.76	.03	.01		13
14	.94	—	—	.08	.08	.04	.10	—	—	.43	.84	.06		14
15	.57	—	—	.03	.66	.46	.19	—	.07	.28	.33	—		15
16	.48	—	.05	.08	.17	.12	.12	—	.03	.17	.32	—		16
17	.35	.09	.03	.09	.16	.02	.36	—	—	.21	.08	—		17
18	.33	.02	.03	—	—	.12	.43	—	—	.05	.42	.02		18
19	.44	—	.04	—	—	—	.23	—	—	.07	.02	.05		19
20	.47	—	.01	—	—	.09	.47	—	—	—	—	.03		20
21	.07	.31	.07	—	—	—	.02	.47	.03	—	—	—		21
22	.35	.36	.05	.02	—	.21	.03	—	.02	—	.15	—		22
23	.02	—	.03	.21	—	.01	.03	—	—	.02	1.19	.01		23
24	.27	.01	—	—	—	.11	.11	—	—	.12	.02	—		24
25	.68	.26	.06	—	—	—	.18	—	—	.03	.64	—		25
26	.03	.02	.02	—	—	.07	—	.06	—	.12	.51	.02		26
27	.01	.21	.12	.05	—	.05	—	—	—	.05	.24	—		27
28	—	.24	.04	.27	—	.14	.02	—	—	.06	.17	.20		28
29	—	×	—	.12	—	—	.10	—	—	.05	.08	—		29
30	—	✕	—	.71	—	.14	—	—	—	.07	.17	—		30
31	—	✕	—	✕	—	✕	.42	.02	✕	.06	✕	—		31
TOTAL	6.70	2.13	1.74	2.92	1.78	1.80	4.65	2.52	1.00	6.00	7.84	2.78	Year's Total 41.86	✓
* Days with .01 in. or more.	23	15	22	16	8	17	24	14	9	23	26	17	214	✓
* Days with .04 in. or more.	19	10	12	14	8	13	17	9	5	21	21	11	160	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Clive Davies [P.T.O.

20.I.40

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 736

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hawkley Hurst

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 422 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	·05	—	—	—	—	—	·05	—		1
2	—	·05	—	·18	—	—	—	—	—	·09	·60	·02		2
3	—	·48	—	·02	—	—	—	—	—	·19	1·27	·16		3
4	—	·07	—	·05	—	—	—	—	—	·35	·05	·04		4
5	—	—	—	—	—	—	·18	—	—	·12	·65	·30		5
6	·34	·52	—	—	—	—	·15	—	—	·54	·04	·02		6
7	·17	·32	—	—	·02	—	—	—	—	—	—	—		7
8	—	—	—	—	—	—	·03	—	—	·52	·05	·28		8
9	—	—	—	—	—	—	—	·03	·04	·39	·56	·31		9
10	—	—	—	—	—	—	·21	·08	—	·21	·09	·05		10
11	—	·03	—	·03	—	—	·12	—	—	—	1·38	—		11
12	—	—	·39	·02	—	—	·22	—	·30	—	·09	—		12
13	—	·07	·83	—	—	—	·07	—	·09	·01	1·16	—		13
14	—	—	·25	·11	—	—	·57	·02	—	·47	—	·63		14
15	—	—	—	·02	·01	—	·80	—	·10	·13	·80	·06		15
16	·02	·47	·34	·09	—	·04	·03	—	·30	·67	1·04	·05		16
17	—	—	·35	—	—	—	·02	—	—	·01	·41	—		17
18	·03	·43	·24	·47	—	—	·11	—	·11	·30	·04	·16		18
19	—	·11	·03	·16	—	—	·15	—	·62	·01	·31	—		19
20	—	—	—	·10	—	—	—	—	—	·18	·11	—		20
21	·03	—	—	—	·31	—	·02	·05	—	·02	·71	—		21
22	·05	—	·02	·03	·05	·31	—	—	·21	—	—	—		22
23	—	·07	·20	—	—	—	—	—	—	—	·03	—		23
24	—	—	·02	·02	—	—	·25	—	—	—	—	—		24
25	—	—	·61	·01	·01	—	·12	—	—	·02	—	—		25
26	·83	·40	·23	—	·20	·01	·01	—	—	—	·04	—		26
27	·61	·61	·02	·04	·04	—	·08	—	—	—	—	—		27
28	·28	·07	—	·03	·20	—	—	—	—	—	—	—		28
29	·32	·35	·22	·11	·39	—	—	—	—	—	—	·34		29
30	—	✗	·01	·06	—	—	—	—	—	·17	—	·02		30
31	·08	✗	—	✗	—	✗	—	—	✗	1·31	✗	·08		31
TOTAL	2·76	4·05	3·76	1·55	1·28	0·36	3·14	0·18	1·77	5·71	9·48	2·52	Year's Total 36·56	√36.56
* Days with .01 in. or more.	11	15	15	18	10	3	18	4	8	20	21	15	158	^
* Days with .04 in. or more.	8	14	10	10	7	2	13	2	8	15	20	12	121	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Clive Davies [P.T.O.

5. 1. 41

Section **A** for the entry
AIR MINIST

/28

737

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGI

193/ .

~~—~~ 737
GREATHAM
MANOR HSE
1931-1940

780201

Kept at The Manor Hous
in the County of Ha

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEA **OUS DAY.**

An observer who does not conform *January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04		·17		·07	·0	·02	·18				1
2	·20	·04		·47				·02	·53		·02	·06	2
3	·08		·28	·23	·35		·01	·17	·65		·19	·22	3
4			·04		·15		·13	·02	·09	·03	·22	·02	4
5		·05		·11		·45	·06	·52				·20	5
6		·11		·21		·03	·06			·36	·24	·03	6
7				·01	·14	·19		·33		·06	·44	·65	7
8		·14		·02		·25	·01	·21			·14		8
9		·21		·02		·03					·68		9
10		·13				·17	·02	·09			·42		10
11	·11	·62	·03						·02		·33		11
12	·03	·02					·11	·02	·23				12
13	·01		·01										13
14		·11					·66	·44			·01		14
15		·08		·02	·12		·06	·21				·06	15
16	·02			·18	·24	·19		·08	·04				16
17	·02	·07		·19		·04	·36	·02	·12	·02			17
18	·04	·04	·04	·21		·13	·03	1·41			·63		18
19	·09			·41		·08	·38	·18	·01				19
20		·09	·03	·06				·42			·02		20
21	·04				·28								21
22	·44	·03	·23	·02	·02								22
23	·53			·15	·41				·02		·41	·02	23
24	·06			·64	·08	·08		·36			·06	·01	24
25	·28			·70	·08		·41				·33		25
26		·02		·14			·30						26
27	·20	·55			·49		·11				·03		27
28	·05	·05		·11	·01								28
29	·14				·34		·13			·06			29
30		×											30
31	·36	×		×	·09	×	·04		×		×	·02	31
TOTAL	2·72	2·40	·66	4·07	2·80	1·71	2·88	4·52	1·89	·53	4·17	·69	YEAR'S TOTAL 29·04
*Days with ·01 in. or more.	18	18	7	20	14	12	17	17	10	5	16	10	164
*Days with ·04 in. or more.	14	15	4	15	12	10	13	12	7	3	12	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Isolda Ceylon

P.T.O.

/28 737

Section **A** for the entry of Daily Observations. Station No 151

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at The Manor House Greatham

in the County of Hants

Diameter of Funnel of Gauge 5" ins

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04		·17		·07	·0	·02	·18				1
2	·20	·04		·47				·02	·53		·02	·06	2
3	·08		·28	·23	·35		·01	·17	·65		·19	·22	3
4			·04		·15		·13	·02	·09	·03	·22	·02	4
5		·05		·11		·45	·06	·52				·20	5
6		·11		·21		·03	·06			·36	·24	·03	6
7				·01	·14	·19		·33		·06	·44	·05	7
8		·14		·02		·25	·01	·21			·14		8
9		·21		·02		·03					·68		9
10		·13				·17	·02	·09			·42		10
11	·11	·62	·03						·02		·33		11
12	·03	·02					·11	·02	·23				12
13	·01		·01										13
14		·11					·66	·44			·01		14
15		·08		·02	·12		·06	·21				·06	15
16	·02			·18	·24	·19		·08	·04				16
17	·02	·07		·19		·04	·36	·02	·12	·02			17
18	·04	·04	·04	·21		·13	·03	1·41			·63		18
19	·09			·41		·08	·38	·18	·01				19
20		·09	·03	·06				·42			·02		20
21	·04				·28								21
22	·44	·03	·23	·02	·02								22
23	·53			·15	·41				·02		·41	·02	23
24	·06			·64	·08	·08		·36			·06	·01	24
25	·28			·70	·08		·41				·33		25
26		·02		·14			·30						26
27	·20	·55			·49		·11				·03		27
28	·05	·05		·11	·01								28
29	·14				·34		·13			·06			29
30		×											30
31	·36	×		×	·09	×	·04		×		×	·02	31
TOTAL	2·72	2·40	·66	4·07	2·80	1·71	2·88	4·52	1·89	·53	4·17	·69	YEAR'S TOTAL 29·04
*Days with ·01 in. or more.	18	18	7	20	14	12	17	17	10	5	16	10	164
*Days with ·04 in. or more.	14	15	4	15	12	10	13	12	7	3	12	5	122

40-9999

(*Signed*) Isolda Cayton

P.T.O.

*See Instruction 2 (*f*) on other side.

737

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

File No. 816743/28

Kept at The Manor House. Greatham

in the County of Hants

Diameter of Funnel of Gauge ·5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 260 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·02	-	·28	·60	-	·02	-	-	·04	·01	-	1
2	·10	-	-	·23	·07	-	-	·02	·19	-	-	·39	2
3	-	-	-	·09	·04	-	-	-	·57	·04	-	-	3
4	·02	-	-	-	-	·27	-	-	-	-	·02	-	4
5	·31	-	·01	-	-	-	·17	-	·17	-	-	-	5
6	·62	-	·02	·30	-	-	-	-	·15	-	-	-	6
7	-	-	·06	-	-	-	·03	-	·15	·21	-	-	7
8	-	-	·28	-	·34	-	-	-	·59	·37	-	-	8
9	·77	-	-	·13	·24	-	-	-	-	·05	·05	-	9
10	·72	-	-	·43	·04	·05	-	-	·02	·07	·03	-	10
11	·08	-	-	·02	-	-	·45	·24	·05	·03	·02	-	11
12	·53	-	-	-	-	-	-	-	·15	·26	-	-	12
13	·11	·12	-	·21	·05	-	·47	-	·01	·94	-	·06	13
14	·12	·03	-	·04	·06	-	-	-	-	-	-	-	14
15	·07	-	-	·02	·37	-	-	-	-	·07	·07	·01	15
16	·22	-	-	·14	-	-	-	-	-	-	-	·01	16
17	·01	-	-	·13	-	-	-	-	·05	·07	-	-	17
18	·02	-	-	-	·03	-	·11	-	·04	-	·08	-	18
19	-	-	-	-	-	-	-	-	-	·24	-	-	19
20	-	-	-	·23	-	-	-	·99	-	·85	·20	-	20
21	-	-	·01	·09	1·40	-	-	·14	-	·45	-	·09	21
22	·02	-	-	·03	·11	-	·40	-	·43	·32	·49	-	22
23	-	·04	-	·05	·18	-	·03	-	·14	·90	-	·15	23
24	-	·09	·16	-	-	-	·50	-	·13	·10	·03	-	24
25	-	-	-	·07	-	·04	·81	-	·02	·43	·03	-	25
26	-	-	·06	-	-	·08	·21	-	-	·08	·02	-	26
27	-	-	·46	·29	·16	-	·48	-	-	·27	·01	-	27
28	-	-	-	·06	·08	-	·13	-	-	·03	-	-	28
29	-	-	·56	·22	·17	-	-	·21	·22	·50	·08	·08	29
30	-	×	·02	·17	·21	1·93	·07	-	·24	-	·78	·26	30
31	-	×	·27	×	-	×	·06	-	×	-	×	·12	31
TOTAL	3·72	·30	1·91	3·23	4·15	2·37	3·94	1·60	3·32	6·32	1·92	1·17	YEAR'S TOTAL 33·95
*Days with ·01 in. or more.	15 ~~4~~	5 ~~2~~	11 ~~4~~	21 ~~3~~	17	5	15 ~~3~~	5 ~~1~~	18 ~~3~~	22	15 ~~8~~	9 ~~2~~	158
*Days with .04 in. or more.	11	3	7	18	16	5	12	4	15	20	7	7	12 ~~5~~

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) R. L. Bate. for Miss I. L. Coryton.
Surgeon Captain R.N.

P.T.O.

737

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~737~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Manor House . Greatham

in the County of Hampshire

Diameter of Funnel of Gauge · 5 . in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 260 ft.

J.W.G. 26/1/34

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·69	·09	—	·02	—	—	—	—	—	—	—		1
2	·59	—	·87	—	·96	—	—	—	—	—	—	—		2
3	—	·12	·58	—	—	—	—	—	—	—	—	—		3
4	·28	·03	—	—	·31	—	—	—	—	—	·14	—		4
5	·14	—	·84	—	—	—	—	—	—	—	—	—		5
6	—	·05	·10	—	·22	—	—	—	—	·14	·05	—		6
7	·08	·09	·02	—	·10	—	—	—	—	·13	—	—		7
8	·02	—	—	—	—	—	·31	—	—	·11	—	—		8
9	—	—	—	—	·03	—	·30	—	—	·18	·09	—		9
10	—	·22	—	—	—	·02	·06	—	—	·44	·01	—		10
11	·25	—	—	—	·04	·04	·06	·13	—	·09	—	—		11
12	—	—	—	·01	—	·09	·15	—	1·27	—	—	—		12
13	·03	—	—	—	·05	·20	·64	·02	·09	·02	·10	—		13
14	—	—	—	—	—	—	·10	—	—	·33	·30	·01		14
15	·63	—	·36	—	—	—	·04	·48	—	·02	—	—		15
16	·02	—	1·05	—	—	·15	·05	—	—	·05	—	—		16
17	—	·02	·40	—	—	·17	—	·02	·08	—	·03	—		17
18	·31	—	·18	—	—	·32	—	—	—	—	·01	—		18
19	—	·04	·14	—	—	—	·12	·02	·29	—	·05	·04		19
20	—	·20	—	·03	—	·03	—	—	·10	—	—	—		20
21	—	—	—	—	—	·12	—	·20	·13	·01	—	—		21
22	—	—	—	—	—	·09	—	·29	·03	·57	·02	—		22
23	—	—	—	·15	·12	·09	—	—	·31	·11	—	—		23
24	—	1·71	—	·16	—	·18	—	—	·44	—	—	—		24
25	—	1·42	—	·31	—	—	—	—	·05	—	·02	·08		25
26	—	1·12	—	·12	—	·22	—	—	1·30	·03	—	—		26
27	—	—	—	—	·64	—	—	—	—	·22	—	·27		27
28	—	—	·08	—	—	—	·23	—	—	·19	—	·17		28
29	·05	—	·01	·03	—	—	—	—	—	·01	—	—		29
30	—	×	·10	—	—	—	·08	—	·37	·08	—	·10		30
31	·31	×	—	×	—	×	—	·01	×	—	×	—		31
TOTAL	2·84	5·71	4·82	·81	2·49	1·72	2·14	1·17	4·46	2·68	·82	·67	Year's Total 30·33	
*Days with ·01 in. or more.	13	12	14	7	10	13	12	8	12	18	11	6	[illegible]	136
*Days with .04 in. or more.	10 ✓	10 ✓	12 ✓	4 ✓	8 ✓	11 ✓	12 ✓	4 ✓	11 ✓	12 ✓	6 ✓	5 ✓	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Surgeon Captain. R. J. Bate. R.N.
for. Miss. I. L. Compton.

[P.T.O.

File no. 816743/28.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Manor House Greatham Liss

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01					.03		.45	.03	.13	.03	.50		1
2	.05		.05	.13					1.66	.23		.47		2
3	.06	.03		.03	.01			.16		.41		.18		3
4	.16		.11	.03	.20			.03		.12	.04	.58		4
5			.37					.16			.08	.61		5
6	.05			.02	.20	.24		.15		.27	.23	1.06		6
7	.10					.04		.33		.21		.56		7
8	.02				.18				.23		.99	.10		8
9			.16								.96	.56		9
10	.06		.34	.27				.04			.55	.08		10
11	.82		.37	.19			.15	.03				.49		11
12	.06						.14	.53				.20		12
13	.53		.02	.05			1.30	.05			.11	.22		13
14	.14		.50								.39	.90		14
15			.62	.06	.17	.07				.11	.12	.81		15
16	.27		.43		.03									16
17	.11				.11					.04	.01	.32		17
18	.12		.11	.30					.07			.50		18
19			.50			.04		.02	.13			.16		19
20			.03	.05		.17	.40	.02		.01				20
21				.32				.03		.17				21
22							.17	.20	.33			.13		22
23				.36		.77						.03		23
24		.03	.06	.10		.01	.49		.19					24
25	.28	.01		.20		.20				.19		.78		25
26	.02			.30		.20			.09			.07		26
27				.03		.01						.09		27
28						17		.88		.01		.51		28
29							.02	.21	.13		.03	.01		29
30	.06	×						.12	.08			.42		30
31	.03	×		×		×			×		×	.12		31
TOTAL	2.95	.07	3.07	2.44	.90	1.95	2.67	3.41	2.94	1.90	3.54	10.45	Year's Total. 36.29	
* Days with .01 in. or more.	19	3	14	16	7	12	7	17	10	12	12	27	156	
* Days with .04 in. or more.	15	0	11	12	5	9	6	12	9	10	9	25	123	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Isolda L. Corylon

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Manor House. Greatham

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 260 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05		·18	·03	·03	·02	·24		·36	·18	·41			1
2										·37	·03			2
3			·01			·03			·30	1·26	·12			3
4		·10		·38		·06		·01	·04	·19	·10	·08		4
5		·29	·12	·24		·03			·41	·03	·09			5
6			·02	·31		1·41						·02		6
7				·31		·08				·07	·62	·09		7
8				·35		·16				·31	·46			8
9	·02			·48		·65			·12	1·16	·07			9
10	·22		·21			·01					·48	·02		10
11	·32	·03		·17		·32	·03				·70			11
12		·07				·43		·04	·11		·74			12
13	·05	·16		·23	·03	·04			·01		·08			13
14				·01	·13	·03					·18	·22		14
15		·16		·64		·04			·18		·39	·04		15
16		·04	·05	·09	·03	·25			1·25		·78	·02		16
17				·15		·32	·02	·02			·32			17
18		·02		·53		·05	·13	·01	·55	·06	·03			18
19		·01		·04	·43	·04	·26		·03	·04	·23			19
20		·78		·06	·06	·02	·05		·03		·35			20
21		·77								·04	·01			21
22		·06					+	·05	·19					22
23			·08			·02		·33		·33		·14		23
24	·05	·85			·11	·02		1·17	·59	·04		·33		24
25	·05	·36		·15	·13						·01	·32		25
26	·01	·46						·19	·10			·56		26
27		·75						·05	·19		·16	·38		27
28		·11			·08				·24	·03		·20		28
29								·04	·78	·02	·02	·72		29
30	·05	×		·10				1·01	·16	·21	·90	·77		30
31		×		×		×			×	·71	×	·64		31
TOTAL	·82	5·62	·67	4·27	1·03	4·03	·73	2·92	5·64	5·04	7·28	4·55	Year's Total. 42·00	
* Days with .01 in. or more.	8	17	7	18	9	21	6	11	19	17	24	16	173	
* Days with .04 in. or more.	6	14.	5	16	6	13	4	8	16	14	19	13	134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Isolda L. Carryton.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Francis House · Gualtham · Herts

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·06	·03	·42		·42	·43	·19			·06	·08		1
2		·09		·01		·23	·06	·11						2
3				·40			·03				·36	·02		3
4	·02		·11			·08			·32		·13	·05		4
5	·70		·02					·06	·30			·04		5
6	·69					·02		·01	·01		·56			6
7	·22		·08				·02		·36		·23	·07		7
8	·58		·12				·04		·04		·43	·08		8
9	·53		·05				·31		tr					9
10	·11						·08	·42	·10					10
11	·04			·04				·13	tr		1·33			11
12				·04		·27	·35		·04		·26	·10		12
13				·14		·06	·02		·46	·01	·04	·52		13
14		·30				·08	·60			·02	·21	·91		14
15	·01	·02					·03		·09		·07	·44		15
16	·06	·27					·04				·18	·12		16
17	·13	·88			·01	·20	·03	·01	·02	·01	·13	·65		17
18	·12	·32				·47	·32			·02		·19		18
19	·34	·03	·09	·02		·56		·13		·01	·01			19
20	·17	·10	·15	·54		·12	·01		·87			·01		20
21		·07		·37		·20	·12		·02					21
22	·10	·37	·08		·33		·22			·06		·06		22
23	·07		·29	·17	·05		·66							23
24	·08	·07	·11			·03			·02	·45				24
25	·07			·20			·14		·04	·12	·04			25
26	·05	·27	·09				·21		·05	·32		·02		26
27	·66		·13						·16	·45				27
28	·96		·33				·33					·22		28
29	·02	·12	·08			·25	·06			·04	·19	·07		29
30	·18	×			·04	·32	·09			·20				30
31	·19	×	·37	×		×			×	·17	×	·53		31
TOTAL	6·29	2·97	2·18	2·35	·48	3·31	4·20	1·06	2·89	1·88	4·22	4·18	Year's Total. 35·96	
* Days with .01 in. or more.	25	14	16	11	4	15	23	8	16	13	16	19	180	
* Days with .04 in. or more.	22	12	14	9	3	13	17	6	12	8	15	16	147	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Isolda L. Coey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MANOR HOUSE GREATHAM ~~Hants~~

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.			
1	·91	·10		·03						·06	·47	·69		1	
2		1·08		·23					·14			·42		2	
3		·25										·26		3	
4	·11	1·10												4	
5	·27	·06	·14	·02										5	
6	·18	·03	·26	·03	·08		·14			·03	·06			6	
7		·63	·52	·13	·17		·01			·03	·05	·13		7	
8		·02			·18							·07		8	
9				·39		·10	·05		·30			·14		9	
10			·78	·10	·14	·19						·70		10	
11	·01		·10		·35	·05	·10					·04		11	
12	·66	·27	·20	·07	·71	·35		·26	·08			·36		12	
13	·26	·05	·78	·28				·34	·18			1·16		13	
14		·03	·30	·69					·25					14	
15	·37	·16		·27			·38		·11					15	
16		·14	·66	·27		·08		·41	·78					16	
17	·76	·03	·14	·05			·02		·16		·04			17	
18	·41	·08			·01	·08			·04		·16	·09		18	
19	·08	·14	·13	·31	~~·04~~	·13	·57		·05			·04		19	
20	·64		·05		·57							·01		20	
21	·95	·53	·02	·30	·24		·02					·06		21	
22	·62	·03	·14	·02		·19	·15			1·00	·70	·16		22	
23	·24	·16	·03		·33		·04			·45	·24	·04		23	
24	·50	·38	·28		·02					·50		·02		24	
25	·26	·43			·52				·04	·22				25	
26		·42	·02						·10	·12				26	
27	·08	·22		·08						·75				27	
28	·02	·10		·01						·11		·03		28	
29		×								·08	·06			29	
30	·53	×				·02				·03	·23			30	
31	·38	×		×		×		·04	×	·47	×	·05		31	
													Year's Total		
TOTAL	8·24	6·44	4·55	3·28	3·32	1·19	1·48	1·05	2·23	3·85	2·01	4·47	42·11	✓	✓
* Days with .01 in. or more.	21	24	17	18	12	9	10	4	12	13	9	19	168	✓	✓
* Days with .04 in. or more.	19	19	14	13	10	8	7	4	12	10	9	16	141	✓	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Golda L. Coryton.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Manor House Greatham

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06			·03	·06	·15		·03	·07		·16		1
2	·03									·31		·03		2
3					·09	·01				·77	·07			3
4	·01						·40	·55	·11	·31		·19		4
5							·32		·06	·49				5
6	·03						·06				·03	·03		6
7	·01					·05	·71	·08		·40		·04		7
8	·23						·18			·39				8
9	·17	·04				·05	·01			tr		1·16		9
10	·14						·01	·34		tr		·16		10
11	·17										·29	·20		11
12	·55				·09					·14	·06			12
13	·39								Tr	·20	·76	·34		13
14	·49				·07		·04							14
15	·15	·04			·03		·98			·43		·34		15
16	·43	·11						·03	·14	·01	·04	·04		16
17	·15									·10	·03			17
18					·16				·30		·56			18
19	·05							·13	·14		·36	4		19
20								·08	·11		·75	✓		20
21	·03							·04	·10			4		21
22						·04		·14			·34	4		22
23											·07	Snow		23
24			·15						·35		·36	·68 Snow		24
25	·17		·13		·12					·01	1·37	Snow 4		25
26	·48	·26	·34		·03				·13	·17		Snow 4		26
27	·18	·04			·10	·30	·61				·52	~~·68~~		27
28	·07	·07			·39	·15		·51	·05			·72		28
29	·16				·46				·04		·15	·11		29
30	·10	✕			·25				·01	·07	·36			30
31	·23	✕		✕	·24	✕			✕	·32	✕	·37		31
TOTAL	4·42	·62	·62		2·06	·66	3·47	1·40	1·57	4·19	6·12	3·97	Year's Total 29·10	
* Days with .01 in. or more.	23	7	3		13	7	11	9	14	16	17	20 ~~15~~	~~135~~	140
* Days with .04 in. or more.	18	7	3		10	6	9	8	11	14	15	17 ~~13~~	~~96~~	1~~00~~18

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Isolda L. Conz[illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Manor House Greatham

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·13	·18	·26		·02		1·10		·01	·12		1
2	·08			·07			·11	·62	·29		·02	·06		2
3	·46			·47				·27			·32	·35		3
4	·10		·33	·13			·16	·54		·40	·14	·07		4
5				·17	·19		·17	·02		·35	·70	·16		5
6	·23	·14			·08		·76				·19			6
7	·04	·26	·10				·06	·10		·10	·33	·41		7
8	·07	·08	·23				·06			·34	·56	·55		8
9	·07							·18		·21	·08	·40		9
10	·30							·20	·04	·38	·02			10
11			·22							·46	·03			11
12		·08												12
13				·11			·35		·10	1·66	·02			13
14	·92			·06	·07	·04	·10			·27	·91	·03		14
15	·55				·63	·39	·20		·05	·35	·21	·63		15
16	·43		·08	·08	·19	·18	·24		·08	·07	·36			16
17	·28	·07	·04	·09	·18	·08	·29			·14	·09			17
18	·25						·38			·03	·37			18
19	·37		·06				·35			·07	·01	·01		19
20	·38						·32							20
21	·08	·27	·08			·09	·17	·08	·02					21
22	·30	·36	·07	·03		·18	·04		·05		·13			22
23	·03			·14			·03				1·15			23
24	·18			·05		·11	·17			·10				24
25	·75	·23	·06				·16				·57			25
26	·05					·04				·16	·44			26
27		·18	·10	·06						·04	·29			27
28		·26	·04	·26		·15				·04	·17	snow		28
29				·09			·11			·03	·04	·25		29
30		✕		·64		·06				·08	·10			30
31		✕		✕		✕	·48		✕	·04	✕			31
TOTAL	5·94	1·93	1·54	2·63	1·60	1·32	4·73	2·01 ~~1·83~~	1·73	5·32	7·26	2·44	Year's Total 38·45	
* Days with .01 in. or more.	22	10	13	16	7	11	22	8	8	21	26	12	176	
* Days with .04 in. or more.	20	10	13	15	7	11	20	~~8~~7	7	19	20	9	158	

† Spare column, no entries required.

(*Signed*) Hilda L. Coryton

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Manor House Greatham

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 240 ft.

Corr. for pl. wd.

Query sent 18/1/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										·01	1·10			1
2				·22						·04	·03			2
3		·55		·02						·14	·53			3
4		·05		·05						·33	1·26	·12		4
5	·10				·01		·06			·10	·04	·02		5
6		·44					·35			·55	·53	·32		6
7	·20	·33					·11			·01	·01			7
8	·25						·02			·48				8
9								·02		·30	·04	·29		9
10	·02						·22	·04	·03	·24	·49	·30		10
11				·01			·20				·69	·04		11
12			·38	·01			·15		·16	·30	1·35			12
13			·98				·08		·24	·02	·13			13
14			·15	·11			·25		·01		1·07	·51		14
15			·02				·94		·04	·66		·04		15
16		·85	·25	·13			·04		·27		·62			16
17			·41				·02	·09		·01	1·22	·04		17
18	·03	?	·27	·45			·06		·04	·27	·46			18
19		?	·04	·16			·10		·67		·04	·15		19
20			·02	·05		·23			·01	·22	·38			20
21					·22	·07				·05	·14			21
22	·04			·01	·08				·19		·62			22
23			·26				·20							23
24		·05		·03			·07				·01			24
25			·44			·01				·01				25
26	·81	·35	·39								·1			26
27	·44	·68	·02	·03	·19		·05				·02			27
28		·07			·21									28
29	·99	·27	·19		·19									29
30		✖								·36		·34		30
31		✖		✖		✖			✖	1·10 ~~·36~~	✖	·01		31
TOTAL	2·88	3·64	3·76	1·26	·90	·31	2·82	·15	1·66	5·20 ~~4·10~~	9·08 ~~10·18~~	·09 2·27 ~~2·18~~	Year's Total ~~33·84~~	33·93
* Days with .01 in. or more.	9	10	14	13	6	3	17	3	10	19	22	12	138	
* Days with .04 in. or more.	7	10	11	7	5	8	14	2	7	14	18	10	113	

† Spare column, no entries required.

(*Signed*) Golda L. Coryton

* See Instruction 3 (f) on other side.

[P.T.O.

738

Section **A** for the entry of Da
AIR MINISTRY.-

FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGISTE

931 .

738

GREATHAM
(LE COURT.)
1931 - 1940

780201

Kept at Le Court. G
in the County of Hampsh
Diameter of Funnel of Gauge S
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE **DAY.**

An observer who does not conform to this *the reading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..0	..4	..0	.15	..0	..8	..0	..3	.14	..1	..0	..0	1
2	.20	..4	..0	.52	..0	..0	..0	..4	.59	..1	..0	..8	2
3	.10	..0	.15	.25	.34	..0	..0	.17	.63	..0	.30	.26	3
4	..0	..5	..4	..0	.12	..0	.12	..0	.10	..3	.24	..2	4
5	..0	..2	..0	.14	..0	45	..4	.72	..2	..0	..0	.28	5
6	..0	.10	..0	.27	..0	..6	.17	..0	..0	.36	.21	..3	6
7	..0	..0	..0	..0	.16	.17	..0	.36	..0	..6	.45	..1	7
8	..2	.17	..2	..4	..2	.26	..0	.37	..0	..0	..9	..4	8
9	..0	.25	..5	..3	..0	..3	..1	..0	..0	..0	.66	..0	9
10	..1	.10	..2	..0	..0	.19	..2	.14	..0	..0	.58	..0	10
11	.11	.63	..0	..0	..0	..0	..0	..0	..3	..0	.28	..0	11
12	..2	..2	..0	..0	..0	..0	..8	..2	28	..0	..0	..0	12
13	..0	..0	..1	..0	..0	..0	..3	..1	..0	..0	..0	..0	13
14	..2	.10	..0	..0	..0	..0	.67	46	..0	..0	..1	..0	14
15	.2	..9	..0	..3	.12	..0	..7	.30	..0	..0	..1	..6	15
16	..0	..5	..0	.23	.26	20	..0	..6	..5	..0	..0	..0	16
17	..0	..3	..0	.16	..2	..5	.39	..8	.10	..3	..0	..0	17
18	..5	..4	..0	.14	..0	.12	..4	1.40	..0	..0	.70	..0	18
19	..9	..0	..0	.46	..0	.10	.43	.25	..0	..0	..0	..0	19
20	..0	..8	..3	..8	..0	..0	..0	.47	..0	..0	..1	..0	20
21	..6	..0	..0	..0	.30	..0	..0	..0	..0	..0	..0	..0	21
22	.50	..3	.14	..2	..0	..0	..0	..0	..0	..0	..0	..0	22
23	.54	..0	..0	.14	.44	..2	..0	..0	..2	..0	.39	..1	23
24	..7	..0	..0	.69	.11	.12	.21	.36	..0	..0	..0	..0	24
25	.26	..0	..0	.61	.10	..0	.46	..0	..0	..0	..6	..0	25
26	..0	..3	..0	.10	..0	..0	.37	..0	..0	..0	.41	..0	26
27	.21	.49	..0	..0	.58	..0	.10	..0	..0	..0	..9	..0	27
28	..4	.22	..0	.11	..1	..0	..0	..0	..0	..0	..2	..0	28
29	.14		..0	..0	.37	..0	.14	..0	..0	..7	..1	..0	29
30	..1	×	..0	0	..0	..0	..0	..0	..1	.0	..0	..0	30
31	.42	×	..0	×	..7	×	.5	..0	×	..0	×	..4	31
TOTAL	2.89	2.58	.46	4.17	3.02	1.85	3.40	5.24	1.97	0.57	4.52	0.83	YEAR'S TOTAL 31.50
*Days with ·01 in. or more.	20	20	8	19	15	13	18	17	11	7	18	10	176
*Days with ·04 in. or more.	14	15	4	16	12	11	15	14	7	3	13	6	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sir Heath Harrison Bt

P.T.O.

1402161 27.

738

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Le Court. Greatham

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 350 ft.

da/p

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..0	..4	..0	.15	..0	..8	..0	..3	.14	..1	..0	..0	1
2	.20	..4	..0	.52	..0	..0	..0	..4	.59	..1	..0	..8	2
3	.10	..0	.15	.25	.34	..0	..0	.17	.63	..0	.30	.26	3
4	..0	..5	..4	..0	.12	..0	.12	..0	.10	..3	.24	..2	4
5	..0	..2	..0	.14	..0	45	..4	.72	..2	..0	..0	.28	5
6	..0	.10	..0	.27	..0	..6	.17	..0	..0	.36	.21	..3	6
7	..0	..0	..0	..0	.16	.17	..0	.36	..0	..6	.45	..1	7
8	..2	.17	..2	..4	..2	.26	..0	.37	..0	..0	..9	..4	8
9	..0	.25	..5	..3	..0	..3	..1	..0	..0	..0	.66	..0	9
10	..1	.10	..2	..0	..0	.19	..2	.14	..0	..0	.58	..0	10
11	.11	.63	..0	..0	..0	..0	..0	..0	..3	..0	.28	..0	11
12	..2	..2	..0	..0	..0	..0	..8	..2	28	..0	..0	..0	12
13	..0	..0	..1	..0	..0	..0	..3	..1	..0	..0	..0	..0	13
14	..2	.10	..0	..0	..0	..0	.67	46	..0	..0	..1	..0	14
15	..2	..9	..0	..3	.12	..0	..7	.30	..0	..0	..1	..6	15
16	..0	..5	..0	.23	.26	20	..0	..6	..5	..0	..0	..0	16
17	..0	..3	..0	.16	..2	..5	.39	..8	.10	..3	..0	..0	17
18	..5	..4	..0	.14	..0	.12	..4	1.40	..0	..0	.70	..0	18
19	..9	..0	..0	.46	..0	.10	.43	.25	..0	..0	..0	..0	19
20	..0	..8	..3	..8	..0	..0	..0	.47	..0	..0	..1	..0	20
21	..6	..0	..0	..0	.30	..0	..0	..0	..0	..0	..0	..0	21
22	.50	..3	.14	..2	..0	..0	..0	..0	..0	..0	..0	..0	22
23	.54	..0	..0	.14	.44	..2	..0	..0	..2	..0	.39	..1	23
24	..7	..0	..0	.69	.11	.12	.21	.36	..0	..0	..0	..0	24
25	.26	..0	..0	.61	.10	..0	.46	..0	..0	..0	..6	..0	25
26	..0	..3	..0	.10	..0	..0	.37	..0	..0	..0	.41	..0	26
27	.21	.49	..0	..0	.58	..0	.10	..0	..0	..0	..9	..0	27
28	..4	.22	..0	.11	..1	..0	..0	..0	..0	..0	..2	..0	28
29	.14		..0	..0	.37	..0	.14	..0	..0	..7	..1	..0	29
30	..1	×	..0	0	..0	..0	..0	..0	..1	..0	..0	..0	30
31	.42	×	..0	×	..7	×	.5	..0	×	..0	×	..4	31
TOTAL	2.89	2.58	.46	4.17	3.02	1.85	3.40	5.24	1.97	0.57	4.52	0.83	YEAR'S TOTAL 31.50
*Days with ·01 in. or more.	20	20	8	19	15	13	18	17	11	7	18	10	176
*Days with ·04 in. or more.	14	15	4	16	12	11	15	14	7	3	13	6	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sir Heath Harrison Bt.

P.T.O.

738

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Le Court Greatham
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 350 ft.

days. ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	..3	..0	.26	.65	..0	..0	..8	..1	..4	..2	..0	1
2	..0	..0	..0	.25	..8	..0	..0	..2	.22	..0	..1	.38	2
3	..0	..0	..0	..9	..5	..0	..0	..0	.55	..2	..0	..0	3
4	..4	..0	..0	..0	..0	25	..0	..0	..0	..0	..0	..0	4
5	.37	..0	..0	..0	..0	..0	.17	..0	.17	..0	..0	..0	5
6	.72	..0	..2	.51	..0	..0	..0	..0	.18	..0	..0	..0	6
7	..0	..0	..9	.10	..0	..0	..3	..0	.12	24	..0	..0	7
8	..0	..0	.27	..2	.32	..0	..0	..0	.61	40	..0	..0	8
9	.94	..0	..0	.19	25	..0	..0	..0	..0	..3	..5	..0	9
10	.75	Snow .16	..0	.43	..7	..5	..0	..0	..3	.10	..2	..0	10
11	.10	..0	..0	..1	..2	..0	.42	.40	..5	..4	..3	..3	11
12	.68	..3	..0	..0	..0	..0	..0	..0	.17	.22	..0	..2	12
13	.11	..2	..0	.21	..7	..0	.42	..0	..0	1.0	..0	..5	13
14	.12	..2	..0	.10	..6	..0	..0	..0	..0	..4	..3	..0	14
15	.9	..0	..0	..3	.38	..0	..0	..0	..0	..8	..4	..0	15
16	.27	..0	..0	.16	..0	..0	..0	..0	..0	..0	..0	..2	16
17	..2	..0	..0	.10	..0	..0	..0	..0	..0	..5	..0	..0	17
18	..4	..0	..0	..0	..4	..0	.14	..0	..5	..0	..6	..1	18
19	..0	..0	..0	..0	..0	..0	..0	..0	..5	.22	..0	..0	19
20	.0	..0	..0	.34	..1	..0	..0	1.6	.0	.85	.21	..0	20
21	..0	..0	..0	.10	1.57	..0	..0	.45	..0	.44	..0	.11	21
22	..2	..0	.17	..4	.20	..0	.36	..0	.37	.36	.45	..0	22
23	..0	..5	..0	..3	.25	..0	..2	..0	.12	.88	..0	.15	23
24	..0	..8	..0	..0	..0	..0	.56	..0	.19	.11	..4	..0	24
25	..2	..0	..0	..0	..0	..5	.77	..0	..5	.38	..3	..0	25
26	..0	..0	..7	..5	..0	..0	.12	..0	..0	.12	..3	..0	26
27	..0	..0	.62	.35	.15	..7	.47	..0	..0	.26	..0	..0	27
28	..0	..0	..0	..8	..8	..0	.23	..0	..0	..3	..0	..0	28
29	..0	0	.74	.20	.21	1.96	..0	.11	.22	.52	.13	.10	29
30	..0	×	..3	.19	.15	41	.10	..0	47	..0	93	.29	30
31	..0	×	..28	×	..0	×	..3	..0	×	..0	×	.12	31
TOTAL	4.40	.39	2.29	3.74	4.61	2.41	3.84	2.17	3.63	6.43	2.08	1.28	YEAR'S TOTAL 37.27
*Days with ·01 in. or more.	16	7	9	22	19	6	14	6	18	23	15	11	166
*Days with ·04 in. or more.	13	3	7	18	17	6	11	5	16	20	8	7	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Heath Hanson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Le Court Greatham

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 350 ft.

~~Totals~~ Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.57	.11	..0	..1	..0	..0	..0	..0	..0	..0	..0	1
2	.60	..0	.90	..0	84	..0	..0	..0	..0	..0	..2	..0	2
3	..0	.12	.62	..0	..0	..0	..0	..0	..0	..0	..0	..0	3
4	.31	..4	..0	..0	29	..0	..0	..0	..0	..0	..7	..0	4
5	.15	..0	.88	..0	..0	..0	..0	..0	..0	..0	..0	..0	5
6	..0	.25	.10	..0	.23	..0	..0	..0	..0	.12	..6	..0	6
7	..9	..9	..2	..0	.12	..0	..0	..0	..0	.17	..0	..0	7
8	..2	..0	..0	..0	..0	..0	.31	..0	..0	.11	..0	..0	8
9	..0	..0	..0	..0	..1	..0	.28	..0	..0	.26	..9	..0	9
10	..0	.35	..0	..0	..0	..0	..4	..0	..0	.52	..1	..0	10
11	.26	..0	..0	..0	..4	..0	..5	.10	..0	..5	..0	..0	11
12	..0	..0	..0	..1	..0	..9	.18	..0	1.31	..0	..0	..2	12
13	..4	..0	..0	..0	..7	.14	.60	..1	.10	..2	..8	..0	13
14	..0	..0	..0	..0	..0	..0	..8	..0	..0	.40	.30	..0	14
15	.61	..0	.33	..0	..0	..0	..2	.52	..0	..2	..0	..0	15
16	..2	..0	1.08	..0	..0	.17	..4	..0	..1	..4	..3	..0	16
17	..0	..1	.42	..0	..0	.16	..0	..2	..8	..0	..0	..0	17
18	.31	..4	.35	..0	..0	.33	..0	..3	..0	..0	..0	..0	18
19	..0	..0	..9	..0	..0	..0	..7	..0	.40	..0	..4	..2	19
20	..0	.20	..5	..5	..0	..3	..0	..0	..5	..0	..0	..0	20
21	..0	..2	..0	..0	..0	.12	..0	..8	.12	..0	..0	..0	21
22	..0	..0	..0	..0	..0	.11	..0	.25	..3	.55	..2	..0	22
23	..0	..4	..0	.19	.19	.10	..0	..0	.30	.11	..0	..0	23
24	..0	1.54	..0	.21	..0	.14	..0	..0	.34	..0	..0	..0	24
25	..0	1.30	..0	.27	..0	..0	..0	..0	..4	..0	..3	..9	25
26	..0	1.05	..0	.12	..0	.24	..0	..0	1.30	..5	..0	..1	26
27	..0	..0	..0	..0	.61	..0	..0	..0	..0	.22	..0	.23	27
28	..0	..0	..0	..0	..0	..0	.23	..0	..0	.12	..0	.16	28
29	..5		..0	..2	..0	..0	..0	..0	..0	..3	..0	..0	29
30	.10	×	.18	..0	..0	..0	..7	..0	.32	..2	..0	..10	30
31	22	×	..1	×	..0	×	..0	..0	×	..0	×	..0	31
TOTAL	2.91	5,62	5.14	.87	2.41	1.63	1.97	1.01	4.40	2.81	.75	..63	YEAR'S TOTAL 30.25
*Days with ·01 in. or more.	14	14	14	7	10	11	12	7	13	17	11	7	136
*Days with .04 in. or more.	12	12	12	5	8	10	11	4	11	13	6	4	108

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Sir Heath Harrison

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Le Court, Greatham, Liss, Hants

in the County of Southampton

Diameter of Funnel of Gauge ·5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	··1	··0	··0	··0	··0	··0	··0	·51	·26	·12	··2	·57		1
2	··5	··0	··7	··9	··6	··0	··0	··0	1·46	·21	··1	·31		2
3	··5	··4	··0	··4	··0	··0	··0	·16	··0	·50	··0	·25		3
4	·16	··0	·10	··4	··0	··0	··0	··0	··0	··6	··4	·63		4
5	··0	··0	··0	·0	·20	··0	··0	·15	··0	··0	··9	·56		5
6	··5	··0	·35	··2	·18	·27	··0	·16	··0	·25	·20	·95		6
7	·13	··0	··0	··0	··0	··4	··0	·30	··0	·20	··0	·66		7
8	··0	··0	··0	··0	·17	··0	··0	··1	·18	··0	·89	·15		8
9	··3	··0	·15	··0	··0	··0	··0	··0	··0	··0	·95	·60		9
10	··4	··0	·38	·25	··0	··0	··0	··3	··0	··0	·47	··7		10
11	·97	··0	·35	·27	··0	··0	·25	··2	··0	··0	··0	·44		11
12	··4	··0	··0	··0	··0	··0	·15	·48	··0	··0	··1	·19		12
13	·65	··0	··1	··8	··0	··0	1·10	··4	··0	··1	·11	·15		13
14	·13	··0	·52	··5	··0	··0	··0	··0	··0	··0	·44	·83		14
15	··0	··0	··1	··0	·17	··7	··0	··0	··0	··8	·15	·97		15
16	·25	··0	·45	··0	··2	··0	··0	··0	··4	··0	··0	··0		16
17	·13	··0	··1	··0	·11	··0	··0	··0	··0	··0	··1	·32		17
18	·19	··0	·10	·30	··0	··0	··0	··0	··6	··5	··0	·48		18
19	··0	··0	·50	··0	··0	··0	··0	··0	·11	··0	··0	·22		19
20	··0	··0	··4	··4	··0	··0	·34	··3	··0	··1	··0	··0		20
21	··0	··0	··0	·31	··0	·19	··0	·10	··0	·15	··0	··0		21
22	··0	··0	··0	··0	··0	··0	··3	·11	·29	··0	··0	·11		22
23	··0	··2	··0	·27	··0	·65	··0	··0	··2	··0	··0	··1		23
24	··0	··2	··7	··6	··0	·17	·50	··0	·18	··0	··0	··0		24
25	·28	··0	··0	·17	··0	··0	··0	··0	··0	·21	··0	·85		25
26	··2	··0	··0	·23	··0	·17	··0	··0	·11	··0	··0	··9		26
27	··0	··0	··0	··2	··0	··1	··0	··0	··0	··3	··0	·48		27
28	··0	··0	··0	··0	··0	·20	··0	·86	··0	··0	··0	·45		28
29	··0	··0	··0	··0	··0	··0	··0	··7	·12	··0	··2	··2		29
30	··5	×	··0	··0	··0	··0	··0	·18	··9	··0	··0	·46		30
31	··2	×	··0	×	··0	×	··0	··0	×	··1	×	·13		31
TOTAL	3·25	··8	3·11	2·24	·91	1·77	2·37	3·21	2·92	1·89	3·41	10·95	Year's Total 36·11	
*Days with ·01 in. or more.	19	3	15	16	7	9	6	16	12	14	14	27	158	
*Days with ·04 in. or more.	15	1	12	14	6	8	5	12	11	10	9	25	128	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Le Court, Greatham, Hants

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground [illegible] ft 9 in.

,, Ground ~~111~~ Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·0	·18	·01	·03	·02	·25	·0	·50	·11	·81	·0		1
2	·0	·0	·0	·0	·0	·0	·0	·0	·08	·45	·06	·0		2
3	·0	·0	·1	·0	·0	·05	·0	·0	·20	1·37	·13	·0		3
4	·0	·01	·0	·34	·0	·07	·0	·02	·07	·24	·11	·09		4
5	·0	·11	·11	·21	·0	·05	·0	·01	·29	·05	·0	·01		5
6	·0	·26	·03	·28	·0	1·36	·0	·0	·0	·0	·15	·0		6
7	·0	Snow ·01	·0	·31	·0	·25	·0	·0	·0	·07	·62	·10		7
8	·0	·01	Snow ·01	·28	·0	·13	·0	·0	·0	·35	·48	·0		8
9	·03	·0	·0	·51	·0	·57	·0	·0	·18	1·12	·16	·0		9
10	·15	·0	Snow ·23	·0	·0	·01	·0	·0	·0	·0	·44	·03		10
11	·34	·02	·0	·15	·0	·36	·02	·0	·0	·02	·69	·0		11
12	·01	·09	·0	·0	·0	·45	·0	·03	·10	·0	·73	·0		12
13	·05	·16	·0	·23	·03	·03	·0	·0	·01	·01	·14	·0		13
14	·0	·0	·0	·03	·11	·07	·0	·0	·02	·0	·22	·21		14
15	·0	·19	·0	·64	·0	·13	·0	·0	·09	·0	·40	·04		15
16	·0	·06	·09	·09	·0	·17	·0	·0	1·22	·03	·81	·02		16
17	·0	·0	·0	·16	·01	·25	·0	·02	·02	·0	·34	·0		17
18	·0	·04	·0	·42	·0	·08	·02	·0	·52	·05	·03	·0		18
19	·0	·02	·0	·03	·45	·05	·23	·0	·03	·04	·25	·0		19
20	·0	·74	·0	·07	·06	·02	·05	·0	·04	·0	·35	·0		20
21	·0	·79	·0	·0	·0	·0	·0	·0	·01	·04	·01	·0		21
22	·0	·04	·0	·0	·0	·0	·0	·02	·28	·0	·01	·0		22
23	·0	·0	·11	0	·0	·0	·0	·37	·01	·38	·0	·12		23
24	·04	·94	·0	·0	·12	·0	·0	1·06	·55	·03	·0	·38		24
25	·06	·29	·0	·14	·19	·0	·0	·0	·0	·0	·02	·35		25
26	·0	·38	·0	·0	·0	·02	·0	·26	·11	·0	·01	·58		26
27	·0	·83	·0	·0	·0	·0	·0	·02	·19	·0	·15	·41		27
28	·0	·10	·0	·0	·06	·0	·0	·01	·28	·03	·01	·23		28
29	·0	×	·0	·0	·0	·0	·0	·02	·74	·04	·02	·67		29
30	·04	×	·0	·16	·0	·0	·0	·95	·20	·22	·90	·81		30
31	·0	×	·0	×	·0	×	·0	·0	×	·75	×	·62		31
TOTAL	·80	5·09	·77	4·06	1·06	4·14	·57	2·79	5·74	5·40	8·05	4·67	Year's Total. 43·14	
* Days with .01 in. or more.	9	20	8	18	9	20	5	11	24	20	27	16	187	
* Days with .04 in. or more.	7	15	6	15	6	15	3	4	18	15	20	13	137	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. L. Godwin Agent for Lady Harrison [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Days Totals.

Kept at Le Court

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 4 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·6	·2	·45	·0	·52	·30	·16	·0	·0	·5	·8		1
2	·2	·9	·0	·3	·0	·21	·5	·9	·0	·0	·0	·0		2
3	·0	·0	·0	·43	·0	·0	·4	·0	·35	·0	·38	·1		3
4	·0	·0	·13	·0	·0	·6	·0	·0	·27	·0	·15	·6		4
5	·63	·0	·2	·0	·0	·0	·0	·6	·2	·0	·1	·4		5
6	·63	·0	·0	·0	·0	·4	·0	·2	·40	·0	·49	·1		6
7	·26	·0	·14	·0	·0	·1	·4	·0	·7	·0	·26	·6		7
8	·63	·0	·11	·0	·0	·0	·20	·0	·2	·0	·34	·10		8
9	·66	·0	·7	·0	·0	·0	·38	·0	·14	·0	·1	·1		9
10	·43	·0	·0	·0	·1	·0	·10	·9	·1	·0	·0	·0		10
11	·5	·8	·0	·3	·0	·0	·0	·7	·1	·0	1·42	·0		11
12	·0	·0	·0	·3	·0	·26	·39	·0	·40	·0	·33	·10		12
13	0	·0	·0	·12	·0	·7	·2	·0	·0	·1	·3	·55		13
14	·0	·12	·0	·0	·0	·9	·58	·0	·1	·3	·17	1·13		14
15	·2	·6	·0	·0	·0	·1	·2	·0	·8	·0	·9	·46		15
16	snow ·27	·24	·0	·0	·0	·0	·9	·0	·1	·0	·24	·12		16
17	·5	·98	·0	·0	·0	·20	·2	·2	·3	·2	·16	·67		17
18	snow ·15	·29	·0	·0	·0	·51	·36	·0	·0	·3	·0	·22		18
19	·35	·5	·10	·2	·0	·49	·0	·13	·0	·1	·2	·0		19
20	·16	·10	·16	·56	·0	·15	3	·0	·96	·0	·0	·1		20
21	·0	·4	·0	·35	·0	·20	·14	·0	·0	·0	·0	·0		21
22	snow & R ·14	·41	·10	·0	·25	·0	·26	·0	·0	·0	·0	·7		22
23	·3	·0	·32	·15	·5	·0	·76	·0	·0	·6	·0	·0		23
24	·10	·9	·0	·0	·0	·0	·1	·0	·2	·46	·0	·1		24
25	·8	·0	·12	·24	·6	·0	·12	·0	·6	·12	·5	·0		25
26	·8	·15	·11	·0	·0	·5	·19	·0	·7	·21	·0	·2		26
27	·66	·1	·6	·0	·0	·0	·0	·0	·16	·42	·0	·0		27
28	1·15	·0	·38	·0	·0	·0	·38	·0	·0	·0	·0	·24		28
29	·2	S + R ·15	·14	·0	·0	·45	·13	·0	·0	·5	·26	·6		29
30	·26	✕	·0	·0	·5	·35	·1	·0	·0	·25	·0	·1		30
31	·16	✕	·38	✕	·1	✕	·12	·0	✕	·23	✕	·41		31
TOTAL	7·18	2·92	2·36	2·41	·43	3·67	4·74	·64	3·09	1·90	4·46	4·45	Year's Total 38·25	^
* Days with .01 in. or more.	25	16	16	11	6	17	25	8	19	13	18	23	197	^
* Days with .04 in. or more.	21	15	14	7	4	15	19	6	11	8	14	16	150.	^

Part

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) (Lady) Mary A. Harrison [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Le Court

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 5 in.

,, Ground ,, Sea Level 300 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·96	·11	·00	·02	·00	·00	·00	·00	·01	·07	1·06	·84		1
2	·04	·93	·00	·33	·00	·00	·00	·00	·22	·00	·01	·45		2
3	·01	·26	·00	·00	·00	·00	·00	·00	·00	·00	·00	·01		3
4	·12	1·07	·00	·02	·00	·00	·00	·00	·00	·00	·01	·23		4
5	·25	·08	·16	·01	·00	·00	·15	·00	·00	·00	·00	·00		5
6	·24	·05	1·20	·04	·09	·00	·02	·00	·00	·03	·01	·00		6
7	·00	·68	·00	·16	·33	·00	·00	·00	·03	·03	·00	·13		7
8	·00	·02	·03	·00	·17	·02	·00	·00	·00	·00	·04	·10		8
9	·00	·00	·00	·39	·12	·08	·07	·00	·30	·00	·00	·18		9
10	·00	·00	·67	·17	·13	·21	·00	·00	·00	·00	·00	·73		10
11	·01	·00	·09	·01	·36	·25	·16	·00	·00	·00	·00	·02		11
12	·62	·26	·27	·11	·58	·32	02	·25	·08	·00	·00	·38		12
13	·27	·06	·68	23	·01	·03	·00	·21	·21	·00	·00	·94		13
14	·02	·02	·43	·56	·00	·00	·00	·09	·11	·00	·00	·01		14
15	·38	·17	·00	·27	·00	·00	·37	·00	·14	·00	·01	·00		15
16	·00	·15	·64	·28	·00	·11	·00	·38	·71	·00	·00	·00		16
17	·78	·04	·19	·06	·00	·02	·03	·00	·28	·00	·03	·00		17
18	·44	·10	·00	·02	·01	·15	·00	·00	·16	·00	·17	·10		18
19	·06	·10	·12	·26	·00	·15	·05	·00	·06	·00	·00	·02		19
20	·81	·00	·05	·42	·56	·01	·00	·00	·00	·00	·00	·01		20
21	1·07	·49	·03	·03	·00	·00	·03	·00	·00	·00	·02	·08		21
22	·64	·03	·16	·00	·30	·16	·19	·00	·00	1·06	·73	·18		22
23	·28	·11	·02	·00	·35	·00	·04	·00	·00	·58	·23	·02		23
24	·52	·42	·02	·00	·02	·00	·00	·00	·08	·61	·00	·02		24
25	·28	·57	·28	·00	·61	·00	·00	·00	14	·27	·00	·01		25
26	·00	·44	·03	·00	·00	·00	·00	·00	·00	·16	·01	·00		26
27	·09	·18	·00	·13	·00	·00	·00	·00	·01	·77	·00	·00		27
28	·06	·08	·00	·02	·00	·00	·00	·00	·00	·10	·00	·03		28
29	·03		·00	·00	·00	·00	·00	·00	·00	·08	·07	·02		29
30	·56	✕	·00	·00	·00	·03	·00	04	·00	·28	·26	·00		30
31	·47	✕	·00	✕	00	✕	·00	00	✕	·49	✕	·03		31
TOTAL	9·01	6·42	5·07	3·54	3·64	1·54	1·13	·97	2·54	4·53	2·66	4·54	Year's Total 40·59	✓
* Days with .01 in. or more.	25	24	18	21	14	13	11	5	15	13	14	23	196	✓
* Days with .04 in. or more.	21	21	13	14	11	8	7	5	12	11	7	12	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) per pro: Lady E. A. Harris

N. L. Knight Brig. Genl:

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Hants 8

Kept at Le Court - Greatham - Liss

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9 in.

,, Ground ,, Sea Level ~~400~~ 350 ft.

letter written re extreme SD 22/3/39

Days ✓ WESR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·04	—	—	·03	·06	·12	—	·02	·07	—	·13		1
2	·02	·01	—	03	·02	—	—	—	—	·33	—	·03		2
3	—	—	—	—	·10	·01	—	—	—	·80	·10	—		3
4	·01	—	—	—	—	—	·05	·02	—	·30	·02	·31		4
5	—	—	—	01	—	·05	·17	·01	—	·14	—	—		5
6	·05	—	—	—	—	·01	·07	—	·15	·04	·04	·02		6
7	·03	—	—	—	—	·01	1.12	·16	·06	·35	—	·06		7
8	29	—	—	—	—	tr	·26	·09	·02	·37	—	·03		8
9	17	·05	—	—	—	·05	—	—	—	·09	—	1.31		9
10	14	—	—	—	—	tr	·02	·25	tr	·06	—	·19		10
11	17	—	—	—	—	—	tr	—	—	·01	·29	·25		11
12	54	·01	—	—	·10	—	·03	—	tr	·14	·05	—		12
13	34	—	—	—	·01	—	—	—	—	·20	·61	·41		13
14	55	·01	—	—	·08	—	·03	tr	tr	—	·01	tr		14
15	19	·03	—	—	·02	—	·95	—	—	—	·02	·41		15
16	48	·02	·01	—	·01	—	—	·04	—	·44	·02	·03		16
17	—	·03	·01	—	—	—	·03	—	·13	·15	tr	—		17
18	15	·01	—	—	·10	tr	—	—	·21	—	tr	—		18
19	·06	—	—	—	—	—	tr	·11	·17	—	·27	·05		19
20	·01	—	—	—	—	—	—	—	09	—	—	·02		20
21	·06	—	—	—	—	—	—	—	—	—	·01	·15		21
22	·02	—	—	tr	—	·04	·10	·15	—	—	·94	·28		22
23	—	—	—	·01	—	—	—	—	—	tr	·10	—		23
24	·01	—	·14	—	—	—	—	·05	·34	tr	·24	—		24
25	·17	·02	·13	·01	·21	—	·01	·03	tr	·04	1·48	·07		25
26	·48	29	06	—	·01	·01	—	tr	·10	·18	—	·22		26
27	·20	·04	—	—	·11	·30	·67	—	—	—	·53	—		27
28	·08	·08	—	—	·55	·20	—	·41	·06	·01	—	·12		28
29	·22		—	—	·43	—	—	—	·10	—	·20	·12		29
30	·12	✕	—	tr	·24	—	—	—	·02	·10	·35	tr		30
31	·26	✕	—	✕	·29	✕	—	—	✕	·29	✕	·38		31 wp
TOTAL	4·83	·64	·35	·06	2·31	·74	3·63	1.32	1·47	4·11	5·28	4·49	Year's Total 29·23	✓ two GP
* Days with .01 in. or more.	27	~~8~~ 13	~~2~~ 5	4 ✓	~~6~~ 16	~~4~~ 10	~~5~~ 14	~~3~~ 11	~~3~~ 13	~~2~~ 20	~~5~~ 18	~~5~~ 21	~~54~~	172
* Days with .04 in. or more.	20	5	3	— ✓	10	6	9	8	10	18	13	16	118	✓ 20/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Knight

[P.T.O.

GREATHAM (LE COURT) **COPY FOR OFFICIAL USE**

Section A for the entry of Daily Observations

Station No. 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Le Court Greatham

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. [illegible] in.

,, Ground ,, Sea Level 350 ft.

1938 up to

8 740216/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	—	·16	·22	·30	—	·01	·01	·58	—	—	·15		1
2	·08	—	—	·06	T.R.	—	·11	·75	·26	—	·01	·05		2
3	·69	—	—	·45	—	—	—	·23	—	—	·35	·36		3
4	·01	TR.	·39	·27	·02	—	·14	·35	—	·40	·18	·06		4
5	—	—	TR	·12	·20	—	·22	—	—	·37	·78	·20		5
6	·28	—	·11	—	·12	—	·73	·03	—	—	·22	·02		6
7	·04	·16	—	—	—	T.R.	·02	·04	—	·06	·41	·48		7
8	·08	·28	·23	—	—	—	·05	·02	—	·35	·60	·50		8
9	·10	·07	—	—	—	—	—	·15	—	·27	·15	·51		9
10	·37	—	·02	—	—	·04	—	·13	·06	·23	·03	—		10
11	—	—	·23	—	—	—	—	—	—	·51	·04	—		11
12	—	·05	—	—	—	·02	—	—	—	—	—	·01		12
13	—	—	·01	·11	—	TR.	·39	—	·13	1·67	·02	·01		13
14	·92	—	—	·06	·08	·04	·10	—	·01	·28	·86	·03		14
15	·58	—	—	—	·65	·37	·31	—	·05	·48	·28	·06		15
16	·49	—	·07	·08	·19	·16	·20	—	·03	·09	·33	—		16
17	·36	·10	·02	·09	·17	—	·21	—	—	·19	·08	—		17
18	·33	·01	·03	—	—	·10	·32	—	—	—	·36	·01		18
19	·45	—	—	—	—	—	·26	—	—	·12	—	·07		19
20	·43	—	—	—	—	TR	·35	—	—	—	—	·04		20
21	·08	·30	·08	—	—	·10	·15	·10	·03	—	—	—		21
22	·36	·36	·04	·01	—	·18	·04	—	·01	—	·14	—		22
23	·02	—	·02	·17	—	—	·03	—	—	·01	1·19	—		23
24	·40	TR.	—	·01	—	·13	·13	—	—	·10	·02	—		24
25	·58	·30	·06	—	—	—	·12	—	—	—	·61	—		25
26	·02	—	·01	—	—	·05	—	·01	—	·16	·46	·05		26
27	T.R.	·21	·10	·06	—	·02	—	—	—	·04	·23	—		27
28	·01	·23	·03	·28	—	·14	·01	—	—	·05	·19	·21		28
29	—		—	·09	—	—	·07	—	—	·05	·05	—		29
30	—	×	—	·72	—	·14	TR	—	—	·08	·15	—		30
31	—	×	—	×	—	×	·31	TR.	×	·06	×	—		31
TOTAL	6·59	2·07	1·61	2·80	1·73	1·49	4·28	1·82	1·16	5·57	7·74	2·82	Year's Total 39·68	
* Days with .01 in. or more.	23	11	17	16	8	13	23	11	9	21	25	18	195	
* Days with .04 in. or more.	18	10	10	14	7	11	19	7	5	20	21	13	155	

Print Wt.

BRIG.-GEN. H. L. KNIGHT, CMG, DSO.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H L Knight

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 738

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at LE COURT GARDENS, GREATHAM.

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. [illegible] in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	T.R.	–	–	·02	–	–	–	–	–	·05	–		1
2	–	·11	–	·16	–	–	–	–	–	·10	·50	–		2
3	–	·45	–	·03	–	–	–	–	–	·19	1·44	·15		3
4	–	·06	·03	–	–	–	–	–	–	·32	·07	·04		4
5	–	TR	·07	–	–	–	·14	–	–	·10	62	·29		5
6	·36	·53	–	–	–	–	·23	–	–	·52	·02	–		6
7	·20	·34	–	–	·02	–	–	–	–	·05	–	–		7
8	–	–	–	–	–	–	·01	–	–	·48	·05	·30		8
9	–	–	–	–	–	–	–	·03	·04	·38	·50	·28		9
10	–	–	–	–	–	–	·25	·04	–	30	·11	·07		10
11	–	·05	–	·02	–	–	·10	–	–	–	1·32	–		11
12	–	TR	·40	–	–	–	·16	–	20	–	·12	–		12
13	–	03	·97	–	–	–	·04	–	·18	–	1·25	TR		13
14	–	–	·25	·10	–	–	·33	–	·01	39	–	·54		14
15	–	–	·04	·02	–	·04	·96	–	·06	·10	·77	·05		15
16	·04	·48	27	·07	–	–	·04	–	·30	·75	1·33	–		16
17	–	–	42	–	–	–	·02	–	–	–	·45	–		17
18	·03	·40	·24	·49	–	–	·20	–	·10	·33	·06	·21		18
19	–	·10	·03	·17	–	–	·14	–	·65	–	27	–		19
20	·02	·01	·01	·07	–	–	–	·19	–	·26	·14	–		20
21	–	–	–	–	·25	–	·01	–	–	·04	70	–		21
22	–	–	·02	·03	·08	·24	–	–	·23	–	–	–		22
23	–	·06	·19	–	–	·09	–	–	–	–	·04	–		23
24	–	–	–	–	–	–	·27	–	–	–	–	–		24
25	·03	–	·66	·03	TR	·02	·10	–	–	·02	TR	–		25
26	·91	·43	·42	–	·25	–	·05	–	–	–	·04	–		26
27	·48	·65	·03	·03	·03	–	–	–	–	–	–	–		27
28	·30	·06	–	·05	·19	–	–	–	–	–	–	–		28
29	·75	30	·24	·09	·22	–	–	–	–	–	–	·35		29
30	·07	×	–	·05	–	–	–	–	–	·32	–	–		30
31	·04	×	–	×	–	×	–	–	×	1·07	×	·10		31
TOTAL	3·23	4·06	4·29	1·41	1·06	·39	3·05	·26	1·77	5·82	9·85	2·38	Year's Total 37·57	
* Days with .01 in. or more.	12	16	17	15	8	4	17	3	9	18	21	11	151	
* Days with .04 in. or more.	9	14	12	9	5	3	14	2	8	17	20	11	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. L. [illegible]

[P.T.O.

~~738/5~~ 738/5

738/5

PETERSFIELD

STONER HILL

1933-40

780201

Section **A** **for the entry of D**

AIR MINISTRY.

RAINFALL ORGANIZATION.

Station No.

FORM 1090.

REGIST 1933.

Kept at Stoner Hill, Pete

in the County of Hamp

fered from Hant/6
No 732

Diameter of Funnel of Gauge

Height of top of Gauge above Ground 9

,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·15	0·76	0·10	-	0·02	-	-	-	-	-	tr	-		1
2	0·59	-	1·01	-	0·62	-	-	-	-	-	0·02	-		2
3	-	0·14	0·63	-	-	-	-	-	-	-	tr	-		3
4	0·33	0·05	0·02	-	0·29	-	-	-	-	-	0·06	-		4
5	0·13	tr	1·00	-	-	-	-	-	-	-	-	-		5
6	0·01	0·28	0·09	-	0·25	-	-	-	-	0·10	0·06	-		6
7	0·11	0·07	0·04	-	0·12	-	0·01	-	-	0·18	-	0·02		7
8	0·04	tr	-	-	0·06	-	0·32	-	-	0·08	-	-		8
9	-	tr	-	-	0·02	-	0·44	-	-	0·20	0·08	-		9
10	-	0·09	-	-	0·02	0·01	0·08	tr	-	0·56	0·03	-		10
11	0·24	-	-	-	0·09	0·02	0·07	0·12	-	0·01	0·01	0·02		11
12	-	-	-	0·01	0·03	0·08	0·36	-	1·42	-	-	0·04		12
13	0·03	-	-	-	0·07	0·21	0·60	0·02	0·05	0·06	0·05	-		13
14	-	-	-	-	-	-	0·30	0·03	-	0·32	0·44	-		14
15	0·60	-	0·45	-	-	-	0·02	0·54	-	0·05	tr	-		15
16	-	-	1·04	-	-	0·25	0·12	-	tr	tr	tr	tr		16
17	-	0·01	0·39	-	-	0·12	-	0·10	0·14	-	0·02	-		17
18	0·34	0·01	0·32	-	-	0·38	-	-	-	-	0·02	-		18
19	-	0·05	0·16	-	-	0·05	0·09	0·02	0·26	-	tr	0·02		19
20	-	0·16	0·03	0·04	-	0·07	-	-	0·05	-	tr	-		20
21	-	0·01	-	-	0·01	0·37	-	0·08	0·09	0·02	tr	-		21
22	-	-	-	-	-	0·13	-	0·32	0·04	0·30	0·03	-		22
23	-	0·04	-	0·26	0·10	0·15	-	-	0·40	0·17	-	-		23
24	-	1·62	-	0·32	-	0·05	-	-	0·54	tr	-	-		24
25	-	1·21	-	0·35	-	tr	-	-	0·09	-	0·02	0·11		25
26	-	1·52	-	0·18	-	0·40	-	-	0·80	0·05	-	0·03		26
27	-	-	-	-	0·59	-	-	-	0·01	0·24	-	0·28		27
28	-	-	-	-	-	-	0·32	-	-	0·08	-	0·20		28
29	0·06		0·03	0·04	-	-	-	-	-	tr	-	-		29
30	0·08	✕	0·12	-	-	-	0·11	-	0·17	0·03	-	0·11		30
31	0·21	✕	0·02	✕	-	✕	-	-	✕	tr	✕			31
TOTAL	2·92	6·02	5·45	1·20	2·29	2·29	2·84	1·23	4·06	2·45	0·84	0·83	Year's Total 32·42 ✓	
*Days with ·01 in. or more.	14	15	16	7	14	14	13	8	13	16	12	9	151 ✓	
*Days with ·04 in. or more.	12	12	12	6	9	12	11	5	12	13	5	5	114	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) C. J. P. Cave.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 138/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stoner Hill, Petersfield

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9½" / ft. in.

,, Ground ,, Sea Level 748 ft.

Transferred from Hants/6 No 732.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·15	0·76	0·10	-	0·02	-	-	-	-	-	tr	-		1
2	0·59	-	1·01	-	0·62	-	-	-	-	-	0·02	-		2
3	-	0·14	0·63	-	-	-	-	-	-	-	tr	-		3
4	0·33	0·05	0·02	-	0·29	-	-	-	-	-	0·06	-		4
5	0·13	tr	1·00	-	-	-	-	-	-	-	-	-		5
6	0·01	0·28	0·09	-	0·25	-	-	-	-	0·10	0·06	-		6
7	0·11	0·07	0·04	-	0·12	-	0·01	-	-	0·18	-	0·02		7
8	0·04	tr	-	-	0·06	-	0·32	-	-	0·08	-	-		8
9	-	tr	-	-	0·02	-	0·44	-	-	0·20	0·08	-		9
10	-	0·09	-	-	0·02	0·01	0·08	tr	-	0·56	0·03	-		10
11	0·24	-	-	-	0·09	0·02	0·07	0·12	-	0·01	0·01	0·02		11
12	-	-	-	0·01	0·03	0·08	0·36	-	1·42	-	-	0·04		12
13	0·03	-	-	-	0·07	0·21	0·60	0·02	0·05	0·06	0·05	-		13
14	-	-	-	-	-	-	0·30	0·03	-	0·32	0·44	-		14
15	0·60	-	0·45	-	-	-	0·02	0·54	-	0·05	tr	-		15
16	-	-	1·04	-	-	0·25	0·12	-	tr	tr	tr	tr		16
17	-	0·01	0·39	-	-	0·12	-	0·10	0·14	-	0·02	-		17
18	0·34	0·01	0·32	-	-	0·38	-	-	-	-	0·02	-		18
19	-	0·05	0·16	-	-	0·05	0·09	0·02	0·26	-	tr	0·02		19
20	-	0·16	0·03	0·04	-	0·07	-	-	0·05	-	tr	-		20
21	-	0·01	-	-	0·01	0·37	-	0·08	0·09	0·02	tr	-		21
22	-	-	-	-	-	0·13	-	0·32	0·04	0·30	0·03	-		22
23	-	0·04	-	0·26	0·10	0·15	-	-	0·40	0·17	-	-		23
24	-	1·62	-	0·32	-	0·05	-	-	0·54	tr	-	-		24
25	-	1·21	-	0·35	-	tr	-	-	0·09	-	0·02	0·11		25
26	-	1·52	-	0·18	-	0·40	-	-	0·80	0·05	-	0·03		26
27	-	-	-	-	0·59	-	-	-	0·01	0·24	-	0·28		27
28	-	-	-	-	-	-	0·32	-	-	0·08	-	0·20		28
29	0·06		0·03	0·04	-	-	-	-	-	tr	-	-		29
30	0·08	×	0·12	-	-	-	0·11	-	0·17	0·03	-	0·11		30
31	0·21	×	0·02	×	-	×	-	-	×	tr	×			31
TOTAL	2·92	6·02	5·45	1·20	2·29	2·29	2·84	1·23	4·06	2·45	0·84	0·83	Year's Total 32·42	
*Days with ·01 in. or more.	14	15	16	7	14	14	13	8	13	16	12	9	151	
*Days with ·04 in. or more.	12	12	12	6	9	12	11	5	12	13	5	5	114	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) C. J. P. Cave.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 738/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at STONER HILL, PETERSFIELD

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9½ in.

,, Ground ,, Sea Level 748 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	-	-	-	-	0·05	-	0·59	-	0·11	0·05	0·69		1
2	0·13	-	0·12	0·18	0·18	0·02	-	-	1·79	0·24	tr	0·55		2
3	0·10	0·02	0·01	0·13	-	-	-	0·02	tr	0·42	-	0·30		3
4	0·22	-	0·18	0·20	0·21	-	-	0·12	-	0·14	0·04	0·65		4
5	-	-	0·01	-	0·01	-	-	0·21	-	-	0·07	0·64		5
6	0·05	-	0·37	0·03	0·21	0·25	-	0·20	-	0·33	0·15	1·26		6
7	0·09	-	-	-	-	0·07	-	0·20	-	0·34	-	0·67		7
8	-	-	-	-	0·22	-	-	0·02	0·20	-	1·10	0·13		8
9	0·02	-	0·18	-	-	-	-	-	-	-	1·22	0·65		9
10	0·12	-	0·40	0·27	-	-	-	0·07	-	-	0·56	0·10		10
11	1·00	tr	0·44	0·27	-	-	0·27	0·25	-	-	-	0·66		11
12	0·09	-	0·01	tr	-	-	0·16	0·09	-	-	0·01	0·10		12
13	0·65	-	0·01	0·10	-	-	0·62	-	-	0·01	0·26	0·18		13
14	0·16	-	0·61	0·05	-	-	-	-	-	tr	0·28	1·10		14
15	-	-	0·04	-	0·17	0·03	-	-	-	0·12	0·16	0·92		15
16	0·30	-	0·58	-	-	-	-	-	0·04	-	-	0·01		16
17	0·13	tr	0·02	0·02	0·08	-	-	-	0·04	0·08	0·01	0·40		17
18	0·08	-	0·10	0·38	-	-	-	-	0·08	-	-	0·49		18
19	-	-	0·54	0·15	-	0·07	-	0·06	0·18	-	-	0·22		19
20	-	-	0·02	0·08	-	-	0·28	-	0·03	0·02	-	0·01		20
21	-	tr	-	0·33	-	0·23	0·01	0·12	0·02	0·16	-	-		21
22	-	0·01	-	-	-	-	0·02	0·20	0·38	-	-	0·13		22
23	-	0·02	-	0·36	-	0·58	-	0·01	0·05	-	tr	0·03		23
24	-	0·05	0·08	0·09	-	0·33	0·04	0·19	0·16	-	tr	tr		24
25	0·35	0·02	-	0·18	-	-	-	-	0·02	0·24	-	1·10		25
26	0·03	-	-	0·22	-	0·21	tr	-	0·12	0·01	-	0·08		26
27	0·02	-	-	0·01	-	0·07	-	-	-	-	-	0·42		27
28	-	-	-	0·02	-	0·07	0·01	0·76	-	-	0·01	0·59		28
29	-		-	-	-	-	-	0·19	0·15	-	0·03	0·04		29
30	0·06	×	-	-	-	-	-	0·02	0·16	0·02	tr	0·46		30
31	0·01	×	-	×	-	×	0·02	tr	×	0;01	×	0·19		31
TOTAL	3·64	0·12	3·72	3·07	1·08	1·98	1·43	3·32	3·42	2·25	3·95	12·77	Year's Total. 40·75	
* Days with .01 in. or more.	20	5	18	19	7	12	9	18	15	15	14	29	181	
* Days with .04 in. or more.	15	1	12	15	6	10	5	14	12	10	10	26	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. J. P. Cave.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 738/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stoner Hill, Petersfield.

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9½ in.

,, Ground ,, Sea Level 747 ft.

Duration

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·08	-	0·15	0·01	0·07	0·04	0·38	-	0·54	0·15	0·48	tr		1
2	tr	-	-	-	-	0·02	-	-	0·05	0·60	0·05	-		2
3	-	0·01	0·03	-	-	0·06	-	-	0·49	1·67	0·19	-		3
4	-	0·09	-	0·21	-	0·09	-	-	0·05	0·16	1·21	0·15		4
5	-	0·27	0·14	0·20	-	0·03	-	-	0·35	0·07	0·04	0·02		5
6	-	0·01	0·02	0·29	-	1·51	-	-	-	-	0·07	-		6
7	-	tr	-	0·38	-	0·08	-	-	-	0·08	0·85	0·10		7
8	-	-	0·02	0·34	-	0·02	-	-	-	0·39	0·77	tr		8
9	0·07	-	-	0·55	-	0·60	-	-	0·13	1·40	0·09	-		9
10	0·18	-	0·31	-	-	0·01	-	-	-	-	0·37	0·03		10
11	0·33	0·04	-	0·12	-	0·29	0·07	-	-	0·01	0·85	-		11
12	0·01	0·08	-	-	-	0·43	-	0·05	0·14	-	0·76	-		12
13	0·09	0·18	-	0·24	0·04	0·05	-	-	0·02	tr	0·15	-		13
14	-	-	-	tr	0·11	0·07	-	-	0·03	0·01	0·23	0·24		14
15	-	0·23	-	0·88	-	0·11	-	-	0·17	0·02	0·44	0·05		15
16	-	0·05	0·09	0·06	-	0·23	-	-	1·26	0·03	0·92	tr		16
17	tr	-	tr	0·21	-	0·31	-	0·07	-	-	0·35	-		17
18	-	0·06	-	0·46	-	tr	0·04	-	0·56	0·05	0·05	-		18
19	-	0·03	-	0·04	0·54	0·05	0·30	-	0·12	0·04	0·33	-		19
20	-	0·78	-	0·07	0·05	0·02	0·13	-	0·05	-	0·45	-		20
21	-	0·88	-	0·02	-	-	-	-	0·02	0·06	0·01	-		21
22	-	0·08	0·03	-	-	-	-	0·05	0·09	-	-	0·01		22
23	-	0·01	0·09	-	-	-	-	0·38	-	0·50	-	0·17		23
24	0·09	0·92	-	-	0·13	-	-	0·98	0·59	0·03	-	0·46		24
25	0·11	0·30	-	0·14	0·11	-	-	-	-	-	0·01	0·58		25
26	-	0·44	-	-	-	0·04	-	0·26	0·14	tr	-	0·70		26
27	-	0·90	-	-	-	-	0·01	0·01	0·22	-	0;20	0·48		27
28	-	0·15	-	-	0·05	-	-	-	0·43	0·03	0·01	0·22		28
29	-		-	-	-	-	-	0·06	0·52	0·05	0·03	0·87		29
30	0·12	X	-	0·12	-	-	-	1·04	0·02	0·24	1·15	0·91		30
31	-	X	-	X	-	X	-	0·03	X	0·79	X	0·85		31
TOTAL	1·08	5·51	0·88	4·34	1·10	4·06	0·93	2·93	5·99	6·38	10·06	5·84	Year's Total 49·10	
* Days with .01 in. or more.	9	20	9	18	8	20	6	10	22	21	26	16	185	
* Days with .04 in. or more.	8	17	5	16	8	15	5	8	18	15	22	13	150	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) C. J. P. Cave [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 738/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stoner Hill

in the County of Hampshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 0 ft. 9 in.

,, Ground ,, Sea Level 748 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·24	0·10	0·03	0·65	-	0·51	0·61	0·03	-	-	0·08	0·09		1
2	0·01	0·05	-	0·02	-	0·09	0·28	0·18	0·01	-	tr	tr		2
3	-	-	-	0·35	-	0·05	0·08	-	0·31	-	0·43	tr		3
4	0·01	-	0·15	-	-	0·08	-	-	0·36	-	0·12	0·04		4
5	0·81	-	0·04	tr	-	-	-	0·11	0·11	-	0·03	0·06		5
6	0·67	-	-	-	-	0·05	-	0·04	0·45	-	0·70	-		6
7	0·20	-	0·19	-	-	tr	0·02	-	0·07	-	0·25	0·08		7
8	0·72	-	0·14	-	-	-	0·17	-	-	-	0·44	0·18		8
9	0·62	-	0·07	-	-	-	0·28	-	0·16	-	-	-		9
10	0·15	-	-	-	tr	tr	0·07	0·75	tr	-	-	-		10
11	0·07	0·18	-	0·05	-	-	0·02	0·06	0·10	-	1·70	-		11
12	-	-	-	0·04	-	0·29	0·49	-	0·35	-	0·27	0·11		12
13	-	-	-	-	-	0·03	0·03	-	-	0·02	0·04	0·53		13
14	-	0·15	-	-	-	0·11	0·58	-	0·04	0·04	0·17	0·93		14
15	-	0·04	-	-	-	tr	0·04	-	0·08	-	0·07	0·51		15
16	0·26	0·37	-	-	tr	-	0·12	-	-	-	0·15	0·14		16
17	0·02	1·16	-	-	-	0·42	0·01	0·02	0·03	0·02	0·16	0·72		17
18	0·11	0·26	-	-	-	0·54	0·36	-	-	0·02	-	0·18		18
19	0·46	0·04	0·08	0·07	-	0·28	tr	0·21	-	0·01	0·02	tr		19
20	0·17	0·11	0·14	0·48	-	0·08	0·01	-	0·77	tr	-	0·01		20
21	-	0·07	tr	0·68	0·01	0·19	0·12	-	-	-	-	-		21
22	0·17	0·43	0·13	-	0·35	-	0·37	-	-	tr	-	0·07		22
23	0·03	-	0·46	0·15	0·06	-	0·79	-	-	0·10	-	-		23
24	0·11	0·06	-	-	-	-	0·05	-	0·02	0·46	-	0·01		24
25	0·08	-	0·15	0·27	0·11	-	0·13	-	0·16	0·15	0·04	tr		25
26	0·09	0·18	0·08	-	-	0·02	0·04	-	0·05	0·18	-	0·02		26
27	0·70	0·02	0·03	-	-	-	0·03	-	0·11	0·34	-	-		27
28	1·15	-	0·45	-	-	0·38	0·28	-	-	-	tr	0·27		28
29	0·04	0·14	0·13	-	-	0·05	0·10	-	-	0·08	0·23	0·11		29
30	0·25	X	tr	-	0·02	0·35	0·02	-	-	0·16	-	-		30
31	0·18	X	0·44	X	tr	X	0·16	-	X	0·20	X	0·51		31
													Year's Total	
TOTAL	7·32	3.36	2·71	2·76	0·55	3·52	5·26	1·40	3·18	1·78	4·90	4·57	41·31	41·31
* Days with .01 in. or more.	25	16	15	10	5	17	27	8	17	13	17	19	189	
* Days with .04 in. or more.	21	15	13	9	3	15	20	6	14	9	15	16	156	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. J. P. Cave

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 738/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at STONER HILL

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9½ in.

" Ground " Sea Level 742 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·93	0·12	-	0·04	-	-	-	-	0·01	0·06	1·06	0·65		1
2	0·05	1·04	-	0·35	-	-	-	-	0·08	-	-	0·51		2
3	0·02	0·29	0·04	0·01	-	-	0·02	-	-	-	tr	tr		3
4	0·15	1·41	-	tr	-	-	-	-	-	-	-	0·26		4
5	0·29	0·06	0·14	0·01	-	-	0·18	-	-	-	-	-		5
6	0·30	0·02	0·94	0·04	0·10	-	0·03	-	-	0·03	0·02	0·01		6
7	-	0·78	0·02	0·19	0·19	-	-	-	0·04	0·06	-	0·26		7
8	-	0·01	0·03	-	0·28	0·01	-	-	-	-	0·04	0·07		8
9	-	-	-	0·46	0·12	0·11	0·13	-	0·32	tr	-	0·12		9
10	tr	0·02	0·77	0·17	0·29	0·24	-	0·02	-	-	-	0·65		10
11	0·02	-	0·09	-	0·19	0·29	0·16	-	-	-	-	0·02		11
12	0·79	0·32	0·22	0·08	0·52	0·31	0·02	0·46	0·15	-	-	0·40		12
13	0·30	0·08	0·78	0·16	0·03	tr	-	0·07	0·23	-	-	1·10		13
14	0·02	0·02	0·27	0·97	tr	-	-	0·08	0·25	-	-	0·02		14
15	0·44	0·20	-	0·39	-	-	0·42	-	0·18	-	-	tr		15
16	0·01	0·14	0·72	0·30	-	0·02	-	0·59	0·80	-	-	-		16
17	0·90	0·02	0·17	0·02	-	0·01	0·03	-	0·25	-	0·08	-		17
18	0·59	0·10	-	-	0·01	tr	-	-	-	tr	0·12	0·09		18
19	0·11	0·16	0·13	0·41	-	0·13	0·03	-	0·06	-	-	0·03		19
20	0·93	-	0·09	0·31	0·30	-	-	-	-	tr	-	0·05		20
21	1·03	0·40	0·04	0·02	0·03	-	0·04	-	-	-	0·02	0·11		21
22	0·64	0·05	0·17	-	0·34	0·23	0·22	-	-	1·11	0·76	0·21		22
23	0·33	0·09	-	-	0·41	-	0·04	-	-	0·35	0·57	0·03		23
24	0·65	0·55	0·03	-	0·01	-	0·04	-	0·10	0·77	-	0·03		24
25	0·20	0·51	0·27	-	1·05	-	-	-	0·08	0·42	tr	0·01		25
26	tr	0·39	0·03	-	-	-	-	-	-	0·14	-	-		26
27	0·06	0·16	tr	0·12	-	-	-	-	-	0·62	tr	-		27
28	0·10	0·07	-	0·01	-	-	-	tr	-	0·10	tr	0·01		28
29	0·03	-	-	-	-	-	-	-	-	0·06	0·07	0·02		29
30	0·67	✗	-	-	-	0·07	-	tr	-	0·16	0·34	-		30
31	0·39	✗	-	✗	-	✗	-	-	✗	0·55	✗	0·02		31
													Year's Total	
TOTAL	9·86	7·01	4·95	4·06	3·87	1·42	1·36	1·22	2·55	4·43	3·08	4·68	48·49	✓ ✓
* Days with .01 in. or more.	26	25	19	19	15	10	13	5	13	13	10	23	191	✓ ✓
* Days with .04 in. or more.	21	20	15	14	11	7	8	4	12	12	8	10	142	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. J. P. Carr

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 738/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at STONER HILL PETERSFIELD

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9½ ft. 9½ in.

,, Ground ,, Sea Level 748 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	0·08	-	-	0·01	0·06	0·32	-	0·03	0·08	-	0·14		1
2	0·02	tr	-	0·03	0·03	-	tr	-	-	0·37	tr	0·04		2
3	-	tr	-	-	0·04	tr	0·01	-	-	0·81	0·09	-		3
4	0·01	-	-	-	-	-	0·36	tr	-	0·28	0·01	0·30		4
5	-	-	-	0·01	-	tr	0·22	-	-	0·38	0·01	-		5
6	0·05	-	-	-	-	0·02	0·05	0·01	0·16	0·03	0·03	0·03		6
7	0·01	-	-	-	-	0·02	1·02	0·13	0·06	0·39	tr	0·07		7
8	0·33	-	-	-	-	0·01	0·15	0·02	-	0·34	-	0·04		8
9	0·14	0·05	-	-	-	0·10	0·01	-	-	0·03	-	1·31		9
10	0·13	0·02	-	-	-	0·06	0·03	0·24	-	0·08	-	0·24		10
11	0·24	tr	-	-	-	-	-	-	-	tr	0·34	0·28		11
12	0·57	-	-	-	0·15	-	tr	-	-	0·21	0·06	-		12
13	0·41	-	-	-	-	-	-	-	-	0·38	0·83	0·45		13
14	0·58	tr	-	-	0·10	-	0·08	-	-	-	-	tr		14
15	0·18	0·07	-	-	0·03	-	0·83	-	-	0·48	0·03	0·58		15
16	0·48	tr	0·02	-	0·01	-	tr	0·05	-	0·07	0·02	0·07		16
17	-	0·13	0·01	-	-	-	0·03	-	0·17	0·09	0·01	-		17
18	0·18	-	-	-	0·12	tr	-	tr	0·37	tr	0·66	-		18
19	0·03	-	-	-	-	-	tr	0·10	0·36	-	0·28	0·04		19
20	tr	-	-	-	-	-	-	0·06	0·09	-	0·84	0·01		20
21	0·06	-	-	-	-	-	-	tr	0·10	-	0·01	0·34		21
22	0·02	-	-	-	-	0·04	-	0·34	-	tr	0·33	0·23		22
23	-	-	-	tr	-	-	-	-	tr	-	0·04	-		23
24	-	-	0·20	-	tr	-	-	-	0·25	-	0·69	-		24
25	0·18	0·04	0·11	0·02	0·12	-	0·01	-	tr	0·03	1·37	0·07		25
26	0·46	0·32	0·08	-	0·02	0·01	-	-	0·14	0·22	tr	0·30		26
27	0·21	0·04	-	-	0·18	0·42	0·76	-	-	-	0·60	-		27
28	0·10	0·09	-	-	0·28	0·16	-	0·56	0·15	-	-	0·14		28
29	0·30		-	-	0·53	-	-	-	0·02	0·01	0·34	0·11		29
30	0·13		-	-	0·23	-	-	-	0·10	0·08	0·37	-		30
31	0·22		-		0·36		-	-		0·36		0·46		31
TOTAL	5·04	0·84	0·42	0·06	2·21	0·90	3·88	1·51	2·00	4·72	6·86	5·25	Year's Total 33·69	
* Days with .01 in. or more.	24	9	5	3	15	10	14	9	13	20	21	20	163	
* Days with .04 in. or more.	19	8	3	0	10	6	9	7	11	16	14	18	121	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. J. P. Cave

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 738/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stoner Hill, Petersfield

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9½ in.

" Ground " Sea Level 748 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	–	0·18	0·21	0·19	–	–	0·03	0·37	–	–	0·11		1
2	0·09	–	–	0·11	–	–	0·18	0·61	0·34	–	0·01	0·06		2
3	0·60	tr	–	0·59	–	–	–	0·19	–	–	0·35	0·35		3
4	0·08	0·01	0·53	0·16	0·09	–	0·17	0·68	–	0·61	0·11	0·06		4
5	–	tr	0·01	0·12	0·20	–	0·21	0·02	–	0·40	0·83	0·19		5
6	0·33	–	0·04	–	0·04	–	0·89	0·05	–	–	0·24	0·01		6
7	0·05	0·17	–	–	–	–	0·04	0·05	–	0·06	0·35	0·64		7
8	0·06	0·36	0·21	–	–	–	0·06	–	–	0·46	0·59	0·58		8
9	0·09	0·06	–	–	–	–	–	0·26	–	0·33	0·07	0·57		9
10	0·36	–	0·03	–	–	0·06	–	0·24	0·07	0·70	0·03	–		10
11	–	0·01	0·22	–	–	–	–	–	–	0·50	0·04	0·01		11
12	–	0·01	–	–	–	0·02	–	–	–	0·01	–	–		12
13	–	–	–	0·11	–	0·04	0·58	–	0·15	1·84	0·03	0·02		13
14	0·99	–	–	0·09	0·07	0·05	0·14	–	–	0·45	1·05	0·07		14
15	0·61	–	tr	0·01	0·73	0·59	0·13	–	0·05	0·28	0·37	0·08		15
16	0·50	–	0·08	0·09	0·15	0·14	0·07	–	0·05	0·07	0·34	–		16
17	0·32	0·13	0·02	0·03	0·16	–	0·34	–	–	0·30	0·07	–		17
18	0·32	tr	0·03	–	–	0·17	0·51	–	–	0·04	0·46	0·03		18
19	0·45	tr	tr	–	–	–	0·39	–	–	0·06	–	0·05		19
20	0·47	–	tr	–	–	tr	0·22	–	–	–	–	0·02		20
21	0·14	0·38	0·08	–	–	0·08	0·01	tr	0·01	0·01	–	–		21
22	0·39	0·39	0·02	0·01	–	0·27	0·05	–	0·01	–	0·18	–		22
23	0·03	–	0·02	0·19	–	–	0·03	–	–	0·01	1·26	–		23
24	0·46	tr	–	–	–	0·14	0·03	–	–	0·07	–	0·02		24
25	0·83	0·26	0·04	–	–	–	0·20	–	–	tr	0·59	0·01		25
26	0·02	tr	0·01	–	–	0·04	–	0·03	–	0·12	0·47	0·03		26
27	0·02	0·25	0·08	0·02	–	0·06	–	–	–	0·05	0·27	–		27
28	–	0·29	0·03	0·21	–	0·16	0·03	–	–	0·05	0·19	0·19		28
29	–		–	0·08	–	–	0·14	–	–	0·02	0·04	–		29
30	–	X	–	0·67	–	0·07	–	–	–	0·08	0·12	–		30
31	–	X	–	X	–	X	0·36	tr	X	0·07	X	–		31
TOTAL	7·22	2·32	1·63	2·70	1·63	1·89	4·78	2·16	1·05	6·59	8·06	3·10	Year's Total 43·13	
* Days with .01 in. or more.	23	12	17	16	8	14	22	10	8	24	24	20	198	
* Days with .04 in. or more.	19	9	9	12	8	13	18	7	6	20	21	12	154	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. J. P. Cave.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 738/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Stoner Hill Petersfield
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9½ in.
,, Ground ,, Sea Level 748 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0·01	-	-	-	-	-	-	-	-	0·04	-		1
2	-	0·11	-	0·58	-	-	-	-	-	0·06	0·69	tr		2
3	-	0·50	-	0·01	-	-	-	-	-	0·23	1·38	0·16		3
4	-	0·08	-	-	-	-	-	-	-	0·36	0·04	0·04		4
5	-	0·02	-	-	-	-	0·16	-	-	0·15	0·61	0·28		5
6	0·41	0·54	-	-	-	-	0·18	-	-	0·57	0·03	-		6
7	0·28	0·49	-	-	0·02	-	0·01	-	tr	tr	-	0·02		7
8	-	-	-	-	-	-	0·10	tr	-	0·60	0·06	0·30		8
9	-	-	-	-	-	-	0·01	0·02	0·04	0·42	0·59	0·26		9
10	-	-	-	-	-	-	0·20	0·08	tr	0·15	0·10	0·01		10
11	-	0·07	-	0·03	-	-	0·29	-	-	-	1·43	tr		11
12	-	0·01	0·44	0·02	-	-	0·32	-	0·33	tr	0·05	-		12
13	-	0·02	0·97	-	-	tr	0·12	-	0·05	0·02	1·21	tr		13
14	-	tr	0·18	0·09	-	-	0·24	tr	0·01	0·30	0·02	0·63		14
15	tr	-	-	0·01	tr	-	0·82	-	0·10	0·09	0·82	0·05		15
16	0·01	0·57	0·34	0·06	-	0·03	0·02	-	0·25	0·77	1·04	0·06		16
17	-	-	0·44	-	-	-	0·02	-	-	0·01	0·42	tr		17
18	0·03	0·44	0·27	0·42	-	-	0·04	tr	0·14	0·29	0·02	0·23		18
19	-	0·10	0·04	0·18	-	-	0·12	-	0·68	tr	0·37	tr		19
20	-	0·02	0·03	0·08	-	-	tr	0·03	0·12	0·14	0·11	tr		20
21	0·01	-	0·01	-	0·20	-	0·03	tr	0·01	tr	0·66	-		21
22	0·03	tr	0·01	0·01	tr	0·25	-	-	0·15	-	-	-		22
23	-	0·08	0·26	-	-	tr	-	-	tr	-	0·04	tr		23
24	-	tr	tr	tr	-	-	0·25	-	-	-	0·02	0·01		24
25	0·01	-	0·52	0·01	tr	0·02	0·05	-	-	-	0·01	-		25
26	0·92	0·46	0·25	tr	0·21	-	-	-	-	-	0·01	-		26
27	0·35	0·68	0·02	0·09	-	-	0·21	-	-	-	-	-		27
28	1·01	0·04	-	0·01	0·24	-	-	-	-	-	-	0·01		28
29	0·48	0·37	0·21	0·13	0·11	tr	-	-	-	tr	-	0·37		29
30	0·07	×	tr	0·04	-	-	-	-	-	0·50	-	0·02		30
31	0·03	×	-	×	-	×	-	-	×	1·08	×	0·10		31
TOTAL	3·64	4·61	3·99	1·77	0·78	0·30	3·19	0·13	1·88	5·74	9·77	2·55	Year's Total 38·35	
* Days with .01 in. or more.	13	19	15	16	5	3	19	3	11	17	24	16	161	
* Days with .04 in. or more.	7	14	11	9	4	1	14	1	9	15	18	11	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. J. P. Cave.

[P.T.O.

738/8 ~~723~~

738/8 280369

ROTHERFIELD PARK.

1933 - 40

780201

Section **A** for the entr… Station No.

AIR MINIS… …L ORGANIZATION.

FORM 1090. **REG**… …3.

Kept at Rotherfiel…

in the County of Sou… …n Hant/s

no 723.

Diameter of Funnel of Gauge…

Height of top of Gauge above G…

,, Ground ,, Sea…

THE MORNING MEASUREMENT IS CREDITED …Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in	in.	in.	in.	in.	in.	in	in	in.	in.	†	
1	·15	·46	·13		·03									1
2	·52		1·00		·52						·02			2
3	·01	·18	·84											3
4	·32		·02		·31						·08			4
5	·11	·02	·90											5
6		·25	·09		·23					·10	·06			6
7	·07	·14	·02		·10		·01			·13				7
8	·04				·07		·24			·12				8
9		·01			·02		·31			·18	·14			9
10	·01	·38			·02	·02	·07			·50	·02			10
11	·26				·08	·18	·05	·18		·04				11
12				·02	·01	·08	·25		1·27			·08		12
13	·04				·08	·20	·57		·06	·02	·08			13
14							·19	·02		·26	·42	·01		14
15	·67		·35			·03	·12	·49		·01				15
16	·02		1·06			·20	·05			·04	·01			16
17		·02	·50			·17	·06	·03	·13		·02			17
18	·37	·01	·45			·41						·05		18
19		·03	·16	·01		·01		·04	·83		·02			19
20		·20	·06	·07		·03		·01	·03					20
21		·05				·04		·09	·07	·01	·01			21
22						·18		·25	·03	·26	·01			22
23		·06		·27	·22	·11			·27	·19				23
24		2·00		·27		·01			·47		·02			24
25		1·66		·32					·05	·01	·02	·13		25
26		1·47		·16		·37			·46	·06		·01		26
27					·57		·01		·01	·25		·32		27
28				·04			·34			·13		·19		28
29	·05	X	·03	·12						·02				29
30	·11	×	·16				·10		·24	·02		·11		30
31	·23	×	·01	×		×		·01	×	·01	×			31
TOTAL	358 2·98	6·94	5·78	1·28	2·26	2·04	2·37	1·12	3·92	2·36	·93	·90	Year's Total 32·88	3348
*Days with ·01 in. or more.	16	16	16	9	13	15	14	9	13	20	14	8	163	
*Days with .04 in. or more.	13	11	12	4	9	10	12	5	10	13	5	6	113	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) A. Goutcher

[P.T.O.

738/8

Section **A** **for the entry of Daily Observations.** Station No. ~~723~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rotherfield Park.
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ...... ft. ...... in.
,, Ground ,, Sea Level 550 ft.

Transferred from Hants/5 no 723.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.15	.46	.13		.03									1
2	.52		1.00		.52						.02			2
3	.01	.18	.84											3
4	.32		.02		.31						.08			4
5	.11	.02	.90											5
6		.25	.09		.23					.10	.06			6
7	.07	.14	.02		.10		.01			.13				7
8	.04				.07		.24			.12				8
9		.01			.02		.31			.18	.14			9
10	.01	.38			.02	.02	.07			.50	.02			10
11	.26				.08	.18	.05	.18		.04				11
12				.02	.01	.08	.25		1.27			.08		12
13	.04				.08	.20	.57		.06	.02	.08			13
14							.19	.02		.26	.42	.01		14
15	.67		.35			.03	.12	.49		.01				15
16	.02		1.06			.20	.05			.04	.01			16
17		.02	.50			.17	.06	.03	.13		.02			17
18	.37	.01	.45			.41						.05		18
19		.03	.16	.01		.01		.04	.83		.02			19
20		.20	.06	.07		.03		.01	.03					20
21		.05				.04		.09	.07	.01	.01			21
22						.18		.25	.03	.26	.01			22
23		.06		.27	.22	.11			.27	.19				23
24		2.00		.27		.01			.47		.02			24
25		1.66		.32					.05	.01	.02	.13		25
26		1.47		.16		.37			.46	.06		.01		26
27					.57		.01		.01	.25		.32		27
28				.04			.34			.13		.19		28
29	.05	×	.03	.12						.02				29
30	.11	×	.16				.10		.24	.02		.11		30
31	.23	×	.01	×		×		.01	×	.01	×			31
TOTAL	338 2.98	6.94	5.78	1.28	2.26	2.04	2.37	1.12	3.92	2.36	.93	.90	Year's Total 32.88	
*Days with ·01 in. or more.	16	16	16	9	13	15	14	9	13	20	14	8	168	
*Days with .04 in. or more.	13	11	12	4	9	10	12	5	10	13	5	6	113	

3348

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) A. Goodchild

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 438/8.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rotherfield Park

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft. ..... in.

,, Ground ,, Sea Level 560 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03							·61	·32	·07	·02	·56		1
2	·10		·13	·09	·40			·01	1·08	·24	·02	·41		2
3	·05	·03		·09				·13		·41	·04	·25		3
4	·18		·14	·37	·20					·08	·07	·52		4
5			·01		·01			·15			·18	·48		5
6	·03		·39	·05	·21	·27		·22		·25		·94		6
7	·11					·06		·19		·24		·60		7
8		·01			·24			·04	·23		·80	·12		8
9	·01		·14								1·42	·79		9
10	·06	·01	·37	·25				·08			·37	·10		10
11	·88		·43	·24			·26	·02				·52		11
12	·05		·02				·19	·25				·24		12
13	·56		·02	·12			1·55				·01	·28		13
14	·11		·49	·06							·38	·67		14
15	·01				·18	·01				·10	·15	·85		15
16	·20		·41	·03	·62				·04			·02		16
17	·10				·09				·03	·07		·30		17
18	·27		·13	·32					·08		·02	·38		18
19			·52	·02		·02		·04	·13			·12		19
20			·12	·07			·23			·01		·01		20
21			·01	·30		·17		·11		·21				21
22								·10	·31			·12		22
23				·27		·38	·02		·01			·05		23
24		·08	·07	·37		·15	·08		·21	·01				24
25	·30	·02		·20						·21		·76		25
26	·01			·25		·20			·13			·09		26
27	·01			·03		·04		·83				·31		27
28						·25	·02	·09				·47		28
29								·35	·16	·03		·03		29
30	·06	×							·12	·01		·50		30
31	·02	×		×		×			×	·02	×	·21		31
TOTAL	3·15	·15	3·40	3·13	1·35	1·55	2·35	3·22	2·85	1·96	3·48	10·70	Year's Total 34·29	
*Days with ·01 in. or more.	21	5	16	18	8	10	7	16	13	15	12	29	140	
*Days with ·04 in. or more.	14	1	12	15	6	8	5	14	11	10	8	26	130	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Goatcher

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 7388

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rotherfield Park

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06		·16		·16		·45		·31	·03	·42			1
2									·10	·44	·06			2
3			·04						·36	1·11	·16			3
4		·08		·29		·16			·10	·30	·79	·13		4
5				·21		·17			·40	·02	·02	·03		5
6			·13	·28		1·50					·03			6
7				·30		·16				·15	·85	·09		7
8				·51		·10				·36	·70	·01		8
9	·07					·83			·11	1·01	·12			9
10	·11		·33			·04					·18			10
11	·31	·32				·24	·04			·01	·71	·03		11
12		·06				·27		·04	·10		·73			12
13	·12	·14		·44		·01				·01	·62			13
14				·16	·15	·08			·10		·22	·17		14
15				·60		·02			·25		·43	·03		15
16		·20	·08	·12		·27			·75	·06	1·09			16
17				·21		·21		·02			·35			17
18		·04		·41	·04	·08	·02	·03	·58	·04	·04			18
19		·02			·57	·08	·41		·08	·06	·24			19
20		·63		·05		·03	·09				·47			20
21		·54		·06					·09		·01			21
22		·04	·09	·03				·03	·07		·01			22
23			·10					·34	·01	·50		·12		23
24	·06	·76			·17			·98	·57	·03		·43		24
25		·29			·16	·57						·37		25
26		·45		·13		·04		·34	·13			·56		26
27	·06	·68						·04	·25		·15	·42		27
28		·08			·08			·01	·52		·01	·17		28
29								·07	·55	·06	·03	·61		29
30	·08	×			·03			·83	·10	·20	·78	·64		30
31		×		×		×		·02	×	·84	×	·55		31
TOTAL	·87	4·33	·93	3·80	1·36	4·86	1·08 1·11	2·75 2·65	5·53 5·55	5·23	8·62	4·36	Year's Total 43·67	
* Days with .01 in. or more.	8	15	7	15	8	19	5	12	21	18	26	16	170	
* Days with .04 in. or more.	8	14	7	14	7	16	4	7	20	12	19	12	140	

4365

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. B. Scott

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 438/8
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rotherfield Park
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 15 in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	53 in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·08	·05	~~·53~~				·12				·10		1
2		·06		·02		·42	·26	·10						2
3	·01			·40		·03	·02		·40		·39			3
4			·16			·04			·33		·09	·06		4
5	·48		·03			·06		·06	·05			·04		5
6	·84							·03	·33		·68	·01		6
7	·21		·11			·01	·15		·05		·27	·07		7
8	·68		·11				·06				·20	·19		8
9	·65		·12				·37		·19	·01	·03			9
10	·30		·16				·10	·82			·01			10
11	·06							·02	·12		1·44			11
12		·09		·19		·31	38		·26		·24	·15		12
13						·05	·02				·21	·57		13
14		·15				·09	·53		·06	·06	·08	·72		14
15	·02	·08							·09		·07	·42		15
16	·23	·16					·10				·24	·12		16
17	·04	·96			·24	·43	·03	·02	·04		·16	·47		17
18	·11	·38				·49	·30				·01	·21		18
19	·34	·08	·10 ~~·18~~	·16		·59	·06	·14			·03			19
20	·16	·10	·16	·47		·19	·05		·75					20
21		·09		·53		·09	·29							21
22	·11	·44	·11		·25	·01						·07		22
23	·04		51	·16	·08		·60			·08				23
24	·10	·08	15 ~~·15~~		·01		·07			50				24
25	·08			·24			·23		·15	·14				25
26	·12	·22	·08	·08		·03	·10		·03	·13	·08	·03		26
27	55 ~~·55~~		·03				·02		·11	·42				27
28	·99		·33				·25			·07		·21		28
29	·02	·29	·10			·13	·08				·28	·07		29
30	·26	✕			·06	·14	·04			·18				30
31	·18	✕	·37	✕	·01	✕	·13		✕	·29	✕	·43		31
TOTAL	6·94	3·26	2·68	2·78	·65	3·14	4·24	1·31	2·96	1·88	4·48	3·94	Year's Total 38·26	
* Days with .01 in. or more.	25	15	17	10	6	14	24	8	15	10	18	18	183	
* Days with .04 in. or more.	22	15	15	9	4	13	20	5	14	9	14	16	156	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. B. Scott

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 438/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Rotherfield Park

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. ......in.

,, Ground ,, Sea Level ~~[illegible]~~ ft.

590 see O.S. map.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·94	·23		·02						·08	1·13	·65		1
2	·03	·56		·23					·27		·01	·47		2
3	01 ~~[illegible]~~	·30	·06				·01					·01		3
4	1·61	1·30										·24		4
5	·25	·06	·10	·04	·11		·14							5
6	·24	·07	·65	·03	·10		·03			·05	·01			6
7		·61		·17	·15				·03			·18		7
8		·02	·02		·17						·04	·10		8
9				·28	·09	·06	·12		·30			·15		9
10			·88	·14	·29	·31	·02	·02				·63		10
11	·03		10	·01	·35	·29	·15					·02		11
12	·60	·26	17	·10	·37	·24	·01	·36	·11			·38		12
13	·25	·05	77	·19	·01			·15	·20			1·80		13
14			52	·54				·19	·11			·03		14
15	·44	·22		·31			40 ~~·41~~		·14			·01		15
16		·15	72	·33		·04		49 ~~·40~~	·59					16
17	·82	·04	15	·04		·02			·20		·05			17
18	·36	·10		·03		·03	·03				·12	59 ~~·19~~		18
19	·09	·13	12	·31		·11			·04					19
20	·80		07	·36	·32	·12						·03		20
21	1 05	·54	·04	04 ~~·24~~	07		·04			07		·06		21
22	64	·04	·09		22	·08	·22			53	·67	14		22
23	20	·15	·18		25		·03			45	·35 ~~·38~~	01		23
24	57	·40	·03						·13	73	·01	02		24
25	24	·48	·26		85				·10	73		01		25
26	01	·39	·02							13				26
27	10	·04		·10						76				27
28		·20		·01		·01				08		·03		28
29		×								07	·12	·03		29
30	·54	✕				·13		·14		15	·30			30
31	·44	✕		✕		✕			✕	59	✕	·03		31
TOTAL	8·84	6·37 ~~6·40~~	4·95	3·31	3·34	1·24	1·20	1·29	2·25	4·[illegible]	2·81	5·12 4·40	Year's Total ~~43·95~~ 44·15	
* Days with .01 in. or more.	23	23	19	20	14	12	12	6	12	13	11	23	188	
* Days with .04 in. or more.	19	22	16	15	13	4	6	5	11	13	8	12	144	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 738/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rothfield Park

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...... ft. ...... in.

,, Ground ,, Sea Level 500 ft.

590 ft

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·03		·03	·12	·17		·01	·06		·14		1
2	·04	·04		·06	·04					·27	·01	·04		2
3					·06					·74	·06	·01		3
4	·03						·10			·23	·01	·21		4
5				·02			·12	·04		·44		·01		5
6	·03					·02	·05		·14	·04	·02	·01		6
7	·03					·01	·46	·32	·08	·37	·01	·15		7
8	·25					·01	·21	·10	·01	·29		·13		8
9	·17	·03				·06	·01			·03		1·15		9
10	·12	·01				·03	·02	·44		·03		·20		10
11	·16	·01								·01	·39	·23		11
12	·49				·12		·04			·16	·02	·01		12
13	·34	·02								·17	·76	·34		13
14	·48				·07		·03		·02		·01	·01		14
15	·22	·02			·01		·82	·02		·37	·01	·43		15
16	·39	·03	·03		·01			·03		·03	·03	·03		16
17	·01	·05	·01				·02		·17	·14	·02			17
18	·11				·05			·02	·12	·01	·68			18
19	·03	·02						·09	·18		·22	·01		19
20		·04							·08		·57	·03		20
21	·05							·10	·10		·02	·16		21
22	·01					·10		·20			·25	·28		22
23						·01					·04			23
24		[illegible]	·14						·23		·16			24
25	·13	03	·11		17		·01		·01	·04	1·43	·06		25
26	·40	·34	·07		02				·16	·23	·01	·26		26
27	·18	·03			18	·35	·52	·01	·01	·01	·45			27
28	·05	·08			45	·14		·58	·18			·11		28
29	·14	✕			29			·01	·14	·01	·12	·12		29
30	·11	✕			33	·03			·09	·05	·31	·02		30
31	·27	✕		✕	26	✕			✕	·26	✕	·38		31
TOTAL	4·27	·75	·39	·08	2·09	·88	2·58	1·96	~~1·63~~ 1·73	3·99	5·61	4·33	Year's Total 28·56	28·66
* Days with .01 in. or more.	25	14	6	2	15	11	14	13	17	23	24	26	190	
* Days with .04 in. or more.	19	5	3	1	11	5	9	8	12	16	13	16	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) J. B. Scott

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 438/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Rotherfield Park

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft....in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01		·15	·19	·27		·11	·02	·35			·08		1
2	·11			·08				·98	·37			·28		2
3	·54	·01		·59				·15			·29	·05		3
4	·10	·01	·41	·25	·06		·16	·54		·57	·19			4
5			·01	·14	·18		·10	·02		·32	·64	·21		5
6	·25		·21		·28		·66	·03		·02	·12			6
7	·02	·17				·01	·02	·03		·06	·54	·42		7
8	·07	·32	·23				·05	·04		·33	·82	·46		8
9	·12	·06						·13		·17	·07	·49		9
10	·26		·03			·06		·19	·06	·30	·01			10
11	·01	·01	·26			·02				·41	·02			11
12	·01	·04	·01			·01								12
13				·10			·43		·16	2·02	·05			13
14	·94		·02	·10	·11	·07	·16			·44	·70			14
15	·38			·01	·58	·49	·15		·06	·44	·31	·11		15
16	·72		·10	·06	·11	·11	·12		·04		·10			16
17	·30	·06	·02	·03	·16	·02	·17			·47	·37			17
18	·33	·01	·03			·12	·35			·03	·01			18
19	·34	·01					·17			·07		·05		19
20	·46						1·21					·03		20
21	·08	·27	·05	·01		·09	·02	·10	·07					21
22	·30	·32	·03	·19		·20	·05		·02		·20			22
23	·04		·06			·01	·02				1·09			23
24	·44		·01			·10	·05			·04				24
25	·99	·29	·03		175		·03			·03	·45			25
26	·03	·01	·02			·14		·09		·05	·43			26
27		·14	·09	·02		·05				·03	·18			27
28	·02	·22	·05	·06		·10	·05			·04	·16			28
29		✕		·11			·08			·03	·06	·29		29
30		✕		·79		·23				·09	·11		3	30
31		✕		✕		✕	·49		✕	·07	✕			31
TOTAL	6·87	1·98	1·82	2·73	1·45	1·83	4·65	2·32	1·13	6·03 6·00	6·92	2·47	Year's Total ~~40·44~~	
* Days with .01 in. or more.	25	16	20	16	8	14	22	12	8	21	23	11	199	
* Days with .04 in. or more.	19	10	10	12	8	12	18	8	4	20	20	10	151	

40·47

4035

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. Goatcher for Major J. B. Scott

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 438/8.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Rotherfield Park.

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 500 ft.

590' OS. map.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·30												1
2		·10		·06							·22	·02		2
3		·60		·04						·17		·18		3
4		·10								·35	·50	·03		4
5										·08	·35	·27		5
6	·39	·26					·42			·47	·27			6
7	·21	·60					·12			·15	·11			7
8							·10			·36		·29		8
9							·06			·06	·98	·28		9
10							·12	·14		·33	·37	·04		10
11				·06			·14				·73			11
12		·05	·42	·04			·38			·17	·51			12
13			·74	·08			·12	·42		·20				13
14			·33				·32		·05	·11		·49		14
15							·64		·11	·15	·76	·04		15
16		·19	·26				·20		·04	·57	1·20	·04		16
17		·15	·32						·11	·08	·26			17
18		·25	·44	·45			·29		·09	·10	·02	·20		18
19		·02		·34					·53		·30			19
20		·05	·02	·09			·12		·20	·20	·07			20
21			·03		·35		·06			·02	·55			21
22			·06						·14					22
23		·10	·22				·10							23
24											·03			24
25	25		·39		·05		·03			·01	·01			25
26	85	·45	·45		·15		·15							26
27	60	·42					·13				·02			27
28	10													28
29	60	·23	·21	·05		·32						·33		29
30		✕		·15						1·40		·04		30
31		✕		✕		✕			✕	1·42	✕	·06		31
TOTAL	3·00	3·~~71~~77	3·89	1·36	·55	·32	3·50	·56	1·30	6·40	7·26	2·31	Year's Total 34·52	3462
* Days with .01 in. or more.	4	16	13	10	3	1	18	2	8	20	19	14	131	
* Days with .04 in. or more.	4	15	11	10	3	1	14	2	8	18	15	12	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Goatcher for Capt. Scott

P.T.O.

739

~~739~~

NEWTON VALENCE VIC.

1931 - 1940

780201

Section **A** for the entry of Dai

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGISTE 193/ .

Kept at Newton Valence

in the County of Hamp

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASURE S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·12

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	·19	·12		·20			·15			·11	1
2	·17	·04		·42				·03	·42	·01	·01		2
3	·06		·18	·15	·28			·17	·50	·02	·29	·18	3
4	·01	·03	·05	·01	·11		·12	·01		·06	·12	·02	4
5	·01	·10		·15	·01	·40	·06	·76	·03	·01	·01	·24	5
6		·10		·19		·04	·15			·35	·17	·03	6
7				·01	·27	·26		·36		·04	·51	·02	7
8		·10		·04	·01	·26		·31			·15	·04	8
9	·01	·32	·05	·03		·05		·01			·67	·01	9
10		·02	·03			·20	·01	·14		·01	·69		10
11	·13	·61							·05		·36		11
12	·02	·01	·01				·14	·03	·35		·01	·01	12
13						·01	·19		·01				13
14	·01	·14					1·08	·51			·03		14
15	·02	·10		·05	·11		·09	·63			·02	·05	15
16	·01	·06		·20	·23	·30	·01	·13	·05				16
17	·01	·06		·16	·01	·02	·40	·11	·11	·02			17
18	·05	·02	·03	·06		·14	·08	1·45	·01		·61		18
19	·11			·37		·11	·48	·31	·01	·01	·01		19
20	·01	·06	·03	·12		·01		·41			·07		20
21	·06			·10	·30			·07			·01		21
22	·59	·04	·09	·03	·01						[illegible]		22
23	·43			·12	·33	·03					·26	·01	23
24	·07			·70	·15	·11	·15	·25			·01		24
25	·26	·01		·50	·15		·57	·01			·05	·01	25
26		·03		·15			·38				·58		26
27	·17	·44		·01	·61		·06				·09		27
28	·05			·14			·01			·01	·01	·01	28
29	·14				·33		·14			·06			29
30	·01	×		·01	·01								30
31	·42	×		×	·04	×	·05		×		×	·04	31
TOTAL	2.85	2.35	.66	3.84	2.96	2.14	4.17	5.70	1.69	.60	4.74	·78	YEAR'S TOTAL 32·48
*Days with ·01 in. or more.	25	20	9	24	17	15	19	19	11	11	23	14	207
*Days with ·04 in. or more.	14	14	5	18	12	11	16	14	7	4	14	6	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A Maclachlan

P.T.O.

739

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 586 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·12

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	·19	·12		·20			·15			·11	1
2	·17	·04		·42				·03	·42	·01	·01		2
3	·06		·18	·15	·28			·17	·50	·02	·29	·18	3
4	·01	·03	·05	·01	·11		·12	·01		·06	·12	·02	4
5	·01	·10		·15	·01	·40	·06	·76	·03	·01	·01	·24	5
6		·10		·19		·04	·15			·35	·17	·03	6
7				·01	·27	·26		·36		·04	·51	·02	7
8		·10		·04	·01	·26		·31			·15	·04	8
9	·01	·32	·05	·03		·05		·01			·67	·01	9
10		·02	·03			·20	·01	·14		·01	·69		10
11	·13	·61							·05		·36		11
12	·02	·01	·01				·14	·03	·35		·01	·01	12
13						·01	·19		·01				13
14	·01	·14					1·08	·51			·03		14
15	·02	·10		·05	·11		·09	·63			·02	·05	15
16	·01	·06		·20	·23	·30	·01	·13	·05				16
17	·01	·06		·16	·01	·02	·40	·11	·11	·02			17
18	·05	·02	·03	·06		·14	·08	1·45	·01		·61		18
19	·11			·37		·11	·48	·31	·01	·01	·01		19
20	·01	·06	·03	·12		·01		·41			·07		20
21	·06			·10	·30			·07			·01		21
22	·59	·04	·09	·03	·01						[illegible]		22
23	·43			·12	·33	·03					·26	·01	23
24	·07			·70	·15	·11	·15	·25			·01		24
25	·26	·01		·50	·15		·57	·01			·05	·01	25
26		·03		·15			·38				·58		26
27	·17	·44		·01	·61		·06				·09		27
28	·05			·14			·01			·01	·01	·01	28
29	·14				·33		·14			·06			29
30	·01	×		·01	·01								30
31	·42	×		×	·04	×	·05		×		×	·04	31
TOTAL	2.85	2.35	.66	3.84	2.96	2.14	4.17	5.70	1.69	.60	4.74	.78	YEAR'S TOTAL 32.48
*Days with ·01 in. or more.	25	20	9	24	17	15	19	19	11	11	23	14	207
*Days with ·04 in. or more.	14	14	5	18	12	11	16	14	7	4	14	6	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Maclachlan

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Newton Valence Vicarage
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft " in.
,, Ground ,, Sea Level 586 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·14

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02		23	·70		·01	·18	·01	·05	·01	·01	1
2	·02			27	·10			·02	·23		·02	·32	2
3				~~21~~ ·01	·04				·55	·07		·01	3
4	·04					·20							4
5	·33					·01	·13		·18				5
6	·67		·04	·47					·19	·01			6
7			·09				·02		·16	·24			7
8	·01		·25	·01	·37				·65	·38			8
9	·69			·18	·10				·02	·03	·04		9
10	·77	·03	·01	·44	·06	·06			·02	·11	·03		10
11	·04			·02	·01		·25	·09	·07		·03	·03	11
12	·50							·04	·15	·27	·01	·01	12
13	·03	·06		·20	·06		·70		·01	·91	·01	·04	13
14	·11	·01		·12	·08			·01			·02		14
15	·12			·02	·25					·07	·02	·02	15
16	·20				·01					·01		·01	16
17	·02			·05			·01			·05			17
18	·03				·02		·09		·07	·22	·07		18
19									·05		·01		19
20				·48	·05			·75		·86	·23	·07	20
21				·07	1.53			·04		·38	·01	·11	21
22	·02		·15	·05	·30		·30	·02	·37	·29	·42	·01	22
23	·02	·03		·02	·36		·02		·09	·75		·11	23
24		·05			·01		·65		·16	·10	·03	·01	24
25				·02		·04	·67		·06	·39	·05	·01	25
26			·05	·05			·13			·12	·02		26
27			·50	·38	·14	·12	·50			·23			27
28			·02	·08	·14		·20			·03	·01	·01	28
29			·58	·21	·28	·03	·01	·10	·24	·55	·09	·07	29
30		×	·10	·31	·10	1.57	·05		·39	~~6.12~~	·68	·26	30
31	·01	×	·27	×		×	·07		×		×	·10	31
TOTAL	3.75	·20	2.06	3.63	4.71	2.03	3.81	1.25	3.67	6.12	1.81	1.21	YEAR'S TOTAL 34.25
*Days with ·01 in. or more.	19	6	11	22	21	7	17	9	20	23	20	18	193
*Days with .04 in. or more.	11	2	9	16	17	5	12	6	16	19	7	8	128

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) A Maclachlan

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 586 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14		·10		·02					·01				1
2	·28	·02	·39		·75						·02			2
3	·01	·11	·56		·04									3
4	·30	·06			·20						·05			4
5	·12	·02	·69		·02									5
6	·02	·22	·04		·19						·05			6
7	·06	·10	·03		·05					·12		·01		7
8	·03						·24			·09				8
9					·02		·26			·16	·10			9
10	·02	·28			·02		·04			·42				10
11	·24				·06	·04	·06	·17		·04				11
12	·01			·02	·01	·09	·19		1·14			·02	~~·02~~	12
13	·03				·09	·08	·52	·01	·09	·05	·07			13
14	[illegible]						·05			·28	·40	·02	~~·02~~	14
15	·63		·29			·01	·05	·45		·02	·01			15
16			·80			·17	·09			·04				16
17		·03	·40			·17	·01	·03	·10	~~·10~~	·02			17
18	·31	·03	·49			·37					·01			18
19	·01		·14			·02	·03	·05	·70	~~·70~~	·02	·04	~~·04~~	19
20		·14	·04	·03		·03		·01	·06	[illegible]				20
21		·01				·18		·02	·09	·01		·01	~~·01~~	21
22						·22		·20	·02	·41	·02			22
23				·15	·22	·04			·27	·11				23
24		1·35	·20	·18		·04			·80	·01				24
25		1·45		·25					·08		·03	·07		25
26		1·25		·09		·26			·94	·06		·02		26
27		·01		·05	·60		·01		·02	·25		·21		27
28							·33			·09		·19		28
29	·07						·01			·05		·01		29
30	·05	×	·18				·09		·30	·02		·08		30
31	·23	×	·01	×		×			×		×			31
TOTAL	2.56	5.08	4.36	0.77	2.29	1.72	1.98	0.94	4.61	2.24	0.80	0.68	Year's Total 28.03 ✓	
*Days with ·01 in. or more.	18	15	15	7	14	14	15	8	13	19	12	11	161 ✓	
*Days with .04 in. or more.	11	9	13	5	9	11	11	4	11	14	5	5	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. MacLachlan

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 586 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01							.57	.34	.11	.02	.44		1
2	.05		.10	.07	.29				1.00	.19	.01	.37		2
3	.04	.02		.05				.03	.01	.45		.24		3
4	.20		.11	.14	.18					.06	.04	.59		4
5	.01		.01		.03			.15			.07	.78		5
6	.03		.34	.02	.18	.30		.10			.16	.51		6
7	.11				.01	.05		.33		.26		.52		7
8	.01				.18	.01		.03	.17	.01	.65	.10		8
9	.01		.14								1.25	.68		9
10	.03		.39	.18				.04			.91	.10		10
11	.78		.47	.19			.21	.03			.01	.54		11
12	.07		.02	.02			.15	.39			.02	.09		12
13	.54		.03	.07			1.10	.06		.02	.08	.28		13
14	.14		.51	.04			.01				.34	.69		14
15	.02		.01		.17	.02				.08	.13	.74		15
16	.20	.01	.39		.05				.03	.01	.01	.03		16
17	.15		.01	.01	.10				.03	.04	.01	.25		17
18	.40		.15	.40	.01				.09			.45		18
19	.01		.50	.01		.04		.04	.13			.20		19
20			.13	.02		14	.31	.02		.01				20
21			.01	.30		.68		.08		.14				21
22				.01		[illegible]	.08	.19	.26			.11		22
23		.01		.26				.01	.01		.01	.02		23
24		.03	.06	.14		.15	.32		.16					24
25	.25	.01	.01	.17		.03	.01		.01	.20		.77		25
26	.03			.25		.17			.12			.07		26
27	.01			.04		.03			.01			.28		27
28				.01		.14	.01	.62		.03		.41		28
29						.01	.01	.06	.13		.02	.02		29
30	.06	×						.20	.09			.57		30
31	.01	×		×	.01	×			×	.02	×	.17		31
TOTAL	3.17	0.08	3.39	2.41	1.21	1.77	2.21	2.95	2.59	1.63	3.74	10.02	Year's Total 35.17	
*Days with ·01 in. or more.	24	5	19	21	11	13	10	18	16	15	17	28	197	
*Days with .04 in. or more.	13	none	12	14	6	8	6	13	10	9	9	25	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Maclachlan

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 586 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .25

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.		
1	.06		.15		.04	.02	.29		.53	.08	.37	.01		1
2	.01			.02						.45	.07			2
3			.03			.09			.32	1.25	.15			3
4		.09		.28		.04			.07	.20	.27	.09		4
5		.19	.10	.19		.14			.37	.02	.01	.02		5
6			.02	.26		1.22					.04			6
7				.29		.22				.09	.79	.09		7
8				.25		.11				.35	.71	.01		8
9	.03		.01	.45		.79			.08	.92	.09			9
10	.15		.13	.03		.01					.37	.01		10
11	.35	.02	.04	.10		.28	.09			.01	.69			11
12	.01	.06		.26		.29		.02	.10		.67			12
13	.05	.74			.03	.05			.02		.02			13
14		.06		.22	.07	.01						.15		14
15		.17		.62		.03			.24		.46	.04		15
16			.08	.09		.24			.27	.04	.27	.02		16
17				.19		.23	.01	.02	.05		.42			17
18		.03		.40		.09	~~.01~~		.55	.05	.04			18
19		.01		.01	.55	.07	.33		.04	.04	.25			19
20		.60		.06	.04	.02	.09		.05		.48			20
21		.58		.02						.03	.01			21
22		.03	.02					.07	.14					22
23			.15					.35	.01	.41		.13		23
24	.04	.84			.24			1.08	.52	.04		.39		24
25	.05	.21		.11	.20	.09						.47		25
26						.03		.30	.14		.01	.58		26
27		.73					.01	.04	.19		.12	.47		27
28					.07				.28	.02	.01	.21		28
29								.04	.69	.01	.01	.56		29
30	.06	×		.14				.76	.06	.18	.84	.64		30
31		×		×		×			×	.75	×	.50		31
TOTAL	.81	3.76	.73	3.99	1.04	4.07	.82	2.68	5.42	4.94	7.82	4.39	Year's Total. 40.47	
* Days with .01 in. or more.	10	15	10	20	8	21	6	9	21	19	25	18	182	
* Days with .04 in. or more.	7	11	6	16	7	15	4	7	18	14	19	13	138	

† Spare column, no entries required.

(Signed) A. C. Machachlan [P.T.O.

0-9999

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 586 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
.98

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.07	.02	.37	—	.25	.24	.12	—	—	.08	.09		1
2	.01	.05	.01	.02	—	.25	.05	.10	—	—	—	—		2
3	—	—	—	.32	—	.01	.15	.05	.28	—	.35	—		3
4	—	—	.14	—		.05	—	—	.25	—	.12	.07		4
5	.59	—	—	—	—	—	—	—	.06	—	—	—		5
6	.71	—	—	—	—	.03	—	.05	.33	—	.59	.06		6
7	.18	—	.18	—	—	.01	.21	—	.06	—	.26	.07		7
8	.55	—	.09	—	—	—	.05	—	—	—	.22	.15		8
9	.53	—	.05	—	—	—	.33	—	.14	—	.04	—		9
10	.33	—	—	—	.02	—	.07	.35	—	—	—	—		10
11	.05	—	—	.03	—	—	—	.22	.01	—	1.40	—		11
12	.01	—	—	.04	—	.27	.35	.01	.32	—	.23	.12		12
13	—	—	—	.09	—	.05	.01	—	.02	.02	.04	.35		13
14	—	.23	—	—	—	.08	.60	—	.05	.02	.30	.70		14
15	—	.06	—	—	—	.01	.02	—	.05	—	.10	.30		15
16	.08	.26	—	—	—	—	.08	—	.04	—	.26	.12		16
17	.12	1.00	—	—	—	.25	.05	.05	—	—	.18	.62		17
18	.12	.26	—	—	—	.68	.31	—	—	.04	—	.21		18
19	.39	—	.05	.21	—	.69	.02	.12	—	—	.03	—		19
20	.15	.15	.17	.37	—	.05	.02	—	1.10	—	—	—		20
21	—	.12	—	.42	—	.35	.09	—	—	—	—	—		21
22	.08	.38	.20	—	.27	—	.20	—	—	—	—	.04		22
23	.07	—	.32	.12	.06	.01	.60	—	—	.10	—	—		23
24	.08	.07	—	—	—	—	.02	—	—	.49	—	—		24
25	.06	—	.12	.28	.05	—	.20	—	.18	.20	.07	—		25
26	.11	.23	.11	.01		.12	.21	—	—	.20	—	—		26
27	.53	—	.02	—	—	—	.01	—	.16	.47	—	.04		27
28	.95	—	.30	—	—	—	.18	—	—	.06	—	—		28
29	.02	.14	.09	—	—	.35	.19	—	—	—	.23	.07		29
30	.20	✗	—	—	.06	.31	.01	—	—	.23	—	.02		30
31	.19	✗	.32	✗	—	✗	.12	—	✗	.26	✗	.48		31
TOTAL	6.36	3.02	2.19	2.28	.46	3.82	4.39	1.07	3.05	2.09	4.50	3.51	Year's Total 36.74	
* Days with .01 in. or more.	25	13	16	12	5	19	27	9	15	11	17	17	186	
* Days with .04 in. or more.	22	13	13	8	4	14	20	8	13	9	16	16	157	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Maclachlan [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 586 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·98	·10	·04	·01							1.00	·49		1
2	·05	·85		·36					·30		·01	·47		2
3	·01	·24	·02									·02		3
4	·14	·92										·25		4
5	·26		·15	·01			·13							5
6	·26	·10	·05	·08			·01				·04			6
7		·60	·70	·18	·25				·03	·12		·15		7
8		·02	·05	·01	·17						·03	·10		8
9				·29	·15	·09	·07		·30			·20		9
10			·69	·14	·17	·25						·63		10
11			·03		·43	·26	·14							11
12	·58	·24	·23	·09	·45	·30	·01	·25	·09			·44		12
13	·25	·05	·63	·18				·06	·21			1·10		13
14	·02	·02	·42	·44					·14			·02		14
15	·40	·16	·01	·25			·37	·07	·09					15
16	·01	·19	·59	·35		·05		·35	·85					16
17	·86	·07	·15	·05		·02			·15					17
18	·35	·15		·01		·10			·08		·15	·09		18
19	·08	·10	·07	·26		·12	·03		·06					19
20	·86		·08	·37	·42							·05		20
21	·98	·56		·01	·04		·01			·03	·05	·05		21
22	·70		·12		·29	·10	·19			·96	·50	·15		22
23	·20	·17	·01		·42		·04			·33	·21			23
24	·50	·40							·10	·80				24
25	·29	·53	·27		1·00				·14	·60		·02		25
26		·28	·02		·01					·15		·01		26
27	·09	·27		·11						·77				27
28	·02			·01						·12		·01		28
29	·01					·01				·10	·15	·03		29
30	·49	✕				·04		·18		·15	·26			30
31	·38	✕		✕		✕		·01	✕	·56	✕	·02		31
TOTAL	8·77	6.02	4.33	3.13	3.80	1.34	1.00	0.92	2.54	4.69	2.40	4.30	Year's Total 43.24	
* Days with .01 in. or more.	25	21	20	20	12	11	10	6	13	12	10	20	180	
* Days with .04 in. or more.	20	19	15	14	11	9	6	5	12	11	8	13	137 43	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. C. Maclachlan

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Newton Valence Vicarage
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 586 ft.

wet day Ann. Total Corr. for Anit, 23.2.39.
EMF.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .02

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.05			.63	.05	.19		.01	.08	.01	.21		1
2					.02					.28		.05		2
3	.04				.09					.72	.08			3
4	.01						.06			.18	.02	.18		4
5							.20			.65	.01			5
6	.06						.05		.14	.05	.02	.04		6
7	.05						1.00	.05	.05	.38	.02	.05		7
8	.26						.19	.24 ~~.02~~		.38		.01		8
9	.17	.05				.09	.01	.20		.05		1.12		9
10	.14	~~.05~~					.02	~~.20~~		.03		.21		10
11	.17							.01		.01	.30	.22		11
12	.50	.02			.11			~~.01~~		.15	.06	.01		12
13	.35	.01								.20	.64	.31		13
14	.41				.06		.06		.02		.01	.02		14
15	.16				.01		1.02			.39	.02	.43		15
16	.44				.01					.05	.04	.24		16
17		.10					.03		.19	.16	.02			17
18	.01				.09	.03		~~.19~~	.10		.62			18
19	.02							.16	.18		.21			19
20					.01				.12		.72	.47		20
21	.10							.01	.10		.01			21
22	.01					.07		.20			.30	.34		22
23											.05			23
24			.17						.26		.18			24
25	.20		.10	.01	.20		.02			.05	1.44			25
26	.40	.32	.06		.02	.01			.09	.24	.01	.07		26
27	.19	.05	.06		.15	.37	.50				.42	.05		27
28		.09			.48	.17		.45	.09	.01	.14	.12		28
29	.24				.36			.02	.11	.01	.01	.14		29
30	.14	✕			.34				.10	.07	.35	.01		30
31	.32	✕		✕	.28	✕			✕	.27	✕	.36		31
TOTAL	4.39	.69	.39	.01	2.26	.79	3.35	1.34	1.56	4.41	5.72	4.66	Year's Total 29.57	✓
* Days with .01 in. or more.	23	8	4	1	16	7	13	9	14	22	26	22	165	✓
* Days with .04 in. or more.	19	6	4	-	10	5	9	6	12	18	15	18	122	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. C. Maclachlan

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 526 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·11	·11	·15	·28		·03	·01	·60			·11		1
2	·08			·07	·01		·15	·90	·35			·05		2
3	·55			·55				·23	·01		·30	·29		3
4	·10		·41	·23	·01		·12	·58		·70	·16	·05		4
5		·01	·02	·13	·22			·01		·45	·64	·15		5
6	·24		·11		·15		·77	·02		·02	·36	·01		6
7	·04	·15			·01	·17	·03	·04		·05	·16	·37		7
8	·08	·25	·21				·04	·02		·31	·85	·45		8
9	·10	·06	·01					·15		·36	·12	·32		9
10	·35					·05	·50	·18	·05	·15	·01	·01		10
11	·01	·01	·18							·40	·02			11
12		·05	·01			·02				·01				12
13		·01		·12		·01	·50		·14	1.82	·02			13
14	·77			·09	·09	·04	·24			·25	·84	·02		14
15	·44			·01	·55	·35	·08		·05	·48	·22	·07		15
16	·55		·07	·07	·13	·15	·05		·02	·12	·34			16
17	·33	·09	·01	·08	·23		·26			·30	·10			17
18	·31		·02	·01	·01	·16	·29			·01	·38	·01		18
19	·31		·02		·11		·32			·09	·01	·05		19
20	·45		·01		·02		·91					·01		20
21	·07	·29	·06			·07	·11	·21	·06					21
22	·30	·35	·02	·01		·18	·05		·01		·14			22
23	·03	·01	·23	·16		·01	·01			·01	1·12			23
24	·14			·02			·12			·12	·01	·01		24
25	·73	·30	·02				·07				·50			25
26	·33	·01	·01			·10		·36		·08	·46	·01		26
27	·02	·16	·09	·03		·02		·01		·03	·25			27
28	·01		·04	·13		·11	·01			·05	·15	·03		28
29	·19		·01	·08			·08			·05	·06	·12		29
30		×		·74		·21				·05	·17	·05		30
31		×		×		×	·42	·01	×	·04	×			31
TOTAL	6.55	1.86	1.47	2.68	1.82	1.65	4.66	2.73	1.29	5.85	7.39	2.20	Year's Total 40.15	✓
* Days with .01 in. or more.	26	15	21	18	13	15	22	14	9	24	25	20	222	✓
* Days with .04 in. or more.	21	10	9	13	8	11	18	8	6	19	20	12	155	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. A. MacLachlan [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 739

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Newton Valence Vicarage

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 586 ft.

B/38827/30 No. 7.

Acqs.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·01	20							·08			1
2		·10		·02						·04	·50	·01		2
3		·50		·05						·23	1·40	·15		3
4		·07								·33	·08	·03		4
5		·02					·07			·10	·48	·23		5
6	·35	·45			·01		·21			·50	·02	·01		6
7	·19	·37			·01		·04			·01		·01		7
8	·01	·01					·01	~~·02~~		·58	·02	·30		8
9								·02	·02	·21	·60	·29		9
10							·19	·09	·01	·20	·12	·05		10
11				·02			·09			·01	·93			11
12		·04	·40	·02			·27		·17		·10			12
13			·82				·05		·20		1·80			13
14	·01	·03	14	·08			·12		·01	32	·01	44		14
15			·01	·02			·92		·05	·09	·70	·05		15
16			·22	02		·03	·01		·28	·65	1·06	·04		16
17	·01	·07	·42				·02		·01	·01	·40	·01		17
18		·03	·25	45			·23		·05	·25	·04	·15		18
19		13	·05	·11			·17		·62	·01	·20	·01		19
20		·01	·01	·07				10	·03	·12	·09			20
21		·01			·20		·02		03	·05	·44			21
22		·01	·03	01	·06	·25			·13		·01			22
23		·08	·15			·05			·01		·01			23
24		·01	·01	·01			27					·01		24
25	·02		·61			02	·04			·01	·01			25
26	·80	·32	·19		·16									26
27	✓	·38	·01	02			05							27
28	✓	·04		06	·12									28
29	✗	·31	19	·15	·34							·33		29
30	✗	×		·05						·30		·01		30
31	1·24	×		×	·01	×			×	1·04	×	·09		31
TOTAL	2.63	3.68	3.53	1.36	·91	·35	2.78	·21	1.62	5.06	8.30	2.22	Year's Total 32.65	
* Days with .01 in. or more.	12 8	21	17	17	8 ~~7~~	4	18	3	14	21	23	19	177	
* Days with .04 in. or more.	7 ~~4~~	14	11	9	5	2	14	2	7	16	17	11	115 118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Maclachlan

P.T.O.

740

SHOTTERS

1931-1940

480201

agrees to correction 12.7.32

740

Section A for the entry of D

AIR MINISTRY.-

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIST 1931.

Kept at Shotters, Newt

in the County of Hampsh

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.06	—	.09	—	.21	—	.01	.14	.01	—	—	1
2	.21	.05	—	.46	—	—	—	.02	.40	—	—	—	2
3	.06	—	.20	.15	.25	—	—	.19	.58	—	.22	.23	3
4	—	.09	.05	—	.15	—	.14	Trace	.15	.07	.19	.02	4
5	—	.04	—	.15	—	.36	.06	.61	.02	—	—	.26	5
6	—	.11	—	.19	—	.14	.09	—	Trace	.35	.19	.02	6
7	—	Trace	—	Trace	.26	.17	—	.33	—	.04	.66	Trace	7
8	.02	.14	—	.03	—	.27	—	.42	—	Trace	.15	.03	8
9	—	.32	—	.02	—	.06	—	—	—	—	.67	Trace	9
10	Trace	.07	—	—	—	.19	—	.14	—	—	.77	—	10
11	.14	.60	.04	—	—	—	.01	Trace	.04	—	.28	—	11
12	.02	.01	.03	—	—	—	.29	.01	.36	—	Trace	—	12
13	Trace	—	.01	—	—	—	—	—	—	—	—	—	13
14	—	.14	Trace	—	—	—	1.21	.50	—	—	—	—	14
15	.03	.10	—	.02	.12	.01	.10	.58	—	—	.04	.05	15
16	—	.05	—	.21	.22	.26	—	.03	.04	—	—	—	16
17	.01	.07	—	.17	—	.02	.42	.14	.14	—	—	—	17
18	.05	.06	.03	.09	—	.07	.08	1.45	—	—	.64	—	18
19	.10	—	—	.42	—	.09	.44	.37	Trace	.02	.01	Trace	19
20	—	.06	.03	.16	—	—	—	.50	—	—	.04	—	20
21	.05	—	—	—	.31	—	—	—	—	—	Trace	—	21
22	.43	.04	.08	.01	—	—	—	—	—	—	—	—	22
23	.55	—	—	.10	.35	.02	—	—	—	—	.30	.01	23
24	.07	—	—	.78	.16	.11	.14	.88	—	—	Trace	—	24
25	.32	—	—	.48	.10	—	.56	—	—	—	.04	—	25
26	—	.03	—	.11	—	—	.40	—	—	—	.55	—	26
27	.14	.42	—	Trace	.65	—	.05	—	—	—	.08	—	27
28	.04	.19	—	.15	—	—	—	—	—	Trace	.01	—	28
29	.15		—	—	.25	—	.14	—	—	.05	Trace	—	29
30	—	X	—	Trace	—	—	—	.01	Trace	—	—	—	30
31	.39	X	—	X	.03	X	.04	—	X	—	X	.03	31
TOTAL	2.78	2.65	0.47	3.79	2.85	1.98	4.17	5.69	1.96	0.54	4.84	.65	YEAR'S TOTAL 32.37
*Days with ·01 in. or more.	18	20	8	19	12	14	16	17	9	6	16	8	163
*Days with ·04 in. or more.	14	18	4	15	11	11	15	12	8	4	14	3	129

32.37

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Chauvner

[P.T.O.

740

Obsr agrees to correction 12.7.32.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Shotters, Newton Valence, Alton

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.06	—	.09	—	.21	—	.01	.14	.01	—	—	1
2	.21	.05	—	.46	—	—	—	.02	.49	—	—	—	2
3	.06	—	.20	.15	.25	—	—	.19	.58	—	.22	.23	3
4	—	.09	.05	—	.15	—	.14	Trace	.15	.07	.19	.02	4
5	—	.04	—	.15	—	.36	.06	.61	.02	—	—	.26	5
6	—	.11	—	.19	—	.14	.09	—	Trace	.35	.19	.02	6
7	—	Trace	—	Trace	.26	.17	—	.33	—	.04	.66	Trace	7
8	.02	.14	—	.03	—	.27	—	.42	—	Trace	.15	.03	8
9	—	.32	—	.02	—	.06	—	—	—	—	.67	Trace	9
10	Trace	.07	—	—	—	.19	—	.14	—	—	.77	—	10
11	.14	.60	.04	—	—	—	.01	Trace	.04	—	.28	—	11
12	.02	.01	.03	—	—	—	.29	.01	.36	—	Trace	—	12
13	Trace	—	.01	—	—	—	—	—	—	—	—	—	13
14	—	.14	Trace	—	—	—	1.21	.50	—	—	—	—	14
15	.03	.10	—	.02	.12	.01	.10	.58	—	—	.04	.05	15
16	—	.05	—	.21	.22	.26	—	.03	.04	—	—	—	16
17	.01	.07	—	.17	—	.02	.42	.14	.14	—	—	—	17
18	.05	.06	.03	.09	—	.07	.08	1.45	—	—	.64	—	18
19	.10	—	—	.42	—	.09	.44	.37	Trace	.02	.01	Trace	19
20	—	.06	.03	.16	—	—	—	.50	—	—	.04	—	20
21	.05	—	—	—	.31	—	—	—	—	—	Trace	—	21
22	.43	.04	.08	.01	—	—	—	—	—	—	—	—	22
23	.55	—	—	.10	.35	.02	—	—	—	—	.30	.01	23
24	.07	—	—	.78	.16	.11	.14	.38	—	—	Trace	—	24
25	.32	—	—	.48	.10	—	.56	—	—	—	.04	—	25
26	—	.03	—	.11	—	—	.40	—	—	—	.55	—	26
27	.14	.42	—	Trace	.65	—	.05	—	—	—	.08	—	27
28	.04	.19	—	.15	—	—	—	—	—	Trace	.01	—	28
29	.15		—	—	.25	—	.14	—	—	.05	Trace	—	29
30	—	×	—	Trace	—	—	—	.01	Trace	—	—	—	30
31	.39	×	—	×	.03	×	.04	—	×	—	×	.03	31 32.37
TOTAL	2.78	2.65	0.47	3.79	2.85	1.98	4.17	5.69	1.96	0.54	4.84	.65	YEAR'S TOTAL 31.77
*Days with ·01 in. or more.	18	20	8	19	12	14	16	17	9	6	16	8	163
*Days with ·04 in. or more.	14	18	4	15	11	11	15	12	8	4	14	3	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

740

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Shatters, Newton Valence, ALTON

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 600 ft.

[illegible]

Station No 740

Nov & Dec adjusted for date of entry

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01	—	.22	.73	—	Trace	.14	.01	.05	~~.11~~ HC	~~.71~~	1
2	Trace	—	—	.21	.11	—	—	.02	.20	—	.01 HC ~~Trace~~	Trace	2
3	—	—	—	.14	.05	—	—	—	.55	.10	.01	.31	3
4	.06	—	—	—	—	.19	—	—	—	—	~~.06~~ HC	—	4
5	.33	—	.01	—	—	.01	.12	—	.16	—	.03	—	5
6	.69	—	.02	.49	—	—	Trace	—	.17	—	—	—	6
7	—	—	.10	—	—	—	Trace	—	.19	.23	—	—	7
8	.01	—	.26	HC .0~~7~~3	.31	—	—	—	.67	.43	—	—	8
9	.64	—	—	.17	.18	—	—	—	Trace	.02	—	.01	9
10	.75	.02	—	.48	.06	.07	—	—	.02	.12	.03	—	10
11	.03	—	—	.01	Trace	—	.36	.04	.07	.0~~2~~3 HC	.04	.01	11
12	.59	.03	—	—	—	—	—	.04	.16	.2~~2~~3 HC	.03	—	12
13	.50	.01	—	.21	.07	—	.58	—	Trace	1.0~~3~~4 HC	.01	.06	13
14	.11	Trace	—	.13	.08	—	—	—	—	Trace .23 HC	.01	—	14
15	.11	—	—	.02	.20	—	—	—	—	HC ~~1.09~~ ~~1.04~~ HC	.03	Trace	15
16	.29	—	—	.13	.01	—	—	—	—	Trace	.02 ~~.03~~	—	16
17	.02	—	—	.07	.02	—	Trace	—	—	.05 ~~.09~~ HC	—	.02	17
18	.04	—	—	—	—	—	.09	—	.07	—	—	—	18
19	—	—	—	—	.02	—	—	—	.05	—	.12	—	19
20	—	—	—	.49	.05	—	—	.66	—	.19	—	.03	20
21	—	—	.08	.07	1.51	—	—	.05	—	.84	.23	.14	21
22	Trace	—	.08	.02	.29	—	.28	.03	.44	.37	—	.01	22
23	.01	.02	—	.02	.38	.03	.02	—	.09	.26	.43	.11	23
24	—	.05	—	—	—	—	.57	—	.13	.72	—	—	24
25	Trace	—	—	—	—	.05	.66	—	.03	.09	.04	.07	25
26	—	—	.05	.05	—	—	.14	—	—	.39	.03	Trace	26
27	—	—	.47	.88	.13	.06	.54	—	—	.36	.02	Trace	27
28	—	—	Trace	.06	.12	—	.18	—	—	.26	.01	—	28
29	—	—	.48	.24	.23	.05	Trace	.07	.27	.02	—	.08	29
30	—	×	.05	.33	.09	1.52	.05	.01	.38	.52	.12	.27	30
31	—	×	.31	×	—	×	.01	—	×	—	.71 ×	.10	31
TOTAL	4.29	0.14	1.91	3.97	4.64 ~~20~~	1.98	3.60	1.06	3.66	6.41	1.93 ~~1.22~~	1.16 ~~1.87~~	YEAR'S TOTAL 34.75
*Days with ·01 in. or more.	16	6	11	22	20	8	13	9	18	22	~~20~~ 21	~~14~~ 13	179
*Days with ·04 in. or more.	12	1	6	16	17	6	11	6	15	20	6	~~8~~ 7	123

40-9999

(*Signed*) H L Turner

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Shotters, Newton Valence

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" Ground " Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.50	.98	—	.03	—	—	—	—	—	—	—	1
2	.44	—	.89	—	.64	—	—	—	—	—	—	—	2
3	—	.10	.56	—	—	—	—	—	—	—	.02	—	3
4	.28	.05	Trace	—	.32	—	—	—	—	—	.05	—	4
5	.10	.01	.66	—	—	—	—	—	—	—	—	—	5
6	.01	.21	.08	—	.20	—	—	—	—	.16	.05	—	6
7	.06	.10	.03	—	.08	—	—	—	—	.11	Trace	—	7
8	.02	—	—	—	.01	—	.22	—	—	.11	—	—	8
9	—	Trace	—	—	.03	—	.23	—	—	.15	.10	—	9
10	.01	.31	—	—	Trace	.01	.05	Trace	—	.41	.01	—	10
11	.24	—	—	—	.05	.03	.06	.13	Trace	.03	Trace	—	11
12	—	—	—	—	.01	.08	.20	—	1.21	—	—	—	12
13	.04	—	—	—	.07	.08	.49	Trace	1.07	.01	.06	—	13
14	—	—	.26	—	—	—	.05	Trace	—	.25	.50	—	14
15	.62	—	—	—	—	Trace	.03	.43	—	Trace	—	—	15
16	Trace	—	.98	—	—	.20	.07	—	Trace	.03	—	—	16
17	—	—	.58	—	—	.14	—	—	.09	—	.03	—	17
18	.28	—	.51	—	—	.40	—	.02	—	—	Trace	—	18
19	Trace	—	.08	—	—	Trace	.02	.04	.70	—	.01	—	19
20	—	.25	.03	.06	—	.05	—	Trace	.04	—	Trace	.13	20
21	—	—	—	—	Trace	.14	—	.02	.09	.01	Trace	Trace	21
22	—	—	—	—	—	.24	—	.24	—	.37	.02	—	22
23	—	.05	—	.22	.~~17~~ 24	.05	—	—	.31	.13	—	—	23
24	—	2.00	—	.18	—	.05	—	—	.43	Trace	—	—	24
25	—	1.63	—	.27	—	—	—	—	.09	—	.02	.08	25
26	—	1.50	—	.10	—	.34	—	—	.75	.06	—	.01	26
27	—	.01	—	—	.62	—	Trace	—	.02	.25	—	.26	27
28	—	—	—	—	—	—	.33	—	—	.11	—	.19	28
29	—		.02	.08	—	—	—	—	Trace	.01	—	Trace	29
30	.15	×	.16	—	—	—	.08	—	.30	.02	—	.10	30
31	.23	×	Trace	×	—	×	—	—	×	Trace	×	—	31
TOTAL	2.50	6.72	4.94	.91	2.30	1.81	1.83	.88	4.10	2.22	.87	.77	YEAR'S TOTAL 29.85
*Days with ·01 in. or more.	14	13	14	6	12	13	12	6	12	17	11	6	136
*Days with .04 in. or more.	11	11	11	6	8	11	10	4	11	~~2~~ 11	5	5	103

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Chawner

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Shotters, Newton Valence

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

„ Ground „ Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	—	—	—		HC .28	.09	.03	.47		1
2	.07	—	.10	.07	.46	—	—	—	1.00	.21	.01	.33		2
3	.05	.03	—	.10	—	—	—	.16	Trace	.48	—	.24		3
4	.19	Trace	.10	.16	.18	—	—	—	—	.08	.04	.50		4
5	.01	—	.10	—	Trace	—	—	.16	—	—	.07	.46		5
6	.05	—	.29	.03	.18	.31 HC	—	.11	—	.23	.16	.75		6
7	.16	—	Trace	—	—	.04 HC	—	.31	—	.22	Trace	.52		7
8	—	—	—	—	.20	Trace	—	.03	.20		.68	.11		8
9	.01	—	.15	—	—	—	—	—	—	—	1.53	.62		9
10	.04	—	.41	.22	—	—	—	.04	—	—	.48	.09		10
11	.84	—	.47	22	—	—	.16	.03	—	—	Trace	.59		11
12	.04	.01	.11	—	—	—	.18	.47	—	—	.02	.13		12
13	.57	—	.01	.09	—	—	1.34	.02	—	.02	.09	.29		13
14	.14	Trace	.49	.03	—	—	—	—	—	—	.30	.66		14
15	.01	—	.01	—	.17	.02 HC	—	—	—	.11	.14	.63		15
16	.24	—	.39	—	.04	—	—	—	.02	Trace	Trace	.03		16
17	.12	—	—	.02	.08	—	—	—	.03	.03	.91	.22		17
18	.32	—	.15	.40	—	—	—	—	.08	—	—	.37		18
19	—	—	.60	.02	—	.05	—	—	.12	—	—	.17		19
20	—	—	.11	.04	—	—	.29	.04	—	.01	—	—	7.18	20
21	—	—	Trace	.31	—	.15	—	.08	—	.16	—	—		21
22	—	Trace	—	—	—	—	.15	.14	.26	—	—	.13	.13	22
23	—	Trace	—	.26	—	.57	—	—	—	—	Trace	.13	.13	23
24	—	.02	.06	.16	—	.31	.37	—	.14	—	—	.81	—	24
25	.31	—	—	.20	—		—	—	Trace	.17	—	.06	.81	25
26	.01	—	—	.33	—	.19	—	—	.13	—	—	.29	.06	26
27	—	—	—	.04	—		—	—	trace	—	—	.41	.29	27
28	Trace	—	—	—	—	.04	.02	.69	—	.04	Trace	.02	.41	28
29	—	✕	—	—	—	.14	—	.08	.16	—	.02	.55	.02	29
30	.06	✕	—	—	—		—	.27	.09	.01	—		.55	30
31	.02	✕	—	✕	—	✕	—	—	✕	.01	✕		.19	31
TOTAL	3.28	0.06	3.55	2.70	1.31	2.02	2.51	2.63	2.51	1.87	2.58	9.77	Year's Total 34.79	
*Days with ·01 in. or more.	21	3	16	18	7	10	7	15	12	15	14	28	166	
*Days with .04 in. or more.	15	0	14	14	7	10	6	12	10	10	9	26	133	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H Hammer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.　Station No. 740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shatters, Newton Valence
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 600 ft.

~~Acc.~~
Cast all days
Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	—	.20	—	.04	.02	—		.39	.05	.34	—		1
2	Tr.	—	—	.01	—	—	.32	—	.11	.50	.07	—		2
3	—	.02	.02	— ~~.30~~	—	.03	T	—	.40	1.57	.17	—		3
4	—	.05	—	.30	—	.05	—	Trace	.06	.18	.42	.09		4
5	—	.25	.12	.20	—	.14	—	—	.38	.02	.02	.02		5
6	—	Tr.	.01	.28	—	1.27	—	—	—		.04	—		6
7	—	—	—	.28	—	.15	—	—	—	.15	.82	.09		7
8	—	—	—	.30	—	1.03	—	—	—	.29	.76	T		8
9	.03	—	—	.47	—		—	—	.08	1.09	.10	—		9
10	.12	—	.14	.02	—	.01	—	—	—		.26	.01		10
11	.32	.02	.04	.09	—	.24	.06	—	—		.72	—		11
12	.03	.05	—	—	—	.28	—	.03	.10		.73	—		12
13	.06	.12	—	.28	.04	.04	—	—	.01	.01	.0~~8~~3	—		13
14	—	—	—	.22	.11	.03	—	—	T		.18	.16 ~~.01~~		14
15	—	.15	—	.70	—	.02	—	—	.22	T	.41	.03		15
16	—	.03	.08	.12	—	.29	—	—	.60	.04	.96	.01		16
17	—	—	—	.18	—	.23	.01	.02	.04		.42	—		17
18	—	.04	—	.39	—	.09	T	.05	.52	.04	.03	—		18
19	—	.01	—	.01	.55	.08	.34	—	.08	.03	.30	T		19
20	—	.64	—	.06 ~~.02~~	.06	.03	.09	—	—		.45	—		20
21	—	.55	—	.01	—	T	—	—	—	.03	T	—		21
22	—	.04	.05	.02	—	—	—	.06	.14		—	—		22
23	—	—	.11	—	—	—	—	.33	T	.43	—	.13		23
24	.04	.81	—	.42	.14	—	—	1.11	.50	.03	—	.38		24
25	.06	.21	—		.18	.26	T	T	—		—	.50		25
26	—	.52	—	—	—	.03	—	.31	.13	T	—	.63		26
27	—	.64	—	—	—	—	.02	.04	.20		.15	.48		27
28	—	.05	—	—	.07	—	—	—	.49	.02	T	.19		28
29	—	—	—	—	—	—	—	.07	.65	.01	.02	.53		29
30	.07	×	—	.16	—	—	—	.83	.07	.17	.82	.66		30
31	—	×	—	×	—	×	—	.01	×	.76	×	.52		31
TOTAL	.77	4.20	.77	4.22	1.19	4.32	.84	2.86	5.39	5.42	8.22	4.43	Year's Total 42.63	
*Days with ·01 in. or more.	9 ✓	18 ✓	9 ✓	21 ✓	8 ✓	~~20~~ 21	6 ✓	11 ✓	20 ✓	19 ✓	23 ✓	16 ✓	~~+~~ 181	
*Days with .04 in. or more.	7 ✓	14 ✓	7 ✓	16 ✓	8 ✓	~~10~~ 14	4 ✓	8 ✓	19 ✓	12 ✓	19 ✓	12 ✓	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Section A **for the entry of Daily Observations.** **FOR OFFICIAL USE.** 740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Shotters, Newton Valence

in the County of Alton, Hants

Deup:

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" Ground " Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	.07	.03	.44	—	.35	.24	.11	—	—	.08	.09	1
2	T	.06	—	.02	—	.20	.04	.10	—	—	—		2
3	—	—	—	.34	—	T	.06	—	.36	—	.34		3
4	—	—	.14	—	—	.05	—	—	.31	—	.09	.06	4
5	.59	—	.03	—	—	—	—	.07	—	—	—	.04	5
6	.74	—	—	—	—	.05	—	.03	.32	—	.65		6
7	.16	—	.15	—	—	.01	.11	—	.06	—	.24	.06	7
8	.62	—	.08	—	—	—	.02	—	T	—	.20	.16	8
9	.57	—	.07	—	—	—	.34	—	.12	—	.03	.01	9
10	.31	—	—	—	.01	.01	.07	.43	—	—	1.43		10
11	.04	.02	—	.04	—	—	—	.09	.07	—			11
12	—	—	—	.04	—	.28	.38	—	.30	—	—	.12	12
13	—	—	—	.11	—	.05	T	—	—	.02	.28	.47	13
14	—	.20	—	~~—~~	—	.10	.59	—	.05	—		.77	14
15	.01	—	—	—	—	.01	.01	—	.05	—	.06	.41	15
16	.28	.83	—	—	—	—	.08	—	—	.02	.24	.16	16
17	.05	1.07	—	—	—	.25	.01	.02	2 .0~~8~~ HC	.03 ~~.02~~ HC	.17	77 .~~81~~	17
18	.08	.24	—	—	—	79 .79	.29	—	T	.02	—	.23	18
19	.39	.07	.10	.04	—	.60	.03	.12	T	.01	—		19
20	.14	.11	.14	.48	—	.03	.02	—	—	—	.01		20
21	—	.10	—	.51	—	.37	.09	—	—	—	—		21
22	.04	.41	.54	—	.27	—	.23	—	—	—	—	.06	22
23	.10			.14	.06	.06	.48	—	—	.07	—		23
24	.08	.09	—	—	—	—	T	—	.01	.49	—		24
25	.05		.14	.32	.03	—	.18	—	.17	.12	.06	T	25
26	.17	.21	.12	—	—	.04	.14	—	.05	.12	—		26
27	.43	.01	.03	—	—	—	.02	—	.15	.43	—	T	27
28	.96	.12	3 .~~22~~ HC	—	—	—	.09	—	—	—	—	.22	28
29	.02		.08	—	—	.22	.14	—	—	.02	.23	.05	29
30	.23	×		—	.09	.25	.91	—	—	.24	.09	T	30
31	.18	×	.37	×	—	×	13 .~~31~~ HC	←	×	.32	×	.49	31
TOTAL	6.48	3.11	2.34	2.48	.46	3.72	3.90	.97	2.04	1.91	4.20	3.50	YEAR'S TOTAL 35.1
*Days with ·01 in. or more.	24	15 ✓	~~15~~ 16	11	HC ~~6~~ 5	19	25	8	14	13	~~16~~ 18	17	185
*Days with ·04 in. or more.	22	13	~~12~~ 13	HC ~~9~~ 10	3	15	18	6	12	7	~~15~~ 16	16	151

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Chawner [P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

740

Kept at Shotters, Newton Valence

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 600 ft.

Totals adjusted by sum. stn KJ.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·94	·13	—	·03						·08	1.12	·46	1
2	·04	·98	T	·40 ~~·03~~	—	—	—	—	·35	·08	·02	·42	2
3	T	·25	—	—	—	—	—	—	—	—	T	·01	3
4	·16	·90	—	—	—	—	—	—	—	—	—	·25	4
5	·26	·08	·14	·02	—	—	·13	—	—	—	—	·01	5
6	·23	·02	snow 6"	·06	·10	—	·01	—	—	·04	—	—	6
7	—	·60	—	·09	·06	—	—	—	—	·03	—	·13	7
8	—	·02	·87	—	·18	—	—	—	·02	—	·05	·11	8
9	—	—	—	·23	·15	·08	·08	—	·81	—	—	—	9
10	—	—	·94	·16	·17	·40	—	—	—	—	—	·55	10
11	—	—	·06	—	·41	·26	·10		—	—	—	·01	11
12	·54	·25	·20	·08	·40	·28	·02	·24	·09	—	—	·44	12
13	·26	·03	·95	·18	T	—	—	·05	·20	—	—	1.05	13
14	·01	·02	·25	·44	—	—	—	·10	·29	—	—	·04	14
15	·48	·16	—	·26	—	—	·37		·06	—	—	—	15
16	T	·19	·70	·35	—	·03	—	·35	·83	—	—	—	16
17	·90	·04	·15	·03	—	·02	·02		·11	—	·03	—	17
18	·87	·07	—	~~·35~~	T	·08	—		·05	—	—	·08	18
19	·08	·17	·08	·24	—	·12	—		·05	—	·12	·01	19
20	·83	—	·08	·35	·37	—	—		—	—	—	·03	20
21	1.02	·55	·04	·03	·03	—	·01		—	·02	—	·05	21
22	·61	·01	·21	—	·30	·09	·17		—	1.10	·75	·17	22
23	·29	·16	·02	—	·33	—	·12		—	·38	·29	·01	23
24	·58	·38	·02	—	—	—	—		·12	·89	—	—	24
25	·28	·49	·25	—	1.18	—	—		·10	·86	—	·03	25
26	—	·34	·02	—	·01	—	—		—	·17	—	—	26
27	·09	·22	—	—	—	—	—		—	·75	—	—	27
28	—	·06	—	·11	—	—	—		—	·10	—	·02	28
29	—	—	—	—	—	—	—		—	·06	·10	·02	29
30	·54	×	—	—	—	·03	—	·25	—	·22	·26	—	30
31	·40	×	—	×	—	×	—		×	·54	×	—	31
TOTAL	6.84	6.12	4.98	3.06	3.69	1.39	1.03	.99	2.38	5.26	2.74	3.90	YEAR'S TOTAL 41.85
*Days with ·01 in. or more.	21	24	17	17	13	10	10	5	13	13	9	~~21~~ 22	174
*Days with ·04 in. or more.	19	19	14	11	11	7	6	5	12	12	7	12	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Chawner

[P.T.O.

~~Duplicate~~ COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Totals Apps

Kept at Shotters, Newton Valence

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 690 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.04	.01	—	.02	.05	.19	—	T	.04	T	.20		1
2	.03	—	—	.05	.01	—	—	—	—	.29	—	.03		2
3	—	—	—	—	.08	.01	—	—	—	.73	.10			3
4	—	—	—	—	—	—	.04	—	—	~~.66~~ .14	.01	.25		4
5	—	—	—	—	—	—	.18	—	—	.64	T			5
6	.04	—	—	—	—	.01	~~.08~~ .05	—	.11	.14	.02	.01		6
7	.03	—	—	—	—	.01	.69	.10	.20	.38	—	.05		7
8	.24	—	—	—	—	—	.18	.22	T	.35	—	.02		8
9	.15	.03	—	—	—	.05	T	—	—	.02	—	1.15		9
10	.10	—	—	—		.02	.01	.12	—	.02	T	.27		10
11	.16	4	—	—	—	—	—	—	—	T	.29	.24		11
12	.45	—	—	—	.10	—	.01	—	—	.16	.04			12
13	.35	—	—	—	.01	—	—	—	—	.18	.66	.30		13
14	.42	—	—	—	.06	—	.02	—	—	T	.01			14
15	.20	.03	—	—	.02	—	1.06	—	—	.38	.01	.44		15
16	.46	T	.02	—	—	—	T	.04	—	.04	.02	.14		16
17	—	.08	—	—	—	—	.02	—	.18	.14	.02			17
18	—	—	—	—	.06	—	—	—	.11	—	.64			18
19	.12	—	—	—	—	—	—	.11	15	—	.23			19
20	.04	—	—	—	—	—	—	—	.11	—	.52	.04		20
21	.06	—	—	—	—	—	—	—	.10	—	.01	.04		21
22	—	—	—	—	—	.06	—	.20	—	—	.29	.57		22
23	—	—	—	—	—	T	—	—	.01	—	.03			23
24	—	T	.14	—	—	—	—	—	.24	—	.16			24
25	.15	.02	.10	—	.27	—	.01	—	T	—	1.43	.05		25
26	~~.24~~ .42	.30	.05	—	.01	.01	.51	—	.09	.28	—	~~.28~~	.20	26
27	.16	.03	—	—	.14	.38	—	—	—	T	~~.46~~	.01		27
28	.06	.08	—	—	.49	.14	—	.56	.08	T	.46	.12		28
29	.15	—	—	—	.35	T	—	(.01)	.14	—	.31	.13		29
30	.11		—	—	.33	.02	—		.06	.07	.16			30
31	.31		—		.26		—			.28		.35		31
TOTAL	4.22	.81	.32	.05	2.11	.76	2.97	1.35	1.58	4.28	4.42	4.61	Year's Total 27.28	
* Days with .01 in. or more.	23	8	5	— 1	15	11	~~11~~ 13	8	12	18	21	21	156	
* Days with .04 in. or more.	20	4	4	1	10	5	~~11~~ 8	7	11	16	13	15	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H Chauner

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Shotters, Newton Valence

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 600 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	—	.13	.14	.27			.01	.49		—	.09		1
2	.08	—	—	.07	—	.17	.17	.94	.41	—	—	—		2
3	.56	—	—	.53	—			.19	—	—	.30	.32		3
4	.07	—	.41	.28	.01	.14	.14	.91	? wok	.69	.19	.03		4
5	—	—	.01	.09	.23	.20	.20	.01	—	.36	.60	.18		5
6	.23	.14	.11	—	.17	.68	.68	.01	—	.02	.12	—		6
7	.02	—	—	—	—	.12	TR.	.03	—	.06	.45	.40		7
8	.07	.26	.22	—	—	—	.04	.02	—	.37	.93	.43		8
9	.09	.05	—	—	—	—	—	.15	—	.27	.07	.40		9
10	.29	—	.01	[illegible]	—	—	—	.17	—	.20	.02	.01		10
11	—	.01	.20	—	—	.04	—	—	—	.37	.03	.01		11
12	—	.04	—		—	.03	—	—	—	—	—	—		12
13	—	—	—	.10	—	.01	.51	—	.19	1.91	.01	—		13
14	.88	—	—	.05	.09	.04	.15	—	—	.29	.79	.43		14
15	.41	—	—	.01	.53	.33	.08	—	.06	.48	.29	.06		15
16	.71	—	.06	.	.12	.12	.03	—	.08	—	.32	.01		16
17	.30	.07	—	.14	.17	.01	.23	—	—	.38	.07	—		17
18	.29	—	.02		—	.13	.31	—	—	.02	.38	.01		18
19	.36	—	—		—		.36	—	—	~~.01~~ (.07)	.01	.04		19
20	.45	—	—		—			—	—	—	—	.01		20
21	.04	.28	.05		—	.07	1.02	.07	.06	—	—	—		21
22	.28	.38	.01		—	.18	.07	—	.01	—	.20	—		22
23	.01	—	.01	.16	—	—	.01	—	—	.01	.94	—		23
24	.33	—	—	.01	—	.11	.14	—	—	.10	.01	.02		24
25	.70	.31	.02		—		.05	—	—	—	.48	.01		25
26	.02	—	.02		—	.10	—	.30	—	.07	.46	—		26
27	—	.20	.10		—	.01	—	—	—	.03	.20	—		27
28	.01	.18	.04	.11	—	.10	.01	—	—	.04	.14	.19		28
29	—	—	.01	.09	—		.07	—	—	.03	.05	—		29
30	—		—	.74	—	.21	—	—	—	.04	.15	—		30
31	—		—		—		.54	—		.05		—		31
TOTAL	6.21	1.92	1.43	2.52	1.59	1.61	4.81	~~1.91~~ 2.81	1.30	~~5.80~~ (5.86)	7.21	2.25	Year's Total ~~39.46~~	39.52
* Days with .01 in. or more.	23	11	17	~~14~~ 15	8	~~16~~ 16	20	12.8	7	22	25	~~18~~ 19	194	
* Days with .04 in. or more.	18	10	8	~~12~~ 13	7	~~12~~ 12	~~16~~ 17	7	6	17 ~~14~~	20	~~9~~ 10	~~140~~	145.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Chawner

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at Newton Valence

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 600 ft.

Totals Accs.

Jan 27th ecd for snow

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.03	—	~~—~~	.02				—	—	.96	~~.01~~		1
2	—	.11	—	.13	—	—	—	—	—	.06	—	.01		2
3	T	.49	—	.01	—	—	—	—	—	.20	1.29	.14		3
4	—	.05	—	.04	—	—	—	—	—	.32	.06	.04		4
5	—	.01	—	—	—	—	.11	—	—	.09	.55	.25		5
6	.36	.40	—	—	—	—	.20	—	—	.47	.01	—		6
7	.18	.35	—	—	.01	—	.03	—	—	.01	Tr.	.01		7
8	T	—	—	—	—	—	.01	—	—	.40	.06	.25		8
9	—	—	—	—	—	—	—	.02	—	.26	.55	.26		9
10	—	—	—	.02	—	—	.21	.09	.03	.12	.10	.04		10
11	—	.03	—	.01	—	—	.15	—	—	—	—	—		11
12	—	Tr.	.33	.01	—	—	.27	—	.19	.01	1.21	—		12
13	—	.02	.83	—	—	—	.10	—	.15	Nil ~~.29~~	1.12	—		13
14	—	—	.24	.07	—	—	.14	—	.01	.29	—	.42		14
15	—	—	.02	.01	—	—		—	.05	.05	.66	.03		15
(Snow) Feb. col. 16	.04	.62	.25	.05	—	.02	.90 ~~.22~~	—	.25	.64	1.07	.02		16
17	—	—	.41	—	—	—	.02	—	—	Tr.	.34	—		17
18	—	.45	.26	.45	—	—	.30	—	.03	.25	.02	.16		18
19	—	.09	.08	.12	—	—	.10	—	.57	TR.	.21	TR		19
20	—	Tr.	.02	.07	—	—	T	.09	.10	.19	.11	—		20
21	.04	Tr	—	—	.22	—	T	—	—	.01	.47	—		21
22	.02	Tr	.04	.01	.03	.27	—	—	.13	—	—	—		22
23	—	.07	.16	—	—	.02	—	—	.01	—	—	—		23
24	—	—	—	Tr.	—	—	.32	—	—	—	—	—		24
25	—	—	.57	—	—	.02	.04	—	—	Tr.	—	—		25
26	.80	.34	.26	—	.17	—	—	—	—	—	—	—		26
27	.49 ~~.38~~	.42	.01	.11	—	—	.05	—	—	Tr.	—	—		27
28	~~T~~	.04	—	.01	.11	—	—	—	—	~~.30~~	—	—		28
29	4	.29	.17	.14	.29	—	—	—	—	—	—	.30		29
30	.90	×	—	.40	—	.01	—	—		.30	—	TR		30
31	—	×	—	×	—	×	—	—	×	—	×	.08		31
TOTAL	2.83 ~~2.81~~ ~~2.34~~	3.61	3.65	+.66 ~~1.66~~	.85	.34	2.95	.20	1.52	3.67	8.79	2.01	Year's Total. 31.78	32.28
* Days with .01 in. or more.	9 ~~7~~	17	15	17	7	5	17 ~~16~~	3	11	17	18 ~~16~~	14	~~146~~	150
* Days with .04 in. or more.	8 ~~6~~	13	12	10	4	1	13	2	7 ~~6~~	14 ~~8~~	16 ~~15~~	10	~~98~~	110

SNOW fell each day

40-9999

archive

† Spare column, no entries required.

(Signed) A. Chawner

* See Instruction 2 (f) on other side.

[P.T.O.

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

741 FOR OFFICIAL USE.
741
RAINFALL ORGANIZATION.

193/ .

741

NEWTON VALENCE PLACE
ALTON

1931 - 1940

780201

Kept at Newton Valenc

in the County of Hamp

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU **IOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.05		.09	.28	.21		.03	.11	.02			1
2	.11	.04		.38	.11			.02	.61	.03	.01		2
3	.06		snow .15	.15			.01	.24	.66		.32	.26	3
4		.06	.05				.17		.30	.08	.29	.02	4
5	.01	.05		.12		39	.08	.73	.03			.30	5
6		.10		.17		.14	.14			.41	.05	.01	6
7		.01			.27	.29		.41		.07 ~~.41~~	.18		7
8		.15		.04		.27		.44		.01 ~~.07~~	.70	.04	8
9		.19	snow .06	.02		.04		.17			.95		9
10	.01	.11	snow .02	.01		.19	.03				.98		10
11	.06	.41				.01	.01		.06	.02	.21		11
12	.02	.07					.14		.43				12
13			.01				.23	.03		.01			13
14		.11				.03	1.33	.55			.04		14
15		.08	.01	.04	.12		.14	.57	.01		.02	.07	15
16	.01	.10		.14	.21	.32		.12	.03		.68		16
17		.06		.14		.03	.49	.15	.15	.02			17
18	.06		.02	.07		.10	.05	1.60		.01			18
19	.09			.31			.62	.39	.01				19
20		.06	.03	.14		.13		.60			.09		20
21	.04	.02	.01		.31					.01	~~.01~~		21
22	.40	.01	.07	.01	~~.35~~						.01 ~~.34~~		22
23	.47			.12	.35	.03					.34		23
24	.06	.01	.01	43	.16	.16	.17	.46				.01	24
25	.22			38	.13		.65			.01	.06		25
26	.14	.02		11			.50			.01	.61		26
27		.31		.01	60		.06			.01	.09	.01	27
28	.04	.11		10	.01		.17	~~.01~~	.01		.01		28
29	.11				.30					.08		snow .01	29
30		×		.01				.03	.01			.04	30
31	.35	×		×	.04	×	.05		×		×		31
TOTAL	2.28	2.13	.44	2.99	2.89	2.34	5.04	6.48	2.42	.80	5.64	.77	YEAR'S TOTAL 34.22
*Days with .01 in. or more.	19	22	11	22	13	15	19	17	13	15	19	10	195
*Days with .04 in. or more.	14	17	4	17	12	11	16	13	7	4	15	5	135

40-9999

(Signed) Edmund Jervoise [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations. Station No. 741 741 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Newton Valence Place nr Alton
in the County of Hampshire
Diameter of Funnel of Gauge 8 in. square
Height of top of Gauge above Ground 1 ft. 5 in.
,, Ground ,, Sea Level approx 615 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·05		·09	·28	·21		·03	·11	·02			1
2	·11	·04		·38	·11			·02	·61	·03	·01		2
3	·06		snow ·15	·15			·01	·24	·66		·32	·26	3
4		·06	·05				·17		·30	·08	·29	·02	4
5	·01	·05		·12		39	·08	·73	·03			·30	5
6		·10		·17		·14	·14			·41	·05	·01	6
7		·01			·27	·29		·41		~~·41~~ ·07	·18		7
8		·15		·04		·27		·44		~~·07~~ ·01	·70	·04	8
9		·19	snow ·06	·02		·04		·17			·95		9
10	·01	·11	snow ·02	·01		·19	·03				·98		10
11	·06	·41				·01	·01		·06	·02	·21		11
12	·02	·07					·14		·43				12
13			·01				·23	·03		·01			13
14		·11				·03	1·33	·55			·04		14
15		·08	·01	·04	·12		·14	·57	·01		·02	·07	15
16	·01	·10		·14	·21	·32		·12	·03		·68		16
17		·06		·14		·03	·49	·15	·15	·02			17
18	·06		·02	·07		·10	·05	1·60		·01			18
19	·09			·31			·62	·39	·01				19
20		·06	·03	·14		·13		·60			·09		20
21	·04	·02	·01		·31					·01	~~·01~~		21
22	·40	·01	·07	·01	~~·35~~						·01 ~~·24~~		22
23	·47			·12	·35	·03					·34		23
24	·06	·01	·01	43	·16	·16	·17	·46				·01	24
25	·22			38	·13		·65			·01	·06		25
26	·14	·02		11			·50			·01	·61		26
27		·31		·01	60		·06			·01	·09	·01	27
28	·04	·11		10	·01		·17	~~·01~~	·01		·01		28
29	·11				·30					·08		snow ·01	29
30		×		·01				·03	·01			·04	30
31	·35	×		×	·04	×	·05		×		×		31
TOTAL	2·28	2·13	·44	2·99	2·89	2·34	5·04	6·48	2·42	·80	5·64	·77	YEAR'S TOTAL 34.22
*Days with ·01 in. or more.	19	22	11	22	13	15	19	17	13	15	19	10	195
*Days with ·04 in. or more.	14	17	4	17	12	11	16	13	7	4	15	5	135

40-9999

(Signed) Edmund Jervoise

P.T.O.

*See Instruction 2 (*f*) on other side.

741

Section A for the entry of Daily Observations. Station Number 741 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Newton Valence Place, Nr Alton

in the County of Hampshire

Diameter of Funnel of Gauge 8 in. square

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.03		.20	.67		.01	.11		.06	.01		1
2				.20	.11			.04	.20		.02	.10	2
3				.11	.05	.01			.51	.12			3
4	.05					.18							4
5	.35		.01			.02	.12		.14				5
6	.61		.02	.47	.01				.24			.01	6
7	.01	.01	.07						.14				7
8	.01		.26	.02	.29				.69	.25			8
9	.81		.01	.14	.17				.01	.47	.04		9
10	.86	snow .03		.48	.05	.07			.02	.05	.04		10
11	.05			.01	.01		.29	.06	.08	.13	.03	.03	11
12	.58	snow .04							.15	.06	.01	.01	12
13	.10			.20	.07		.58			.22	.01	.03	13
14	.12	.02		.16	.08			.05		.92	.03	.01	14
15	.11		.01	.02	.22					.01	.02	.02	15
16	.30	.01		.14	.01				.01	.10			16
17	.02			.06					.01	.08			17
18	.04				.02		.11		.09		.09		18
19				.01					.06	.21		.01	19
20	.01			.48	.07			.60		.74	.23	.03	20
21				.07	1.38			.04		.34		.14	21
22	.01	.01	.14	.04	.30		.32	.02	.42	.32	.42		22
23	.03	.02		.02	.38	.02			.09	.72		.13	23
24		.05					.58		.12	.12	.03		24
25		.01				.06	.64		.06	.36	.04	.01	25
26	.01			.05			.14			.09	.02		26
27			.05	.37	.14	.08	.44			.26			27
28			.50	.05	.12		.20			.06	.01		28
29			.52	.25	.24	.04		.10	.24	.54	.11	.07	29
30		×	.05	.34	.12	1.61	.05	.01	.41		.69	28	30
31		×	.26	×		×	06	.01	×	.01	×		31
TOTAL	4.20	.23	1.90	3.89	4.51	2.09	3.54	1.04	3.69	6.24	1.85	.88	YEAR'S TOTAL 34.06
*Days with ·01 in. or more.	20	10	12	23	21	9	13	10	20	24	18	14	194
*Days with ·04 in. or more.	13	2	8	18	17	6	12	7	16	22	8	5	134

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Edmund Jervoise

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 741

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at NEWTON VALENCE PLACE ALTON

in the County of HANTS

Diameter of Funnel of Gauge 8 in. square

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16		.07		.05					.01			1
2	.45	.56	.81		.73						.02		2
3		.01	.61							.01	.01		3
4	.32	.10			.33						.05		4
5	.10	.05	.77									.01	5
6	.01	.26	.08		.21					.14	.06		6
7	.06	.05	.03		.08					.20		.02	7
8	.02						.23			.03			8
9					.02		.29			.23	.11		9
10	.01	.25				.02	.07			.40	.01		10
11	.22				.08	.05	.08	.12		.34		.04	11
12	.04			.01			.21		1.17		.06		12
13					.09	.14	.51	.01	.09	.02		snow .02	13
14							.06	.01		.28	.40		14
15	.62		.30					.49		.01	.04		15
16	.01		.95			.22	.04		.01	.04			16
17		snow .02	.43			.20	.10	.04	.11				17
18	.29	snow .02	.38			.37			.01		.03	.01	18
19	.02		.17			.02		.04	.74			.06	19
20		.16	.05	.06		.06		.02	.05				20
21		.01				.17		.02	.10	.02			21
22						.24		.24	.02	.36	.02		22
23				.22	.21	.05			.26	.12			23
24		snow + rain 1.44		.21		.06			.46		.03		24
25		1.41		.23					.07		.01	.09	25
26		1.27		.10		.30			.88	.06		.01	26
27					.62				.01	.22		.23	27
28							.35			.13		.22	28
29			.03	.08					.01	.02			29
30	.14	×	.15				.11		.25	.03		.09	30
31	.18	×	.01	×		×			×	.01	×		31
TOTAL	2.65	5.61	4.84	.91	2.42	1.90	2.05	.99	4.24	2.38	.85	.80	YEAR'S TOTAL 29.64
*Days with .01 in. or more.	16	14	15	7	10	13	11	9	16	21	13	11	156
*Days with .04 in. or more.	11	10	12	6	9	11	11	5	11	12	6	6	110

40-9999

*See Instruction 2 (*f*) on other side.

(1)

(Signed) Edmund Jervoise

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 741

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at NEWTON VALENCE PLACE, ALTON

in the County of HANTS

Diameter of Funnel of Gauge 8 in. square

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01							.60	.28	.09	.04	.42		1
2	.07		.11	.09	.33				.96	.20	.02	.35		2
3	.05	03		.05				.12		.44		.21		3
4	.20		.11	.16	.19					.09	.06	.49		4
5	.01		.03		.01	.36		.16		.01	.07	43		5
6	.04		.32	.03	.21			.13		.20	.16	.70		6
7	.15		.01			.05		.30		.27		.55		7
8	.01				.18	.01		.03	.21		.62	.09		8
9			.13		.06				.01		1.30	.59		9
10	.05		.43	.23				.07			.39	.10		10
11	.90		.48	.21			.18	.03				.49		11
12	.05	.03	.01	.02			.17	.35			.03	.10		12
13	.65		.03	.09			1.04	.05		.01	.08	.25		13
14	.14		.58			.03				.02	.27	.60		14
15	.01	.01*			.14					.09	.13	.60		15
16	.25		.43		.03				.02	.05		.03		16
17	.13		.01	.02	.09				.04		.01	.24		17
18	.32		.10	.48					.08		.01	.38		18
19			.62	.02		.07			.12			.17		19
20		.01*	.11	.05			.32			.01				20
21	.01	.01*		.33		.15		.13		.18				21
22		.01*	.02				.17	17	.30			.11		22
23	.01			.28		.54	.34	.01			.03	.03		23
24		.04	.07	.15		.24			.18					24
25	.27			.22		.02			.14	.22		.70		25
26	.03			.32		.19						.05		26
27				.04		.04			.01	.01		.25		27
28	.01	Snow .01		.01		.11	.04	.63		.04		.36		28
29								.07	.15		.04	.02		29
30	.08	×						.22	.10	.02		.48		30
31	.02	×		×		×	.01		×	.01	×	.17		31
TOTAL	3.47	.15	3.60	2.80	1.24	1.81	2.27	3.07	2.60	1.96	3.26	8.96	Year's Total 35.19	
*Days with .01 in. or more.	24	8	18	19	9	12	8	16	14	18	16	28	190	
*Days with .04 in. or more.	15	1	12	14	7	9	7	13	11	11	11	25	136	

40-9999 * mist or fog

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Edmund Jervoise

P.T.O.

File No 38829/30

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 741

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at NEWTON VALENCE PLACE, ALTON
in the County of Hampshire
Diameter of Funnel of Gauge 8 in. square
Height of top of Gauge above Ground 1 ft 5 in.
,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06		.18	.02	.03		.37		.39	.07	.42			1
2						.02			.13	.49	.07			2
3		.02	.03			.03			.41	1.41	.16			3
4		.07		.30		.06		.10	.07	.19	.32	.10 ~~1.06~~		4
5	.01	.22	.11	.18		.17			.40	.02	.02	.02		5
6		.02	.01	.27		1.30					.04			6
7			.01	.28		.19				.12	.84	.10		7
8		.01		.27		.13				.37	.86			8
9	.03		snow .20	.46		.94			.09	1.26	.11			9
10	.12			.02		.01					.33	.02		10
11	.32	.03		.09		.24	.11				.73			11
12		.05	.01			.32		.04	.13		.74			12
13	.06	.12		.26	.04	.03			.03	.02	.03			13
14		.15		.22	.10	.06					.23	.19		14
15				.65		.10			.28	.02	.46	.02		15
16		.03	.07	.10		.33			1.05	.04	1.07	.03		16
17	.01		.01	.17		.30	.03	.01	.04		.43			17
18		.05		.40		.15			.65	.07	.04	fog .07		18
19		.02		.01	.58	.11	.43		.04	.05	.33			19
20		.63		.07	.07	.06	.12		.05		.46			20
21	.01	.57		.02					.01	.04		fog .07		21
22		.05	.04	.02				.13	.14					22
23			.11					.38	.02	.46				23
24	.04	.75			.17			1.12	.58	.04		.41		24
25	.06	.19	.01	.13	.20	.15		.03				.55		25
26		.25				.06		.33	.18		.03	.70		26
27		.72							.23		.15	.50		27
28	.01	.06	.01		.08		.02	.01	.22	.03	.01	.24		28
29		✕						.05	.90	.03	.02	.67		29
30	.06	✕		.16				.84	.10	.24	.83	.75		30
31		✕		✕		✕			✕	.86	✕	.55		31
TOTAL	.79	4.01	.80	4.10	1.27	4.76	1.10	3.04	6.14	5.83	8.75	4.87	Year's Total 45.46	
*Days with .01 in. or more.	12	20	13	21	8	21	6	11	23	20	25	17	197	
*Days with .04 in. or more.	7	14	6	16	7	17	4	8	20	15	20	11	145	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Edmund Penrose
Rear Admiral

[P.T.O.

File No 38829/30

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 741

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at NEWTON VALENCE PLACE

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·05	·04	·52		·36	·30	·15			·08	·09		1
2		·07		·03		·24	·04	·12						2
3				·39			·07		·40		·35			3
4						·20			·33		·10	·07		4
5	·68	·02	·16	·01				·08	·05					5
6	·79		·03			·06		·04	·42		·69	·05		6
7	·19		·17			·03	·17		·07		·27	·09		7
8	·69		·07				·05		·01		23	·15		8
9	·71		·09				·34		·12		·03	·01		9
10	·32						·06	·29						10
11	·05	·11		·04				25			1·64			11
12				·04	·02		·43		·39		·23	·14		12
13				·11			·03			·03	·05	·57		13
14		·15				·29	·64		·05	·03	·26	·88		14
15	·01	·07				·06	·03		·06	·01	·07	·46		15
16	snow ·28	·29				·10	·10				·25	·11		16
17	·03	1·15				·02		·04		·03	·17	·74		17
18	snow ·15	·26					·38	·16		·02	·03	25		18
19	·46	·07	·08	·03		·26	·04			·02				19
20		·12	·15	·54		·83	·03	~~1·07~~	1·07			·02		20
21	·03	·03		·55		·63	·14	~~·01~~	·01					21
22	·15	·50	·11		·30	·05	·24					·06		22
23	·04		·49	·16	·07	·37	·75			·09				23
24	·09	·08				·03		~~·03~~	·03	·55				24
25	·07		·14	·33	·05		·20		·17	·13	·07			25
26	·13	·25	·13			·07	·02		·07	·16				26
27	·58		·05				·15		·17	·46		·03		27
28	1·06		·34				·18					·27		28
29		snow ·12	·12			·28	·15			·06	·24	·09		29
30	·28	✕			·08	·30				·23				30
31	·19	✕	·37	✕		✕	·15		✕	·33	✕	·48	~~48~~	31
TOTAL	7·25	3·34	2·54	2·75	·52	4·18	4·69	1·13	3·42	2·15	4·76	4·56	Year's Total 41·29	
*Days with ·01 in. or more.	·23	16	16	12	5	18	24	8	16	14	17	19	188	
*Days with ·04 in. or more.	·20	14	15	9	4	15	20	8	13	8	15	16	157	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Edmund Jervoise

[P.T.O.

COPY FOR OFFICIAL USE. File No 38829/30

Section **A** for the entry of Daily Observations. Station No. 741

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at NEWTON, VALENCE PLACE, ALTON
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 615 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.03	·13		·04					·02	·07	1.15	47		1
2	·04	1.04		·39								·45		2
3	·01	.28	·03								·03			3
4	·17	1.06										24		4
5	·27	·09	snow .15	·03			·15							5
6	·17		snow 1.19	·05	·10		·02			·05				6
7		·68		·16	·13				·04	·04	·03	·18		7
8		·32			·17						·04	snow ·11		8
9				·16	·20	·10	·09		·32			snow .25		9
10			·95	·17	·16	·31	·02					67		10
11	·03		·09	·02	·46	·29	·14			·02		·02		11
12	·65	·26	·23	·09	·49	·30	·03	·23	·09			·45		12
13	·26	·04	·63	·18	·02			·09	·21			1.21		13
14	·02	·02	·61	·40				·09	·13			.02		14
15	·52	·18		·29			·39		·10					15
16		·19	·71	·35		·07		·38	·95					16
17	·97	·08	·16	·05			·04		·20		·05			17
18	·40	·10		·02		·08			06		·13	·08		18
19	·08	·17	·09	·30		·13			·07			·04		19
20	·97		·09	·44	·40							·02		20
21	1.21	·58	·03	·04	·03		·03			·02		·07		21
22	·70	·02	snow ·22		·37	·10	·19			1.10		·21		22
23	·35	·18	snow ·03		·41		·04			·38				23
24	·60	·34							·11	·88	·70	·04		24
25	·31	·52	·29		1.08				·13	·73	·28	·01		25
26		·37	snow ·03							·16	·02			26
27	·11	·28		·12						·80				27
28	snow ·05	snow ·10		·02		·03			·03	·11		·03		28
29										·08	·09	·04		29
30	·51	✕				·03		·33	·02	·21	·30			30
31	·42	✕		✕		✕			✕	·53	✕	·03		31
TOTAL	9.85	6·73	5·53	3·32	4·02	1·44	1·14	1.12	2·48	5·18	2·82	4·64	Year's Total 48·27	✓
* Days with .01 in. or more.	24	23	17	20	13	10	11	5	15	15	11	21	185	✓
* Days with .04 in. or more.	21	20	13	16	11	8	7	5	12	13	8	15	149	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

File No 38829/30

Section **A** for the entry of Daily Observations.

Station No. 741

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at NEWTON VALENCE PLACE, ALTON

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04				·02	·06			·01	·08		·18		1
2	·03	·04	~~·06~~	·06	·02	·02	·16			·31		·03		2
3					·08					·79		·28		3
4							·05			·15	·02			4
5				·01			·20			·63				5
6	·04						·06		·11	·04	·04	·01		6
7	·04					·03	1·05	·07	·04	·43		·05		7
8	·26						·24	·23		·32				8
9	·16	·03				·06	·01			·12		1·38		9
10	·11	·01				·04	·03	·13		·03		·28		10
11	·18	·01									·26	·24		11
12	·53				·13		·03			·17	·05			12
13	·34									·23	·70	·37		13
14	·50				·07		·04		·03					14
15	·24	·03	·03		·02		1·05			·40	·03	·47		15
16	·56	·11						·07		·05	·03	·29		16
17	·15						·03		·23	·14	·02			17
18					·06				·10		·67	snow ·01		18
19	·04							·15	·17		23	snow ·49		19
20								·02	·15		·71			20
21	·07								·11					21
22								·19	·01	·03	32	snow 34		22
23						·06					·04			23
24			·15						26		15			24
25	·15	·03	·11		·16		·02	·01		·05	1·48			25
26	·38	·34	·05						·09	·23		snow 29		26
27	·19	·03			·13 ~~·37~~	·37	·58				·47			27
28	·06	·09			·54	·18		·53	·13	·01		·13		28
29	·17	✕			·38			·03	·19		·17	·13		29
30	·14	✕			·28	·03			·10	·08	·32			30
31	·35	✕		✕	·31	✕			✕	·30	✕	·38		31
TOTAL	4·73	·72	·34	·07	2·20	·85	3·55	1·43	1·73	4·59	5·71	5·35	Year's Total 31·27	✓
* Days with .01 in. or more.	23	10	4	2	13	9	14	10	·15	21	18	18	157	✓
* Days with .04 in. or more.	22	4	3	1	10	6	9	7	12	18	14	15	121	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edmund Jervoise

[P.T.O.

COPY FOR OFFICIAL USE File No 38829/30

Section **A** for the entry of Daily Observations

Station No. 741

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at NEWTON VALENCE PLACE, ALTON

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·15	·16	·30	~~·03~~	·03					·09		1
2	·09			·06		~~·16~~	·16	·95	·61			·05		2
3	·59	·02		·55	·02			·05			·30	·24		3
4	·10		·48	·25	·25	~~·14~~	·14	·95		·73	·20	·04		4
5			·01	·13	·15		22	·04		·39	·65	·18		5
6	·25		·09	·01			·83	·02			·14			6
7	·04	·16				·10	·03	·04		·07	·45	·43		7
8	·09		·20				·07	·03		·35	·92	·45		8
9	·09	·29						·17		·34	·14			9
10	·34					·05		·21	·06	·16	·01			10
11		·05	·21							·42	·02			11
12		·05												12
13				·11			·55		·13	1·98	·01			13
14	97			·07	·09	·08	·19			·30	·79	·05		14
15	·42			·01	·55	·36	·11		·07	·51	·24	·06		15
16	·68		·08	·05	·13	·15	·05		·05	·09	·34			16
17	·38	·07		·06	·19		·26			·36	·10			17
18	·35					·14	·32				·38			18
19	·34						·39			·09	·02	·06		19
20	·47						1·15							20
21	·06	·31	·06			·08	·15	·11	·05					21
22	·31	·44				·18	·06		·06		·18			22
23		·29	·04	·15		·01				·03	1·13			23
24	Snow ·46			·02		·18	·22			·11				24
25	Snow ·56		·02				·06				·52			25
26	Snow ·03		Snow ·02			·10		·36		·06	·46			26
27			·09	·03						·03	·23			27
28		·19	03	·11		·14	·03				·15	Snow ·15		28
29		✕		·10			·10			·04	05			29
30		✕		76		·20				·05	·14			30
31		✕		✕		✕	·59		✕	·06	✕			31
TOTAL	6·62	1·87	1·48	2·63	1·68	1·77	5·71	2·93	1·03	6·17	7·57	1·80	Year's Total 41·26	✓ "d"
* Days with .01 in. or more.	20	10	13	17	8	13	22	11	7	20	24	11	176	^ ok.
* Days with .04 in. or more.	19	9	9	13	7	12	19	9	7	18	20	11	153	^

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edmund Gervoise
Rear Admiral

[P.T.O.

COPY FOR OFFICIAL USE

Folio No 38829/30

Station No. 741

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at NEWTON VALENCE PLACE ALTON

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 615 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·08			1
2		·11		·15						·06	·54			2
3		·45		·03						·23	1·45			3
4		·11		·05						·57	·07	✓		4
5		✓					·09			·12	·54	·18 4		5
6		·42 4					·24			·58	·03	·03		6
7		·39			·03		·04			✓		·27		7
8	·46						·02			·56 4	✓			8
9	·18								✓	·28	·69 4	✓		9
10							·20	·01	✓	·16	·09	·29 4		10
11	·08			·02			·15	·11			1·27 ✓	·25		11
12	·10	Snow ·04		✓			·30		·21 4	·02	10	·05		12
13	·10	✓	·37				·24		·19	·31	1·25			13
14	·11		Snow ·84	·09 4			·08		✓					14
15	·06		Snow ·26	·02			·94		·06 4	·10	·68			15
16	Snow ·04	Snow ·41 4	·25	·05		✓	✓		·32	·65	1·14	·46		16
17			·37				·03 ✓		✓	✓	·39	·04		17
18		rain & snow ·43	·28	·49			·33		·06 4	·27 4	·03	·05		18
19		·09	4	·14			·14		·62	✓	·24			19
20			·10 ✓	·07				·11	·14	·12 4	·14	·17		20
21			·02		·19		✓		✓	·05	·57			21
22	Snow ·04	·02		✓	✓	·27			·15 4		✓			22
23		·08	·16			·04					·05 ✓			23
24		✓					·36 4							24
25			·59											25
26	·79	·37 4	·30		·19 4		·05							26
27		·53	Snow ·01	✓	·11		·04							27
28	·60	·05		·11 4								~~·38~~		28
29	Snow 1·03	Snow ·33	·20	·14	·35							·38		29
30		✕		·05						·39		·02		30
31	·12	✕		✕		✕			✕	1·11	✕	·09		31
TOTAL	3·71	3·83	3·75	1·41	·87	·31	3·25	·23	1·75	5·58	9·35	2·28	Year's Total 36·32	
* Days with .01 in. or more.	13	~~15~~ 18	~~13~~ 14	~~13~~ 16	~~5~~ 6	~~2~~ 3	~~16~~ 18	·3	~~8~~ 13	~~17~~ 20	~~19~~ 21	~~13~~ 15	~~137~~	160
* Days with .04 in. or more.	13	14	11	10	4	2	14	2	8	16	~~16~~ 16	11	~~122~~	121

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edmund Jervoise
Rear Admiral

[P.T.O.

TV65

742

Section **A** for the entry of Daily
AIR MINISTRY.—M

FORM 1090.

REGISTER

742

SELBORNE
(THE WAKES)
1931 - 1940

780201

FOR OFFICIAL USE.
NFALL ORGANIZATION.

931 .

Kept at Selborne, The Wak

in the County of Hampshire

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

100

THE MORNING MEASUREME … **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06		·13		·08		·02	·19	·01			1
2	·19	·04		·46				·03	·44	·03	·02	·12	2
3	·09		·20	·16	·33		·01	·21	1·06		·31	·26	3
4		·09	·07	·01	·11		·10	·01	·15	·04	·24	·02	4
5		·04		·17		·41	·06	·74	·02	·01	·01	·31	5
6		·11		·21		·12	·20			·35	·19	·03	6
7		·01		·02	·17	·16		·42		·03	·49	·01	7
8	·01	·15	·02	·04		·28		·39		·02	·15	·03	8
9		·32	·03	·02		·08					·75	·01	9
10	·02	·07	·04			·16	·02	·14			·75		10
11	·11	·69							·04		·34		11
12	·03	·02					·15	·02	·29				12
13			·05				·25	·01					13
14	·02	·12				·02	·90	·53			·03		14
15	·02	·10		·04	·13		·05	·77			·02	·06	15
16	·01	·06		·20	·24	·29		·14	·07				16
17	·02	·07		·19		·02	·41	·17	·05	·03			17
18	·04	·05	·04	·10		·14	·06	1·49		·01	·65		18
19	·09			·45		·10	·44	·31	·02		·01		19
20		·06	·04	·16				·43			·03	·01	20
21	·07				·30								21
22	·55	·03	·09	·03	·01								22
23	·57			·14	·37	·06					·32	·02	23
24	·11			·81	·14	·13	·18	·34			·01		24
25	·25			·54	·16		·65				·05		25
26		·03		·12			·38				·49		26
27	·17	·45			·67		·04			·01	·10		27
28	·05	·21		·10						·02	·02	·01	28
29	·14	×			·33		·15			·07	·02		29
30	·01	×		·01					·01				30
31	·49	×		×	·06	×	·03	·02	×		×	·04	3479 31
TOTAL	3·08	2·78	·58	4·11	3·02	2·05	4·08	6·19	2·34	·63	5·00	·93	YEAR'S TOTAL ✓ 34·79
*Days with ·01 in. or more.	23	21	9	22	13	14	18	19	11	12	22	13	197
*Days with ·04 in. or more.	14	17	7	17	12	12	15	13	8	3	13	5	136

40-9999

*See Instruction 2 (*f*) on other side.

M

(Signed) H. Bibby

[P.T.O.

TV65

742

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Selborne, The Wakes

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06		·13		·08		·02	·19	·01			1
2	·19	·04		·46				03	·44	03	·02	·12	2
3	·09		·20	·16	·33		·01	·21	1·06		·31	·26	3
4		·09	·07	·01	·11		·10	·01	·15	·04	·24	·02	4
5		·04		·17		·41	·06	·74	·02	·01	·01	·31	5
6		·11		·21		·12	·20			·35	·19	·03	6
7		·01		·02	·17	·16		·42		·03	·49	·01	7
8	·01	·15	·02	·04		·28		·39		·02	·15	·03	8
9		·32	·03	·02		·08					·75	·01	9
10	·02	·07	·04			·16	·02	·14			·75		10
11	·11	·69							·04		·34		11
12	·03	·02					·15	·02	·29				12
13			·05				·25	·01					13
14	·02	·12				·02	·90	·53			·03		14
15	·02	·10		·04	·13		·05	·77			·02	·06	15
16	·01	·06		·20	·24	·29		·14	·07				16
17	·02	·07		·19		·02	·41	·17	·05	·03			17
18	·04	·05	·04	·10		·14	·06	1·49		·01	·65		18
19	·09			·45		·10	·44	·31	·02		·01		19
20		·06	·04	·16				·43			·03	·01	20
21	·07				·30								21
22	·55	·03	·09	·03	·01								22
23	·57			·14	·37	·06					·32	·02	23
24	·11			·81	·14	·13	·18	·34			·01		24
25	·25			·54	·16		·65				·05		25
26		·03		·12			·38				·49		26
27	·17	·45			·67		·04			·01	·10		27
28	·05	·21		·10						·02	·02	·01	28
29	·14	✗			·33		·15			·07	·02		29
30	·01	✗		·01					·01				30
31	·49	✗		✗	·06	✗	·03	·02	✗		✗	·04	34·79 31 YEAR'S TOTAL
TOTAL	3·08	2·78	·58	4·11	3·02	2·05	4·08	6·19	2·34	·63	5·00	·93	34·79
*Days with ·01 in. or more.	23	21	9	22	13	14	18	19	11	12	22	13	197
*Days with ·04 in. or more.	14	17	7	17	12	12	15	13	8	3	13	5	136

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) H. Bibby

[P.T.O.

Corrd. by [illegible]

742

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Selborne, The Wakes

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.02		.18	.70		.02	.10	.02	.06	.02		1
2				.23	.10			.02	.10		.02	.35	2
3				.13	.05				.64	.05			3
4	.02					.21	.05				.03		4
5	.35		.02			.02	.09		.17				5
6	.66		.01	.55	.01		.01		.18				6
7			.08	.01					.14	.30			7
8			.26	.03	.36				.75	.34			8
9	.97	.01		.19	.15				.02	.04	.05		9
10	.91	.04		.44	.06	.06			.08	.11	.03		10
11	.04	.01		.02	.02		.35	.21	.03		.03	.03	11
12	.70	.01			.01			.05	.16	.27	.02	.02	12
13	.07	.05		.22	.06		.41		.01	.98	.02	.04	13
14	.15	.02		.11	.10			.02		.01	.02		14
15	.13			.03	.30					.09	.04	.01	15
16	.29			.14								.02	16
17	.02			.04			.02			.07	.01		17
18	.04				.02		.08		.10		.11		18
19									.05	.25	.02		19
20				.50	.03			.75		.85	.22	.05	20
21				.05	1.57			.12		.40		.12	21
22	.02		.18	.04	.44		.42	.03	.35	.33	.47		22
23	.02	.04		.03	.26		.04		.08	.76		.12	23
24		.05					.67		.15	.11	.04		24
25	.01					.03	.64		.04	.36	.05	.02	25
26			.06	.06			.18			.16	.02		26
27			.63	.44	.17	.10	.54			.22	.01		27
28			.02	.07	.15		.16			.03			28
29			.71	.26	.27	.04		.12	.25	.65	.13	.08	29
30		×	.09	.24	.08	1.71	.07	.02	.45		.78	.27	30
31		×	.34	×		×	.03		×		×	.12	31
TOTAL	4.50	.25	2.40	4.01	4.91	2.17	3.78	1.44	3.77	6.44	2.14	1.25	YEAR'S TOTAL 27.06
*Days with ·01 in. or more.	17	9	11	23	21	7	17	10	20	22	21	13	191
*Days with ·04 in. or more.	12	4	8	18	16	5	13	6	16	20	9	8	135

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) H. Bibby

P.T.O.

✓ ✓ ✓ Ck. 742

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At "The Wakes", Selborne, Alton

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 400 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·50	·97	9	17	12
FEB.	·25	·05	13 24	9	4
MAR.	2·40	·71	29	11	8
APRIL	4·01	·55	6	23	18
MAY	4·91	1·57	21	21	16
JUNE	2·17	1·71	30	7	5
JULY	3·78	·67	24	17	13
AUG.	1·44	·75	20	10	6
SEPT.	3·77	·75	8	20	16
OCT.	6·44	·98	13	22	20
NOV.	2·14	·78	30	21	9
DEC.	1·25	·35	2	13	8
Total	37·06 ✓			191 ✓	135 ✓

M

Signature Hylda Bibby

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 in Summer 10

Nearest Railway Station East Tisted Distance 3 miles Direction from gauge W.S.W.

Nearest Parish Church at Selborne Distance 50 yds Direction from gauge N.E.

Nature of objects nearest to gauge	100			
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
4 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

Examined by Cards for T.V

742

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Selborne, The Wakes

in the County of Hampshire

Diameter of Funnel of Gauge ....in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level ....ft.

TV. 100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·54	·11	–	·03					·01	·01		1
2	·52		1·03		·82						·02		2
3		·12	·70										3
4	·33	·06			·31						·06		4
5	·12	·02	·94										5
6		·25	·06		·21					·16	·04		6
7	·08	·08	·03		·06					·15		·02	7
8	·02						·31			·13			8
9		·01			·02		·27			·18	·09		9
10		·22				·02	·05	·01		·47	·02		10
11	·25				·04	·04	·09	·18		·03			11
12				·01	·03	·13	·27		1·16			·04	12
13	·04				·08	·08	·48	·01	·05	·04	·07		13
14							·09	·07		·28	·40		14
15	·72		·33					·40		·01			15
16	·02		1·13			·20	·06		·02	·06			16
17		·02	·41			·20		·03	·10		·04		17
18	·29	·02	·50			·34					·02		18
19		·01	·14			·01	·04	·05	·68		·03	·07	19
20		·21	·04	·04		·07		·02	·08			·02	20
21		·02				·12		·03	·10	·03		·02	21
22						·17		·19	·04	·42	·02		22
23		·04		·23	·33	·06			·22	·11			23
24		1·83		·20		·03			·70				24
25		1·59		·25					·08		·03	·08	25
26		1·32		·11		·33			·96	·08		·03	26
27					·69		·01		·02	·23		·25	27
28							·26			·12		·20	28
29	·05	×	·03	·06						·03			29
30	·11	×	·19				·10		·17	·02		·09	30
31	·24	×	·01	×		×		·01	×	·01	×		31
TOTAL	2·93	6·36	5·65	·90	2·62	1·80	2·03	1·00	4·38	2·57	·85	·82	YEAR'S TOTAL 31·91
*Days with ·01 in. or more.	14	17	15	7	11	14	12	11	14	20	13	10	158
*Days with ·04 in. or more.	12	11	12	6	8	11	11	5	12	13	6	6	113

40-9999

*See Instruction 2 (*f*) on other side.

D M

(*Signed*) H. Bibby

[P.T.O.

/ KJ. Examined by Cooke for T.V.

742

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At "The Wakes", Selborne, Alton

In the County of Hants

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 400 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·93	·72	15	14	12
FEB.	6·36	1·83	24	17	11
MAR.	5·65	1·13	16	15	12
APRIL	·90	·25	25	7	6
MAY	2·62	·82	2	11	8
JUNE	1·80	·34	18	14	11
JULY	2·02	·48	13	12	11
AUG.	1·00	·40	15	11	5
SEPT.	4·38	1·16	12	14	12
OCT.	2·57	·47	10	20	13
NOV.	·85	·40	14	13	6
DEC.	·82	·25	27	10	6
Total	31·90			158	113

Signature Hydda Bibby

T.V.
100

M

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.

Nearest Railway Station Tisted Distance 3 miles Direction from gauge WSW

Nearest Parish Church at Selborne Distance 100 yds Direction from gauge NE

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

Feb. adjusted to near. Stn. for TV. Ex DL

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** ✓ ✓ ✓ CK. **Station No.** 742

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Selborne, The Wakes

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02							65	·25	·09	·03	·50	●	1
2	·06		·11	·08	·10				1·14	·24	·02	·36		2
3	·05	·03		·06				·06		·39		·30		3
4	·22		·11	·07	·22					·09	·05	·62		4
5	·01		·01		·01			·16			·09	·54		5
6	·05		·35	·03	·20	·26		·23		·24	·15	·87		6
7	·14					·05		·24		·23		·67		7
8					·17	·02		·02	·19		·69	·12		8
9	·03		·16								1·21	·77		9
10	·03		·46	·22				·04			·52	·10		10
11	1·04		·45	·22			·18	·06				·51		11
12	·03		·02				·15	·46			·01	·12		12
13	·75		·04	·11			·90	·16		·02	·10	·36		13
14	·17		·65	·05							·35	·74		14
15	·02		·02		·18	·06				·09	·12	·76		15
16	·28	·02	·46	·02	·04				·04	·01		·02		16
17	·13				·09				·04	·05	·02	·30		17
18	·37		·12	·39					·11			·48		18
19			·67	·02		·05		·06	·13			·18		19
20			·09	·06			·36			·04	·01			20
21			·01	·30		·14		·09	·02	·16				21
22		{·01}					·15	·17	·29		·01	·12		22
23		{·02}		·28		·61	·02	·01	·06			·02		23
24		{·02}	·06	·06		·15	·39		·15					24
25	·30			·20			·01		·01	·24		·87		25
26	·03			·35		·20			·13			·06		26
27	·02			·05		·03			·01			·35		27
28						·07	·02	·72		·03	·02	·41		28
29		X					·01	·09	·12		·03	·02		29
30	·07	X						·19	·10	·02		·58		30
31	·03	X		X		X			X	·03	X	·16		31
													Year's Total	
TOTAL	3·85	·10	3·79	2·57	1·01	1·64	2·19	3·41	2·79	1·97	3·43	10·91	37·66	
*Days with ·01 in. or more.	22	5	17	18	8	11	10	17	16	16	17	28	185	
*Days with .04 in. or more.	13	0	13	15	7	9	6	15	13	11	9	25	136	

† Spare column, no entries required.

(*Signed*) Mrs Bibby

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

M

Circ. D.1. sent 6.3. – for Feb.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 742

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Selborne, The Wakes

in the County of Hampshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

100 / IV

Feb. corrections by obs.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·02	·20	·02	·03	·02	·26		·58	·08	·41			1
2						·02			·13	·48	·07			2
3		·03	·02	·02		·07			·35	1·32	·14			3
4		·08		·27		·07		·08	·08	·32	·14	·10		4
5		·26	·13	·18		·10			·39	·03	·02	·02		5
6		·02	·02	·29		1·36				·01	·07	·01		6
7		·01		·32		·18				·12	·75	·08		7
8			·02	·28		·18				·33	·78	·01		8
9	·03		·01	·51		·72			·10	1·12	·13			9
10	·14		·20	·03							·40	·02		10
11	·41	·03	·03	·08		·02	·06				·83			11
12	·01	·06				·31		·03	·10		·76			12
13	·04	·15		27	05	29			·02	·01	·03			13
14				·27	·11	·04			·02		·25	·16		14
15		19		·75		·03			·24		·46	·03		15
16		·03	·07	·11		·05			1·22		·84	·02		16
17	01			17	·02	·23	·04	·03	·10		·38			17
18		·04		·42		·26		·04	·60	·07	·03			18
19		·02		·02	·57	·11	·36		·08	·04	·27	·02		19
20		·74		·08	·06	10	·15				·37			20
21		·72		·03		·03			·03	·04	·01			21
22		·06	·05					·08	·15					22
23			·12					·40	·01	·45		·14		23
24	·03	·89			·17			1·11	·57	·02		·41		24
25	·06	·23		·12	·18						·02	·52		25
26	·02	·53				·04		·33	·15		·01	·72		26
27	·01	·72				·03	·02	·03	·21		15	·55		27
28		·08			·05			·01	·46	·03		·18		28
29		X						·05	·53	·02	·02	·71		29
30	·07	X		·15				·83	·07	·20	·87	·86		30
31		X		X		X		·02	X	84	X	·52		31
TOTAL	·89	4·9~~9~~1	·87	4·39	1·24	4·26	·89	3·04	6·19	5·53	8·21	5·08	Year's Total 45·50	
*Days with ·01 in. or more.	12	21	11	21	9	22	6	13	23	19	26	19	202	
*Days with .04 in. or more.	6	14	6	16	7	16	5	8	19	13	19	12	141	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mrs G. Bibby

[P.T.O.

742

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At The Wakes, Selborne, Alton

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* ... *in.*
- *Height of Ground above Sea Level* 400 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·89	·41	11th	12	6
FEB.	4·91	·89	24th	21	14
MAR.	·87	·20	10th	11	6
APRIL	4·39	·75	15th	21	16
MAY	1·24	·57	19th	9	7
JUNE	4·26	1·36	6th	22	16
JULY	·89	·36	9th	6	5
AUG.	3·04	1·11	24th	13	8
SEPT.	6·19	1·22	16th	23	19
OCT.	5·53	1·32	3rd	19	13
NOV.	8·21	·87	30th	26	19
DEC.	5·08	·86	30th	19	12
TOTAL	45·50			202	141

Signature H. Bibby

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Mrs Bibby "The Wakes" Selborne
Nr Alton, Hants

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.

Nearest Railway Station Tisted Distance 3 miles Direction from gauge W

Nearest Parish Church at Selborne Distance 100 yds Direction from gauge N.E.

Nature of objects nearest to gauge	Yew	hedge		
Height of objects	5 ft	ft		
Distances ...		27		
Directions from gauge ...	E			

If gauge has been moved during the year state –

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

100

TV

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 742

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Selborne, The Wakes

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TV 100

H00

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·07	·03	·42		·53	·30	·10		–	·07	·08		1
2	·02	·06		·02		·12	·09	·10	·01	–	·02	–		2
3				·37			·05		·32	–	·32	–		3
4	01		·16			·05			·28	–	·12	·07		4
5	·66	01	·03					·06	·02	–	·01	·04		5
6	·70					·04		·02	·41	·01	·58	–		6
7	·12		·20			·01	·06		·08	–	·26	·09		7
8	·64		·08				·07		·01	–	·23	·10		8
9	·74		·05				·28		·12	–	·04	·02		9
10	·33						·06	·26		–	–	–		10
11	·04	·03		·05			·02	·01	·09	–	1·55	–		11
12				·05		·28	·37		·26	–	·22	·22		12
13				·08		·06	·02			·03	·20	·31		13
14		·20				·09	·61		·06	·02	·08	·96		14
15	·03	·06				·03	·02		·05	–	·07	·45		15
16	·23	·27					·09		·01	–	·26	·17		16
17		1·22				·41	·02	·02	·03	·03	·14	·68		17
18	·12	·27				·37	·34			·02	–	·22		18
19	·41	·05	·10	·12		·37	·03	·13		–	·02	·01		19
20	·16	·14	·12	·40		·25	·04		·93	–	–	–		20
21		·11		·44	·02	21	·07			–	·01	–		21
22	·12	·42	11		·25		·35			–	–	·06		22
23	·03		·52	·15	·03		·61			·08	–	·02		23
24	·07	·10	·02	·01			·02		03	·58	–	–		24
25	·17		·15	·30	·06		·16		·18	·21	·06	·02		25
26	·07	·22	·10			·01	·19		·02	·06	–	–		26
27	·49	·01	·03				·03		·15	·50	·01	–		27
28	1·10		·34			·44	·16			–	–	·25		28
29	·02	·12	·11			·14	·13			·04	·21	·07		29
30	·25	×			·04	·31	·02			·34	–	·01		30
31	·19	×	·37	×	·01	×	·15		×	·25	×	·68		31
TOTAL	6·94	3·36	2·52	2·41	·41	3·72	4·36	·70	3·06	2·17	4·48	4·53	Year's Total. 38·66	
* Days with .01 in. or more.	25	17	17	12	6	18	28	8	19	13	21	21	205	
* Days with .04 in. or more.	20	14	13	10	3	15	20	5	12	8	16	16	152	

40-9999

† Spare column, no entries required.

(*Signed*) H. Billey

* See Instruction 2 (f) on other side.

[P.T.O.

FORM 1090.

742

B Monthly Summary.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At The Wakes, Selborne, Alton

In the County of Hants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 400 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·94	1·10	28	25	20
FEB.	3·36	1·22	17	17	14
MAR.	2·52	·52	23	17	13
APRIL	2·41	·44	21	12	10
MAY	·41	·25	22	6	3
JUNE	3·72	·53	1	18	15
JULY	4·36	·61	14 23	28	20
AUG.	·70	·26	·10	8	5
SEPT.	3·06	·93	·20	19	12
OCT.	2·17	·58	24	13	8
NOV.	4·48	1·55	11	21	16
DEC.	4·53	·96	14	21	16
TOTAL	38·66			205	152

Signature H. Bibby

M.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— Mrs Bibby, The Wakes, Selborne, Alton, Hants.

Hour of observation by the clock—in Winter 9 in Summer 10

Nearest Railway Station Tisted Distance 3 miles Direction from gauge W.S.W.

Nearest Parish Church at Selborne Distance 50 yds. Direction from gauge E.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state— No

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

7 JAN 1937

100

400

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 742

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Selborne, The Wakes

in the County of Hampshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

100 400

Copy by B.R.O.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·80	·11	–	·03		–	–	–	·01	·10	1·04	·54		1
2	·05	·96	·01	·37		–	–	–	·32	–	·02	·50		2
3	·01	·26	·02	·02		–	·01	–	–	–	·01	·02		3
4	·16	·98	–	–		–	–	–	–	–	·01	·24		4
5	·27	·06	·15	·03		–	·13	–	–	–	–			5
6	·31	·04	1·07	·09	·09	–	·02	–	–	·04	·03			6
7	–	·04	–	·12	·27	–	–	–	·02	·03	–	·11		7
8	–	·02	·02	–	·20	·02	–	–	–	–	·03	·11		8
9	–	–	–	·31	·15	·11	·07	–	·30	–	–	·21		9
10	–	–	·83	·14	·31	·28	–	·02	–	–	–	·62		10
11	–	–	·08	·02	·26	·40	·16	–	–	–	–	·01		11
12	·63	·27	·23	·08	·60	·34	·02	·24	·09	–	–	·52		12
13	·26	·05	·77	·14		–	–	·11	·19	–	–	1·02		13
14	·02	·02	·46	·41		–	–	·08	·13	–	–	·02		14
15	·48	·18	–	·29		–	·37	–	·10	–	–			15
16	·02	·20	·68	·33		·11	–	·35	·76	–	–			16
17	·99	·04	·16	·05		·02	·03	–	·25	–	·05			17
18	·38	·11	–	·02		·04	–	–	·05	–	·15	·10		18
19	·09	·15	·08	·28		·16	–	–	·07	·02	–	·04		19
20	1·04	–	·09	·39	·55	–	–	–	–	·01	–	·02		20
21	1·15	·58	·04	·03	·06	–	·02	–	–	·03	·02	·06		21
22	·70	·03	·18	–	·30	·08	·18	–	–	1·08	·75	·17		22
23	·29	·17	·02	–	·47	–	·02	–	–	·37	·29	·02		23
24	·58	·44	·02	–		–	–	–	·13	·76	–			24
25	·35	·57	·26	–	·93	–	–	–	·09	·44	–	·01		25
26	·01	·31	·03	–		–	–	–	–	·14	·01			26
27	·09	·24	–	·12		–	–	–	–	·79	–			27
28	·05	·08	–	·01		·02	–	–	–	·10	–	·02		28
29	·04	–	–	–		–	–	–	–	·08	·09	·03		29
30	·55	✕	–	–		·04	–	·13	·01	·20	·28			30
31	·36	✕	–	✕		✕	–	–	✕	·43	✕	·03		31
TOTAL	9·68	6·51	5·20	3·28	4·19	1·62	1·03	·93	2·52	4·62	2·78	4·42	Year's Total 46·78	✓
* Days with .01 in. or more.	26	24	20	21	12	12	11	6	15	16	14	22	199	✓
* Days with .04 in. or more.	22	21	14	14	12	9	5	5	12	12	7	13	146	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Adjusted by [illegible] for T.V

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 742

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Selborne The Wakes
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 400 ft.

TV 100

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·04	–		·02	·06	·25	–	·02	·06	–	·18		1
2	·03	–	–	·07	·04		·01	–	–	·33	–	·04		2
3	–	–	–		·06 06		–	–	–	·79	·09	–		3
4	·02	–	–				·05	–	–	·15	·02	·28		4
5	–	–	–	·01			·18	–	–	·64	·01	–		5
6	·04	–	–			·01	·04	–	·09	·10	·02	·02		6
7	·06	–	–			·01	1·11	·07	·05	·34	–	·06		7
8	·28	–	–				·21	·07	·01	·41	–	·02		8
9	·16	·04	–			·04	–	·09	–	·05	–	1·43		9
10	·12	–	–			·09	·02	·05 ~~14~~	–	·04	–	·24		10
11	·18	–	–				–	–	–	·01	·33	·24		11
12	·55	·01	–		·13		·06	·06	–	·14	·03	·01		12
13	·30	–	–				–	–	–	·18	·67	·41		13
14	·48	·01	–		·06		·04	–	·01	–	·02	–		14
15	·20	·05	–		·01		·89	–	–	·40	·02	·47		15
16	·51	·03	·02		·01		–	·01 ~~·07~~	–	·05	·03	·09		16
17	–	·10	–				·02	–	·18	·14	·01	–		17
18	·13	·01	–		·14		–	·01	·12	·01	·65	–		18
19	·03	–	–				–	·12	·24	–	·22	·05		19
20	–	–	–				–	–	·08	·01	·91	·04		20
21	·05	–	–				–	·01	·10	–	·02	·44		21
22	–	–	–			·06	–	·20	–	·01	·31	·25		22
23	–	–	–	·01			–	–	·01	·01	·04	–		23
24	–	·01	·17				–	–	·28	·01	·17	–		24
25	·16	·02	·10	·01	·11		·02	–	·01	·05	1·57	·03		25
26	·41	·35	·07		·03	·01	–	–	·11	·20		·26		26
27	·19	·04	–		·16	·38	·59	–	–	·02	·49	–		27
28	·07	·09	–		·43	·20	–	·46	·06	~~·02~~	–	·14		28
29	·22	✕	–		·38		–	·02	·04	–	·32	·11		29
30	·15	✕	–		·25	·01	–	–	·11	·06	·21	–		30
31	·36	✕	–	✕	·27	✕	–	–	✕	·30	✕	·38		31
TOTAL	4·70	·80	·36	·10	2·10	·87	3·49	1·17	1·52	4·51	6·16	5·19	Year's Total 30·97	✓
* Days with .01 in. or more.	23	13	4	4	15	10	14	~~10~~ 12	14	26	22	22	182	✓
* Days with .04 in. or more.	20	7	3	1	11	6	10	~~7~~ 8	12	19	13	18	128	✓

* See Instruction 3 (f) on other side.

1·26

† Spare column, no entries required.

(*Signed*) Mrs Bibby [P.T.O.

adjusted by surr. Stas. for T.V.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 742

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

TV 100

Copy by B.R.O.

400

Kept at Selborne, The Wakes.
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·13	·18	·28	—	—	·02	·53	—	—	·10		1
2	·09	—	—	·07	—	—	·15	·89	·32	—	—	·05		2
3	·62	—	—	·55	—	—	—	·10	—	—	·33	·32		3
4	·07	—	·46	·26	·07	—	·15	·47	—	·64	·18	·04		4
5	—	—	·02	·12	·18	—	·22	·03	—	·55	·71	·20		5
6	·29	·01	·08	—	·30	—	·76	·03	—	·02	·18	—		6
7	·03	·15	—	—	—	~~·17~~	·02	·04	—	·05	·38	·45		7
8	·08	·30	·25	—	—	—	·05	·05	—	·38	1·01	·48		8
9	·11	·08	—	—	—	—	—	·16	—	·32	·08	·43		9
10	·47	—	·02	—	—	·17 ~~·06~~	—	·19	·08	·19	·02	·01		10
11	—	·02	·21	—	—	·06	—	—	—	·43	·04	·01		11
12	—	·05	—	—	—	·04	—	—	—	—	—	—		12
13	—	—	—	·13	—	·01	·55	—	·11	1·83	·02	·01		13
14	·94	—	—	·11	·09	·04	·16	—	—	·41	·86	·02		14
15	·53	—	—	·02	·58	·40	·07	—	·09	·32	·36	·06		15
16	·59	—	·05	·07	·17	·12	·08	—	·03	·08	·27	—		16
17	·41	·09	·02	·07	·13	·02	·29	—	—	·26	·08	—		17
18	·34	—	·03	—	—	·10	·43	—	—	·05	·40	·02		18
19	·35	—	·02	—	—	—	·29	—	—	·07	·02	·05		19
20	·48	—	·02	—	—	—	1·18	—	—	—	—	·02		20
21	·06	·32	·08	—	—	·13	·02	·13	·07	—	—	—		21
22	·36	·41	·02	·02	—	·17	·06	—	·02	—	—	—		22
23	·03	—	·01	·19	—	·01	·02	—	—	·02	1·12	·02		23
24	·41	·01	—	—	—	·12	·18	—	—	·11	—	·02		24
25	·71	·32	·03	—	—	—	·07	—	—	·04	·53	·02		25
26	·03	—	·02	—	—	·07	—	·25	—	·08	·49	—		26
27	·01	·26	·10	·03	—	·05	—	·01	—	·05	·18	—		27
28	—	·20	·04	·14	—	·09	·04	—	—	·05	·17	·20		28
29	—	—	—	·15	—	—	·07	—	—	·04	·05	—		29
30	—	✕	—	·73	—	·19	—	—	—	·08	·15	—		30
31	—	✕	—	✕	—	✕	·62	·02	✕	·07	✕	—		31
													Year's Total	
TOTAL	7·03	2·22	1·61	2·84	1·80	1·79	5·45	2·39	1·25	6·14	7·63	2·53	42.68	✓
* Days with .01 in. or more.	23	13	19	16	8	17	22	14	8	24	23	20	207	✓
* Days with .04 in. or more.	~~19~~ 18	10	9	13	8	14	18	9	6	22	20	11	158	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 742

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Selborne (The Wakes)

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 400 ft.

100

400

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	·03	-	-	-	-	-	·09	·02		1
2	-	·10	-	·20	-	-	-	-	-	·09	·55	·02		2
3	-	·49	-	·03	-	-	-	-	-	·20	1·41	·10		3
4	-	·08	-	·09	-	-	-	-	-	·36	·05	·04		4
5	-	·02	-	-	-	-	·12	-	-	·12	·54	·29		5
6	·40	·43	-	-	-	-	·17	-	-	·55	·05	-		6
7	·19	·34	-	-	·02	-	·05	-	-	-	-	·03		7
8	·02	-	-	-	-	-	·02	-	-	·61	·06	·34		8
9	-	-	-	-	-	-	-	·09	·04	·25	·64	·24		9
10	-	-	-	-	-	-	·26	·05	-	·17	·09	·05		10
11	-	·04	-	·04	-	-	·16	-	-	-	1·39	-		11
12	-	·01	·40	·02	-	-	·29	-	·37	·01	·07	-		12
13	-	·03	·74	-	-	-	·03	-	·03	·01	1·18	-		13
14	-	-	·21	·07	-	-	·25	-	·01	·52	·02	·45		14
15	-	-	·05	·02	-	-	·81	-	·10	·08	·78	·05		15
16	·03	·70	·29	·05	-	·03	·03	-	·27	·65	1·10	·04		16
17	-	-	·44	-	-	-	·02	-	-	-	·40	-		17
18	·02	·40	·23	·47	-	-	·32	·01	·08	·27	·06	·16		18
19	-	·10	·12	·13	-	-	·17	-	·54	-	·32	-		19
20	-	·02	·03	·08	-	-	-	·34	·16	·18	·09	-		20
21	·02	-	-	-	·30	-	·02	-	·01	·01	·60	-		21
22	·03	-	·04	·03	·02	·31	-	-	·16	-	-	-		22
23	-	·08	·17	-	-	·02	-	-	·03	-	·03	-		23
24	-	-	-	·02	-	-	·29	-	-	-	·02	·02		24
25	·02	-	·70	·01	-	·01	·07	-	-	·01	-	-		25
26	·81	·38	·21	-	·18	-	·01	-	-	-	·01	-		26
27	·43	·48	·03	·05	-	-	·09	-	-	·01	-	-		27
28	·68	·05	-	·04	·15	-	-	-	-	-	-	-		28
29	·50	·32	·23	·11	·26	-	-	-	-	-	-	·37		29
30	-	✕	-	·04	-	-	-	-	-	·37	-	·02		30
31	·07	✕	-	✕	-	✕	-	-	✕	1·22	✕	·08		31
TOTAL	3·22	4·08	3·89	1·50	·96	·37	3·18	·49	1·80	5·69	9·55	2·32	Year's Total 37·05	✓ ✓
* Days with .01 in. or more.	13	19	15	18	7	4	19	4	12	20	23	17	171	✓ ✓
* Days with .04 in. or more.	7	14	13	12	4	1	13	3	8	15	19	12	121	✓ ✓

† Spare column, no entries required.

(*Signed*) Mrs. A. Bibby [P.T.O.

* See Instruction 3 (f) on other side.

743.

Section **A** for the ent

AIR MINI

FORM 1090.

REG

FOR OFFICIAL USE.

LL ORGANIZATION.

/ .

Kept at Graysh

in the County of Ha

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,, S

THE MORNING ME

Y.

An observer who does not confo *following year in the space on the right of this paragraph.*

Jan. 1, following

743.

GRAYSHOTT

1931-35

780201

214

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			5.6						·89			·30	3
4													4
5						·52							5
6										·40			6
7													7
8													8
9											·69		9
10													10
11		·58											11
12													12
13													13
14							·92						14
15													15
16													16
17													17
18								1·31					18
19													19
20													20
21													21
22													22
23	·53												23
24				·76									24
25													25
26													26
27					·69								27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·71	2·70	0.53	3.69	3·20	2·17	3.88	5·25	2·77	0·62	4·60	0.93	YEAR'S TOTAL 33·05
*Days with ·01 in. or more.	23	20	7	18	15	13	17	18	14	8	19	13	185
*Days with ·04 in. or more.	12	15	3	16	12	11	14	16	9	2	14	5	129
40-9999	68·8	68 5	13-5	93.7	81·3	55·2	98·5	133·4	70·3	15·8	116·8	23·5	839·3

(Signed) ....

[P.T.O.

*See Instruction 2 (*f*) on other side.

743.

Section A for the ent

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

214

Kept at Grayshott

in the County of Hants

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level 661 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			5.6						·89			·30	3
4													4
5						·52							5
6										·40			6
7													7
8													8
9											·69		9
10													10
11		·58											11
12													12
13													13
14							·92						14
15													15
16													16
17													17
18								1·31					18
19													19
20													20
21													21
22													22
23	·53												23
24				·76									24
25													25
26													26
27					·69								27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·71	2·70	0·53	3·69	3·20	2·17	3·88	5·25	2·77	0·62	4·60	0·93	YEAR'S TOTAL 33·05
*Days with ·01 in. or more.	23	20	7	18	15	13	17	18	14	8	19	13	185
*Days with ·04 in. or more.	12	15	3	16	12	11	14	16	9	2	14	5	129
40-9999	68·8	68·5	13·5	93·7	81·3	55·2	98·5	133·4	70·3	15·8	116·8	23·5	839·3

(Signed)............

*See Instruction 2 (*f*) on other side.

P.T.O.

649/30

743

FORM 1091. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

NOTE—Records taken in inches should be entered on Form 1090.

At Grayshott

In the County of Hampshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground – *ft* 12 *in.*
Height of Ground above Sea Level 661.6 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				0·2mm. or more	1·0mm or more
	Millimetres	Millimetres	Date.		
2.71 JAN.	68.8	13.5	23rd	23	12
2.70 FEB.	68.5	14.7	11th	20	15
.53 MAR.	13.5	5.6	3rd	7	3
3.69 APRIL	93.7	19.3	24th	18	16
3.20 MAY	81.3	17.6	27th	15	12
2.17 JUNE	55.2	13.3	5th	13	11
3.88 JULY	98.5	23.4	14th	17	14
5.25 AUG.	133.4	33.3	18th	18	16
2.77 SEPT.	70.3	22.6	3rd	14	9
.62 OCT.	15.8	10.2	6th	8	2
4.60 NOV.	116.8	17.5	9th	19	14
.93 DEC.	23.5	7.6	3rd	13	5
33.05 Total	839.3			185	129

Signature Charlotte Lyndon

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as ~~far~~ as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mrs Lyndon
Grayshott – Hindhead – Surrey

Hour of observation by the clock—in Winter 9 h in Summer 10 h

Nearest Railway Station Haslemere Distance 3 miles Direction from gauge S. E

Nearest Parish Church at St. Luke's Distance 300 yds Direction from gauge N. N. W

Nature of objects nearest to gauge	Stevenson	Screen		
Heights of objects	5 ft			
Distances ..	8 ft			
Directions from gauge ..	N.			

If gauge has been moved during the year state—

Date of move no Distance no Direction no.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Comfort

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·05; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·05 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}3{\cdot}6$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 3·6 mm.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* 0·2 mm. *or more" includes all the days with any rain except those for which the entry is "trace" or* 0·1 mm. *The "number of days with* 1·0 mm. *or more" includes all the days with any rain except those for which the entries are trace,* 0·1, 0·2, 0·3, 0·4, 0·5, 0·6, 0·7, 0·8, *or* 0·9 mm.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(324) Wt.26155/1776/2215 1,000 2/31. Gp. 119/111.

743

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Grayshott

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 661.46 ft.

Comfort

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.1	0.2	tr	2.3	22.9	-	0.2	tr	0.6	1.3	tr	0.3	1
2	tr	tr	-	7.8	1.6	tr	L	1.3	8.7	0.2	tr	8.6	2
3	tr	-	-	4.3	2.1	0.3	-	tr	12.5	-	tr	0.3	3
4	0.8	tr	-	tr	tr	7.4	-	-	-	-	0.8	tr	4
5	8.2	tr	0.2	-	0.9	tr	6.4	-	3.8	-	tr	tr	5
6	18.5	-	tr	10.9	tr	-	tr	-	3.2	-	-	-	6
7	tr	tr	0.7	tr	-	-	tr	-	3.6	4.0	-	0.3	7
8	-	tr	6.9	0.5	12.4	-	-	-	12.2	9.7	tr	-	8
9	22.4	tr	tr	3.6	10.2	-	-	-	tr	6.1	tr	-	9
10	22.9	5.1	tr	8.3	2.1	2.5	-	-	1.4	1.8	0.8	-	10
11	7.0	0.5	-	tr	0.5	-	tr	0.6	1.4	tr	1.3	1.0	11
12	14.2	1.3	-	tr	0.3	-	-	0.8	3.6	13.4	0.5	tr	12
13	4.1	tr	-	7.2	1.5	-	6.9	-	tr	26.2	0.2	0.8	13
14	3.3	0.5	-	1.2	1.6	-	-	0.7	tr	0.3	1.4	tr	14
15	2.0	tr	tr	1.0	7.1	-	-	-	-	2.6	tr	tr	15
16	7.9	tr	-	6.2	tr	-	tr	-	tr	tr	tr	0.4	16
17	0.5	-	-	1.4	-	-	1.1	tr	-	0.8	tr	tr	17
18	0.7	-	tr	tr	0.5	-	2.7	-	2.0	tr	2.5	-	18
19	tr	-	-	-	tr	-	-	-	2.3	5.8	0.4	tr	19
20	tr	-	-	8.9	2.5	-	tr	25.9	-	21.9	5.9	0.3	20
21	0.3	-	tr	2.3	28.7	-	tr	2.6	-	11.4	tr	2.5	21
22	0.3	tr	6.4	0.5	5.3	-	2.1	1.0	8.5	8.6	9.3	tr	22
23	tr	1.8	tr	0.6	3.1	tr	0.6	-	3.3	23.9	tr	3.8	23
24	-	1.9	-	-	tr	-	13.6	-	4.6	3.8	0.5	0.3	24
25	0.2	tr	-	-	tr	1.3	24.1	-	0.3	8.7	1.1	0.3	25
26	tr	-	1.6	1.2	tr	-	2.6	tr	tr	1.4	0.8	tr	26
27	-	tr	15.8	9.8	4.7	0.6	6.7	-	-	6.7	tr	0.1	27
28	-	-	-	1.5	2.3	-	3.6	-	-	0.5	tr	tr	28
29	tr	tr	13.0	6.6	4.9	1.0	tr	3.3	5.4	10.0	3.0	2.3	29
30	tr	×	0.3	1.5	3.9	43.3	4.1	tr	8.7	tr	18.3	5.8	30 8976
31	tr	×	5.1	×	-	×	1.3	1.43	×	tr	×	2.3	31
TOTAL	~~4.54~~ 115.4	~~.44~~ 11.3	~~1.97~~ 50.0	~~3.45~~ 87.6	~~4.69~~ 119.1	~~2.22~~ 56.4	~~2.99~~ 76.0	~~1.25~~ 36.2 1.43	~~3.39~~ 86.1	~~6.66~~ 169.1	~~1.84~~ 46.8	~~1.15~~ 29.3	YEAR'S TOTAL ~~34.77~~ 883.3
Days with 0·2 mm. or more.	17	7	9	21	21	7 ~~8~~	14	8 505	18	22	15	16	17~~8~~5
Days with 1·0 mm. or more.	11	4	6	18	17	8	12	5	~~16~~ 17	18	8	7	128

(144w)

40-9999 M

(Signed) Charlotte Lyndon

P.T.O.

743

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Grayshott

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·1	11·2	4·1	·1	·5					·3	·3		1
2	14·4		19·8		24·9						1·2		2
3	·1	2·5	13·7		·3						·1		3
4	5·4	1·1	·1		11·0						1·0		4
5	3·2	·4	16·1										5
6		4·7	3·0		8·1					2·5	1·6		6
7	4·1	·8	1·0		1·3					2·9		·8	7
8	1·1						8·5			1·8			8
9					2·3		7·2			4·3	4·0		9
10	·3	7·4				·7	1·6	·2		11·3	·5		10
11	8·8				1·3	6·1	2·3	5·4		·8			11
12				·6	·9	2·6	3·4		32·5				12
13	1·8				2·0	8·6	15·2	·5	2·5	1·0	1·6		13
14							1·6	·3		6·4	10·7		14
15	13·2		9·3				1·0	10·7		·5			15
16			31·4			2·5	2·5		·3	·2			16
17		·1	10·2			5·8		1·2	1·5		2·1		17
18	7·6		5·9			8·0					·2		18
19		1·8	3·6	·5		2·3	·8	1·0	10·0		·3	·5	19
20		2·0	2·9	2·7		1·5			5·3				20
21		·8				3·1		1·4	4·5	·4		·1	21
22						6·6		9·1	2·5	10·0	1·3		22
23				5·5	3·8	1·9			6·4	·8			23
24		38·9		3·8		3·5			11·9				24
25		26·9		10·8	·5	1·9			10·2		1·3	1·0	25
26		35·5		1·8		8·9			27·9	·5	·2	1·2	26
27		·1			9·3		·2		·3	5·1		7·6	27
28				·3	·6		7·6			1·8		5·0	28
29	1·1	X	·3	1·1						·8			29
30	2·7	X	4·1		·2		2·4		6·4	·5		1·2	30
31	4·6	X		X		X		·6	X		X		31
TOTAL	7~~4~~1·5	134·2	125·5	27·2	67·0	64·0	54·3	30·4	122·2	51·9	26·4	17·4	YEAR'S TOTAL 792·0
*Days with 0·2 mm. or more.	14	13	14	9	15	15	13	10	14	19	14	7	157
*Days with 1·0 mm. or more.	13	10	13	6	9	14	11	6	12	10	9	5	118
	2·81	5·28	4·94	1·07	2·72	2·52	2·14	1·20	4·81	2·04	1·04	·69	31·26

(144w)

40-9999

(Signed) ....

[P.T.O.

743

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Grayshott

in the County of Hampshire

24

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·4					1·3		11·4	4·3	2·3	·8	10·9	1
2	2·2		2·8	3·6	1·5				34·8	6·6	·4	8·9	2
3	·8	1·3	·2	·3				·2		12·4		5·8	3
4	3·5		1·8	1·3	4·1			·4		4·6	2·1	11·9	4
5	·3		·3					3·4			2·3	13·2	5
6	1·0		8·6		3·6	·8		6·1		7·1	2·9	30·0	6
7	3·6		·2			1·8		2·5		4·1		10·8	7
8					4·1			·5	9·1		22·0	1·3	8
9	·3		2·8								29·9	14·7	9
10	·3	·1	7·4	8·9				·9			14·2	1·1	10
11	22·4		15·2	5·1			6·1	3·8				11·2	11
12	1·5	·2	·8				1·9	7·4			·7	4·1	12
13	13·5		·5	2·5			8·7	7·0		·5	4·8	4·9	13
14	3·3		12·4	1·3							15·7	25·1	14
15	·4	·2	1·3		4·1	·2				2·1	4·3	10·9	15
16	3·3		10·7		1·6					·7			16
17	2·0		·4	·2	1·3					1·6		7·6	17
18	2·5		2·8	5·1					1·4			11·2	18
19			11·2			1·0		·8	2·9			4·3	19
20			·6	·5			12·6	·2		·3		·2	20
21			·3	8·1		3·7		2·4	·2	4·1			21
22		·2					1·3	5·5	6·9		·2	3·3	22
23				5·9		15·5			·5			·8	23
24		·6	1·7	8·5		1·6	12·0		4·1				24
25	9·1	·5		4·6						5·3		19·1	25
26	1·4			8·9		4·6			2·3			1·0	26
27	1·0			2·1		1·5						8·1	27
28						3·7		24·3		·3		10·6	28
29							·5	2·1	3·8		·4	·3	29
30	2·0	×						4·6	2·2	·2		9·6	30
31	2·0	×		×		×			×	·3	×	2·0	31
TOTAL	76·8	3·1	82·0	66·9	20·3	35·7	43·1	83·5	72·0	52·5	100·7	242·9	YEAR'S TOTAL 879·5
*Days with 0·2 mm. or more.	22	6	20	16	7	11	7	18	12	16	14	28	177
*Days with 1·0 mm. or more.	16	1	12	13	7	9	6	12	10	10	9	25	130
(144W)	3·02	·12	3·23	2·63	·80	1·41	1·70	3·29	2·83	2·07	3·96	9·56	34·62

40-9999

M.

(Signed) Mrs Lyndon

[P.T.O.

✓ Rg

743

FORM 1091. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

NOTE—Records taken in inches should be entered on Form 1090.

At Grayshott

In the County of Hampshire (= Southampton)

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* – *ft.* 12 *in.*
- *Height of Ground above Sea Level* 661.46 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				0·2 mm. or more	1·0 mm or more
	Millimetres	Millimetres	Date		
JAN 81 2.~~78~~	79.5	14.4	2nd	15	13
FEB 5.28	134.2	38.9	24th	13	10
MAR 4.94	125.5	31.4	16th	14	13
APRIL 1.07	27.2	10.8	25th	9	6
MAY ~~2.72~~	67.	24.9	2nd	15	9
JUNE 2.52	64.	8.9	26th	15	14
JULY 2.14	54.3	15.2	13th	13	11
AUG 1.20	30.4	10.7	15th	10	6
SEPT 4.81	122.2	32.5	12th	14	12
OCT 2.04	51.9	11.3	10th	19	10
NOV 1.04	26.4	10.7	14th	14	9
DEC 0.69	17.4	7.6	27th	8	5
Total ~~31.15~~ 31.26	~~791.0~~ 792.0			157	118

Signature Charlotte Lyndon

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mrs Lyndon
Windwhistle House · Grayshott – Hindhead

Hour of observation by the clock—in Winter 9 h in Summer 10 h

Nearest Railway Station Haslemere Distance 3 miles Direction from gauge S.E

Nearest Parish Church at St. Luke's Distance c 300 yds Direction from gauge N.N.W

Nature of objects nearest to gauge	Stevenson Screen			
Heights of objects	5 ft.			
Distances ..	8 ft.			
Directions from gauge ..	N.			

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Feb 24 – Snow occasionally replaced by rain fell almost continuously for the 24 hours 9–9

Check conversions to agree with reverse of form

24

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·05; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·05 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}3{\cdot}6$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 3·6 mm.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with 0·2 mm. or more" includes all the days with any rain except those for which the entry is "trace" or 0·1 mm. The "number of days with 1·0 mm. or more" includes all the days with any rain except those for which the entries are trace, 0·1, 0·2, 0·3, 0·4, 0·5, 0·6, 0·7, 0·8, or 0·9 mm.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(324) Wt.26155/1776/2215 1,000 2/31. Gp. 119/111.

M

743

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Grayshott

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.1	.2		2.3	22.9		.2		.6	1.3		.3	1
2				7.8	1.6			1.3	8.7	.2		8.6	2
3				4.3	2.1	.3			12.5			.3	3
4	.8					7.4					.8		4
5	8.2		.2		.9		6.4		3.8				5
6	18.5			10.9					3.2				6
7			.7						3.6	4.0		.3	7
8			6.9	.5	12.4				12.2	9.7			8
9	22.4			3.6	10.2					6.1			9
10	22.9	5.1		8.3	2.1	2.5			1.4	1.8	.8		10
11	7.0	.5			.5			.6	1.4		1.3	1.0	11
12	14.2	1.3			.3			.8	3.6	13.4	.5		12
13	4.1			7.2	1.5		6.9			26.2	.2	.8	13
14	3.3	.5		1.2	1.6			.7		.3	1.4		14
15	2.0			1.0	7.1					2.6			15
16	7.9			6.2								.4	16
17	.5			1.4			1.1			.8			17
18	.7				.5		2.7		2.0		2.5		18
19									2.3	5.8	.4		19
20				8.9	2.5			25.9		21.9	5.9	.3	20
21	.3			2.3	28.7			2.6		11.4		2.5	21
22	.3		6.4	.5	5.3		2.1	1.0	8.5	8.6	9.3		22
23		1.8		.6	3.1		.6		3.3	23.9		3.8	23
24		1.9					13.6		4.6	3.8	.5	.2	24
25	.2					1.3	24.1		.3	8.7	1.1	.3	25
26			1.6	1.2			2.6			1.4	.8		26
27			15.8	9.8	4.7	.6	6.7			6.7		.1	27
28				1.5	2.3		3.6			.5			28
29			13.0	6.6	4.9	1.0		3.3	5.4	10.0	3.0	2.3	29
30		×	.3	1.5	3.9	43.3	4.1		8.7		18.3	5.8	30
31		×	5.1	×		×	1.3		×		×	2.3	31
TOTAL	~~4.54~~ 115.4	~~.44~~ 11.3	~~1.97~~ 50.0	~~3.45~~ 87.6	~~4.69~~ 119.1	~~2.22~~ 56.4	~~2.99~~ 76.0	~~1.43~~ 36.2	~~3.39~~ 86.1	~~6.66~~ 169.1	~~1.84~~ 46.8	~~1.15~~ 29.3	YEAR'S TOTAL 883.3
*Days with 0·2 mm. or more.	~~17~~	~~7~~	~~9~~	~~21~~	~~21~~	~~7~~	~~14~~	~~8~~	~~18~~	~~22~~	~~15~~	~~15~~ ~~16~~	~~174~~
*Days with 1·0 mm. or more.	~~11~~	~~4~~	~~6~~	~~18~~	~~17~~	~~5~~	~~12~~	~~5~~	~~17~~	~~18~~	~~9~~	~~7~~	~~128~~

(144w)

40-9999

(Signed) Mrs. Lyndon

[P.T.O.

1191

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~52~~ 743

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Grayshott

in the County of Hants. -

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 12 in.

,, Ground ,, Sea Level 661 46 - ft.

24
T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0.4	4a -	-	-	-	1.3	-	11.4	4.3	2.3	0.8	10.9		1
2	2.2	-	2.8	3.6	1.5	-	-	-	34.3	6.6	0.4	8.9		2
3	0.8	1.3	0.2	0.3	-	-	-	0.2	4a -	12.4	-	5.8		3
4	3.5	4a -	1.8	1.3	4.1	-	-	0.4	4a -	4.6	2.1	11.9		4
5	0.3	-	0.3	4a -	4a -	-	-	3.4	-	4a -	2.3	13.2		5
6	1.0	4a -	8.6	4a -	3.6	0.8	-	6.1	-	7.1	2.9	30.0		6
7	3.6	-	0.2	4a -	-	1.8	-	2.5	-	4.1	- 4a	10.8		7
8	4a -	4a -	-	-	4.1	4a -	-	0.5	9.1	- 4a	22.0	1.3		8
9	0.3	4a -	2.8	-	4a -	-	-	-	4a -	- 4a	29.9	14.7		9
10	0.3	0.1	7.4	8.9	-	-	-	0.9	4a -	-	14.2	1.1		10
11	22.4	- 4a	15.2	5.1	-	-	6.1	3.8	-	-	- 4a	11.2		11
12	1.5	0.2	0.8	4a -	-	-	1.9	7.4	-	-	0.7	4.1		12
13	13.5	-	0.5	2.5	-	-	8.7	7.0	-	0.5	4.8	4.9		13
14	3.3	4a -	12.4	1.3	-	-	- 4a	4a -	-	- 4a	15.7	25.1		14
15	0.4	0.2	1.3	-	4.1	0.2	-	-	4a -	2.1	4.3	10.9		15
16	3.3	4a -	10.7	-	1.6	-	-	-	4a -	0.7	- 4a	- 4a		16
17	2.0	-	0.4	0.2	1.3	-	-	-	4a -	1.6	- 4a	7.6		17
18	2.5	4a -	2.8	5.1	-	-	-	-	1.4	- 4a	- 4a	11.2		18
19	4a -	-	11.2	4a -	-	1.0	-	0.8	2.9	- 4a	- 4a	4.3		19
20	-	-	0.6	0.5	4a -	4a -	12.6	10.2	4a -	0.3	- 4a	0.2		20
21	4a -	4a -	0.3	8.1	-	3.7	4a -	2.4	0.2	4.1	-	- 4a		21
22	-	0.2	-	4a -	-	-	1.3	5.5	6.9	-	0.2	3.3		22
23	4a -	4a -	4a -	5.9	-	15.5	-	- 4a	0.5	-	- 4a	0.8		23
24	4a -	0.6	1.7	8.5	-	1.6	12.0	- 4a	4.1	-	4a -	- 4a		24
25	9.1	0.5	-	4.6	4a -	4a -	-	-	- 4a	5.3	-	19.1		25
26	1.4	4a -	-	8.9	-	4.6	4a -	-	2.3	- 4a	-	1.0		26
27	1.0	4a -	-	2.1	-	1.5	-	-	- 4a	- 4a	4a -	8.1		27
28	4a -	4a -	-	4a -	-	3.7	4a -	24.3	-	0.3	4a -	10.6		28
29	4a -	×	-	-	-	-	0.5	2.1	3.8	-	0.4	0.3		29
30	2.0	×	-	-	-	-	4a	4.6	2.2	0.2	-	9.6		30
31	2.0	×	-	×	-	×	4a	-	×	0.3	×	2.0		31
	~~302~~	~~12~~	~~323~~	~~263~~	~~80~~	~~141~~	~~170~~	~~329~~	~~288~~	~~207~~	~~396~~	~~956~~	Year's Total	
TOTAL	76.8	3.1	82.0	66.9	20.3	35.7	43.1	83.5	72.0	52.5	100.7	242.9	879.5	~~3462~~ ✓
* Days with 0.2 mm. or more.	22	6 5	20	16	7	11	7	18	12	16	14	28	179	
* Days with 1.0 mm. or more.	16	1	12	13	7	9	6	12	10	10	9	23	130	

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

M

(*Signed*) Charlotte Lyndon

[P.T.O.

COPY FOR OFFICIAL USE. ✓✓✓ 17

Section **A** for the entry of Daily Observations. Station No. 743

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at GRAYSHOTT

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~ft.~~ 12 in.

,, Ground ,, Sea Level 661·46 ft.

24

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	3·6	tr	6·1	0·3	tr	1·8	4·9	-	6·7	2·0	7·4	tr		1
2	0·4	-	tr	"tr"	-	0·3	"tr"	-	0·4	11·4	0·8	ft tr		2
3	-	0·2	0·2	0·3	-	1·0	-	-	8·4	29·5	3·0	0·5		3
4	-	2·3	tr	7·6	-	1·4	-	tr	1·6	24·6	0·8	5·1		4
5	-	5·8	1·5	3·9	-	1·8	-	-	12·0	1·5	0·8	0·3		5
6	0·9	0·3	0·5	6·1	-	28·4	-	-	-	0·3	1·4	0·3		6
7	tr	tr	-	7·9	-	2·8	-	-	-	1·0	23·7	1·7		7
8	-	0·3	0·3	6·6	-	3·2	-	-	-	8·9	14·7	0·3		8
9	0·2	-	tr	12·7	-	10·2	-	(dew) tr	3·7	27·7	3·3	-		9
10	2·3	-	5·1	tr	-	0·3	-	-	-	-	11·4	1·7		10
11	4·3	0·2	-	2·5	-	7·0	3·4	-	-	tr	14·2	tr		11
12	0·2	1·8	-	tr	-	10·9	-	3·0	3·0	tr	26·4	-		12
13	1·3	3·6	ft tr	4·6	2·0	1·7	-	-	tr	0·3	1·8	-		13
14	tr	tr	-	4·1	3·5	1·3	-	-	0·8	tr	6·1	4·3		14
15	-	4·6	-	15·0	tr	1·1	-	-	3·0	tr	11·4	0·8		15
16	-	1·3	1·3	1·4	"tr"	5·8	-	-	26·2	1·4	26·4	tr		16
17	0·3	-	tr	2·3	0·3	5·8	0·5	1·3	0·8	-	6·1	-		17
18	-	0·3	-	8·4	0·3	4·3	"tr"	0·4	19·1	1·1	0·3	-		18
19	-	1·3	-	1·3	9·1	1·8	5·3	-	1·5	tr	5·7	0·3		19
20	tr	17·5	-	4·4	3·8	0·5	4·6	-	0·5	tr	9·4	-		20
21	tr	17·3	-	tr	-	tr	ft tr	-	tr	1·0	0·3	-		21
22	-	1·5	"tr"	0·5	-	-	-	1·7	6·4	tr	tr	-		22
23	-	tr	1·7	-	"tr"	-	-	8·0	tr	6·9	-	3·3		23
24	0·5	20·3	-	-	5·1	-	-	27·0	14·7	0·3	tr	8·4		24
25	2·0	8·1	-	4·1	8·7	3·1	-	tr	-	tr	0·5	11·4		25
26	tr	2·~~8~~3	-	-	-	0·3	-	6·8	3·4	tr	0·3	15·5		26
27	tr	28·4	-	-	-	-	tr	1·0	5·4	ft tr	2·5	10·9		27
28	-	3·6	-	-	4·8	-	-	"tr"	12·2	0·8	tr	7·9		28
29	tr		-	-	-	-	-	2·3	13·2	tr	tr	12·7		29
30	1·6	×	-	1·5	-	-	-	23·3	1·7	4·6	17·5	13·7		30
31	tr	×	-	×	-	×	-	0·3	×	18·0	×	17·5		31
TOTAL	17·6 ✓	121·~~2~~0 ✓	16·7 ✓	95·5 ✓	37·6 ✓	94·8 ✓	18·7 ✓	75·1 ✓	144·7 ✓	141·3 ✓	196·2 ✓	116·6 ✓	Year's Total. 1076·0 ✓	
* Days with 0.2 mm. or more.	12 ✓	20 ✓	8 ✓	20 ✓	9 ✓	22 ✓	5 ✓	11 ✓	21 ✓	18 ✓	25 ✓	19 ✓	190 ✓	
* Days with 1.0 mm. or more.	6 ✓	15 ✓	5 ✓	17 ✓	7 ✓	18 ✓	4 ✓	9 ✓	17 ✓	14 ✓	18 ✓	13 ✓	143 ✓	
	·69	4·78	·66	3·76	1·48	3·73	·74	2·96	5·70	5·56	7·72	4·59	42·36	

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

(Signed) Charlotte Lyndal

[P.T.O.

743

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Grayshott

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft. ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·6		6·1	·3		1·8	4·9		6·7	2·0	7·4		1
2	·4					·3			·4	11·4	·8		2
3		·2	·2	·3		1·0			8·4	29·5	3·0	·5	3
4		2·3		7·6		1·4			1·6	24·6	·8	5·1	4
5		5·8	1·5	3·9		1·8			12·0	1·5	·8	·3	5
6	·9	·3	·5	6·1		28·4				·3	1·4	·3	6
7				7·9		2·8				1·0	23·7	1·7	7
8		·3	·3	6·6		3·2				8·9	14·7	·3	8
9	·2			12·7		10·2			3·7	27·7	3·3		9
10	2·3		5·1			·3					11·4	1·7	10
11	4·3	·2		2·5		7·0	3·4				14·2		11
12	·2	1·8				10·9		3·0	3·0		26·4		12
13	1·3	3·6		4·6	2·0	1·7				·3	1·8		13
14				4·1	3·5	1·3			·8		6·1	4·3	14
15		4·6		15·0		1·1			3·0		11·4	·8	15
16		1·3	1·3	1·4		5·8			26·2	1·4	26·4		16
17	·3			2·3	·3	5·8	·5	1·3	·8		6·1		17
18		·3		8·4	·3	4·3		·4	19·1	1·1	·3		18
19		1·3		1·3	9·1	1·8	5·3		1·5		5·7	·3	19
20		17·5		4·4	3·8	·5	4·6		·5		9·4		20
21		17·3								1·0	·3		21
22		1·5		·5				1·7	6·4				22
23			1·7					8·0		6·9		3·3	23
24	·5	20·3			5·1			27·0	14·7	·3		8·4	24
25	2·0	8·1		4·1	8·7	3·1					·5	11·4	25
26		2·3				·3		6·8	3·4		·3	15·5	26
27		28·4						1·0	5·4		2·5	10·9	27
28		3·6			4·8				12·2	·8		7·9	28
29		X						2·3	13·2			12·7	29
30	1·6	X		1·5				23·3	1·7	4·6	17·5	13·7	30
31		X		X		X		·3	X	18·0	X	17·5	31
TOTAL	17·6	121·0	16·7	95·5	37·6	94·8	18·7	75·1	144·7	141·3	196·2	116·6	YEAR'S TOTAL 1075·8
*Days with 0·2 mm. or more.	12	20	8	20	9	22	5	11	21	18	25	19	190
*Days with 1·0 mm. or more.	6	15	5	17	7	18	4	9	17	14	18	13	143
(144w)	·69	4·76	·66	3·76	1·48	3·73	·74	2·96	5·70	5·56	7·72	4·59	42·35

40-9999

(Signed) C. Lyndon

[P.T.O.

744/S.

ALTON TRELOAR HOSP.

1935 – 1940.

780201.

Section **A** for the ent…
AIR MIN… …INFALL ORGANIZATION.

Station No. 744/5

FORM 1090.

RE… …1935.

X ALTON (Treloar Cri…
Kept at …

in the County of ~~ALTON~~, …

Diameter of Funnel of Gaug…

Height of top of Gauge ab…

,, Ground ,,

…estimated from surrounding … seen.

THE MORNING ME… …AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		–	.17	.01	.04	.02	.30	–	.15	.10	.26	–		1
2		–	–	–	–	.03	–	–	.02	.34	.05	–		2
3		.02	.01	–	–	.02	–	–	.26	1·12	.16	–		3
4		.04	–	.25	–	.07	–	–	.07	.23	.22	.06		4
5		.22	.14	.16	–	.06	–	–	.40	.10	.02	.02		5
6		–	.01	.27	–	1·18	–	–	–	–	.04	–		6
7		–	–	.34	–	.14	–	–	–	.12	.81	.10		7
8		–	–	.35	–	.05	–	–	.04	.41	.56	.01		8
9		–	–	.55	–	.66	–	–	.08	.95	.10	.03		9
10		–	.21	.40	–	.01	–	–	–	–	.15	–		10
11		–	–	.11	–	.20	.04	–	–	–	.66	–		11
12		.10	–	–	–	.21	–	.04	.06	–	.73	–		12
13		.17	–	.21	.07	.04	–	–	–	.02	.02	–		13
14		–	–	.48	.10	.14	–	–	–	–	.23	.16		14
15		.18	–	.52	.01	.01	–	–	.26	–	.58	.04		15
16		.02	.05	.07	–	.09	–	–	.70	.04	.96	–		16
17		–	–	.17	–	.21	–	.04	.05	–	.35	–		17
18		.02	–	.36	–	.08	–	.03	.52	.07	.01	–		18
19		.01	–	–	.67	.06	.40	–	.06	.07	.25	.01		19
20		.45	–	.04	–	.04	.20	–	–	–	.43	–		20
21		.47	–	.01	–	–	–	–	–	.04	–	–		21
22		.07	.10	.06	–	–	–	.03	.13	–	–	–		22
23		–	.11	–	–	–	–	.39	.02	.46	–	.10		23
24		.91	–	–	.17	–	–	1·18	.58	.03	–	.31		24
25		.34	–	.19	.26	–	–	–	–	–	–	.33		25
26		.39	–	–	–	.02	–	.28	.18	–	.01	.59		26
27		.60	–	–	–	–	–	.01	.18	–	.12	.41		27
28		.14	–	–	.01	–	–	.01	.42	.04	–	.14		28
29		–	–	–	–	–	–	–	.51	–	.03	.57		29
30		✕	–	.09	–	–	–	.89	.06	.21	.86	.67		30
31		✕	–	✕	–	✕	–	.02	✕	.77	✕	.54		31 O.K. print
TOTAL	(·75)	4·16	.80	4·64	1·33	3·34	.94	2·92	4·75	5·12	7·61	4·09	Year's Total ~~39·70~~	(40·45) ~~for~~
* Days with .01 in. or more.	(9)	17	8	20	8	21	4	11	21	18	24	17	(178)	~~11 month~~
* Days with .04 in. or more.	(7)	13	6	18	6	15	4	6	19	16	19	13	(142)	Part of

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~R. [illegible]~~ [P.T.O.

N X THE SECRETARY & ~~Steward~~ X

Section **A** for the ent

Station No. 744/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

X ALTON

Kept at (Treloar Cripples' Hospital)

in the County of ~~ALTON~~, Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 300 ft.

January estimated from surrounding stns.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		-	.17	.01	.04	.02	.30	-	.15	.10	.26	-		1
2		-	-	-	-	.03	-	-	.02	.34	.05	-		2
3		.02	.01	-	-	.02	-	-	.26	1·12	.16	-		3
4		.04	-	.25	-	.07	-	-	.07	.23	.22	.06		4
5		.22	.14	.16	-	.06	-	-	.40	.10	.02	.02		5
6		-	.01	.27	-	1·18	-	-	-	-	.04	-		6
7		-	-	.34	-	.14	-	-	-	.12	.81	.10		7
8		-	-	.35	-	.05	-	-	.04	.41	.56	.01		8
9		-	-	.55	-	.66	-	-	.08	.95	.10	.03		9
10		-	.21	.40	-	.01	-	-	-	-	.15	-		10
11		-	-	.11	-	.20	.04	-	-	-	.66	-		11
12		.10	-	-	-	.21	-	.04	.06	-	.73	-		12
13		.17	-	.21	.07	.04	-	-	-	.02	.02	-		13
14		-	-	.48	.10	.14	-	-	-	-	.23	.16		14
15		.18	-	.52	.01	.01	-	-	.26	-	.58	.04		15
16		.02	.05	.07	-	.09	-	-	.70	.04	.96	-		16
17		-	-	.17	-	.21	-	.04	.05	-	.35	-		17
18		.02	-	.36	-	.08	-	.03	.52	.07	.01	-		18
19		.01	-	-	.67	.06	.40	-	.06	.07	.25	.01		19
20		.45	-	.04	-	.04	.20	-	-	-	.43	-		20
21		.47	-	.01	-	-	-	-	-	.04	-	-		21
22		.07	.10	.06	-	-	-	.03	.13	-	-	-		22
23		-	.11	-	-	-	-	.39	.02	.46	-	.10		23
24		.91	-	-	.17	-	-	1·18	.58	.03	-	.31		24
25		.34	-	.19	.26	-	-	-	-	-	-	.33		25
26		.39	-	-	-	.02	-	.28	.18	-	.01	.59		26
27		.60	-	-	-	-	-	.01	.18	-	.12	.41		27
28		.14	-	-	.01	-	-	.01	.42	.04	-	.14		28
29		-	-	-	-	-	-	-	.51	-	.03	.57		29
30		X	-	.09	-	-	-	.89	.06	.21	.86	.67		30
31		X	-	X	-	X	-	.02	X	.77	X	.54		31 O.K.
TOTAL	(.75)	4·16	.80	4·64	1·33	3·34	.94	2·92	4·75	5·12	7·61	4·09	Year's Total ~~39.70~~	(40·45) ~~for~~
* Days with .01 in. or more.	(9)	17	8	20	8	21	4	11	21	18	24	17	(178)	~~11 month~~
* Days with .04 in. or more.	(7)	13	6	18	6	15	4	6	19	16	19	13	(142)	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~R. [illegible]~~ [P.T.O.

N X THE SECRETARY ~~[illegible]~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 7445

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Alton Park, Alton.

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Items in red signify snow.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29	.04	.04	.40	-	.35	.44	.21	-	-	.08	.08		1
2	-	.06	.01	.02	-	.11	.01	.07	-	-	-	-		2
3	-	-	-	.40	-	.23	.02	-	.38	-	.30	-		3
4	-	-	.17	-	-	.04	.01	-	.41	-	.13	.14		4
5	.38	-	.05	-	-	-	-	.05	.02	-	-	.03		5
6	.75	-	-	-	-	.04	-	.03	.31	-	.48	-		6
7	.17	-	.08	-	-	-	.03	-	.03	-	.25	.12		7
8	.46	-	.06	-	-	-	.04	-	-	-	.20	.15		8
9	.79	-	.10	-	-	-	.32	-	.29	-	-	.01		9
10	.19	-	-	-	.01	-	.11	.53	-	-	-	-		10
11	.03	.02	-	.08	-	-	.03	.10	.02	-	1.17	-		11
12	-	-	-	.05	-	.27	.33	.01	.28	-	.21	.15		12
13	-	-	-	.02	-	.10	-	-	-	.02	.07	.63		13
14	-	.16	-	-	-	.08	.59	-	.02	.03	.19	.68		14
15	.01	.03	-	-	-	-	.02	-	.21	-	.08	.42		15
16	.65	.25	-	-	-	-	.07	-	-	-	.25	.05		16
17	.10	1.02	-	-	-	.23	.03	.03	.03	.01	.22	.43		17
18	.11	.34	-	-	-	.74	.35	-	-	-	-	.24		18
19	.33	.06	.08	.05	-	.46	.08	.13	-	-	.01	-		19
20	.17	.08	.14	.39	-	.16	.03	-	.81	-	-	-		20
21	-	.04	.-	.44	.02	.15	.09	-	-	-	-	-		21
22	.12	.49	.08	-	.23	-	.20	-	-	-	-	-		22
23	-	-	.45	.12	.04	-	.54	-	-	.07	-	.07		23
24	.14	.10	-	-	-	-	.02	-	.02	.48	-	-		24
25	.05	-	.10	.26	-	-	.08	-	.05	.13	.06"	-		25
26	.12	.26	.13	-	.02	.01	.11	-	.06	.22	-	.02		26
27	.48	-	.01	-	-	-	.04	-	.14	.44	-	-		27
28	.90	-	.29	-	-	-	.55	-	.02	.05	-	.17		28
29	.01	.09	.09	-	-	.51	.05	-	-	.59	.24	.05		29
30	.19	✕	-	-	.05	.18	.01	-	-	.43	-	-		30
31	.26	✕	.35	✕	.02	✕	.19	-	✕	-	✕	.53		31
TOTAL	6.70	3.04	2.23	2.23	.39	3.66	4.39	1.16	3.10	2.47	3.94	3.97	Year's Total 37.28	
* Days with .01 in. or more.	23	15	17	11	7	16	28	9	17	11	16	18	188	
* Days with .04 in. or more.	20	13	15	9	3	15	18	6	10	8	15	15	147	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Aitken [P.T.O.

Steward

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 744/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Days.

Kept at Treloar Cripples' Hospital
in the County of & College, Alton, Hants.
Diameter of Funnel of Gauge 5 in. in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.51	.04	-	-	-	-	-	-	-	.11	1.05	.70		1
2	.02	.72	-	.26	-	-	-	-	.25	-	-	.47		2
3	-	.32	.04	-	-	-	-	-	-	-	-	.03		3
4	1.15	.91	-	-	-	-	-	-	-	-	-	.27		4
5	.25	.04	.16	.02	-	-	.11	-	-	-	-	-		5
6	.22	.15	SNOW. .98	.04	.10	-	-	-	-	.06	.03	-		6
7	-	.59	.03	.15	.05	-	-	-	.01	.03	-	.06		7
8	-	.02	-	-	.20	-	-	-	-	-	.05	.12		8
9	-	-	-	.21	.10	.05	.05	-	.28	-	-	SNOW. .27		9
10	-	-	.75	.39	.10	.32	-	.04	-	-	-	.53		10
11	-	-	.10	.01	.41	.22	.16	-	-	-	-	.01		11
12	.48	.26	.23	.09	.53	.26	.01	.10	.12	-	-	.40		12
13	.22	.06	.49	.16	-	-	-	.09	.20	-	-	.73		13
14	.02	-	.48	.09	-	-	-	.15	.12	-	-	.01		14
15	.35	.20	-	.25	-	-	.36	-	.16	-	-	-		15
16	-	.15	.52	.27	-	.05	-	.36	.59	-	-	-		16
17	.78	.04	.19	.05	-	.05	.01	-	.19	-	.05	-		17
18	.42	.10	-	-	-	-	-	-	-	-	.13	.11		18
19	.1/1	.16	.09	.21	-	.18	-	-	.06	-	-	.05		19
20	.76	.05	.19	.47	-	.01	-	-	-	-	-	.01		20
21	1.02	.51	.08	.03	.01	-	.02	-	-	-	-	.07		21
22	.57	.03	SNOW. .19	-	.25	.18	.14	-	-	1.04	.57	.16		22
23	.30	.10	.04	-	.32	-	.05	-	-	.46	.16	-		23
24	.55	.44	-	-	-	-	-	-	.07	.70	-	.03		24
25	.33	.49	.24	-	1.26	-	-	-	.14	.58	-	.01		25
26	.01	.31	.02	-	-	-	-	-	-	.10	-	-		26
27	.08	.21	-	.11	-	-	-	-	-	.69	-	-		27
28	.02	.13	-	-	-		-	-	-	.08	-	.03		28
29	.04	-	-	-	-	-	-	-	-	.07	.11	.02		29
30	.46	✕	-	-	-	.02	-	T.S. 1.51	-	.07	.35	-		30
31	48	✕	-	✕	-	✕	-	-	✕	.38	✕	.03		31
TOTAL	815	598	4.68	253	3.80	1.34	.91	2.25	2.19	4.37	2.51	4.12	Year's Total 42.83	✓
* Days with .01 in. or more.	24	23	18	17	12	10	9	6	12	13	9	~~13~~ 22	~~33~~	175
* Days with .04 in. or more.	20	21	16	14	11	8	6	6	11	12	8	9	142	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Aitken
Steward

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at LORD MAYOR TRELOAR'
in the County of CRIPPLES' HOSPITAL & COLLEGE, ALTON HANTS.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 350 ft.

Daily w.J.F. Total ✓ W.E.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·02	—	—	—	·13	·03	—	—	·05	·01	·21		1
2	·05	—	—	·06	·01	—	—	—	—	·39	—	·08		2
3	—	—	—	—	·15	—	·03	—	—	·67	·05	—		3
4	·03	—	—	—	—	—	·30	·03	—	·05	·01	·20		4
5	—	—	—	—	—	—	·27	—	—	·42	—	—		5
6	·05	—	—	—	—	—	·05	—	·15	—	—	—		6
7	·20	—	—	—	—	—	·49	·13	·04	·37	—	·03		7
8	·22	—	—	—	—	—	·24	·09	—	·31	—	·02		8
9	·15	·03	—	—	—	·05	—	—	—	·03	—	1·05		9
10	·13	—	—	—	—	·11	·02	·07	—	·01	—	·23		10
11	·24	—	—	—	—	—	—	—	—	·01	·30	·22		11
12	·45	—	—	—	·07	—	·06	—	—	·25	·09	—		12
13	·32	—	—	—	—	—	—	—	—	·18	·49	·31		13
14	·41	—	—	—	·06	—	·03	—	—	~~·0~~	·01	—		14
15	·18	·03	—	—	—	—	·73	—	—	·35	—	·32		15
16	·37	·02	·01	—	—	—	—	·06	—	·06	·02	·02		16
17	—	·08	—	—	—	—	·05	—	·12	·28	—	—		17
18	·11	—	—	—	—	—	—	—	·02	—	·72	—		18
19	·02	—	—	—	—	—	—	·13	·10	—	·32	—		19
20	—	—	—	—	—	—	—	—	·09	—	·54	·03		20
21	·04	—	—	—	—	—	—	·05	·09	—	·03	·42		21 ·42
22	·01	—	—	—	—	·11	—	·13	—	—	·29	·31		22 ·31
23	—	—	—	—	—	—	—	—	—	—	·07	—		23
24	—	—	·14	—	—	—	—	—	·26	—	·15	—		24
25	·13	·02	·08	—	·10	—	—	—	—	·03	1·42	—		25
26	·44	·29	·05	—	—	—	—	—	·08	·18	—	·24		26 ·24
27	·22	·04	—	—	·11	·32	·45	—	—	—	·41	—		27
28	·08	·08	—	—	·41	·11	—	·57	·17	—	—	·13		28
29	·15	—	—	—	·25	—	—	·06	·23	—	·15	·11		29
30	·17	✕	—	—	·10	·17	—	—	·08	·09	·29	—		30
31	·27	✕	—	✕	·24	✕	—	—	✕	·28	✕	·33		31
TOTAL	4·44	·61	·28	·06	1·50	1·00	2·75	1·32	1·43	4·01	5·35	4·26	Year's Total 27·01	✓
* Days with .01 in. or more.	24 ~~3~~	9 ~~5~~	4	1	10	7	~~4~~ 13	10	12	~~4~~ 19	~~8~~ 19	~~4~~ 18	~~29~~	146
* Days with .04 in. or more.	21	4	3	1	9	7	9	9	11	15	14	14	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Aitken

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 7445

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lord Mayor Treloar Cripples'

in the County of Hospital, ALTON, Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.12	.14	.24	-	-	-	55	-	-	.05		1
2	.09	-	-	.03	-	-	.10	71	.33	-	-	.04		2
3	.45	-	-	.47	-	-	-	15	-	-	.26	.23		3
4	.09	-	.34	.20	-	-	.13	51	.07	.59	.19	.03		4
5	-	-	-	.14	.16	-	.24	.04	-	.23	.45	.20		5
6	.20	-	.09	.-	.17	-	.71	.01	-	.05	.40	-		6
7	.02	.12	-	-	-	.09	.02	.02	-	.03	.36	.25		7
8	.07	.24	.19	-	-	-	.04	.02	-	.28	.32	.39		8
9	.05	.08	-	-	-	-	-	.14	-	.17	.14	.32		9
10	.26	-	.02	-	-	.09	-	.18	.05	.27	.01	-		10
11	-	-	.28	-	-	-	-	-	-	.26	.03	-		11
12	-	-	-	-	-	.05	-	-	-	-	-	-		12
13	-	-	-	.09	-	.01	.37	-	.07	179	-	-		13
14	.71	-	-	.13	.07	.05	.21	-	-	.27	.73	.02		14
15	.37	-	-	-	.58	.34	.10	-	.05	.61	.24	.02		15
16	.22	-	.07	.04	.09	.14	.18	-	.01	.01	.34	-		16
17	.50	.09	-	-	.30	.04	.14	-	-	.53	.10	-		17
18	.30	-	.04	-	-	.11	.28	-	-	-	.39	-		18
19	.25	-	-	-	-	-	.18	-	-	.15	-	.07		19
20	.45	-	-	-	-	-	.84	-	-	-	-	.02		20
21	.15	.21	.09	-	-	31	.08	.02	.03	-	-	-		21
22	.30	.30	-	-	-	20	.05	-	.02	-	.19	-		22
23	.01	.-	.01	.20	-	-	-	-	-	-	108	-		23
24	.29	-	-	.02	-	.14	.12	-	-	.11	-	.01		24
25	.75	.13	.02	-	-	-	.04	-	-	-	.48	-		25
26	.04	-	.02	-	-	.03	-	.09	-	.09	.29	-		26
27	-	.12	.12	.04	-	-	-	-	-	.05	.12	-		27
28	.01	.22	.03	.08	-	.13	.08	-	-	.03	.12	.20		28
29	-		-	.11	-	-	.08	-	-	.09	.09	-		29
30	-	X	-	.88	-	.13	-	-	-	.04	.15	-		30
31	-	X	-	X	-	X	.42	.04	X	.06	X	-		31
TOTAL	558.	151	144.	257.	161.	186.	441.	193.	.98	571	648	185	Year's Total ~~3566~~	35·93
* Days with .01 in. or more.	22 ~~8~~	9 ~~7~~	14 ~~5~~	14 ~~2~~	7 ~~7~~	15 ~~2~~	21 ~~7~~	12 ~~4~~	9 ~~5~~	21 ~~3~~	22 ~~2~~	14 ~~5~~	~~50~~	180
* Days with .04 in. or more.	19	9	9	12	7	13	20	8	6	18	20	9	150	✓

† Spare column, no entries required.

(*Signed*) R. Aitken Steward [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 744/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at ALTON Treloar Cripples'

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	.02	-	-	-	-	-	.03	-		1
2	-	.14	-	.20	-	-	-	-	-	.04	.57	.02		2
3	-	.40	-	.03	-	-	-	-	-	.19	1.38	.13		3
4	-	.06	-	.03	-	-	-	-	-	.28	.11	.04		4
5	-	.01	-	-	-	-	.11	-	-	.16	.51	.25		5
6	.30	.34	-	-	-	-	.36	-	-	.47	.02	-		6
7	.22	.33	-	-	.02	-	-	-	-	-	-	.02		7
8	-	-	-	-	-	-	-	-	-	.39	.03	.27		8
9	-	-	-	-	-	.37	-	.02	.04	.32	.41	.22		9
10	-	-	-	-	-	-	.22	.01	.01	.10	.10	.06		10
11	-	.04	-	.03	-	-	.17	-	-	-	112	-		11
12	-	.01	.32	.02	-	-	.29	-	.18	.01	.11	-		12
13	-	.02	.66	-	-	-	.04	-	.20	-	124	-		13
14	-	-	.24	.07	-	-	.10	-	.01	.30	-	.36		14
15	-	-	.03	-	-	-	.80	-	.04	.03	.69	.04		15
16	.05	.56	.18	.12	-	.01	.04	-	.28	.57	105	.03		16
17	-	.01	.39	-	-	-	.02	-	-	-	.24	-		17
18	.04	.39	.30	.45	-	-	.45	-	.03	.22	.03	.17		18
19	-	.11	.44	.12	-	-	.05	-	101	.01	.20	.01		19
20	-	-	.10	.07	.24	.01	.07	.12	.27	.10	.11	-		20
21	.03	-	-	-	.08	-	.12	-	-	.06	.57	-		21
22	.04	-	.04	.01	-	.29	-	-	.10	-	-	-		22
23	-	.09	.19	-	-	.08	-	-	-	-	.02	-		23
24	-	-	-	-	-	-	.33	-	-	-	-	.01		24
25	-	-	.45	-	-	.05	.05	-	-	-	-	-		25
26	.79	.35	.37	-	.22	-	.09	-	-	-	.01	-		26
27	.66	.38	.02	.15	-	-	.15	-	-	-	-	-		27
28	.53	.03	-	.05	.16	-	-	-	-	-	-	-		28
29	.45	.21	.15	.10	.14	-	-	-	-	-	-	.35		29
30	.04	✕	-	.04	-	-	-	-	-	.25	-	.01		30
31	.03	✕	-	✕	-	✕	-	-	✕	.87	✕	.08		31
TOTAL	318.	349	388	149	'88	'81	346	'15	217	437	855	207	Year's Total 3450	
* Days with .01 in. or more.	12	19	18	12	7	6	18	3	11	18	21	17	~~40~~	162
* Days with .04 in. or more.	10	13	13	10	5	4	17	1	8	15	15	11	122	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Aitken Steward

[P.T.O.

KINGSLEY (FRUIT FAR
CO

744/6
KINGSLEY FRUIT FARM
1937 - 1940

780201

Section **A** for the entry of Daily O
AIR MINISTRY.—MET
ALL ORGANIZATION

Station No. 744/6

FORM 1090

REGISTER 37.

Kept at Kingsley, W. Bor
in the County of Hampsh
Diameter of Funnel of Gauge five in
Height of top of Gauge above Ground 1
,, Ground ,, Sea Level ab

THE MORNING MEASUREMENT S US DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·65	·03	-	·07	-	-	trace	-	trace	-	1·23	·59		1
2	·01	·52	trace	·40	-	-	-	-	·28	-	·02	·64		2
3	trace	·22	trace	-	-	-	-	-	-	-	trace	·02		3
4	·09	·80	-	trace	-	-	-	trace	-	-	trace	·23		4
5	·17	·06	·17	-	-	-	·16	-	-	-	trace	-		5
6	·18	·03	·83	·02	·13	-	trace	-	-	·05	·02	-		6
7	-	·54	trace	·09	trace	-	-	-	·02	·01	-	·10		7
8	-	·01	trace	trace	·15	·02	-	-	-	-	·04	·16		8
9	-	trace	-	·22	·12	·10	·06	trace	·27	-	-	·21		9
10	-	-	·68	·20	·09	·28	·02	·28	-	-	-	·54		10
11	trace	-	·08	trace	·45	·07	·07	-	-	-	-	-		11
12	·39	·23	·18	·18	·75	·31	trace	·08	·10	-	-	·45		12
13	·22	·06	·62	·10	-	-	-	·09	·19	-	-	1·04		13
14	·02	·02	·35	·08	-	-	-	·07	·08	-	-	trace		14
15	·36	·11	-	·19	-	-	·32	-	·10	-	-	-		15
16	·02	·10	·53	·31	-	·15	-	·28	·45	-	-	trace		16
17	·71	·03	·12	·06	trace	·02	·03	-	·29	-	·04	-		17
18	·41	·05	trace	trace	trace	-	trace	-	trace	-	·09	·17		18
19	·02	·13	·03	·14	trace	·20	-	-	·05	-	-	-		19
20	·77	trace	·11	·18	·73	·19	-	-	trace	-	-	·01		20
21	·83	·47	·04	·01	trace	·02	trace	trace	-	-	·01	·05		21
22	·50	·07	·19	-	·21	·21	·10	-	-	·60	·69	·09		22
23	·33	·09	·02	-	·37	·02	·04	-	-	·83	·14	·01		23
24	·40	·42	trace	-	trace	trace	trace	-	·05	·55	trace	·01		24
25	·35	·45	·27	-	·93	-	-	-	·11	·31	-	trace		25
26	trace	·29	·03	-	·01	-	-	-	-	·17	-	trace		26
27	·10	·17	-	·08	-	-	-	-	trace	·62	-	-		27
28	trace	·06	-	trace	-	-	-	-	trace	·09	-	·03		28
29	trace	X	-	-	-	trace	-	-	-	·07	·08	·03		29
30	·50	✕	-	-	-	·02	-	·11	-	·13	·28	-		30
31	·34	✕	trace	✕	-	✕	-	-	✕	·38	✕	·04		31
TOTAL	7·37	4·96	4·25	2·33	3·94	1·61	·8	·91	1·99	3·81	2·64	4·42	Year's Total 39·03	
* Days with .01 in. or more.	22	24	16	16	11	13	8	6	12	12	11	19	170	
* Days with .04 in. or more.	18	19	13	14	10	8	6	6	11	11	8	13	137	

Post
N

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Arnest Jones

P.T.O.

N

P.E. JONES, ESQ

KINGSLEY (FRUIT FAR

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/16

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Kingsley, Nr Bordon
in the County of Hampshire
Diameter of Funnel of Gauge five in. Snowdon pattern gauge.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level about 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·65	·03	-	·07	-	-	trace	-	trace	-	1·23	·59		1
2	·01	·52	trace	·40	-	-	-	-	·28	-	·02	·64		2
3	trace	·22	trace	-	-	-	-	-	-	-	trace	·02		3
4	·09	·80	-	trace	-	-	-	trace	-	-	trace	·23		4
5	·17	·06	·17	-	-	-	·16	-	-	-	trace	-		5
6	·18	·03	·83	·02	·13	-	trace	-	-	·05	·02	-		6
7	-	·54	trace	·09	trace	-	-	-	·02	·01	-	·10		7
8	-	·01	trace	trace	·15	·02	-	-	-	-	·04	·16		8
9	-	trace	-	·22	·12	·10	·06	trace	·27	-	-	·21		9
10	-	-	·68	·20	·09	·28	·02	·28	-	-	-	·54		10
11	trace	-	·08	trace	·45	·07	·07	-	-	-	-	-		11
12	·39	·23	·18	·18	·75	·31	trace	·08	·10	-	-	·45		12
13	·22	·06	·62	·10	-	-	-	·09	·19	-	-	1·04		13
14	·02	·02	·35	·08	-	-	-	·07	·08	-	-	trace		14
15	·36	·11	-	·19	-	-	·32	-	·10	-	-	-		15
16	·02	·10	·53	·31	-	·15	-	·28	·45	-	-	trace		16
17	·71	·03	·12	·06	trace	·02	·03	-	·29	-	·04	-		17
18	·41	·05	trace	trace	trace	-	trace	-	trace	-	·09	·17		18
19	·02	·13	·03	·14	trace	·20	-	-	·05	-	-	-		19
20	·77	trace	·11	·18	·73	·19	-	-	trace	-	-	·01		20
21	·83	·47	·04	·01	trace	·02	trace	trace	-	-	·01	·05		21
22	·50	·07	·19	-	·21	·21	·10	-	-	·60	·69	·09		22
23	·33	·09	·02	-	·37	·02	·04	-	-	·83	·14	·01		23
24	·40	·42	trace	-	trace	trace	trace	-	·05	·55	trace	·01		24
25	·35	·45	·27	-	·93	-	-	-	·11	·31	-	trace		25
26	trace	·29	·03	-	·01	-	-	-	-	·17	-	trace		26
27	·10	·17	-	·08	-	-	-	-	trace	·62	-	-		27
28	trace	·06	-	trace	-	-	-	-	trace	·09	-	·03		28
29	trace	X	-	-	-	trace	-	-	-	·07	·08	·03		29
30	·50	✕	-	-	-	·02	-	·11	-	·13	·28	-		30
31	·34	✕	trace	✕	-	✕	-	-	✕	·38	✕	·04		31
TOTAL	7·37	4·96	4·25	2·33	3·94	1·61	·8	·91	1·99	3·81	2·64	4·42	Year's Total 39·03	
* Days with .01 in. or more.	22	24	16	16	11	13	8	6	12	12	11	19	170	
* Days with .04 in. or more.	18	19	13	14	10	8	6	6	11	11	8	13	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. Ernest Jones

P.T.O.

N

A.E. JONES, ESQ

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Kingsley nr. Bordon

in the County of Hampshire

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground — ft. 12 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	tr	–	–	·01	·05	·18	–	tr	·05	tr	·17		1
2	·04	–	–	·03	·03	–	·03	–	–	·31	–	·04		2
3	tr	–	–	–	~~·03~~ ·11	–	·03	–	–	·52	·02	–		3
4	·01	–	–	–	–	–	·19	·04	–	·05	tr	·14		4
5	–	–	–	tr	–	tr	·45	·02	–	·41	–	tr		5
6	·03	–	–	–	–	tr	·03	–	·09	·05	tr	tr		6
7	·12	tr	–	–	–	tr	·85	·04	·06	·19	tr	·04		7
8	·25	–	–	–	–	tr	·18	·09	·02	·19	tr	·02		8
9	·13	tr	–	–	–	·03	·06	tr	–	·11	–	1·13		9
10	·11	·02	–	–	–	·09	tr	·01	–	·01	tr	·13		10
11	·19	–	–	–	–	–	–	–	–	tr	·27	·20		11
12	·36	·01	–	–	·06	–	·01	·09	–	·16	·02	tr		12
13	·27	tr	–	–	tr	–	–	–	–	·10	·41	·28		13
14	·40	tr (s)	tr	–	·05	–	·03	–	tr	–	·01	tr		14
15	·14	·04	–	–	·01	–	·72	–	–	·32	tr	·34		15
16	·21	·02	tr	–	–	–	·05	·02	–	·01	tr	·06		16
17	–	·08	tr	–	tr	–	–	–	·08	·13	tr	–		17
18	·09	–	–	–	tr	tr	–	tr	·08	tr	·55	–		18
19	·02	–	–	–	–	–	–	·08	·14	–	·25	–		19
20	–	tr	–	–	tr	–	–	–	·07	–	·72	·08	snow	20
21	·03	–	–	–	–	–	–	·15	·10	–	·02	·62	snow	21
22	·04	–	tr	tr	–	·03	–	·09	tr	–	·19	·07	snow	22
23	tr	tr	–	·02	tr	tr	–	tr	tr	–	·06	tr		23
24	–	tr	·07	tr	·02	–	–	tr	·33	–	·12	·01		24
25	·12	·02	·06	tr	·11	–	·02	tr	tr	·04	1·64	–		25
26	·32	·17	·03	–	·02	tr	–	–	·07	·19	–	·20	snow	26
27	·13	·10	–	–	·16	·28	·47	–	·07	tr	·30	–		27
28	·12	·06	–	–	·32	·09	tr	·42	·06	tr	–	·12		28
29	·15	×	–	tr	·25	–	–	·03	·06	·02	·15	·12		29
30	·05	×	–	·02	·15	·02	–	tr	·04	·08	·23	tr		30
31	·19	×	–	×	·15	×	–	–	×	·21	×	·24		31
TOTAL	3·52	·52	·16	·07	1·45	·59	3·30	1·08	1·27	3·15	4·96	4·01	Year's Total 24·08	✓
* Days with .01 in. or more.	24	9	3	3	14	7	15	12	14	20	16	19	156	✓
* Days with .04 in. or more.	20	5	2	0	9	4	9	8	13	17	12	17	116	✓

† Spare column, no entries required.

(Signed) Ernest Jones

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 744/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Kingsley nr Bordon

in the County of Hampshire

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground – ft. 12 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	–	.08	.18	.26	–	tr	tr	.67	–	~~tr~~	~~.60~~		1
2	.08	–	tr	.02	tr	–	.08	.55	.29	–	tr ~~.28~~	.60 ~~.23~~		2
3	.45	–	–	.35	–	–	–	.12	tr	tr	.28	.23		3
4	.08	–	.32	.16	tr	–	.15	.45	–	.36	.13	.03		4
5	–	–	tr	.10	.13	–	.11	.01	–	.37	.51	.17		5
6	.23	–	.09	tr	tr	–	.45	tr	–	–	.11	.01		6
7	.04	.12	–	–	–	–	tr	.05	–	.12	.33	.25		7
8	.03	.19	.23	–	–	–	.02	tr	–	.29	.66	.30		8
9	.05	.07	–	–	–	–	–	.07	–	.13	.12	.24		9
10	.32	tr	–	–	–	.10	–	.11	.03	.18	.01	tr		10
11	–	–	.21	–	–	–	–	tr	–	.31	.03	tr		11
12	–	tr	–	–	tr	.03	–	–	–	–	–	tr		12
13	–	–	tr	.08	–	tr	.33	–	.07	1.50	tr	tr		13
14	.75	–	–	.05	.08	.02	.15	–	tr	.33	.59	.01		14
15	.41	–	–	tr	.63	.28	.22	–	.09	.39	.25	.02		15
16	.59	–	.18	.03	.22	.11	.18	–	.01	.05	.26	–		16
17	.26	.03	.02	tr	.17	tr	.23	–	–	.19	.07	–		17
18	.23	tr	.01	–	–	.09	.21	–	tr	.05	.33	tr		18
19	.24	–	.02	–	–	–	.04	–	–	.10	tr	.06		19
20	.33	–	tr	–	–	tr	.81	–	–	–	–	tr		20
21	.12	.22	.06	–	tr	.15	.01	.10	.05	–	–	–		21
22	.22	.35	tr	.01	–	.24	.06	–	.02	–	.09	–		22
23	.04	– tr	.01	.12 ~~.02~~	–	tr	tr	.02	–	tr	.88	–		23
24	.28	tr	.02	.01	–	.09	.03	–	–	.03	–	– ~~.70~~		24
25	.55s	.10	.03	tr	–	–	.03	–	–	–	.44	.09		25
26	.03	–	.02	–	–	–	tr	.19	–	.11	.25	–		26
27	.02	.12	.11	.02	–	.01	–	–	–	.03	.09	–		27
28	–	.13	.04	.11	–	.05	.01	–	–	.07	.09	.18s		28
29	–	–	tr	.15	–	–	.04	–	–	.06	.05	–		29
30	–	✕	–	.83	–	.09	–	–	–	.05	.05	–		30
31	–	✕	–	✕	–	✕	.23	tr	✕	.06	✕	tr.		31
TOTAL	5.37	1.33	1.45	2.22	1.49	1.26	3.39	1.67	1.23	4.78	5.62	2.69	Year's Total 32.50	✓
* Days with .01 in. or more.	23	9	16	15	6	12	20	10	8	21	21	13	174	✓
* Days with .04 in. or more.	19	8	9	10	6	9	15	8	5	19	19	9	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest Jones

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/6.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~1940.

Kept at Kingsley nr Bordon F.F.
in the County of Hampshire
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 300 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	tr	-	-	·03	-	-	-	-	-	·05	-		1
2	-	·14	-	·15	-	-	-	-	-	·03	·53	-		2
3	-	·39	-	·03	-	-	tr	-	-	·20	1·24	·07		3
4	-	·07	-	tr	-	-	tr	-	-	-	·09	·05		4
5	-	·01	-	-	-	-	·10	-	-	·38	·56	·21		5
6	·26	·33	-	-	·09	-	·14	-	-	·44	·02	-		6
7	·21	·25	-	-	·02	-	·09	-	-	tr	·01	-		7
8	-	tr	-	-	-	-	tr	-	tr	·39	·03	·23		8
9	-	-	-	tr	-	·04	tr	tr	·02	·22	·46	·19		9
10	-	-	-	-	-	-	·17	·06	·01	-	·10	·05		10
11	-	·40	-	·03	-	-	·05	-	-	-	1·11	tr		11
12	-	tr	·22	tr	-	-	·18	-	·18	·09	·11	-		12
13	-	·01	·61	-	-	-	·02	-	·14	-	1·07	-		13
14	-	-	·15	·05	-	-	·15	tr	-	·19	·01	·29		14
15	-	·45 Sn	-	·03	tr	-	·65	-	·05	·12	·63	·02		15
16	·01 Sn	-	·22	·12	-	·03	·18	-	·20	·64	1·05	·01		16
17	-	-	·22	tr	-	-	·46	-	-	tr	·32	-		17
18	·01 Sn	·34	·27	·39	-	-	·13	·04	·06	·24	-	·16		18
19	-	·10	·32	·11	-	-	tr	-	·87	tr	·22	tr		19
20	-	tr	·04	·05	-	tr	·01	·18	·26	·27	·06	tr		20
21	·03 Sn	·01	·04	-	·33	-	tr	-	-	-	·45	-		21
22	-	tr	-	·01	·06	·36	-	-	·09	·03	-	-		22
23	-	·06	-	·01	-	·12	-	-	-	-	·02	tr		23
24	-	tr	-	·03	-	-	-	-	-	-	tr	·01		24
25	·01	-	·59	tr	-	·05	·33	-	-	-	tr	-		25
26	·75	·22	·29	tr	·20	tr	·16	-	-	-	tr	-		26
Snow rain 27	1·15	·24	tr	·71	·01	-	·03	-	-	-	-	-		27
28	-	·05	·12	·29	·16	-	-	-	-	-	-	-		28
29	·50 Sn	·22	-	·13	·13	tr	-	-	-	-	-	·28		29
30	·05	✕	-	·04	-	-	tr	-	-	·25	-	tr		30
31	·03	✕	-	✕	-	✕	-	-	✕	·92	✕	·07		31
TOTAL	3·01	3·29	3·09	2·18	1·03	·60	2·85	·28	1·88	4·41	8·14	1·64	Year's Total 32·40	
* Days with .01 in. or more.	11	17	12	16	9	5	16	3	10	15	21	13	148	
* Days with .04 in. or more.	6	14	12	10	6	4	13	3	8	13	16	10	115	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Ernest Jones [P.T.O.

X ALTON (ANSTEY LA

COPY

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METE

744|6|5

ALTON

(ANSTEY LANE)

1936-1938-1939

780201

Not known

tation No. 744|6|5

LL ORGANIZATION

FORM 1090

REGISTER

Kept at ~~ROFFENS, ANSTEY L~~

in the County of HAMPSHIR

Diameter of Funnel of Gauge......5......in.

Height of top of Gauge above Ground........f

,, Ground ,, Sea Level .6.

24/3/37

W. Converted for W.O. 3rm

THE MORNING MEASUREMENT S **S DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·95

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	1·1	·33	·16	·57	—		·23	—	—	—	·87	—		1
2	(·30)	·04	—	·57	—	(·90)	·44	·02	—	—	·05	·12		2
3	—	—	·05	·02	—	~~·05~~	·14	·08	—	—	·02	—		3
4	—	—	—	·45	—		·03	—	·50	—	·06	·04		4
5	—	—	·12	—	—	—		—	·31	—	—	·17		5
6	·59	—	·13	—	—	—		—	·02	—	·12	·04		6
7	·87	—	—	—	—	·13		·09	·27	—	·45	—		7
8	·05	—	—	—	—	—	·75	—	—	—	·35	—		8
9	(·60) ~~2·5~~	—	·10	—	—	—		—	·03	—	·20	·38		9
10	(·80)	—	·14	—	—	—		—	·34	—	·01	—		10
11	~~·2~~ (·10)	—	—	—	·04	—		·25	—	—	—	—		11
12	—	—	—	·05	—	—		·26	—	—	1·18	·20		12
13	—	—	—	·01	—	·25		—	·32	—	·18	—		13
14	—	—	—	—	—	·15		—	—	—	·19	·24		14
15	—	·22	—	—	—	·13	1·60	—	·11	·06	—	·41		15
16	~~·3~~ (·03)	·01	—	—	—	·04		—	·38	·01	·22	·17		16
17		·25	—	—	—	—		—	·13	—	·30	·12		17
18	1·21	(1·20) ~~2·0~~	—	—	—	—		—	·02	—	—	·47		18
19		·18	·03	—	—	·13	—	—	—	—	—	·27		19
20		·11		—	·03	·80	·16	·15	—	—	—	—		20
21	·21	·09		·61	—	·40	·02	—	·94	·02	—	—		21
22	—	—	·91	·51	—		·11	—	—	—	—	—		22
23	—	·59		—	·33	·18	·31	—	—	—	—	—		23
24	·18	—	—	·15	·05	—	·50	—	—	·07	—	—		24
25	·16	·16	—	—		—	·02	—	·08	·61	·08	—		25
26	·06	—	·12	·37	—	—	·10	—	—	·22	—	—		26
27	—	·30	·27	—	—	—	·34	—	·21	·23	—	—		27
28	·80	—	·02	—	—	—	—	—		·42	—	—		28
29	1·03	—	(·30) ~~·72~~	—	—	—	·95	—	—	·06	·36	·31		29
30	·03	·16	(·18) ~~·44~~	—	—	·28	—	—	—	—	—	·07		30
31	·30		·57	—	(·15)	·23	·33	—		·16		·01	~~31~~ d	31
TOTAL	·33 ~~9·81~~ (7·65)	~~4·37~~ (3·31)	~~2·65~~ (2·56)	~~3·31~~ 2·74	~~·45~~ (·60)	~~4·54~~ (4·62)	~~6·03~~ 5·80	·85	3·66	87 ~~1·86~~ (2·13)	~~4·6~~ 3·77	·95 ~~3·02~~ 3·41	Year's Total ~~45·24~~ (42·56)	
* Days with .01 in. or more.	~~16~~	~~12~~	~~13~~	~~10~~	~~4~~	~~11~~	~~16~~	~~6~~	~~14~~	~~10~~	~~16~~	~~15~~	~~143~~	
* Days with .04 in. or more.	~~15~~	~~12~~	~~11~~	~~8~~	~~3~~	~~11~~	~~13~~	~~5~~	~~11~~	~~8~~	~~14~~	~~14~~	~~125~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ~~Frank W. Marsh~~

P.T.O.

N

X F.F. MARSH ESQ ~~M.A.~~ X

X ALTON (ANSTEY LA

COP

Not known

Section **A** for the entry of Daily Observations

Station No. 744 | 6 | 5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ~~ROFFENS, ANSTEY LANE, ALTON~~

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

,, Ground ,, Sea Level 630 ft.

561309/36

~~acc~~

Jan–Mar. corrd. from surr. stns.

written 4/37

W D corrected for w.o.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·95

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	1·1	·33	·16	·54	—		·23	—	—	—	·87	—		1
2	(·30)	·04	—	·54	—	(·90)	·44	·02	—	—	·05	·12		2
3	—	—	·05	·02	—	~~·05~~	·14	·08	—	—	·02	—		3
4	—	—	—	·45	—		·03	—	·50	—	·06	·04		4
5	—	—	·12	—	—	—		—	·31	—	—	·17		5
6	·59	—	·13	—	—	—		—	·02	—	·12	·04		6
7	·87	—	—	—	—	·13		·09	·27	—	·45	—		7
8	·05	—	—	—	—	—	·75	—	—	—	·35	—		8
9	(·60) ~~·25~~	—	·10	—	—	—		—	·03	—	·20	·38		9
10	(·80)	—	·14	—	—	—		—	·34	—	·01	—		10
11	~~·2~~ (·10)	—	—	—	·04	—		·25	—	—	—	—		11
12	—	—	—	·05	—	—		·26	—	—	1·18	·20		12
13	—	—	—	·01	—	·25		—	·32	—	·18	—		13
14	—	—	—	—	—	·15		—	—	—	·19	·24		14
15	—	·22	—	—	—	·13	1·60	—	·11	·06	—	·41		15
16	~~·2~~ (·03)	·01	—	—	—	·04		—	·38	·01	·22	·17		16
17		·25	—	—	—	—		—	·13	—	·30	·12		17
18	1·21	(·20) ~~·20~~	—	—	—	—		—	·02	—	—	·47		18
19		·18	·03	—	—	1·13	—	—	—	—	—	·27		19
20		·11		—	·03	·80	·16	·15	—	—	—	—		20
21	·21	·09		·61	—	·40	·02	—	·94	·02	—	—		21
22	—	—	·91	·51	—		·11	—	—	—	—	—		22
23	—	·59		—	·33	·18	·31	—	—	—	—	—		23
24	·18	—	—	·15	·05	—	·50	—	—	·07	—	—		24
25	·16	·16	—	—	—	—	·02	—	·08	·61	·08	—		25
26	·06	—	·12	·37	—	—	·10	—	—	·22	—	—		26
27	—	·30	·27	—	—	—	·34	—	·21	·23	—	—		27
28	·80	—	·02	—	—	—	—	—		·42	—	—		28
29	1·03	—	(·30) ~~·27~~	—	—	—	·95	—	—	·06	·36	·31		29
30	·03	·16	(·10) ~~·44~~	—	—	·28	—	—	—	—		·07		30
31	·30		·57	—	(·15)	·23	·33	—		·16	—	·01		31
TOTAL	~~9·81~~ ·33 (7·65)	~~4·32~~ (3·31)	~~2·65~~ (2·86)	~~3·31~~ 2·74	~~·45~~ (·60)	~~4·54~~ (4·62)	~~6·03~~ 5·80	·85	3·66	~~1·86~~ ·87 {2·73}	~~4·64~~ 3·77	~~3·02~~ ·95 3·91	Year's Total ~~45·24~~ (42·56)	
* Days with .01 in. or more.	~~16~~	~~12~~	~~13~~	~~10~~	~~4~~	~~11~~	~~16~~	~~6~~	~~14~~	~~10~~	~~16~~	~~15~~	~~143~~	
* Days with .04 in. or more.	~~15~~	~~12~~	~~11~~	~~8~~	~~3~~	~~11~~	~~13~~	~~5~~	~~11~~	~~8~~	~~14~~	~~14~~	~~125~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank W Marsh [P.T.O.

N

X F.E. MARSH ESQ M.A. X

ALTON (WYCK)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/6/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Hants 7

Kept at WYCK ALTON
in the County of HANTS
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 450 ft.

~~[illegible]~~ Acc. ✓ No file X

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							·44			+		·20		1
2	·06			·04		·04				·95 +		·03		2
3					·16		·03			+		[illegible]		3
4	·01						·19	·01		·02		·19		4
5							·57			·46				5
6	·04	·16					·04		·07		·01			6
7							·77	·04	·05	·29		·05		7
8	+ ·59						·48			·30				8
9	+					·02	·01			·02				9
10					·06		·01			·01		1·45		10
11	·20										·22	·25		11
12	·42							·07			·15	·22		12
13	·25									·31	·44			13
14	·43				·05		·01							14
15	·23						·70			·32	·02	·34		15
16	·22						·02	·03		·02		·05		16
17	·12					·01	·04		·16	·13				17
18	·02								·05		+			18
19									·10		1·67 +			19
20								·10			+			20
21								·19	·26		·02	T snow		21
22								·09			·19	·40 snow		22
23											·12	·27 Snow		23
24	—		·03			·02			·30		·14	·28		24
25	+	·02	·10		·10		·02	·01		·04	1·58			25
26	+	·30	·04		[illegible]				·06	·19				26
27	+	·03			·02	·27	·39				·27			27
28	+				·45	·09		·47	+			·12		28
29	+ ·85	×			·28	[illegible]		·06	·41 +	·02	·09	·12		29
30	·11	✕			·16	·09			+	·08	·27			30
31	·25	✕		✕	·17	✕			✕	·30	✕	·30	d	31
TOTAL	3·80	·51	·17	·04	1·45	·54	3·72	1·07	1·46	3·46	5·19	4·26	Year's Total 25·67	
* Days with .01 in. or more.	~~2~~ 20	4 ~~2~~ 2	~~1~~ 3	1	~~1~~ 9	7 ~~3~~	15 ~~6~~	10 ~~3~~	11	18 ~~5~~	16 ~~3~~	15	~~26~~	129
* Days with .04 in. or more.	~~16~~ 18	2	2	1	8	4	9	7	~~10~~ 11	13 ~~12~~	13 ✓	14 ~~16~~	~~99~~	102

CB 20/3/39

H. F. EAMES ESQ.

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) H. F. Eames

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/6/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WYCK ALTON

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·	·09	·18	·28			·02	·62			·04		1
2	·09	-		·02			·15	·29			·01	·03		2
3	·46	-		·40			·11	·35	·28		·29	·24		3
4	·06	·01	·36	·13			·14	·34		·41	·15	·05		4
5	-	·		·13	·17		·10	·02		·31	·53	·13		5
6	·29	-	·06				·44	·02			·15			6
7	·02	·11					·06	·05		·13	·56	·31		7
8	·04	·21	·23				·03	·03		·15	·60	·37		8
9	·04	·08						·09		·32	·13	·31		9
10	·33	-				·09		·15	·04	·17	·			10
11	·	-	·24					·01		·36		·01		11
12	·	-				·03				·02				12
13	·	-		·11			·03	·06		1·61	·02			13
14	·85	·		·07	·08		·53	·02		·24	·65			14
15	·47	·	·17		·46	·20	·16	·08	·06	·60	·25	·03		15
16	·51	·		·04	·25	·20	·14			·06	·26			16
17	·28	·			·23	·03	·12			·34	·12			17
18	·35	·	·05			·13	·17				·34			18
19	·26	·	T				·50		·02	·13		·06		19
20	·35	-					·50							20
21	·16	·28	·08			·15	·33	·02						21
22	·23	·37		T		·30	·05		·01		·18			22
23	·04			·10			·01				1·08			23
24	·	·11	·01	·12		·11	·09	T						24
25	S ·29		·03				·04			·10	·49	·03		25
26	S. ·61			T				·30		·03	·20			26
27	·03	·16	·13	·01						·03	·16			27
28	·02	·16	·03	·07		·04	·01			·07		S. ·20		28
29	·	-		·24			·08			·05				29
30	·	✕		·79		·17		·11		·04	·26			30
31	-	✕		✕		✕	·27		✕	·05	✕			31
TOTAL	5·78	1·49	1·48	2·41	1·47	1·45	4·06	1·96	1·03	5·22	6·43	1·81	Year's Total 34·59	
* Days with .01 in. or more.	22	9	12	14	6	11	23	17	6	21	20	13	174	
* Days with .04 in. or more.	19	8	9	12	6	9	19	10	4	18	18	9	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

II | Hants/87

744/7

ALTON

SHALDEN COTTAGE

1935 - 1940

780201

Section **A** for the entry of Da

AIR MINISTRY.— AINFALL ORGANIZATION.

Station No. 744/7

FORM 1090.

REGIST 1935.

– (whole) Feb. (part) estimated

nearby stns.

Kept at ALTON (SHALDEN

in the County of Hamp

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUREM

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Not registered	Not registered	·20	·03	–	·03	·31	–	·19	·09	·21	–		1
2			–	–	–	·06	–	–	–	·49	·06	–		2
3			·01	·01	–	–	–	–	·25	·98	·15	–		3
4			–	·27	–	–	–	–	·11	·19	·08	·06		4
5			·16	–	–	·24	–	–	·35	·03	·01	–		5
6			·01	·30	–	1·05	–	–	–	–	·04	·02		6
7		(·25)	–	·37	–	·14	–	–	–	·27	·71	·09		7
8			–	·39	–	·09	–	–	–	·28	·40	·01		8
9			–	·55	–	·68	–	–	·17	1·18	·13	–		9
10			·10	·20	–	·02	–	–	–	–	·15	·04		10
11			–	·03	–	·23	·45	–	–	·01	·64	–		11
12		·18	–	–	–	·29	–	–	·12	–	·58	–		12
13		~~·10~~	–	·17	·09	·05	–	–	·03	·02	·03	–		13
14		·01	–	·19	·06	·07	–	–	·05	–	·23	·15		14
15		·15	–	·50	·01	·02	–	–	·23	–	·39	·05		15
16		·03	·07	·16	–	·08	–	–	·70	·05	·89	–		16
17		–	–	·16	–	·23	–	–	·01	–	·31	–		17
18		·03	–	·37	·58	·27	·05	–	·50	·03	·01	–		18
19		·01	–	·03	·04	·05	–	–	·09	·05	·23	·01		19
20		·45	–	·03	–	·04	·30	–	–	–	·38	–		20
21		·47	–	·05	·17	·01	·26	–	–	·08	·01	–		21
22		·08	·08	·07	–	–	–	–	·03	·01	–	–		22
23		–	·11	–	–	–	–	·45	–	·51	–	·07		23
24		·94	–	–	–	–	–	1·50	·41	·02	–	·27		24
25		·23	–	·19	·07	·02	–	·22	–	–	–	·34		25
26		·42	–	–	–	·03	–	–	·14	Trace	·02	·55		26
27		Snow ·40	–	Trace	–	–	–	–	·30	–	·13	·45		27
28		·21	–	–	–	–	–	·03	·34	·04	·01	·15		28
29		–	–	–	–	–	–	·03	·49	·01	·03	·49		29
30		×	–	–	–	–	–	–	–	·22	·76	·68		30
31		×		×		×			×		×	·40		31
TOTAL	(·75)	(3·86)	·74	4·07	1·02	3·80	1·37	2·23	4·51	4·55	6·59	3·83	Year's Total. (37·32)	
* Days with .01 in. or more.	(7)	(15)	8	20	7	21	5	5	19	20	26	17	(170)	
* Days with .04 in. or more.	(6)	(11)	6	15	6	15	5	3	16	13	19	14	(129)	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Miss G. M. Wood

[P.T.O.

II | Hant | 57

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 744/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ALTON (SHALDEN COTTAGE)

in the County of Hampshire

Diameter of Funnel of Gauge 5 in. Jan: 1st 1936 T.P. 1·9 gauge lowered

Height of top of Gauge above Ground 3 ft — in.

,, Ground ,, Sea Level 630 ft.

Jan (whole) Feb (part) estimated from nearby stns.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		Not registered (·25)	·20	·03	—	·03	·31	—	·19	·09	·21	—		1
2			—	—	—	·06	—	—	—	·49	·06	—		2
3			·01	·01	—	—	—	—	·25	·98	·15	—		3
4			—	·27	—	—	—	—	·11	·19	·08	·06		4
5			·16	—	—	·24	—	—	·35	·03	·01	—		5
6			·01	·30	—	1·05	—	—	—	—	·04	·02		6
7	Not registered		—	·37	—	·14	—	—	—	·27	·71	·09		7
8			—	·39	—	·09	—	—	—	·28	·40	·01		8
9			—	·55	—	·68	—	—	·17	1·18	·13	—		9
10			·10	·20	—	·02	—	—	—	—	·15	·04		10
11			—	·03	—	·23	·45	—	—	·01	·64	—		11
12		·18	—	—	—	·29	—	—	·12	—	·58	—		12
13		~~·10~~	—	·17	·09	·05	—	—	·03	·02	·03	—		13
14		·01	—	·19	·06	·07	—	—	·05	—	·23	·15		14
15		·15	—	·50	·01	·02	—	—	·23	—	·39	·05		15
16		·03	·07	·16	—	·08	—	—	·70	·05	·89	—		16
17		—	—	·16	—	·23	—	—	·01	—	·31	—		17
18		·03	—	·37	·58	·27	·05	—	·50	·03	·01	—		18
19		·01	—	·03	·04	·05	—	—	·09	·05	·23	·01		19
20		·45	—	·03	—	·04	·30	—	—	—	·30	—		20
21		·47	—	·05	·17	·01	·26	—	—	·08	·01	—		21
22		·08	·08	·07	—	—	—	—	·03	·01	—	—		22
23		—	·11	—	—	—	—	·45	—	·51	—	·07		23
24		·94	—	—	—	—	—	1·50	·41	·02	—	·27		24
25		·23	—	·19	·07	·02	—	·22	—	—	—	·34		25
26		·42	—	—	—	·03	—	—	·14	trace	·02	·55		26
27		Snow ·40	—	trace	—	—	—	—	·30	—	·13	·45		27
28		·21	—	—	—	—	—	·03	·34	·04	·01	·15		28
29		—	—	—	—	—	—	·03	·49	·01	·03	·49		29
30		×	—	—	—	—	—	—	—	·22	·76	·68		30
31		×		×		×			×		×	·40		31
TOTAL	(·75)	(3·86)	·74	4·07	1·02	3·80	1·37	2·23	4·51	4·55	6·59	3·83	Year's Total. (37·32)	since incomplete
* Days with .01 in. or more.	(7)	(15)	8	20	7	21	5	5	19	20	26	17	(170)	
* Days with .04 in. or more.	(6)	(11)	6	15	6	15	5	3	16	13	19	14	(129)	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Miss G. M. Wood

P.T.O.

Hants 7

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 744/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

File No 390188/35

c [illegible] 1935

Kept at (SHALDEN COTTAGE) ALTON

in the County of Southampton (HANTS)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 630 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·07	·05	·31	–	·44	·43	·02	–	–	·08	·09		1
2	·02	·05	·02	·01	–	·09	·03	·08	–	–	·02	–		2
3	–	–	–	·27	–	·12	·03	–	·52	–	·27	·02		3
4	–	–	·15	·01	–	·05	–	–	·25	–	·13	·10		4
5	·33	–	·07	–	–	–	–	·03	·01	–	·01	·03		5
6	·63	–	–	–	–	·06	–	·04	·23	–	·42	–		6
7	·09	–	–	–	–	·03	·05	–	·03	–	·25	·08		7
8	·50	–	·09	–	–	–	·11	–	–	–	·14	·17		8
9	·80	–	·08	–	–	-	·31	–	·27	–	–	·01		9
10	·15	–	·01	–	·02	–	·05	·65	–	–	·01	–		10
11	·02	·06	–	snow ·08	–	–	·05	·01	–	·01	1·28	–		11
12	–	–	–	·06	–	·30	·33	–	·33	–	·16	·17		12
13	–	–	–	·06	–	·07	·01	–	–	·04	·13	·52		13
14	–	·13	–	–	–	·08	·71	–	·06	–	·06	·64		14
15	·02	·03	–	–	–	·01	·02	–	·21	–	·09	·35		15
16	·26	·20	–	–	–	–	·08	–	·07	–	·25	·12		16
17	·18	·98	–	–	–	·31	·05	·02	·01	·01	·20	·37		17
18	·07	·30	–	–	–	·50	·35	–	–	·02	–	·18		18
19	·32	·05	·12	·14	–	·58	·07	·14	–	–	–	·01		19
20	·15	·11	·11	·30	–	·34	–	–	·79	–	·02	–		20
21	–	·11	–	snow ·33	–	·21	·06	–	–	–	·01	–		21
22	·12	·39	·11	–	·27	–	·28	–	–	–	–	·07		22
23	·03	·01	·51	·11	·04	·02	·34	–	–	·05	–	–		23
24	·10	·09	–	–	–	–	·03	–	·04	·65	–	·01		24
25	·05	–	·15	·25	·02	–	·08	–	·17	·20	–	–		25
26	·20	·25	·11	–	–	–	·32	–	–	·25	·05	–		26
27	·28	–	·11	–	–	–	·03	–	·17	·38	·01	–		27
28	·90	·01	·32	–	–	·16	·76	–	–	–	–	·18		28
29	·02	snow ·12	·05	–	–	·18	·07	–	–	·04	·26	·07		29
30	·16	✕	–	–	·07	·23	·04	–	–	·45	–	–		30
31	·25	✕	·37	✕	·03	✕	·26	–	✕	·19	✕	·76		31
TOTAL	5·98	2·96	2·43	1·87	·45	3·69	4·95	·99	3·16	2·29	3·85	3·95	Year's Total 36·57	
* Days with .01 in. or more.	~~24~~ 25	17	17	12	6	19	27	8	15	12	21	20	199	
* Days with .04 in. or more.	20 ~~19~~	14 ~~15~~	15	10	3	16	21	4	12	9	15	15	154	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) MISS G. M. Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SHALDEN Cottage Alton

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 630 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·05	–	·02	–	–	–	–	·01	·11	·89	·71		1
2	·03	·65	–	·23	–	–	–	–	·19	–	·01	·31		2
3	·01	·49	·04	–	–	–	–	–	–	–	–	·04		3
4	·13	·81	–	–	–	–	–	–	–	–	·01	·28		4
5	·21	·04	snow ·18	·04	–	–	·11	–	–	–	–	–		5
6	·11	·14	·38	·08	·15	–	·03	–	–	·09	·02	–		6
7	·02	·58	–	·09	–	–	–	–	·05	·03	–	·03		7
8	–	·02	–	–	·17	–	–	–	–	–	·07	snow ·12		8
9	–	·01	–	·23	·11	·07	·03	–	·28	–	–	snow ·15		9
10	–	–	·78	·30	·21	·22	·01	·66	–	–	–	·55		10
11	·01	–	·05	–	·39	·15	·14	–	–	–	–	–		11
12	·46	·27	·24	·05	·93	·28	tr	·22	·11	–	–	·43		12
13	·22	·07	Snow & rain ·52	·13	–	–	–	·05	·14	–	–	·65		13
14	·02	·02	·17	·01	–	–	–	·44	·12	–	–	·02		14
15	·34	·17	–	·22	tr	–	·35	·03	·31	–	·01	·01		15
16	·02	·22	–	·32	–	·08	–	·30	·59	–	–	–		16
17	·87	·05	·15	·04	–	·07	·03	–	·29	–	·05	–		17
18	·20	·15	–	·01	·01	–	–	–	·06	–	·12	·15		18
19	·13	·06	·08	·20	–	·23	–	–	·07	–	–	·02		19
20	·75	–	·10	·18	·61	–	–	–	–	–	·02	·01		20
21	·92	·53	·02	·03	·03	–	·01	–	–	·03	·01	·05		21
22	·60	·04	snow ·21	–	·32	·28	·16	–	–	·99	·51	·16		22
23	·23	·10	·02	–	·35	–	03	–	–	·36	·14	·01		23
24	55	·41	–	–	–	–	–	–	·12	·75	·01	·03		24
25	38	·63	·20	–	1·15	–	–	–	·11	·24	–	01		25
26	01	·35	·02	–	·08	–	–	–	–	·21	·01	–		26
27	·05	Snow ·23	·01	·12	–	–	–	–	–	·29	–	–		27
28	·01	·02	–	–	–	–	–	–	–	·09	–	·03		28
29	·03	×	–	–	–	–	–	–	–	·07	·13	·02		29
30	·45		–	–	–	·06	–	1·65	–	·12	·26	·01		30
31	·37		–				–	–		·36		·02		31
TOTAL	7·49	6·11	3·17	2·30	4·51	1·44	·90	3·35	2·45	3·74	2·27	3·82	Year's Total 41·55	
* Days with .01 in. or more.	28	25	16	18	13	9	10	7	14	14	16	24	194	
* Days with .04 in. or more.	19	21	13	14	11	9	4	6	13	12	8	12	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. M. Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 744/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SHALDEN COTTAGE nr ALTON

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 630 ft.

acc adjusted to Dec snow on 19-25.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	tr	·21	·02	–	–	·14	·02	·14		1
2	·06	–	–	·06	·02	–	·04	–	·03	·33	–	·06		2
3	–	–	–	–	·15	–	–	–	–	·65	·07	·01		3
4	·03	–	–	–	–	–	·24	·07	–	·02	·02	·21		4
5	–	–	–	·01	–	–	·20	–	–	·42	tr	tr		5
6	·05	–	–	–	–	·01	·10	–	·06	·09	·01	–		6
7	·11	tr	–	–	–	–	·53	·25	·08	·24	–	·06		7
8	·24	–	–	–	–	–	·25	·07	–	·35	–	·04		8
9	·14	·04	–	–	–	·04	–	–	–	·01	–	1·03		9
10	·12	–	–	–	–	·06	·02	·01	–	·04	–	·20		10
11	·29	–	–	–	–	–	–	–	–	·01	·29	·24		11
12	·43	tr	–	–	–	–	–	·02	–	·32	·02	·01		12
13	·28	·01	–	–	·09	–	–	–	–	·11	·42	·29		13
14	·35	–	·01	–	·07	–	·08	tr	–	–	·02	·02		14
15	·19	snow ·03	–	–	·03	–	·81	–	–	·35	·01	·33		15
16	·31	–	·02	–	·01	–	·03	·05	–	·03	·03	·01		16
17	·10	·09	·01	–	·02	–	·07	·01	·12	·20	·01	–		17
18	·02	–	–	–	–	–	–	–	·06	·01	·58	snow ·01		18
19	–	–	–	–	–	–	–	·15	·16	–	·26	snow ~~·07~~		19
20	–	–	–	–	–	–	–	–	·05	–	·50	– 4		20
21	·03	–	–	–	–	–	–	·08	·11	–	·04	4	snow	21
22	·01	–	–	–	–	·02	–	·10	–	–	·21	~~·44~~ 4		22
23	–	–	–	tr	–	·02	–	–	–	–	·09	(·63)		23
24	–	·02	·15	–	tr	–	–	–	·25	–	·17	–		24
25	·12	·03	·07	–	·18	–	·03	·04	·01	·04	1·03	– 4		25
26	·27	·28	·06	–	·02	–	–	–	·08	·19	·01	snow ·27		26
27	·18	–	–	–	·20	·33	·40	·01	·01	·02	·42	–		27
28	·12	·06	–	–	·36	·13	–	·55	·07	–	·26	·14		28
29	·13	✕	–	–	·35	–	–	–	·22	·01	–	·14		29
30	·11	✕	–	·01	·18	·07	tr	–	·07	·10	·23	·01		30
31	·27	✕	–	✕	·18	✕	–	–	✕	·25	✕	·34		31
TOTAL	3·96	·56	·32	·08	1·86	·89	2·82	1·41	1·38	3·93	4·72	(4·19) ~~4·01~~	Year's Total ~~26·44~~	26·12
* Days with .01 in. or more.	24	8	6	3	14	9	14	13	15	23	23	~~23~~ 25	~~173~~	177
* Days with .04 in. or more.	20	4	3	1	9	6	10	9	12	16	14	~~16~~ 17	~~120~~	121

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. M. Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SHALDEN COTTAGE, nr ALTON, HANTS
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 630 ft.

ackd

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	G.	·14	·17	·15	–	–	·02	·24	–	–	·07		1
2	·08	–	–	·05	–	–	·03	·73	·32	–	·01	·05		2
3	·51	·01	–	·36	–	–	–	·08	–	G.	·27	·26		3
4	snow ·10	–	·35	·17	·03	–	·14	·26	·14	·54	·17	·03		4
5	–	–	·01	·10	·17	–	·30	·07	–	·23	·71	·18		5
6	·25	–	·05	–	·02	–	·65	·02	–	·03	·50	–		6
7	·01	·14	–	–	–	–	–	·04	–	–	·38	·33		7
8	·10	·23	·24	–	–	–	·04	·05	–	·40	·40	·31		8
9	·06	·10	–	–	–	–	–	·18	–	·17	·08	·31		9
10	·30	–	·03	–	–	·07	–	·15	·04	·21	·02	–		10
11	–	·01	·22	–	–	–	–	–	–	·22	·03	–		11
12	·02	–	–	–	–	·66	–	–	–	–	–	–		12
13	–	–	–	·13	–	·01	·38	–	·10	1·44	–	·02		13
14	·75	–	·01	·10	·09	·05	·25	–	–	·46	·67	·01		14
15	·33	–	–	·01	·53	·46	·13	–	·07	·57	·36	·01		15
16	·41	–	·05	·05	·12	·07	·11	–	–	·01	·27	–		16
17	·27	·04	·02	–	·15	·03	·28	–	–	·86	·08	–		17
18	·35	·01	·04	–	–	·16	·39	–	–	·04	·41	·01		18
19	·30	–	–	–	–	–	·12	–	–	·11	·01	·02		19
20	·39	–	–	–	–	–	·48	–	–	–	–	·02		20
21	·12	·22	·08	–	–	·22	·04	·01	·04	·01	–	–		21
22	·31	·32	·01	·02	–	·26	·12	–	·01	–	·25	·01		22
23	·02	–	·01	·17	–	·01	·05	·02		–	·91	·02		23
24	snow ·31	–	–	·02	–	·15	·09	–	–	·12	–	–		24
25	snow ·45	·17	snow ·02	–	–	–	·04	–	–	·06	·42	·01		25
26	snow ·05	–	snow ·02	–	–	·03	–	·10	–	·08	·27	·01		26
27	snow ·02	·12	·14	·05	–	·02	·01	–	–	·03	·09	–		27
28	·01	·25	·05	·11	–	·10	·14	–	–	·01	·13	snow ·21		28
29	–	–	–	·18	–	–	·09	–	–	·10	·07	–		29
30	–	✕	–	·78	–	·41	–	–	–	·04	·07	·02		30
31	–	✕	–	✕	–	✕	·17	·11	✕	·07	✕	–		31
TOTAL	5·52	1·62	1·49	2·47	1·26	2·11	4·05	1·84	·96	5·81	6·58	1·91	Year's Total ~~35·02~~	35·62
* Days with .01 in. or more.	24	12	18	16	8	16	22	14	8	23	24	20	205	✓
* Days with .04 in. or more.	19	9	10	13	6	11	20	10	7	18	20	8	151	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. M. Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 744/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at SHALDEN COTTAGE nr ALTON

in the County of Southampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 630 ft.

Jan 28th 29th allow for snow

Rcd

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	snow ·01	–	–	·03	–	–	–	–	–	·05	tr.		1
2	–	·11	–	·36	–	–	·02	–	–	·07	·70	·03		2
3	–	·33	–	·08	–	–	–	–	–	·15	1·30	·10		3
4	–	·03	–	·01	–	–	tr.	–	–	·22	·12	·06		4
5	·01	·02	–	–	–	–	·38	–	–	·12	·47	·22		5
6	·25	·39	–	–	·01	–	·29	–	–	·42	·04	–		6
7	·18	·28	–	–	·03	–	·02	–	·05	·01	–	–		7
8	–	–	–	–	–	–	–	–	·01	·44	·03	·26		8
9	–	·01	–	–	–	·24	–	·02	·07	·24	·43	·18		9
10	–	–	–	–	–	–	·19	·02	·02	·02	·10	·07		10
11	–	·03	–	·04	–	–	·07	–	–	–	1·09	–		11
12	–	·01	·35	·02	–	–	·22	–	·32	tr.	·05	·40		12
13	Rime ·02	·03	·70	·07	–	–	·03	–	·07	–	snow 1·00	–		13
14	–	–	·10	–	–	–	·15	tr.	·01	·30	·01	–		14
15	–	–	–	·08	–	–	·69	–	·08	·10	·83	·03		15
16	snow ·01	snow ·22	·23	·12	–	–	·12	–	·24	·63	·96	·03		16
17	–	–	·43	–	–	–	·02	–	tr.	·01	·31	–		17
18	–	·38	·33	·37	–	–	·22	·03	·08	·15	·08	·18		18
19	–	·10	·13	·11	–	–	·20	–	·86	–	·21	–		19
20	–	·01	·06	·08	–	–	·08	·20	·18	·19	·11	·01		20
21	snow ·03	·01	·02	–	·33	–	·07	–	·05	–	·55	–		21
22	snow ·03	–	·05	·02	·03	·40	tr.	–	·13	–	–	–		22
23	–	·10	·18	–	–	·03	–	–	–	–	·02	·01		23
24	–	–	–	–	–	–	·28	–	–	–	–	sleet ·02		24
25	snow ·01	–	·30	tr.	–	·02	–	–	–	–	–	·01		25
26	·79	·33	·13	–	·21	–	·14	tr.	–	·02	–	–		26
27	·41	·47	·02	·80	–	–	·08	–	–	·02	–	–		27
28	snow XX	·03	–	·25	·11	–	–	–	–	–	–	·01		28
29	~~·54~~ (1·00)	snow ·11	·14	·09	·10	·01	–	–	–	·01	–	·33		29
30	snow ·03	✕	–	·06	–	–	–	–	–	·22	·02	–		30
31	·05	✕	–	✕	–	✕	–	–	✕	·77	✕	·04		31
TOTAL	2·86 ~~2·36~~	3·01	3·17	2·56	·85	·70	3·37	·27	2·17	4·11	8·38	1·99	Year's Total ~~32·94~~	33·44
* Days with .01 in. or more.	14	21	15	16	8	5	19	4	14	20	22	18	176	
* Days with .04 in. or more.	~~6 or~~ 7	11	13	13	4	2	15	1	11	14	18	10	119 ~~118~~	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) G. M. Wood

[P.T.O.

Section **A** for the entry of Dail

FOR OFFICIAL USE.

745

AIR MINISTRY

FALL ORGANIZATION.

FORM 1091.

REGIS

N 19~~2~~31.

—

745

ALICE HOLT FOREST

1931 – 1940

480201

Kept at Alice Holt F

in the County of Hamps

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

„ Ground „ Sea Le

THE MORNING MEAS **EVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·1	2·3	·1	3·8		8·3		1·5	4·3				1
2	4·0	1·6		12·9		·1		3·7	11·4		·4	3·3	2
3	1·2		4·0	2·9	11·7			·1	14·8		8·9	4·2	3
4		·5	·1	·1	1·2		2·1	3·0	4·1	1·0	6·2		4
5				4·1	·1	10·5	·8	3·5	1·0		·5	7·8	5
6		2·7		3·8		3·6	2·2		1·8	7·6	7·8	·8	6
7	·2				3·1	3·1	5·9	9·2		1·1	8·9	·2	7
8		2·4	·1	·6	·9	7·5	·1	5·5			1·0	·2	8
9	·2	3·0	4	·8		·8	·1				18·0	·1	9
10		3·9	1·4			2·6	·2	4·1		1·0	16·7	·1	10
11	1·8	12·4			·1			·1	·9		5·3		11
12	·6	·2					2·0	2·6	7·8				12
13			·3				2·2	·2			1·0		13
14	·2	4·0				·2	21·9	17·5					14
15	·5	1·4		1·0	2·3		4·8	10·7			·6	1·0	15
16		2·7		3·1	6·9	3·9		4·1	1·4				16
17	·2	1·1		5·4	·3	·2	11·2	2·2	1·4	2·0			17
18	6	1·0	1·3	5·3		2·0	1·8	31·4			10·1		18
19	·2	·1		13·2		4·8	10·3	5·3	·3		3·0	·1	19
20		1·4		4·6		·1	·1	9·1			·2		20
21	1·2		·1		8·1								21
22			1·2	·3									22
23	9·1	·2		2·8	10·8	1·9			·5		6·1	·2	23
24	·5	·1		17·5	2·9	3·1	6·8	7·0			1·0		24
25	3·3			12·9	2·4		21·7				8·5		25
26	4·4	·7		3·2			10·2						26
27	1·4	11·6		·8	18·7		·2				·5		27
28	·6	5·0		·7	·1					·8	·1	·3	28
29	3·2				10·0		·5			1·2	·1		29
30	·2	X		·1			2·0	·8					30
31	7·6	X		X	1·3	X	1·1		X		X	·3	31
TOTAL	41·3 ~~40·1~~	58·3 ~~57·1~~	9·0	99·9	80·9	52·7	108·2	121·6 ~~120·6~~	49·7	14·7	104·9	18·6	YEAR'S TOTAL 759·8
Days with 0·2 mm. or more.	21	19	6	20	14	14	19	18	12	7	19	10	179
Days with 1·0 mm. or more.	10	15	4	15	12	11	15	16	9	6	14	4	131
	1·63	2·30	·35	3·93	3·19	2·07	4·26	4·79	1·96	·58	4·13	·73	29·92

Please read the Notes and Instructions Overleaf.

M

(144v)

X FORESTRY COMMISSION

(Signed) A. Simpson

P.T.O.

Section **A** for the entry of Dail

FOR OFFICIAL USE.

145

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 19~~2~~31.

Kept at Alice Holt Forest

in the County of Hampshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

" Ground " Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·1	2·3	·1	3·8		8·3		1·5	4·3				1
2	4·0	1·6		12·9		·1		3·7	11·4		·4	3·3	2
3	1·2		4·0	2·9	11·7			·1	14·8		8·9	4·2	3
4		·5	·1	·1	1·2		2·1	3·0	4·1	1·0	6·2		4
5				4·1	·1	10·5	·8	3·5	1·0		·5	7·8	5
6		2·7		3·8		3·6	2·2		1·8	7·6	7·8	·8	6
7	·2				3·1	3·1	5·9	9·2		1·1	8·9	·2	7
8		2·4	·1	·6	·9	7·5	·1	5·5			1·0	·2	8
9	·2	3·0	·4	·8		·8	·1				18·0	·1	9
10		3·9	1·4			2·6	·2	4·1		1·0	16·7	·1	10
11	1·8	12·4			·1			·1	·9		5·3		11
12	·6	·2					2·0	2·6	7·8				12
13			·3				2·2	·2			1·0		13
14	·2	4·0				·2	21·9	17·5					14
15	·5	1·4		1·0	2·3		4·8	10·7			·6	1·0	15
16		2·7		3·1	6·9	3·9		4·1	1·4				16
17	·2	1·1		5·4	·3	·2	11·2	2·2	1·4	2·0			17
18	·6	1·0	1·3	5·3		2·0	1·8	31·4			10·1		18
19	·2	·1		13·2		4·8	10·3	5·3	·3		3·0	·1	19
20		1·4		4·6		·1	·1	9·1			·2		20
21	1·2		·1		8·1								21
22			1·2	·3									22
23	9·1	·2		2·8	10·8	1·9			·5		6·1	·2	23
24	·5	·1		17·5	2·9	3·1	6·8	7·0			1·0		24
25	3·3			12·9	2·4		21·7				8·5		25
26	4·4	·7		3·2			10·2						26
27	1·4	11·6		·8	18·7		·2				·5		27
28	·6	5·0		·7	·1					·8	·1	·3	28
29	3·2				10·0		·5			1·2	·1		29
30	·2	X		·1			2·0	·8					30
31	7·6	X		X	1·3	X	1·1		X		X	·3	31
TOTAL	41·3 ~~40·1~~	58·3 ~~57·1~~	9·0	99·9	80·9	52·7	108·2	121·6 ~~120·6~~	49·7	14·7	104·9	18·6	YEAR'S TOTAL 759·8
Days with 0·2 mm. or more.	21	19	6	20	14	14	19	18	12	7	19	10	179
Days with 1·0 mm. or more.	10	15	4	15	12	11	15	16	9	6	4	4	131
	1·63	2·30	·35	3·93	3·19	2·07	4·26	4·79	1·96	·58	4·13	·73	29·92

M

Please read the Notes and Instructions Overleaf.

X FORESTRY COMMISSION

(Signed) A. Simpson

(144) P.T.O.

745

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Alice Holt Forest
in the County of Hampshire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground..........ft..........in.
" Ground " Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·5	·2		1·5	29·4		·1	1·0	·5	2·2			1
2				10·1	1·1	·1		1·0	6·1	·9	·2	6·8	2
3				1·3	1·7			2·0	9·3	·1		·1	3
4	·5					5·0					·6		4
5	6·3	·1	·4		·4		4·0		2·3				5
6	14·1		·5	14·0					2·1				6
7	·1		1·3						5·1	5·1			7
8			6·1	·1	6·3				14·4	9·0			8
9	27·5		·1	7·1	10·8				1·3	2·0	1·3		9
10	22·1	1·4		4·1	1·3	5·2		·1	1·2	2·4	1·1		10
11	1·6			·2	2·0		11·6	1·2	·6	·1	·7	1·0	11
12	11·4				·1			·3	2·5	5·6	·3	·2	12
13	1·4	·4		4·2	·9		6·2		·4	22·9		·6	13
14	3·1	·2		1·7	1·1			·4		·1	1·6	·1	14
15	1·3			·7	4·5					1·8			15
16	9·1			4·2	·8							·2	16
17	·2			2·1						3·4	·1		17
18	·4			·1	·2		1·8		5·1	·1	4·0	·1	18
19	·2	·1		2·3					1·3	3·3	·3		19
20				5·9	3·2			33·6	·1	18·4	4·3		20
21	·2			1·2	31·0			3·2		7·4	·1	1·9	21
22	·2	·1	6·7	·3	6·2		1·5	·1	12·1	8·9	8·4		22
23		1·8	·1	1·1	2·3		·2		3·0	13·8		2·3	23
24		1·1					12·4		3·0	2·1	·5		24
25	·1	·2				·5	17·5		2·0	6·5	·4	·3	25
26			2·9	·2			16·3			2·7	·2		26
27			13·0	6·2	4·7	2·1	7·2			6·7	·1	·1	27
28			·1	2·1	4·4		2·7			·5			28
29			16·0	4·7	4·0	·6		2·8	4·6	12·7	2·3	·7	29
30		X	1·5	2·7	2·5	35·9	1·1	·4	11·3		13·3	5·1	30
31		X	3·9	X		X	·3		X	·1	X	2·2	31
TOTAL	3·99 101·3	·22 5·6	2·07 52·6	3·07 78·1	4·68 118·9	1·94 49·4	3·26 82·9	1·81 46·1	3·48 88·3	5·46 138·8	1·57 39·8	·85 21·7	YEAR'S TOTAL 32·40 823·5
Days with 0·2 mm. or more.	17	7	10	22	21	6	13	10	20	21	16	11	174
Days with 1·0 mm. or more.	11	3	8	18	17	4	11	7	17	19	8	6	129

(144w)

40—9999.

(Signed) A Simpson [P.T.O.

June Circ: D.1. sent 13.7.33.

745

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Alice Holt Forest

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.5	8.0	1.9	.3	.6								1
2	10.5		17.2		21.0						1.7		2
3	.1	3.4	13.0										3
4	7.1		.1		9.1						1.3		4
5	1.8	.3	17.7										5
6		4.4	.5		4.0								6
7	2.5	.7	.2		3.4					7.2	1.5		7
8	.6						7.4			2.6			8
9		.8			.8		4.9			5.2	1.6		9
10		6.9					2.5			9.8	.2		10
11	6.7				.4	2.0	8.0	3.0		1.0			11
12				.3		3.2	3.0		26.7				12
13	1.2	.1			2.2	2.2	8.5		1.1				13
14							1.4			5.1	9.1		14
15	14.4		5.1				4.1	8.8					15
16			27.1			2.8	1.2		.4	.5			16
17		.2	12.2			4.0			1.3		1.2		17
18	7.4	.9	6.8			7.4							18
19		.1	1.9				2.0		14.5		.3		19
20		2.5	4.5	1.2		1.0		1.3	1.9				20
21		.6	.1			.3		.7	3.4				21
22						4.5		4.3		9.2	.8		22
23		.1		8.5	14.1				5.1	1.2			23
24		46.2		3.0	.4	6.7			11.0				24
25		40.0		6.5	.1				1.2		.7		25
26		27.3		1.2		9.1			3.64 92.4			3.5	26
27		.5			8.3				.5	9.2		8.0	27
28	.1	.1					9.6			2.0		2.3	28
29	1.4		.5	.5	2.4				.6				29
30	2.4	✕	3.6		.8	1.3	1.4		5.0			1.3	30
31	6.1	✕		✕		✕		.4	✕	.4	✕		31
TOTAL	65.8	143.1	112.4	21.5	67.6	44.5 ~~41.9~~	54.0	18.5	165.1	53.4	18.4	15.1	YEAR'S TOTAL 7794
*Days with 0·2 mm. or more.	13	15	14	8	13	12	12	6	14	12	10	4	133
*Days with 1·0 mm. or more.	12	8	11	5	8	11	12	4	11	10	6	4	102
(144W)	2.59	5.63	4.43	.85	2.66	1.75	2.13	.73	6.50	2.10	.72	.59	30.68

40-9999

(Signed) a. W. Wallington

[P.T.O.

745

780201

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Alice Holt Forest

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" Ground " Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1								12·5	9·1		1·3		1
2	2·0		2·1	3·5	6·7				22·0	7·0	·4	18·3	2
3	·4	·9								6·7		5·2	3
4	3·2		1·6	1·5	4·4						1·2	10·4	4
5	·3		·7		·3			3·3		7·2	3·6	15·2	5
6	·6		8·8	·5	4·3	2·9		3·6		3·4	3·0	25·0	6
7	2·5					2·1		5·6				3·4	7
8					3·7			·5	4·1		15·5		8
9			2·2								20·7	17·3	9
10	1·5		9·2	6·1				·8			8·1	1·3	10
11	21·0		12·0	4·2			10·3	3·0			2·0	10·3	11
12							2·8	3·8				4·0	12
13	20·0		·6				9·1	2·8			2·5	2·1	13
14	·6		14·3	2·4						1·0		15·3	14
15	4·8		1·7		2·6					2·3	6·7	15·4	15
16	·7		9·4		1·2				2·1	·9			16
17	1·4		·2	6·7					3·3	·3			17
18	7·2								1·8		·7	13·9	18
19			14·4	·5		·8			1·5			4·4	19
20			3·4	·7			12·2	·5	·2	·3			20
21				6·2		2·0		1·4		2·9			21
22							1·0	1·8	5·8			1·7	22
23				5·4		20·6			·4			·2	23
24		1·6	1·4	11·2		1·4	12·5		3·8				24
25	5·7	·4		4·0	1·5	9·6				4·1		15·8	25
26				7·4		2·3			1·3			1·3	26
27	1·1			3·4		·4				·8		8·5	27
28								21·7				7·0	28
29							·6	2·1	3·1				29
30		×						1·6	1·3			12·1	30
31	·6	×		×		×			×	·6	×	2·4	31
TOTAL	73·6	2·9	2·0 ~~81·2~~	63·7	24·7	42·1	48·5	65·0	59·8	37·5	65·7	210·5	YEAR'S TOTAL ✓
*Days with 0·2 mm. or more.	17	3	15	15	8	9	7	15	14	13	12	23	151
*Days with 1·0 mm. or more.	11	1	12	12	7	7	6	12	12	8	10	22	120
	2·90	·11	3·23	2·51	·97	1·66	1·91	2·56	2·35	1·48	2·59	8·29	30·56

(144W)

40-9999

M

(Signed) A. W. Wallington

[P.T.O.]

745

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Alice Holt Forest
in the County of Hampshire
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.2		4.4	·5	1.0	1.3	4.9		7.8	3.3	12.0		1
2	·3								2.2	8.3			2
3						1.8				23.0	2.9	1.0	3
4		1.6		5.9		1.1			4.1	12.0		3.1	4
5		1.8	2.2	3.7		3.9			19.0	2.1		·2	5
6		2.2	·3	6.8		24.6					3.8		6
7				7.2		5.3					16.8	2.1	7
8				7.6		7.8				9.6	9.4		8
9				13.1		13.2			2.4	21.7	5.0		9
10	1.9		4.5	3.6							11.1	·7	10
11	8.2			·5		3.8	16.4			·3	15.7		11
12						7.0		1.1	1.8		17.7		12
13	1.4	6.8		5.5	1.5	·7					·4		13
14				7.7	3.8	·6			·4		9.0	3.3	14
15		4.0		13.7		4.6			3.8	·7	3.7	1.1	15
16		·8	·6	1.4		7.3			20.1		7.3		16
17				1.9	1.0	5.0		·9	8.6		23.0		17
18				6.9		5.4		·7	11.6	1.1			18
19		·7		·2	13.6	1.5	6.2		·5	·6	4.6		19
20		10.5		1.1	2.7		9.9		1.1		5.4		20
21		17.0							·5				21
22		2.2	1.8					·7	2.6				22
23			1.9					18.6	·5	9.3		2.3	23
24		20.6			4.8			26.1	12.3			3.4	24
25	2.2	5.3		4.3	5.5	·4						11.1	25
26		7.0						6.0	2.6	·3		16.2	26
27		18.8						·7	4.9		3.1	8.0	27
28		2.0			1.1			·4	15.2			4.1	28
29								5.7	7.0			13.0	29
30	1.8	✕		·8				21.2	2.0	6.0	23.4	16.5	30
31		✕		✕		✕			✕	16.7	✕	11.1	31
TOTAL	18.0	101.3	15.7	92.4	35.0	95.3	37.4	82.1	131.0	115.0	174.3	97.2	YEAR'S TOTAL
*Days with 0·2 mm. or more.	7	15	7	19	9	18	4	11	22	15	18	16	161
*Days with 1·0 mm. or more.	6	13	5	15	9	15	4	6	18	11	17	14	133
(144W)	·71	3·99	·62	3·64	1·38	3·75	1·47	3·23	5·16	4·53	6·86	3·83	39·17

67

40-9999

(Signed) A. W. Wallington

P.T.O.

745

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at Alice Holt Forest

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" Ground " Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7·5		·8	11·0		10·5	4·8	4·8	—	—	1·6	1·0	1
2		3·0				6·9	·4	2·0	—	—	—	—	2
3				13·1		·5	1·0		7·2	—	8·9	·4	3
4						1·5			12·9	—	1·6	3·0	4
5	15·2		2·0					·9	—	—	·4	·6	5
6	5·3					1·3			8·5	—	11·3	—	6
7	13·3		3·3			·3			·6	—	5·5	—	7
8	12·2		1·5						·5	—	5·7	5·8	8
9	23·1		1·1				11·3		1·3	—	—	—	9
10				1·7			2·0	14·2	·1	—	—	—	10
11				·8					—	—	31·8	—	11
12				·6	·6	8·7	8·2		9·1	—	4·9	3·5	12
13						2·0			—	—	3·2	4·2	13
14		6·0				2·5	13·4		—	1·4	1·5	38·0	14
15		2·0							4·2	—	2·0	8·5	15
16		4·1					1·3		—	—	5·0	2·7	16
17		23·0			1·5	6·1			—	—	4·4	9·8	17
18	15·8	8·1				11·0	6·4	2·0	—	—	—	3·8	18
19	6·9	1·1	2·0			8·2	·9		31·0	—	·5	—	19
20	3·6		3·3	8·7		1·0			—	—	—	—	20
21				9·6	·4	4·1	2·9		—	—	—	—	21
22	2·1	10·8	2·0		7·8		7·3		—	—	—	2·0	22
23			19·5	2·2	·4		8·8		—	1·5	—	—	23
24	1·5	3·0							—	10·7	1·5	—	24
25	2·4		3·4	5·0			1·8		1·0	14·1	—	—	25
26	3·6	4·1	3·7	·4			1·6		3·1	2·4	—	3·1	26
27	7·6		3·6						1·3	12·3	—	—	27
28	24·2		7·3				6·1		—	—	—	3·0	28
29	1·0	2·6	·7	—		3·8	4·0		—	—	5·2	—	29
30	4·1	×		—	3·4	7·9			—	9·0	—	—	30 'd'
31	5·8	×	4·4	×		×	5·3		×	9·4	×	10·1	31 "
TOTAL	155·2	67·8	58·6	53·1	14·1	76·3	87·5	23·9	80·8	50·8	95·0	99·5	YEAR'S TOTAL 8626
*Days with 0·2 mm. or more.	18	11	15	10	6	16	18	5	12	8	17	16	2 low ~~152~~
*Days with 1·0 mm. or more.	18	11	13	7	3	14	16	4	10	8	15	14	133
(T 4 w) In.	6·11	2·67	2·31	2·09	·56	3·00	3·44	·94	3·18	2·00	3·74	3·92	33·[illegible]

40-9999

(Signed) A. W. Wallington ✓

[P.T.O.

745

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Alice Holt Forest

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	14.3	1.9			–	–	–	–	–	–	42.3	19.6	1
2	1.0	13.8		8.0	–	–	–	–	10.0	–	–	15.4	2
3	–	9.5			–	–	–	–	–	–	–	–	3
4	2.5	16.3			–	–	–	–	–	–	–	6.3	4
5	4.1	1.5	4.0		–	–	4.0	.2	–	–	–	–	5
6	3.9	–			3.8	–	–	–	–	1.8	2.3	–	6
7	–	15.8		3.8	–	–	–	–	.7	.5	–	–	7
8	–	.3			1.9	4	–	–	–	–	–	–	8
9	–	–	31.2	8.1	4.9	2.5	1.8	–	6.7	–	–	10.8	9
10	–	–	4.1	4.1	7.3	7.0	–	6.7	–	–	–	13.2	10
11	–	–	8.0		10.5	1.4	2.1	–	–	–	–	–	11
12	9.5	6.0	6.4	4.5	22.9	9.1	.1	3.6	2.4	–	–	11.0	12
13	6.0	2.1	20.2	3.5	–	.3	–	–	4.4	–	–	30.6	13
14	.3	–	5.2	.9	–	–	–	1.8	1.8	–	–	–	14
15	8.3	3.9			–	–	8.0	–	4.4	–	–	–	15
16	–	3.0	16.4	16.6	–	1.0	–	7.7	8.0	–	–	–	16
17	9.0	–	4.5	2.1	–	.3	–	–	11.0	–	–	–	17
18	21.4	5.8		3.5	.5	–	–	–	–	–	3.2	–	18
19	1.3	–	2.0		–	4.6	–	–	–	–	–	5.0	19
20	19.1	–	2.9	3.8	19.6	.1	–	–	–	–	–	–	20
21	21.9	10.8			–	–	–	–	–	–	–	–	21
22	18.5	–			5.2	2.8	1.8	–	–	19.0	9.7	4.7	22
23	4.3	3.2	4.8		9.1	–	2.1	–	–	14.9	10.0	.4	23
24	14.0	14.3			–	–	–	–	4.0	16.0	–	–	24
25	10.3	7.4	5.8		23.9	–	–	–	1.4	6.4	–	–	25
26	–	13.6	2.2		–	–	–	–	–	–	–	–	26
27	2.4	3.4			–	–	–	–	–	19.1	–	–	27
28	–	4.4		3.1	–	–	–	–	–	2.0	–	2.4	28
29	–	–			–	–	–	–	–	1.1	3.5	–	29
30	13.3	×			–	.6	–	1.0	–	4.9	–	–	30
31	7.4	×		×	–	×	–	–	×	–	×	–	31
TOTAL	192.8	137.0	117.7	62.0	109.6	30.1	19.9	21.0	54.8	85.7	71.0	119.4	YEAR'S TOTAL
*Days with 0.2 mm. or more.	21	19 ~~18~~	14	12	11	10	6	6	11	10	6	10	138
*Days with 1.0 mm. or more.	20	18 ~~17~~	14	11	10	~~6~~ 7	6	5	10	9	6	10	126
(144W) 40-9999	7.59 ins	5.39	4.63	2.44	4.31	1.18	.78	.83	2.16	3.37	2.80	4.70	40.18

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 745

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1938.

Kept at Alice Holt Forest.
in the County of Hampshire.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 264 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	–			·8	·7	5·0	–	–	–	–	3·7		1
2	–	–					1·2	–	–	8·0	–	2·1		2
3	–	–			3·9		·5	–	–	15·8	2·4	–		3
4	3·2	–					4·0	1·7	–	4·5	–	3·5		4
5	–	–					14·4	–	–	7·2	–	–		5
6	–	–					1·5	–	1·5	–	–	5·1		6
7	–	–					4·1	1·2	1·4	6·6	–	7·9		7
8	3·0	–					11·3	2·4	–	4·1	–	–		8
9	12·4	·7				·9	·5	·8	–	4·5	–	15·7		9
10	2·6	–					·1	·4	–	–	–	6·3		10
11	5·0	–					·2	–	–	–	–	–		11
12	10·7	1·0					·1	2·2	–	1·7	7·5	6·1		12
13	7·8	–			1·4		–	–	–	6·1	2·0	7·5		13
14	11·0	–			1·2		·8	–	·5	–	–	–		14
15	–	2·0			·5		15·1	–	–	7·0	12·0	8·5		15
16	10·6	–					·6	–	–	3·1	–	–		16
17	–	–					1·2	–	2·9	–	–	–		17
18	–	–					·1	–	2·6	–	16·4	–		18
19	2·9	–					–	2·4	1·0	3·2	8·0	–		19
20	–	–					–	–	4·0	–	17·5	–		20
21	·5	–					–	·7	2·5	–	·8	–		21
22	–	–		1·0		2·0	–	2·3	–	–	5·6	–		22
23	–	–					–	–	–	–	1·4	–		23
24	–	–	2·0				–	–	8·1	–	–	–		24
25	8·4	–	2·0		3·1		·5	–	–	1·5	41·5	–		25
26	3·8	8·7	·8				–	–	3·1	4·0	14·1	–		26
27	–	1·5				7·5	12·6	–	–	–	–	–		27
28	3·6	1·0			13·2	2·3	–	10·0	2·5	–	–	36·4		28
29	3·4	×			6·7	1·5	–	3·2	–	–	7·4	3·2		29
30	2·5	×			6·6	·2	–	–	1·9	3·0	8·2	–		30 „
31	5·6	×		×	4·6	×	–	–	×	5·8	×	–		31 d"
													Year's Total.	
TOTAL	97·0	14·9	4·8	1·0	42·0	15·1	73·8	27·3	32·0	86·1	145·1	106·0	645·1	25·40 ✓
* Days with 0.2 mm. or more.	17	6	3	1	10	7	16	11	12	16	14	12	~~125~~	✓
* Days with 1.0 mm. or more.	16	5	2	1	8	4	10	8	11	16	13	12	106	✓

3·82 ·59 ·19 ·025 4 1·66 ·59 2·91 1·07 1·26 3·39 5·71 4·17 25·40

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

(Signed) W. M. Wallington

40-9999 [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 745

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Alice Holt Forest

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 264 ft.

Aug. values est. by sur. stations 13/10/39

Copy by B.R.O.

Dec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	–	–	6.0	20.0	-	-	4.2	29.2	–	–	3.1		1
2	7.5	–	–	-	–	-	-	3.4	9.5	–	–	-		2
3	13.0	–	–	10.2	–	-	2.5	7.6	–	–	8.4	6.6		3
4	–	–	10.1	6.0	–	-	-	8.2	–	9.2	10.2	3.4		4
5	–	–	–	2.5	3.0	-	4.2	0.9	–	↑	11.2	2.2		5
6	8.3	–	4.0	-	1.2	-	2.4	2.0	–		3.2	5.2		6
7	–	–	6.2	–	–	-	9.3	1.0	–		9.7	-		7
8	4.2	3.1	–	–	–	-	6.2	2.1	–		16.4	15.4		8
9	2.4	6.4	–	-	–	-	–	.	–		–	2.0		9
10	8.0	–	–	-	–	.47	–	3.4	–		–	-		10
11	–	–	4.2	–	–	.23	-	-	–		7.1	-		11
12	–	–	–	–	–	-	-	-	–		–	-		12
13	–	–	–	2.0	–	-	-	-	2.2		–	-		13
14	22.3	–	–	1.0	1.6	-	6.1	-	–		12.0	-		14
15	13.0	–	3.4	2.0	14.3	5.0	4.2	-	1.7		5.0	-		15
16	18.2	–	–	-	6.4	8.0	2.1	-	–		9.5	-		16
17	9.0	–	–✓	-	4.3	-	5.3	-	–		11.8	-		17
18	8.0	–	–✓	-	–	2.8	8.0	-	–		–	-		18
19	9.4	–	2.6	-	–	-	9.4	-	–		–	-		19
20	8.6	–	–	-	–	-	13.6	-	–		–	-		20
21	3.4	9.8	–✗	–	–	4.9	7.0	(1.0)	–		–	-		21
22	5.2	9.0	–✓	-	–	7.5	2.6	-	1.7		–	-		22
23	1.0	–	2.4	4.7	–	2.2	-	-	–		15.0	-		23
24	–✗	–	–	–	–	-	-	-	–		14.6	–		24
25	–✗	3.0	2.2	–	–	0.6	2.4	-	–		8.7	✓		25
26	–✗	–	–	–	–	-	2.6	(3.0)	–		17.4	✓		26
27	–✓	–✗	2.0	–	–	-	-	(0.5)	–		–	–		27
28	26.2	10.0	2.0	–	–	-	3.2	-	–		–	✗		28
29	–	✗	–	3.4	–	-	2.6	-	–		8.3	–		29
30	–	✗	–	19.1	–	3.6	–	-	–		2.0	–		30
31	–	✗	–	✗	–	✗	3.4	-	✗	106.8	✗	(5.0)		31
TOTAL	167.7	41.3	39.1	56.9	50.8	41.6	97.1	(37.3)	44.3	116.0	170.5	(42.9) ~~37.9~~	Year's Total. 905.5	
* Days with 0.2 mm. or more.	20 ~~17~~	~~6~~ 8	~~10~~ 12	10	7	10	19	12	5	(20)	17	10	150	
* Days with 1.0 mm. or more.	~~17~~ 19	~~6~~ 8	~~10~~ 9	10	7	9	19	10	5	(16)	17	8	137	

"d"

(144 w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

6.60 1.63 1.54 2.24 2.00 1.64 3.82 1.47 1.74 4.57 6.71 ~~1.49~~ 35.65

(Signed) ......

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 745

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Alice Holt Forest

in the County of Hampshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 264 ft.

February 2nd estimated by ref. to surrounding stations

Copied by B.R.O.

Acps ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	—	—	—	—	—	—	—	—	—	—		—		1
2	—	—	—	(7.0) ✗	—	—	—	—	—	—	✗	—		2
3	—	43.3	—	— ✓	—	—	—	—	—	—	✗	—		3
4	—	—	—	— ✗	—	—	—	—	—	7.0	✗	—		4
5		—	—	—	—	—	—	—	—	7.4	✗	—		5
6	—	—	—	✗	—	—	9.8	—	—	14.6		9.6		6
7	—	—	—		—	—	2.2	—	—	—		4.1		7
8	—	—	—	—	—	—	—	—	—	8.1	✓	—		8
9		—	—	—	—	—	—	—	—	—	✗	—		9
10	—	—	—	—	—	—	4.7	2.0	—	10.2	✗	6.4		10
11	—	—	3.2	—	—	—	4.0	—	—	6.3	✗	—		11
12	—	—	—	—	—	—	5.5	—	—	—	✗	13.2		12
13	—	—	—	8.1	—	—	—	—	12.	3.7	✗	7.4		13
14	—	—	27.1	—	—	—	—	—	—	4.0		10.3		14
15	—	—	—	7.1	2.0	—	21.5	—	—	—	✗	—		15
16	4.1	20.4	—	—	—	—	—	—	6.8	9.7	15.60	—		16
17	—	—	8.3	—	—	—	3.1	—	4.	—	✗	—		17
18	—	15.1	—	—	—	—	11.3	—	5.6	3.3	✓	—		18
19	—	—	8.1	—	—	—	—	—	11.8	—		6.3		19
20	—	—	11.4	—	—	—	2.7	2.7	5.1	13.3	✗	—		20
21	3.7	—	6.3	5.2	11.5	—	2.1	—	—	—	✗	—		21
22	—	—	—	4.3	—	7.5	—	—	1.8	—		—		22
23	—	—	5.2	—	—	9.0	—	—	—	—	✓	—		23
24	—	—	—	—	—	—	7.3	—	—	—	✓	—		24
25	—	7.0	2.8	2.1	—	1.0	3.2	—	—	—		—		25
26	—	—	25.1	—	5.3	—	3.8	—	—	—		—		26
27	30.5	2.8	✓	41.9	—	—	—	—	—	—		—		27
28	—	10.4	—	4.3	3.1	—	—	—	—	—		—		28
29	35.0	8.2	✗	3.2	4.3	—	—	—	—	14.4		—		29
30	—	×	—	—	—	—	—	—	—	20.2	47.0	7.0		30
31	—	×	—	×	—	×	—	—	×	—	×	—		31
TOTAL	73.3	107.2	104.0 ~~97.5~~	~~84.2~~ ~~74.2~~ 83.2	26.2	17.5	81.2	4.7	47.1	122.2	203.0	64.3	Year's Total. 933.9	
* Days with 0.2 mm. or more.	4	7	11 ~~9~~	~~9~~ 11	5	3	13	2	7	13	19	8	~~103~~	"d"
* Days with 1.0 mm. or more.	4 ✓	7 ✓	10 ~~9~~ ✓	~~9~~ 10	5 ✓	3 ✓	13 ✓	2 ✓	7 ✓	13 ✓	14	8	~~96~~	3675

65.5

65

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

2.89 ✓	4.22 ✓	~~3.80~~ 4.09	~~2.92~~ 3.27 ~~3.28~~ ✓	1.03 ✓	.69 ✓	~~3.20~~ 3.19	.19 ✓	1.85 ✓	4.81	7.99	2.53

(Signed) ~~Wallington~~

Forestry Commission

P.T.O.

X ALTON (FROYLE

C ... 5/7

Section **A** for the entry of Daily

AIR MINISTRY.—M ... FALL ORGANIZATION

Station No. 745/5

FORM 1090

REGISTE ... 36

745/5

ALTON (FROYLE PLACE)

1936 – 1940

780201

525151/36

Kept at ~~Froyle Place~~

in the County of Hamps...

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground...

,, Ground ,, Sea Level

y comd. from surr. stns.

map

THE MORNING MEASUREMENT ... US DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·45	(·50)	·14	–	–	·06	·05		1
2						·15	·05	·08	–	–	–	–		2
3						·16	Trace	–	·39	–	·32	·02		3
4						·05	–	–	·24	–	·10	·10		4
5						–	–	Trace	·05	–	–	·04		5
6						Trace	–	·05	·22	–	·45	–		6
7						·06	–	–	Trace	–	·25	·13		7
8						–	Trace	–	Trace	–	·27	·15		8
9						–	·38	–	·16	Trace	–	Trace		9
10						–	·05	·72	–	Trace	–	Trace		10
11						–	–	·07	Trace	–	1·30	–		11
12						·35	·325	–	·26	–	·12	·19		12
13						·10	–	–	Trace	–	·05	·51		13
14						·07	~~Trace~~ (·60)	–	·15	·06	·11	·80		14
15						–	Trace	–	Trace	–	·10	·33		15
16						–	·07	–	Trace	–	·24	·08		16
17						(·25)	–	–	Trace	Trace	·19	·48		17
18						·39	·30	Trace	–	Trace	Trace	·23		18
19						·37	·11	·11	–	Trace	Trace	–		19
20						·25	·05	–	1·09	Trace	–	–		20
21						·15	~~Trace~~ ·10)	–	Trace	–	–	Trace		21
22						–	·19	–	–	Trace	–	·09		22
23						–	·38	–	–	–	–	–		23
24						–	Trace	–	·04	}·62	–	–		24
25						–	·07	–	·17	·05	·08	–		25
26						Trace	·22	–	·10	·38	–	·02		26
27						–	Trace	–	·05	·48	–	Trace		27
28						–	·34	–	–	–	–	·16		28
29						·37	·10	–	–	·25	·25	·06		29
30		✕				(·25) ~~–~~	Trace	–	–	·36	–	·005		30
31		✕		✕		✕	·19	–	✕	·44	✕	·505		31
TOTAL						~~2·82~~ (3·42)	~~2·81~~ (4·01)	1·17	2·91	2·58	3·19	3·95	Year's Total	
* Days with .01 in. or more.						13	15	6	12	8	15	18	–	
* Days with .04 in. or more.						13	15	6	12	8	15	17	–	

enter on 10 year sheet

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~J. J. [illegible]~~ [P.T.O.

N

X THE EARL OF BECTIVE X

X ALTON (FROYLE 5/7

Section A for the entry of Daily Observations Station No. 745/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

525151/36

Kept at ~~Froyle Place~~

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ~~700~~ ft. X400X from 1" map

[illegible] June–July comd. from surr. stns. [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·45	(·50)	·14	–	–	·06	·05		1
2						·15	·05	·08	–	–	–	–		2
3						·16	Trace	–	·39	–	·32	·02		3
4						·05	–	–	·24	–	·10	·10		4
5						–	–	Trace	·05	–	–	·04		5
6						Trace	–	·05	·22	–	·45	–		6
7						·06	–	–	Trace	–	·25	·13		7
8						–	Trace	–	Trace	–	·27	·15		8
9						–	·38	–	·16	Trace	–	Trace		9
10						–	·05	·72	–	Trace	–	Trace		10
11						–	–	·07	Trace	–	1·30	–		11
12						·35	·325	–	·26	–	·12	·19		12
13						·10	–	–	Trace	–	·05	·51		13
14						·07	~~Trace~~ (·60)	–	·15	·06	·11	·80		14
15						–	Trace	–	Trace	–	·10	·33		15
16						–	·07	–	Trace	–	·24	·08		16
17						(·25)	–	–	Trace	Trace	·19	·48		17
18						·39	·30	Trace	–	Trace	Trace	·23		18
19						·37	·11	·11	–	Trace	Trace	–		19
20						·25	·05	–	1·09	Trace	–	–		20
21						·15	~~Trace~~ (·10)	–	Trace	–	–	Trace		21
22						–	·19	–	–	Trace	–	·09		22
23						–	·38	–	–	–	–	–		23
24						–	Trace	–	·04	·62	–	–		24
25						–	·07	–	·17	·05	·08	–		25
26						Trace	·22	–	·10	·38	–	·02		26
27						–	Trace	–	·05	·48	–	Trace		27
28						–	·34	–	–	–	–	·16		28
29						·37	·10	–	–	·25	·25	·06		29
30		✕				(·25) ~~–~~	Trace	–	–	·36	–	·005		30
31		✕		✕		✕	·19	–	✕	·41	✕	·005		31
TOTAL						~~2·92~~ (3·42)	~~2·81~~ (4·01)	1·17	2·91	2·58	3·89	3·95	Year's Total [illegible]	
* Days with ·01 in. or more.						13	15	6	12	8	15	18	–	
* Days with ·04 in. or more.						13	15	6	12	8	15	17	–	

[illegible]

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~F. J. [illegible]~~ [P.T.O.

N

X THE EARL OF BECTIVE X

alton (Froyle Place)

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 745/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

525151/36

Cuip 1936

Kept at Froyle Place Alton Hants

in the County of Hampshire 17

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 410 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·06	—	Trace	—	—	—	—	Trace	·04	1·36	·60		1
2	·04	·77	Trace	·38	—	—	—	—	·25	—	—	·55		2
3	·01	·35	Trace	—	—	—	—	—	—	—	—	·02		3
4	·12	·74	—	—	—	Trace	—	—	—	—	—	·27		4
5	·17	·05	·20	—	—	Trace	·18	—	—	—	·02	—		5
6	·14	·02	·92	Trace	·12	—	—	—	—	·06	·03	—		6
7	—	·64	Trace	·15	·22	—	—	—	·04	·02	—	·04		7
8	—	·02	·01	—	·07	Trace	—	—	—	—	·04	·13		8
9	—	Trace	—	—	·33	Trace	—	—	26	—	—	—		9
10	Trace	—	·74	·47	·25	·11	—	—	—	—	—	·52		10
11	·01	—	·10	—	Trace	·26	·08	·43	—	—	—	—		11
12	·44	·28	·18	·10	·84	·20	·10	—	·11	—	—	—		12
13	·21	·07	·50	·10	·06	·32	—	·09	·14	—	—	·83		13
14	·02	·04	·44	·08	—	·01	—	·12	·10	—	—	—		14
15	·36	·17	—	·20	—	—	—	·10	·08	—	—	—		15
16	·01	·18	·53	·30	—	·03	·40	—	·44	—	—	—		16
17	·43	·01	·16	·10	—	·03	—	·27	·25	—	·04	—		17
18	·78	·07	—	·03	Trace	—	Trace	—	—	—	·04	·15		18
19	·01	·18	·09	·19	—	·23	—	—	·08	—	—	—		19
20	·76	Trace	·11	·15	·74	Trace	—	—	—	—	—	—		20
21	·85	·50	·07	·02	·05	—	—	—	—	—	—	·07		21
22	·51	·03	·19	—	·18	17	Trace	Trace	—	1·00	·62	·17		22
23	·36	·14	·02	—	—	—	—	—	—	·32	·14	·01		23
24	·48	·46	—	—	—	Trace	19	—	·07	·77	—	—		24
25	·39	·48	·26	—	1·00	—	—	—	·12	·50	—	—		25
26	·01	·28	·02	—	·18	—	—	—	—	·10	—	—		26
27	·10	·30	—	·11	—	—	—	Trace	—	·63	—	—		27
28	·01	·05	—	·02	—	—	—	—	—	·09	—	—		28
29	·02		—	—	—	Trace	—	—	—	·11	—	·05		29
30	·37		—	Trace	—	·03	—	—	—	·19	·31	—		30
31	·41		—		—		—	·72		·18		—		31
TOTAL	7·45	5·89	4·54	2·40	4·04	1·39	·96	1·73	1·93	4·01	2·60	3·41	Year's Total 40·34	
* Days with .01 in. or more.	27	24	17	15	12	10	5	6	12	13	9	13	163	
* Days with .04 in. or more.	19	20	14	12	12	6	5	6	12	12	7	11	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Langridge [P.T.O.

Rt Hon the Earl of Bective (Gardener)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 745/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Froyle Place

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 410 ft.

Totals

Dec snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	Trace	—	Trace	·03	Trace	—	—	·01	·01	·35		1
2	—	—	—	·06	—	—	·12	—	—	·34	—	·10		2
3	—	—	—	—	·16	Trace	Trace	—	—	·69	·06	—		3
4	·02	—	—	—	—	—	·17	·04	—	·05	·01	·23		4
5	—	—	—	·01	—	—	·25	—	—	·45	—	—		5
6	—	—	—	—	—	—	·04	—	·05	—	·01	—		6
7	·09	—	—	—	—	—	·94	·03	—	·29	—	·02		7
8	·19	—	—	—	—	—	·25	—	—	·35	—	—		8
9	·14	·02	—	—	—	·02	Trace	·05	—	·07	—	1·05		9
10	·07	Trace	—	—	—	—	·02	—	—	·02	—	·20		10
11	·26	—	—	—	—	—	Trace	—	—	·01	·23	·24		11
12	·25	—	—	—	·06	—	Trace	·16	—	·18	—	—		12
13	·27	·02	—	—	—	—	—	—	—	·25	·34	·25		13
14	·39	·01	Trace	—	·05	—	—	—	Trace	—	—	·03		14
15	·17	·02	·02	—	·01	—	·72	—	—	·33	·02	·27		15
16	·33	·02	·01	—	—	—	—	·03	—	·05	—	·15		16
17	—	·07	—	—	—	—	—	—	·12	·28	—	—		17
18	·10	—	—	—	—	Trace	—	—	·03	·01	·67	—		18
19	·01	—	—	—	—	—	—	·12	·17	—	—	—		19
20	—	—	—	—	—	—	—	—	·12	—	·52	— ✓		20
21	·02	—	—	Trace	—	—	—	—	·10	—	·04	·85		21
22	—	—	—	—	—	Trace	—	·07	·02	—	·24	—		22
23	—	—	—	·03	—	—	—	—	—	—	·15	—		23
24	—	—	·04	—	—	—	—	—	·12	—	·12	—		24
25	·13	·02	·08	Trace	·16	—	·02	—	—	—	1·56	—	✓	25
26	·30	·31	·08	—	·02	—	—	—	·06	·13	—	·15		26
27	·15	·01	—	—	·20	·32	·36	·52	Trace	—	·40	—		27
28	·10	·06	—	—	·32	·12	—	—	·13	—	—	·12		28
29	·10		—	—	·29	—	—	·05	·06	·12	·10	·16		29
30	·11	✕	—	Trace	·17	·14	—	—	·07	—	·15	—		30
31	·29	✕	—	✕	·21	✕	—	—	✕	·25	✕	·34		31
													Year's Total	
TOTAL	3·55	·56	·23	·10	1·65	·63	2·89	1·07	1·05	3·88	4·63	4·51	24·75	✓
* Days with .01 in. or more.	22	10	5	3	11	5	10	9	12	19	17	~~16~~ 19	~~139~~	✓ 142
* Days with .04 in. or more.	19	3	3	1	9	3	8	7	10	15	13	~~14~~ 16	~~105~~	✓ 107

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) C. Langridge

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 745/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at FROYLE PLACE

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 410 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·09	·18	·23	—	—	Trace	·31	—	—	·10		1
2	·10	—	—	·02	Trace	—	·02	·63	—	—	—	·08		2
3	·35	—	—	·45	—	—	·05	·20	—	Trace	·03	·21		3
4	·16	—	·33	·17	—	—	·17	·18	—	·45	·17	·05		4
5	—	—	—	·25	—	—	·15	·05	—	·30	·49	·16		5
6	·18	—	·05	Trace	·03	—	·67	·08	—	—	·67	—		6
7	·05	—	—	—	—	—	—	·02	—	·18	·43	·15		7
8	·05	·23	·25	—	—	—	·06	·03	—	·32	—	·49		8
9	·13	·09	—	—	—	—	—	·08	—	·31	·47	·31		9
10	·30	—	—	—	—	·06	—	·13	·03	·17	·03	—		10
11	—	—	·25	—	—	·01	—	·03	—	·22	·03	—		11
12	—	—	—	—	—	·05	—	—	—	—	—	·01		12
13	—	—	—	·11	—	Trace	·33	—	·07	1·72	—	—		13
14	·79	—	—	·13	·17	·02	·23	—	—	—	·75	·01		14
15	·43	—	—	Trace	·45	·18	Trace	—	—	·95	·25	·01		15
16	·50	—	·19	·03	·17	·19	·07	—	·14	·07	·08	—		16
17	·21	·04	·02	—	·19	—	·30	—	—	·33	·32	—		17
18	·19	Trace	·02	—	—	·20	·21	—	—	·01	—	—		18
19	·27	—	—	—	—	—	·30	—	—	·17	—	Trace		19
20	·22	—	—	—	—	—	·65	—	—	—	—	—		20
21	·23	·17	·07	—	·01	·25	·07	·01	·05	—	—	—		21
22	·29	·40	·03	·14	—	·30	—	—	·01	—	1·25	—		22
23	·04	—	—	·03	—	—	·11	—	—	—	—	—		23
24	·08	—	·03	—	—	·14	·07	·07	—	·03	—	—		24
25	·84	·17	Trace	—	—	—	·04	—	—	—	·50	—		25
26	·08	—	·02	—	—	—	—	·18	—	·07	·18	·01		26
27	Trace	·10	·15	—	—	—	—	—	—	—	·23	—		27
28	·02	·25	·04	—	—	·07	—	—	—	·10	·10	·33		28
29	—		Trace	·80	—	—	·11	—	—	·05	·07	—		29
30	—	×	—	·28	—	·29	—	—	—	·05	—	—		30
31	—	×	—	×	—	×	·18	·45	×	—	×	—		31
TOTAL	5·50	1·45	1·54	2·59	1·25	1·76	3·79	2·14	·61	5·50	6·05	1·92	Year's Total 34·10	✓
* Days with .01 in. or more.	23	8	14	12	7	12	19	14	6	18	18	13	164	✓
* Days with .04 in. or more.	21	8	9	9	5	10	18	10	4	16	15	9	134	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. Langridge

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 745/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Froyle Place Froyle Alton
in the County of Hampshire
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 410 ft.

Jan 6th + 7th: ests from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	Trace	—	—	—	—	—	—	—	—	—	—		1
2	—	·13	—	·48	—	—	—	—	—	—	·73	—		2
3	—	·36	—	·02	—	—	—	—	—	·26	1·33	—		3
4	—	·03	—	·01	—	—	—	—	—	·25	·14	·13		4
5	—	·01	—	—	—	—	—	—	—	—	·47	·20		5
6	(·45)	·31	—	—	—	—	·22	—	—	·58	—	—		6
7	—	·31	—	—	—	—	·09	—	—	—	—	·02		7
8	—	—	—	—	—	—	—	—	·10	·49	·03	·24		8
9	—	—	—	—	—	·44	—	—	—	·13	·40	·20		9
10	—	—	—	—	—	—	·21	—	—	·14	·13	·07		10
11	—	—	—	—	—	—	·09	—	—	—	1·15	—		11
12	—	·10	·28	·05	—	—	·13	—	—	—	·15	—		12
13	—	—	·64	—	—	—	—	—	—	—	1·17	—		13
14	—	—	·17	·13	—	—	·09	—	—	·18	—	·33		14
15	—	—	·01	·08	—	—	·73	—	·31	·19	·67	·03		15
16	—	—	—	·08	—	—	—	—	·32	·62	·95	·03		16
17	—	Snow 6" ·75	·55	—	—	—	—	—	—	—	·22	—		17
18	—	·41	·30	·45	—	—	—	—	—	—	·10	·14		18
19	—	·11	·18	—	—	—	—	—	1·04	—	·08	·01		19
20	—	·01	·04	·18	—	—	—	—	·21	—	·25	—		20
21	—	—	—	—	·11	—	·15	—	—	·45	·65	—		21
22	—	—	—	·02	·31	—	—	—	·09	—	—	—		22
23	—	·10	·15	—	—	·44	—	—	—	—	·01	—		23
24	—	—	—	—	—	—	·30	—	—	—	·01	—		24
25	—	—	·41	—	—	·01	·03	—	—	—	·01	—		25
26	·90	—	·32	—	—	—	—	—	—	—	—	—		26
27	·40	—	—	·40	·11	—	—	—	—	—	—	—		27
28	2" Snow ·25	—	—	·15	—	—	—	—	—	—	—	—		28
29	6" Snow ·75	·16	·13	·12	·13	—	—	—	—	—	—	·31		29
30	Trace	✕	—	—	—	—	—	—	—	—	—	—		30
31	·08	✕	—	✕	—	✕	—	—	✕	1·14	✕	—		31
TOTAL	2·83 ~~2·38~~	2·79	3·18	2·17	·56	·89	2·04	—	2·07	4·43	8·65	1·71	Year's Total ~~30·87~~	31·32
* Days with .01 in. or more.	~~5~~7	13	12	13	4	3	10	—	6	11	20	12	111 ~~109~~	"d"
* Days with .04 in. or more.	~~5~~7	10	11	10	4	2	9	—	6	11	16	8	~~92~~ +	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Langridge

[P.T.O.

746

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTER

31 .

746

ALTON

UPPER FROYLE

1931 ONLY

780201

Kept at Upper Froyle, Alton

in the County of Hants.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME

DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.07					0.14				1
2				0.42			0.06		0.41	0.03		0.20	2
3				0.11	0.43				0.62		0.43	0.14	3
4					0.11	0.41	0.03	0.11	0.15	0.04	0.38		4
5				0.12			0.04					0.27	5
6										0.27	0.24		6
7					0.17	0.21				0.11	0.38	0.03	7
8						0.35	0.02	0.59			0.08		8
9						0.03		0.16			0.65		9
10						0.10					0.34	0.01	10
11							0.01	0.10	0.05		0.44		11
12				1.22			0.05	0.02	0.35				12
13						0.01	0.16						13
14							0.88	0.60					14
15					0.08		0.27	0.22				0.06	15
16					0.27	0.17		0.30	0.11				16
17						0.02	0.44	0.08					17
18						0.17	0.38	1.07			0.48		18
19						0.20	0.58	0.03					19
20								0.45	0.02				20
21					0.35								21
22													22
23				0.08	0.45	0.06							23
24				0.60	0.11	0.13	0.72	0.23					24
25				0.46	0.13		0.13				0.03		25
26				0.26			0.48				0.48		26
27				0.02	0.80		0.05				0.09		27
28				0.02									28
29				0.01	0.40		0.12			0.08			29
30		×						0.05					30
31		×		×	0.12	×	0.05	0.02	×		×	0.01	31 [illegible]
TOTAL				3.39	3.42	1.86	4.17	4.03	1.85	0.53	4.25	0.73	YEAR'S TOTAL [illegible] March 31st [illegible]
*Days with ·01 in. or more.					12	12	18	15	8	5	15	8	
*Days with ·04 in. or more.					12	9	15	12	7	4	12	4	24.23

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Linden Bell

[P.T.O.

746

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Upper Froyle, Alton, Hants

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.07					0.14				1
2				0.42			0.06		0.41	0.03		0.20	2
3				0.11	0.43				0.62		0.43	0.14	3
4					0.11	0.41	0.03	0.11	0.15	0.04	0.38		4
5				0.12			0.04					0.27	5
6										0.27	0.24		6
7					0.17	0.21				0.11	0.38	0.03	7
8						0.35	0.02	0.59			0.08		8
9						0.03		0.16			0.65		9
10						0.10					0.34	0.01	10
11							0.01	0.10	0.05		0.44		11
12				1.22			0.05	0.02	0.35				12
13						0.01	0.16						13
14							0.88	0.60					14
15					0.08		0.27	0.22				0.06	15
16					0.27	0.17		0.30	0.11				16
17						0.02	0.44	0.08					17
18						0.17	0.08	1.07			0.48		18
19						0.20	0.58	0.03					19
20								0.45	0.02				20
21					0.35								21
22													22
23				0.08	0.45	0.06							23
24				0.60	0.11	0.13	0.72	0.23					24
25				0.46	0.13		0.13				0.03		25
26				0.26			0.48				0.48		26
27				0.02	0.80		0.05				0.09		27
28				0.02									28
29				0.01	0.40		0.12			0.08			29
30		×						0.05					30
31		×		×	0.12	×	0.05	0.02	×		×	0.01	31
TOTAL				3.39	3.42	1.86	4.17	4.03	1.85	0.53	4.25	0.73	YEAR'S TOTAL from March 31st total
*Days with ·01 in. or more.					12	12	18	15	8	5	15	8	
*Days with ·04 in. or more.					12	9	15	12	7	4	12	4	22.23

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Landon Bell

[P.T.O.

BENTLEY (THE WELCHES

746/5

—

746/5

BENTLEY
WELCHES

1937 - 1940

780201

FORM 1090. **B** Monthly Summary.

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1937

At WELCHES BENTLEY.

In the County of HAMPSHIRE

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·50				
FEB.	5·01				
MAR.	4·13				
APRIL	2·12				
MAY	4·00				
JUNE	1·30				
JULY	·81				
AUG.	1·44				
SEPT.	1·93				
OCT.	3·75				
NOV.	2·42				
DEC.	4·75				
TOTAL	38·16				

Signature J. Howarth Massey Esq

*See Instruction 2 *(f)* below.

and also the space for

egister should be sent :—

....

....

..in Summer 10 A.M.

1 mile Direction from gauge South.

Nearest Parish Church at Bentley Distance 3/4 ~~mile~~ Direction from gauge West.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.M.O. 7
14 APR 1938

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

N

BENTLEY (THE WELCHES

746/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At WELLHES BENTLEY

In the County of HAMPSHIRE

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·50				
FEB.	5·01				
MAR.	4·13				
APRIL	2·12				
MAY	4·00				
JUNE	1·30				
JULY	·81				
AUG.	1·44				
SEPT.	1·93				
OCT.	3·75				
NOV.	2·42				
DEC.	4·75				
TOTAL	38·16				

Signature J. Howorth Massey Esq

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 10 AM in Summer 10 AM

Nearest Railway Station Bentley Distance 1 mile Direction from gauge South

Nearest Parish Church at Bentley Distance 3/4 mile Direction from gauge West

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
14 APR 1938

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* *9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

746/5

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Walches

In the County of Hampshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* – *in*
- *Height of Ground above Sea Level* 130 *ft.* 300 from map

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·77				
FEB.	·68				
MAR.	·13				
APRIL	·02				
MAY	1·42				
JUNE	·45				
JULY	2·58				
AUG.	·80				
SEPT.	1·15				
OCT.	3·21				
NOV.	4·55				
DEC.	5·02				
TOTAL	22·78 ✓				

Signature J. Howorth Massey

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9.30 in Summer 9.30

Nearest Railway Station Bentley Distance 1 mile Direction from gauge S.W

Nearest Parish Church at Bentley Distance ½ mile Direction from gauge N.W

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

74615

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1939.

At Welches Bentley

In the County of Hants

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft.* - *in.*
- *Height of Ground above Sea Level* 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·71				
FEB.	1·40				
MAR.	1·43				
APRIL	2·42				
MAY	1·34				
JUNE	1·86				
JULY	3·41				
AUG.	1·49				
SEPT.	·50				
OCT.	4·90				
NOV.	5·90				
DEC.	1·47				
TOTAL	31·83				

Signature J. Howorth Massey

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

J. Howorth Massey Welches - Bentley
Nr/ Farnham Surrey

Hour of observation by the clock—in Winter 9. 30 AM in Summer 9. 30 AM.

Nearest Railway Station Bentley Distance 1 mile Direction from gauge S.W

Nearest Parish Church at do Distance 1 mile Direction from gauge N.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
4 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At WELCHES BENTLEY

In the County of HANTS

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* – *in.*
- *Height of Ground above Sea Level* 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·10				
FEB.	2·52				
MAR.	2·83				
APRIL	2·02				
MAY	·85				
JUNE	·68				
JULY	2·43				
AUG.	·01				
SEPT.	1·70				
OCT.	4·20				
NOV.	7·28				
DEC.	1·31				
TOTAL	28·93				

Signature J. Howorth Massey.

* See Instruction 3 *(f)* below.

C Particulars of Station. 746/5.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

J. Howorth Massey
Welches Bentley Hants

Hour of observation by the clock—in Winter 9. 30 AM in Summer 9 30 AM

Nearest Railway Station Bentley Distance 1 MILE Direction from gauge S.

Nearest Parish Church at do. Distance ½ MILE Direction from gauge N.W.

Nature of objects nearest to gauge				
Height of objects				–
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 3a.
B.R.
4 JAN 1941

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 663/91 S.O. Code No. 40-9999

747

747

SWAINSHILL

1931- 1940

Section **A** for the entry of
AIR MINISTRY
FORM 1090.

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

REGIST 1931 .

Kept at Swainshill

in the County of Hampsh

accept see 748.

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·03			·09				1
2	·32	·17	·15						·44	·03			2
3	·11			·69	·39			·15	·74		·34	·40	3
4					·10		·16		·54	·06	·30	·03	4
5		·15		·15		·39		·05			·24	·27	5
6		·05		·14						·29			6
7					·17	·15		·43		·10	·44		7
8						·45		·31			·23		8
9		·36						·06			·80		9
10						·16		·10			·26		10
11		·40	·05					·02			·24		11
12	·13							·04	·40				12
13		·13											13
14						·03	1·10	·47					14
15		·07			·04		·52	·26					15
16					·29		·05	·37	·07				16
17				·21			·38		·04				17
18		·13		·11		·18	·07	·52	·03		·66		18
19				·06		·94	·64	·05			·07		19
20		·07						·33			·05		20
21					·33								21
22	·62					·04		·28					22
23	·34			·04	·40	·19					·21		23
24				·21	·12								24
25		·07		·68			·60				·08		25
26		·43					·56				1·18		26
27	·32										·08		27
28	·03			·03	·90								28
29		·22			·15		·14	·08		·07			29
30		×											30
31	·39	×		×		×			×		×	·15	31
TOTAL	2·26	2·25	·20	2·32	2·89	2·56	4·22	3·52	2·35	·55	5·18	·85	YEAR'S TOTAL 29·15
*Days with ·01 in. or more.	~~8~~	~~12~~	~~2~~	~~10~~	~~10~~	~~10~~	~~10~~	~~16~~	~~8~~	~~5~~	~~15~~	~~4~~	~~110~~
*Days with ·04 in. or more.	~~7~~	~~12~~	~~2~~	~~9~~	~~10~~	~~8~~	~~10~~	~~15~~	~~7~~	~~4~~	~~15~~	~~3~~	~~102~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Secretary,
FRIMLEY & FARNBOROUGH
DISTRICT WATER COMPANY.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Swanthill

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

as before

April 1" low. accept acc 748.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·03			·09				1
2	·32	·17	·15						·44	·03			2
3	·11	~~·17~~		·69	·39			·15	·74		·34	·40	3
4					·10		·16		·54	·06	·30	·03	4
5		·15		·15		·39		·05			·24	·27	5
6		·05		·14						·29			6
7					·17	·15		·43		·10	·44		7
8						·45		·31			·23		8
9		·36						·06			·80		9
10						·16		·10			·26		10
11		·40	·05					·02			·24		11
12	·13							·04	·40				12
13		·13											13
14						·03	1·10	·47					14
15		·07			·04		·52	·26					15
16					·29		·05	·37	·07				16
17				·21			·38		·04				17
18		·13		·11		·18	·07	·52	·03		·66		18
19				·06		·94	·64	·05			·07		19
20		·07						·33			·05		20
21					·33								21
22	·62					·04		·28					22
23	·34			·04	·40	·19					·21		23
24				·21	·12								24
25		·07		·68			·60				·08		25
26		·43					·56				1·18		26
27	·32										·08		27
28	·03			·03	·90								28
29		·22			·15		·14	·08		·07			29
30		X											30
31	·39	X		X		X			X		X	·15	31
TOTAL	2·26	2·25	·20	2·32	2·89	2·56	4·22	3·52	2·35	·55	5·18	·85	YEAR'S TOTAL 29·15
*Days with ·01 in. or more.	~~8~~	~~12~~	~~2~~	~~10~~	~~10~~	~~10~~	~~10~~	~~16~~	~~8~~	~~5~~	~~15~~	~~4~~	~~110~~
*Days with ·04 in. or more.	~~7~~	~~12~~	~~2~~	~~9~~	~~10~~	~~8~~	~~10~~	~~15~~	~~7~~	~~4~~	~~15~~	~~3~~	~~102~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) .... Secretary,
FRIMLEY & FARNBOROUGH
DISTRICT WATER COMPANY.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Swainshill

in the County of Hampshire

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·17					1
2	·02			·55	1·30			·05	·23				2
3					·21				·41				3
4						·21							4
5	·39			·62			·12		·15				5
6	·47		·02				·07		·17				6
7									·09	·37			7
8			·31	·10	·50				·58				8
9	·84			·33									9
10	·78			·28				·10	·09		·26		10
11						·13	·07						11
12	·47				·15				·10	·10			12
13	·16	·11		·23			·25			·95			13
14	·18				·10							·08	14
15	·15			·21	·20								15
16	·30			·19									16
17	·03			·03			·08						17
18									·19	·09	·15		18
19							·02		·07	·20			19
20				·21	·07			·62		·77	·24		20
21				·14	1·41					·27		·12	21
22			·25	·03	·08				·31		·21	·11	22
23					·43					·75			23
24		·10					·55		·28	·26			24
25			·08	·03		·10	·70		·02	·53			25
26			·63	·07			·57			·04			26
27			·31		·19	·06	·22			·20		·10	27
28				·06	·04	·05	·09			·05			28
29			·77	·04	·31			·07	·23	·36			29
30		X		·41	·05	1·39	·04		·30		·68	·25	30
31		X		X		X			X		X	·13	31
TOTAL	3·79	·21	2·37	3·53	5·04	1·94	2·78	1·01	3·22	4·94	1·54	·79	YEAR'S TOTAL 31·16
*Days with ·01 in. or more.	~~11~~	~~2~~	~~7~~	~~17~~	~~14~~	~~6~~	~~12~~	~~5~~	~~15~~	~~14~~	~~5~~	~~6~~	~~114~~
*Days with .04 in. or more.	~~9~~	~~2~~	~~6~~	~~14~~	~~14~~	~~6~~	~~11~~	~~5~~	~~14~~	~~14~~	~~5~~	~~6~~	~~106~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Fredk. E. Pegg Asst Secretary,
FRIMLEY & FARNBOROUGH
DISTRICT WATER COMPANY

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Swaineshill

in the County of Hampshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

as before

Secretary,
FRIMLEY & FARNBOROUGH
DISTRICT WATER COMPANY.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·34	·14		·14									1
2	·55		·75		·75									2
3			·48											3
4	·63	·17									·14			4
5			·80											5
6		·29			·50					·12				6
7		·07			·17					·14				7
8					·07		·40							8
9							·07			·18	·10			9
10							·25			·39	·03			10
11	·34						·43	·22						11
12						·22	·07		·98					12
13	·09				·08				·14		·05			13
14										·28	·28			14
15	·52						·42	·33	·05					15
16	·05		·51			·15								16
17			·62			·12								17
18	·34		·53			·31								18
19		·08	·30						·77					19
20		·15												20
21														21
22						·30		·29		·35				22
23					·24				·46	·10				23
24		2·24		·36		·08			·05		·17			24
25		1·45		·26		·50						·06		25
26		·80		·05								·12		26
27		·07			·55				1·82	·36		·17		27
28					·07		·24			·14		·18		28
29	·16									·03				29
30		X		·04	·29		·08		·24			·06		30
31	·25	X	·21	X		X			X		X			31
TOTAL	2·93	5·66	4·34	·71	2·86	1·68	1·96	·84	4·51	2·09	·77	·59	Year's Total 28·94	
*Days with ·01 in. or more.	9	10	9	4	10	7	8	3	8	10	6	5	89	
*Days with .04 in. or more.	9	10	9	4	10	7	8	3	8	9	5	5	87	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Secretary,
FRIMLEY & FARNBOROUGH
DISTRICT WATER COMPANY.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SWAINESHILL

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	·56	·05	·07	·10	·52		1
2	·11	-	-	·41	-	-	-	-	·88	·15	-	·12		2
3	-	-	-	-	-	-	-	-	-	·10	-	·30		3
4	·18	-	·28	-	·23	-	-	-	-	·37	·07	·51		4
5	-	-	-	-	-	-	-	·11	-	-	·08	·57		5
6	·07	-	·39	-	·39	·32		·15	-	·20	·12	·99		6
7	·03	-	-	-	-	·09	-	·26	-	·15	-	·38		7
8	-	-	-	-	-	-	-	·04	·29	-	·49	·29		8
9	-	-	-	-	-	-	-	-	-	-	1·20	·76		9
10	-	-	·37	·35	-	-	-	·04	-	-	·40	·11		10
11	·76	-	-	·20	-	-	·40	·14	-	-	-	·37		11
12	-	-	-	-	-	-	·06	·23	-	-	-	·25		12
13	·37	-	-	-	-	-	·70	-	-	-	·11	·11		13
14	·59	-	·58	-	-	-	-	-	-	-	·08	·46		14
15	-	-	·35	-	·15	-	-	-	-	·12	·14	·30		15
16	·21	-	-	-	-	-	-	-	·05	-	-	·21		16
17	·04	-	-	-	-	-	-	-	-	·06	-	-		17
18	·35	-	·11	·52	-	-	-	-	-	-	-	·39		18
19	-	-	·40	-	-	-	-	-	-	-	-	·05		19
20	-	-	-	-	-	·05	·41	·01	-	-	-	-		20
21	-	-	-	·26	-	·04	-	·04	-	·12	-	-		21
22	-	-	-	-	-	-	·57	·15	·39	-	-	·07		22
23	-	-	-	·24	-	·55	-	-	·03	-	-	·03		23
24	-	-	-	-	-	·05	·61	-	·12	-	-	-		24
25	·23	-	-	·38	-	·11	-	-	-	·19	-	·70		25
26	·03	-	-	·31	-	·15	-	-	·09	-	-	·04		26
27	-	-	-	-	-	-	-	-	-	·05	-	·24		27
28	-	-	-	-	-	-	-	·99	-	-	-	·41		28
29	-	-	-	-	-	-	·03	-	·25	-	-	-		29
30	·10	×	-	-	-	-	-	·14	·07	-	-	·47		30
31	-	×	-	×	-	×	-	-	×	-	×	·13		31
TOTAL	3·07		2·48	2·67	·77	1·36	2·78	2·86	2·22	1·58	2·79	8·72	Year's Total. 31·30	
* Days with .01 in. or more.	13	-	7	8	3	8	7	13	10	11	10	26	116	
* Days with .04 in. or more.	11	-	7	8	3	8	6	12	9	11	10	25	110	

Secretary,
FRIMLEY & FARNBOROUGH
DISTRICT WATER COMPANY.

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SWAINESHILL

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 550 ft.

Query re Dec. figures sent 5/6
- obsr. concurs

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	-	·18	-	-	·03	28	-	·19	·06	·19	-		1
2	-	-	-	-	-	·03	-	-	·27	·40	-	-		2
3	-	-	-	-	-	-	-	-	-	1·33	·07	-		3
4	-	-	-	·24	-	·07	-	-	·15	·43	·10	·09		4
5	-	·26	-	·12	-	·11	-	-	·21	-	·20	-		5
6	-	-	·13	·33	-	·99	-	-	-	-	·61	·11		6
7	-	-	-	·37	-	·02	-	-	-	-	-	-		7
8	-	-	-	·42	-	-	-	-	-	·55	·05	-		8
9	-	-	-	·54	-	·64	-	-	·15	1·23	·11	-		9
10	·07	-	-	·06	-	-	-	-	-	-	·15	-		10
11	·34	-	·14	·23	-	·25	-	-	-	-	·65	-		11
12	-	·14	-	-	-	·22	-	-	·08	-	·66	-		12
13	-	·19	-	·24	·14	·02	-	-	-	-	-	-		13
14	-	-	-	-	-	-	-	-	-	·04	·39	(·10)		14
15	-	·15	-	-	-	·08	-	-	·34	-	·28	(·15)		15
16	-	·04	-	·11	-	-	-	-	·71	-	1·05	(·05)		16
17	-	-	-	·15	-	·32	-	-	·02	-	·29	-		17
18	-	·02	-	·33	-	-	-	-	·51	-	·24	-		18
19	-	-	-	-	·51	·05	·25	-	·06	·10	-	-		19
20	-	·49	-	·03	-	-	-	-	-	·04	·32	-		20
21	-	·58	-	·02	-	-	-	-	-	·42	-	-		21
22	-	-	-	·05	-	-	-	-	·16	-	-	-		22
23	-	-	·23	-	-	-	-	·60	·05	-	-	-		23
24	-	·85	-	-	·21	-	-	1·33	·46	-	-	·49		24
25	·15	·31	-	·17	·19	·03	-	-	-	-	-	·36		25
26	-	·57	-	-	-	-	-	·25	·14	-	-	·54		26
27	-	·34	-	-	-	-	-	-	-	-	·13	(·40)		27
28	-	·24	-	-	-	-	-	·07	·27	-	-	·07		28
29	-	X	-	-	-	-	-	-	·46	·06	-	·27		29
30	·09	X	-	·13	-	-	-	1·01	·48	·24	·82	·84		30
31	-	X	-	X	-	X	-	·01	X	·80	X	·22		31
TOTAL	·71	4·18	·68	3·54	1·05	2·86	·53	3·27	4·71	5·70	6·31	3·69 ~~2·99~~	Year's Total ~~36·53~~	37·23
* Days with .01 in. or more.	~~5~~	~~13~~	~~4~~	~~17~~	~~4~~	~~14~~	~~2~~	~~6~~	~~18~~	~~13~~	~~18~~	~~9~~	~~125~~	
* Days with .04 in. or more.	5	12	4	15	4	9	2	5	17	13	18	13 ~~9~~	~~113~~	117

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Secretary,
MID - WESSEX
WATER COMPANY.

c/a X X [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at SWAINESHILL

in the County of HANTS.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 616 ft.

Values for Jan – Aug ~~[illegible]~~ corrected in M.O.7

[illegible] 9/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

NOTE WEEKLY READINGS NOW TAKEN

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·17	–	(·40) ~~·30~~	–	·42	·43	·03	–	–	–	–		1
2	–	–	–	–	–	·05	–	·10		–				2
3	–	–	–	(·49) ~~·29~~	–	·27	–	–						3
4	–	–	·11	–	–	–	–	–	·78			·15		4
5	·25	–	–	–	–	·07	–	–						5
6	·37	–	–	–	–	–	–	·02			·95			6
7	–	–	·10	–	–	–	–	–						7
8	–	–	·06	–	–	–	–	–						8
9	–	–	·07	–	–	–	·35	–		·01				9
10	–	–	–	–	–	–	·20	·67						10
11	–	–	–	(·10) –	–	–	–	–	·57			·32		11
12	–	–	–	·11	–	·24	·26	–						12
13	–	–	–	–	–	·04	–	–			2·00			13
14	–	–	–	–	–	–	·73	–						14
15	–	–	–	–	–	–	–	–						15
16	–	·41	–	–	–	–	·04	–		·05				16
17	–	·90	–	–	–	(·25) –	·02	–						17
18	–	·29	–	–	–	THUNDER STM. 1·00	·31	–	·48			2·56		18
19	·97	–	–	–	–	·40	·02	·09						19
20	–	·11	·16	(·40) ~~·20~~	–	(·15) –	(·10) –	–			·70			20
21	–	–	–	(·40) ~~·13~~	–	·18	(·10) –	–						21
22	–	·45	–	–	–	–	·30	–						22
23	–	–	–	(·13) –	·25	–	·26	–		·06				23
24	·24	·35	–	–	–	–	–	–						24
25	–	–	–	·28	–	–	·09	–	1·11			·10		25
26	·15	–	·27	–	–	–	·38	–						26
27	–	–	–	–	–	–	–	–			·08			27
28	·83	–	–	–	–	–	(·41) ~~·21~~	–						28
29	·07	·11	·06	–	–	(·50) ~~·15~~	·07	–						29
30	·12	✕	–	–	(·10) –	·16	·05	–	·33	1·86	·28			30
31	·23	✕	·05	✕	–	✕	·22	–	✕	·49	✕	·80		31
TOTAL	(7·00) ~~3·50~~	(3·10) ~~2·79~~	(2·50) ~~·88~~	(2·51) ~~1·31~~	(·45) ~~·25~~	(3·73) ~~2·98~~	(4·54) ~~3·94~~	(1·30) ~~·91~~	3·27	2·47	4·01	3·93	Year's Total ~~30·24~~	(38·81)
* Days with .01 in. or more.	10	8	8	6	1	11	17	5						
* Days with .04 in. or more.	10	8	8	6	1	11	15	3						

[illegible]

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X SWAINSHILL X

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SWAINSHILL RESERVOIR

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 616 ft.

1936 up mp

688936/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·50									·06				1
2				·36			–							2
3									·10			1·18		3
4						–								4
5		2·10	·20								1·00			5
6								–						6
7					·11									7
8	·46									·14				8
9				·35			·15							9
10									·29			1·36		10
11						·46								11
12		1·05	1·74								·10			12
13								·82						13
14					1·53									14
15	1·03									–				15
16				·97			·50							16
17									1·48			1·00		17
18						·48								18
19		·66	1·37								·21			19
20								·71						20
21					·78									21
22	3·56									·90				22
23				·47			·18							23
24									·21			·42		24
25						·30								25
26		2·00	·62								·80			26
27								–						27
28		·36			1·84									28
29	1·27	X								2·60				29
30		X		·12		·07	–	THUNDER STORM 30/8/1937	·18		·36			30
31	·70	X	–	X	–	X	–	1·89	X	·26	X	·10	print W	31
TOTAL	7·52	6·17	3·93	2·27	4·26	1·31	·83	3·42	2·26	3·96	2·47	4·06	Year's Total 42·46	GB
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. Irvine Hudson [P.T.O.

Resident Engineer.

~~X Mid-Wessex Water Co X~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Swaineshill

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 616 ft.

WEEKLY READINGS TAKEN.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				Nil.			0.02							1
2									Nil.			0.22		2
3						0.15								3
4		Nil.	Nil.								0.10			4
5								0.02						5
6					0.18									6
7	0.21									1.92				7
8				0.06			1.40							8
9									0.18			1.46		9
10						0.05								10
11		0.05	Nil.								0.33			11
12								0.49						12
13					0.07									13
14	1.99									0.97				14
15				Nil.			0.86							15
16									Nil.			1.10		16
17						Nil.								17
18		0.10	0.01								1.06			18
19								0.18						19
20					0.08									20
21	0.65									0.58				21
22				Nil.			0.05							22
23									0.43			0.78		23
24						0.02								24
25		0.02	0.21								2.26			25
26								0.11						26
27					0.39									27
28	0.67	0.41								0.21				28
29		×		Nil.			0.48							29
30		×		"		0.50			0.73		0.86	0.68		30
31	0.60	×	0.05	×	0.93	×	Nil.	0.65	×	0.30	×	0.01		31
TOTAL	4.12	0.58	0.27	0.06	1.65	0.72	2.81	1.45	1.34	3.98	4.61	4.25	Year's Total 25.84	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SWAINSHILL.

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 616 ft.

W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·06		1
2						NIL			·50					2
3			·14											3
4											·29			4
5					·39			1·05						5
6	1·28									·85				6
7				·86										7
8							1·13					1·14		8
9						NIL			NIL					9
10		·46	·54											10
11											2·30			11
12					·02			·50						12
13	·48									3·00				13
14				·20								·39		14
15							·59							15
16						·59			·12					16
17		·04	·25											17
18											1·30			18
19					·82			NIL						19
20	3·00									2·42				20
21				·01								NIL		21
22							1·35							22
23						·93			·06					23
24		·48	·13											24
25											1·76			25
26					NIL			·02						26
27	1·38									·12				27
28		·62		·39								·15		28
29		X					·45							29
30		✕		1·20		·41			NIL		1·70	[redacted]		30
31	0·01	✕	·20	✕	NIL	✕	NIL	·15	✕	·18	✕	·06		31
TOTAL	6·15	1·60	1·26	2·66	1·23	1·93	3·52	1·72	0·68	6·57	7·35	1·80	Year's Total 36·47 ✓	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

MID - [illegible]
WATER [illegible]

† Spare column, no entries required.

(Signed) T. Irvine Hudson [P.T.O.]

Resident Engineer.

COPY FOR OFFICIAL USE

File No. 688936/26

Section **A** for the entry of Daily Observations

Station No. 747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Swainshill

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 616 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		Nil.												1
2					·01									2
3										·33				3
4	Nil.			·515			·04							4
5									Nil.			·34		5
6						Nil.								6
7			Nil.								2·65			7
8		1·10						Nil.						8
9					·01									9
10										1·40				10
11	·42			·025			1·11							11
12									·04			·48		12
13						·34								13
14			1·15								2·95			14
15		·03						·01						15
16					Nil.									16
17										·98				17
18	·005			·71			1·24							18
19									1·8			·60		19
20						·01								20
21			1·05								2·69			21
22		·92						·05						22
23					·36									23
24										·39				24
25	·03			·16			·55							25
26									·29			Nil.		26
27						·50								27
28			1·00								·05			28
29		1·015						Nil.						29
30		✕		1·22	·33	Nil.			Nil.		Nil.			30
31	1·75	✕	·01	✕	Nil	✕	·07	Nil.	✕	1·01	✕	Nil.		31
Total	2·20~~5~~	3·0~~65~~7	3·21	2·63	0·71	0·85	3·01	0·06	1·99	4·11	8·34	1·42	Year's Total 31·60	
* Days with .01 in. or more.	Readings taken weekly.													
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. [illegible] Hudson

Resident Engineer.

P.T.O.

Section **A** for the entry of
AIR MINISTR

748

LONG SUTTON

1931- 1940

748

FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGIS

1931 .

215

Kept at Long S

in the County of Ha

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea l

THE MORNING MEASU 78 **OUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			.13						·67			·26	3
4													4
5													5
6										·25			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14							1.08						14
15													15
16													16
17													17
18								1·09			·60		18
19						·72							19
20													20
21													21
22													22
23	·38			·50									23
24													24
25													25
26													26
27		·47			·86								27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	1.71	12.43 ~~2.38~~	0.23	2.69	2.88	2.50	3.65	3.73	1.81	0.47	3.87	9.83 ~~2.12~~	YEAR'S TOTAL 26·80
*Days with ·01 in. or more.	10	~~16~~ 17	5	14	10	12	15	16	9	6	21	10	145
*Days with ·04 in. or more.	10	~~13~~ 14	2	13	10	11	12	12	7	3	13	4	111 ~~97~~
40-9999	43.5	~~60.5~~ 61.7	5.8	68.3	73.1	63.6	92.7	94.7	45.9	11.9	98.4	~~151.8~~ 212	680.8

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

748

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

215

Kept at Long Sutton

in the County of Hants

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 479 ft.

Mem.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			.13						·67			·26	3
4													4
5													5
6										·25			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14							1.08						14
15													15
16													16
17													17
18								1·09			·60		18
19						·72							19
20													20
21													21
22													22
23	·38			·50									23
24													24
25													25
26													26
27		·47			·86								27
28													28
29												[illegible]	29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.71	~~2.38~~ 2.45	0.23	2.69	2.88	2.50	3.65	3·73	1.81	0.47	3.87	~~2.12~~ 0.83	YEAR'S TOTAL 26·80
*Days with ·01 in. or more.	10	~~16~~ 17	5	14	10	12	15	16	9	6	21	10	145
*Days with ·04 in. or more.	10	~~13~~ 14	2	13	10	11	12	12	7	3	13	4	111 ~~97~~
40-9999	43.5	~~60.5~~ 61.7	5·8	68.3	73.1	63.6	92.7	94.7	45.9	11.9	98.4	~~11.8~~ 21.2	680.8

*See Instruction 2 (*f*) on other side.

(Signed).................................... [P.T.O.

748

215

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1

REGISTER OF RAINFALL IN 1932.

Kept at Long Sutton

in the County of Hants.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 479 ft.

MM

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6				·33									6
7													7
8									·46				8
9	·79												9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20								1.63		·76			20
21					1.50								21
22													22
23													23
24		·06					·52						24
25													25
26													26
27													27
28													28
29			·66										29
30		×				1.07					·44	·20	30
31		×		×		×			×		×		31
TOTAL	3.26	0.19	1.92	2.54	5.08	1.61	2.33	2.00	2.81	4.72	1.68	0.89	YEAR'S TOTAL 29.03
*Days with ·01 in. or more.	16	7	10	19	21	7	13	6	17	22	16	15	169
*Days with ·04 in. or more.	10	2	6	15	15	6	12	4	16	18	9	6	119
40-9999	82.9	4.7	48.8	64.4	129.0	40.8	59.1	50.8	71.5	119.8	42.6	22.6	

(*Signed*) ....

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. 748

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Long Sutton

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 479 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					·76								2
3													3
4	·48												4
5													5
6													6
7													7
8													8
9													9
10										·38			10
11							·54						11
12													12
13													13
14											·24		14
15								·32					15
16			·83										16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24		1·56											24
25				0·26									25
26						·31			2·07				26
27												·14	27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
mo. TOTAL	2·63	5.03	3·87	0·88	2.43	1·45	1·87	0·81	5·13	1·99	0·62	0·54	YEAR'S TOTAL 27·25
*Days with ·01 in. or more.	15	17	16	8	15	11	10	8	13	16	13	7	149
*Days with ·04 in. or more.	12	8	13	7	10	8	10	5	11	11	4	5	104

mms 66·7 22·4 44·6

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 748

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Long Sutton

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 479 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·82					2
3		·04								·481				3
4														4
5														5
6					·18							·80		6
7														7
8														8
9											1·04			9
10														10
11	·65													11
12														12
13														13
14			·48											14
15														15
16														16
17														17
18				·26										18
19														19
20														20
21														21
22														22
23						·57								23
24							·50							24
25														25
26														26
27														27
28								·93						28
29		✕												29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·77 ✓	0·10	3·04 ✓	1·94 ✓	0·73 ✓	1·40 ✓	1·80 ✓	2·41 ✓	1·86	1·46 ✓	2·48 ✓	7·86 ✓	Year's Total 27·85 ✓	✓
*Days with ·01 in. or more.	19	5	15	16	9	11	7	14	12	13	13	26	160	✓
*Days with .04 in. or more.	12	1	12	13	5	6	6	10	10	10	10	25	120	✓

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 748

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

215

Kept at Long Sutton

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 479 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·19											1
2														2
3										1·16				3
4														4
5														5
6						1·00								6
7														7
8														8
9														9
10				·61										10
11	0·28						·52							11
12														12
13														13
14														14
15														15
16									·79		·97			16
17														17
18														18
19					·52									19
20														20
21														21
22														22
23														23
24		·87						1·46						24
25														25
26														26
27														27
28														28
29														29
30		×										·73		30
31		×		×		×			×		×			31
TOTAL	0.62	3·73	0.59	3·76	1·02	2·99	1·11	3·30	4·81	4·89	6·63	3·83	Year's Total 37·28	
*Days with ·01 in. or more.	9	18	7	20	6	20	4	7	22	20	20	18	171	
*Days with ·04 in. or more.	6	13	6	18	4	10	4	5	20	11	18	14	129	

40-9999

*See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 748

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

215

Kept at Long Sutton

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 479 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·48								1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9	·96													9
10								·56						10
11											1·18			11
12														12
13														13
14							·73					·72		14
15														15
16														16
17		·90												17
18														18
19														19
20				·47					1·17					20
21														21
22					·40									22
23			·32											23
24														24
25														25
26														26
27														27
28	·96													28
29														29
30		X								·61				30
31		X		X		X			X		X			31
													Year's Total.	
TOTAL	5·88 ✓	2·74 ✓	1·85 ✓	1·80 ✓	0·82 ✓	2·96 ✓	4·30 ✓	1·01 ✓	3·03 ✓	2·27	59 3·76	3·55	33·80	✓
* Days with .01 in. or more.	23	14	17	10	4	17	25	6	15	10	16	18	175	✓
* Days with .04 in. or more.	20	13	12	6	3	14	15	4	11	6	14	13	131	—
40-9999	149·4	69·5	47·1	45·7	20·8	75·2	109·1	25·6	76·9	57·6	~~80·3~~ 91·3	90·2	858·4	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) .....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 748

215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1937.

Kept at Long Sutton (Agric Coll)

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 479 ft.

Blue

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											1·02			1
2		0·62		·36										2
3														3
4														4
5														5
6			1·19											6
7														7
8														8
9														9
10														10
11														11
12						·31								12
13												·76		13
14								·71						14
15							·34							15
16									·43					16
17														17
18														18
19												~~·76~~		19
20														20
21	·89													21
22										·87				22
23														23
24														24
25					1·22									25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	6·90	5·53	4·61	2·25	4·69	1·26	·70	1·98	1·99	3·70	2·22	4·19	Year's Total 40·02	
* Days with .01 in. or more.	24	25	16	17	12	10	7	6	13	13	10	21	174	
* Days with .04 in. or more.	20	20	14	13	11	7	4	5	12	10	6	11	133	
40-9999.	175·2	140·5	117·0	57·2	1192	31·9	17·9	50·3	50·5	94·0	56·4	106·4	10165	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

215

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 748

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1938.

Kept at Long Sutton (Agri. Coll.)

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 479 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2				·05										2
3										·63				3
4														4
5														5
6														6
7							·94							7
8														8
9												·95		9
10														10
11														11
12	·44													12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24									·26					24
25			·08								1·13			25
26		·27												26
27					·29	·30								27
28								·57						28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	89·0	14·1	4·6	1·8	39·4	13·3	71·3	36·7	30·6	91·8	108·2	102·1	Year's Total 602·9	
* Days with 0.2 mm. or more.	23	11	3	4	12	6	13	10	15	20	18	22	157	
* Days with 1.0 mm. or more.	20	3	2	1	9	3	9	7	11	15	14	14	108	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999 3·50 ·56 ·18 ·07 1·55 ·52 2·81 (Signed) 1·20 3·62 4·26 4·02 23·73 P.T.O.

1·44

~~215~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 748

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939 .

Kept at Long Sutton (Agric. Coll)
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 479 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1									·31					1
2								·64						2
3														3
4			·28											4
5														5
6							·62							6
7														7
8												·48		8
9														9
10														10
11														11
12														12
13										1·66				13
14														14
15					·47	·37								15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23											1·09			23
24														24
25	·79	·56												25
26														26
27														27
28														28
29														29
30		X		·82										30
31		X		X		X			X		X			31
													Year's Total	
TOTAL	144·9	42·9	34·3	62·4	28·9	42·3	108·5	38·4	20·5	146·5	162·8	40·0	872·4	
* Days with 0.2 mm. or more.	21	10	15	15	8	12	20	10	7	22	23	13	176	
* Days with 1.0 mm. or more.	18	8	8	12	7	10	18	8	5	17	19	6	136	
	5·70	1·53	1·35	2·46	1·14	1·67	4·27	1·51	·81	5·77	6·41	1·57	34·19	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. (Signed) .... [P.T.O.

215

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 748 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1940

Kept at Long Sutton (Agri. Coll)

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 479 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3											1·26			3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13			·70											13
14												·37		14
15							·79							15
16		·40												16
17														17
18				·39				·06						18
19									·90					19
20														20
21					·39									21
22						·37								22
23														23
24														24
25														25
26	·73													26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕	·77	✕			31
													Year's Total	
TOTAL	69·9	72·3	83·7	38·8	21·3	20·9	73·5	2·6	47·0	104·8	211·9	46·0	792·7 ✓	
* Days with 0.2 mm. or more.	10	17	13	18	9	7	18	4	11	16	20	14	157 ✓	
* Days with 1.0 mm. or more.	6	11	12	10	4	4	15	1	6	14	15	11	109 ✓	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

2·75 | 2·85 3·30 1·53 | ·84 ·82 2·89 ·10 1·85 4·13 8·34 1·81 31·21 ✓

(Signed) .... [P.T.O.

749

Section A for the entry of Da

AIR MINISTRY.-

AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST

1931 .

749

STH WARNBOROUGH

VINE COTTAGE

1931-

Kept at Vine Cottage. Sou

in the County of Hamp

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·03			1
2				·48					·47	·03		·15	2
3	33		·13	·26	·36	·09		·13		·03		·36	3
4			·02				·23		·73		·46		4
5				·16		·35	·06	·04				·19	5
6				·16		·04				·38	·22		6
7						·10		·38		·06	·45	·04	7
8				·07		·37		·52			·10		8
9		·83				·01					·58		9
10		39				·08	·03	·12			·34		10
11	·10										·22		11
12									·39				12
13							·08						13
14		·14				·05	1-15	·35					14
15		·08			·38		1 23	·22				·08	15
16	·03			·15	·22	·16		·29	·06				16
17		·13					·40	·13					17
18		·02				·08	·12	1·03			58		18
19	08					·25	·51	·04	·10				19
20		·09						·29			·06		20
21	·03												21
22	·35										02		22
23	30	Tr			·40	·18							23
24					·08		·09	·13					24
25	09			1·85	·15		·38				15		25
26		·06		·20	Tr		·62				1-00		26
27	·13			·01	1·25		·10				·04		27
28	02	·44		·02	·01						·01		28
29		·21			·29		·13			·11	·01		29
30	08	×			·01			·10					30
31		×		×	·03	×	·02		×		×		31 27·74
TOTAL	1·54	2·38	·15	3·36	3·18	1·76	4·15	3·77	1·75	·64	4·24	·82	YEAR'S TOTAL ~~27·69~~
*Days with ·01 in. or more.	~~3~~	~~1~~	~~1~~	~~2~~	~~3~~	~~1~~	~~2~~			~~3~~	~~3~~		~~19~~
*Days with ·04 in. or more.	~~7~~	~~9~~	~~1~~	~~8~~	~~8~~	~~11~~	~~13~~	~~14~~	~~5~~	~~3~~	~~11~~	~~5~~	~~95~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

749

Section **A** for the entry of Da

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Vine Cottage. South Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·03			1
2				·48					·47	·03		·15	2
3	33		·13	·26	·36	·09		·13		·03		·36	3
4			·02				·23		·73		·46		4
5				·16		·35	·06	·04				·19	5
6				·16		·04				·38	·22		6
7						·10		·38		·06	·45	·04	7
8				·07		·37		·52			·10		8
9		·83				·01					·58		9
10		39				·08	·03	·12			·34		10
11	·10										·22		11
12									·39				12
13							·08						13
14		·14				·05	1·15	·35					14
15		·08			·38		·23	·22				·08	15
16	·03			·15	·22	·16		·29	·06				16
17		·13					·40	·13					17
18		·02				·08	·12	1·03			58		18
19	08					·25	·51	·04	·10				19
20		·09						·29			·06		20
21	·03												21
22	·35										02		22
23	30	Tr			·40	·18							23
24					·08		·09	·13					24
25	09			1·85	·15		·38				15		25
26		·06		·20	Tr		·62				1-00		26
27	·13			·01	1·25		·10				·04		27
28	02	·44		·02	·01						·01		28
29		·21			·29		·13			·11	·01		29
30	08	×			·01			·10					30
31		×		×	·03	×	·02		×		×		31 ~~27·69~~ 27·74
TOTAL	1·54	2·38	·15	3·36	3·18	1·76	4·15	3·77	1·75	·64	4·24	·82	YEAR'S TOTAL ~~27·69~~
*Days with ·01 in. or more.	~~3~~	~~1~~	~~1~~	~~2~~	~~3~~	~~1~~	~~2~~			~~13~~	~~3~~		~~19~~
*Days with ·04 in. or more.	~~7~~	~~9~~	~~1~~	~~8~~	~~8~~	~~11~~	~~13~~	~~14~~	~~5~~	~~3~~	~~11~~	~~5~~	~~95~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Vine Cottage South Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 416 ft.

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in	in.	in	in.	in.	in.	
1	·12			·08			·01	·11					1
2				·15				05	·03		·01	·19	2
3				·13									3
4	·03				1.55	·21			·73	·11	·05		4
5			·07				·17						5
6	·77			·31									6
7				·02					·08				7
8			·26		25				·57	·36			8
9	·65	snow ·09		22	26					·01			9
10	·65			27					·05		·20		10
11					·06					·13			11
12	·32				·03			·08	·13	·27	·06		12
6 13	·06			·22		·13	·22			·72			13
14	·20			·06	·09						·15	·08	14
15	·06			·22	16					·07		·02	15
16	·25				03								16
17				·03						·07			17
18					·02		·07				·21		18
19									·33	17			19
20					·05			·65		·80			20
21				62	1.50			·06		·20		·10	21
22			·28	·01	·23		·10		·18	·16	·38		22
23					·25		·03		·24	·76		·10	23
24		·11					·41				·04		24
25						·04	·58		·02	31	·05		25
26			·13	·02	·01		·13			·06	·03		26
27			·42		·20		·19		·21	·17	·10		27
28			·06	·24	·04	·15	·32						28
29			·50	·23	·17			·05		·43	10		29
30		×	·02		·18	1.00	·05		25		43	·24	30
31		×	·06	×		×			×		×	·10	31 d.
TOTAL	3·31	·20	1·80	2·83	5·08	1·53	2·28	1·00	2·82	4·80	1·81	·83	YEAR'S TOTAL 28·29
*Days with ·01 in. or more.	11 ~~X~~	2	9 ~~X~~	16 ~~4~~	20 ~~X~~	5	~~12~~	~~6~~	15 ~~2~~	~~X~~ 19	~~8~~ 13	~~X~~ 7	135 ~~18~~
*Days with .04 in. or more.	9	2	~~7~~ 8	12	14	5	10	6	10	16	11	6	109

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Nefmore

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Vine Cottage, South Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 416 ft.

See Feb 26th

Chalcley Hatch has 3.99". [illegible] therefore appears OK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·33	·10							·01				1
2	·35		+		·92									2
(3?) 3	02	12	+·98								·03			3
4	·42	·03	01		·30						·11			4
5	·05	·02	·55											5
6		·16			·20						·06			6
7	·05				·10					·21		✓		7
8					·04		·21			·04				8
9		·05					·20			·28	·08			9
10		·10			·05					·29	·02			10
11	·24						·70	·15						11
12				·05			·10		·03					12
13					·10		·31		·08		·05			13
14							·11	·04		·25	·29	✓		14
15	+		·23				·05							15
16			·80			·30	·30			·03				16
17			·48			·09	·02		·08		·03			17
18	+		·25			·33								18
19	·81		05			·03			·70		·09	+		19
20						·09			·03					20
21						·38		·08	·11					21
22						·48		·18		·33				22
23									·28	·08				23
24		✓		·43		·27					·02			24
25		✓		·30		·11			·18	·01		+		25
26		4·00		·08		·25			2·08	·07				26
27		·02			·62				·02			+		27
28				·11	·33		·18			·38		+		28
29			·08				·02							29
30		×	·12				·05		·23	·03		+		30
31	·38	×	·05	×		×			×		×			31
TOTAL	2·41	4·83	3·70	·97	2·66	2·03	2·25	·45	3·82	2·01	·78	(·50)	Year's Total ~~25·91~~ (26·41)	
*Days with ·01 in. or more.	~~10~~	~~11 9~~	~~13~~	~~5~~	~~9~~	~~10~~	~~12~~	~~4~~	~~11~~	~~13~~	~~10~~	~~(5)~~	~~(111)~~	
*Days with ·04 in. or more.	9	8 ~~6~~	12	5	9	9	10	4	8	9	6	(7)	(94)	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) [illegible]

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

B A

Corrected for BR. 2/1/35

Kept at Vine Cottage, South Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 12 in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·48		·1	·11	·43		1
2		~~·8~~	·8	·6	·5				·65			·25		2
3		~~·10~~	·10									·11		3
4				·7	·13							·36		4
5					2			·10			·19	·52		5
6		~~·35~~	·35			·30		·15			·9	·63		6
7	2·02					·2		·23				·40		7
8									·28		·52	·8		8
9		~~·9~~	·9								1.15	·65		9
10		~~43~~	·43				·10	38			·32	·6		10
11			·35				·12					·32		11
12							·21					·17		12
13			·7									·35		13
14			·55								·15			14
15			·22		47						·12	·83		15
16			·30	·55						84				16
17			·4						·9			·13		17
18	·51			·36					·7			·27		18
19			·50									·6		19
20			·8	·10			·44			·5				20
21				·19			2	·6		·10				21
22		·10					·48	22	·30		3	·9		22
23				30		·66	·70					·2		23
24			·9	·5		·3		·8	·10					24
25	·25			·15		·27			·17			50		25
26				·25		·10						6		26
27				·01		·5						·24		27
28						·9	·01	·93				·36		28
29								·24	·32					29
30	·10	×						·10	·9			·41		30
31		×		×		×			×		×	·12		31
TOTAL	2·88	·10	3·25	2.09	·67	1.52	2.08	~~2.67~~ ~~[illegible]~~ 2.97	~~[illegible]~~ 2.07	1.00	2.68	7·42	Year's Total. 28.73 ~~[illegible]~~	
* Days with .01 in. or more.		1				2	2				1	1	7	
* Days with .04 in. or more.						6	6	11	9		8	25	65	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Vine Cottage, S. Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" Ground " Sea Level 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	04		·20	✓	·02	·07	·28		·05	·11	·35			1
2						×				·33	·04			2
3						·09			·30	1.10	·15			3
4				×·29		·24			·13	·30	·03	·10		4
5			·12	·06		·08			·45	·01		·01		5
6			✓	×		·83					·07			6
7				×1·15		·08				·18	·67	·09		7
8				×		·08				·35	·41			8
9				×		·52			·09	·95	·07			9
10			×	✓ ·60							·21			10
11	·33			×		·20	·20				·59			11
12									·09		·62			12
13				×							·02			13
14				×							·19	·12		14
15	·05	·15		×·49	·01	·04				·02	·38			15
16		·08	×	·10					·75		·90	·14		16
17			✓	·12		·20			02		·20			17
18				·27		×	Tr		·55	✓	·22			18
19		02			·52	✓	20		·05	✓	28			19
20		37		·04	·20	11	17							20
21		36		×						✓				21
22		·09	×·25	×·14					·14					22
23			·08						·07	×		×		23
24	·07	·95	·05		·13			1.95	·30			×		24
25				·19	·16	·12				·50		×		25
26								·21	·12			×1·30		26
27		1.15							·21		×	·36		27
28								02	·41	·02		·41		28
29		·23							·43			·17		29
30	·09	✕		·07				·71		·23	×·87	·40		30
31		✕		✕		✕		·01	✕	·65	✕	·63	"d"	31
TOTAL	·58	3·89	·70	3·86	1·19	3·05	·85	2·90	4·16	4·74	6·27	3·37	Year's Total 35·56	
* Days with .01 in. or more.	~~5~~	~~9~~	~~9~~	~~(20)~~	~~6~~	~~15~~	~~4~~	~~5~~	~~17~~	~~16~~	~~20~~	~~14~~	~~12~~	~~140~~
* Days with .04 in. or more.	~~5~~	~~8~~	~~7 5~~	~~(18) 12~~	~~4~~	~~13~~	~~4~~	~~3~~	~~16~~	~~10~~	~~18 17~~	~~13 10~~	~~107~~	~~119~~

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

749

FORM 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 19~~2~~36.

Kept at Vine Cottage South Warnborough
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 12 in.
„ Ground „ Sea Level 416 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1. following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	·38	·07		·20		·44	·33	·12			·06		1
2		·09	·13	·01		·09	·03				·31		2
3				·57			·03				·08		3
4			·12			18						·06	4
5	·37		·08					·14	·60			·08	5
6	·55							·02	·13		·41		6
7	·15		·08			·07	·01		·05		·20	·08	7
8	·43		·08								·15	·06	8
9	·80						·32		·16			·01	9
10	·6						·06						10
11					·17						1·29		11
12				·13		·28	·23		·34		·33		12
13				·15		·10					02	·65	13
14		·14				·11	·75			·05		·61	14
15						·01	·01		·10		·07	·22	15
16		·23					·06				·21	·08	16
17	Snow					·28	·02				·08		17
18		1·20				·67	·25				·01	40	18
19	·78	·04				·40	09						19
20	·13	·11		·49		·01			1·13				20
21				·47		·11		·75				·10	21
22		·44			·26								22
23	·28		68				·45			·08			23
24	·10									·49			24
25	·4			·26			·31			·15			25
26							20		·20				26
27	·38		·25				34		·15	·37			27
28	·85		·28						·01				28
29		·26				·12	·06			·02	·30	·21	29
30	·16	X			·09	·20							30
31	·29	X	·32	X		X	·25		X	62	X	·69	31
TOTAL	5·75	2·58	2·02	2·22	·52	3·07	3·80	1·03	2·89	1·78	3·55	3·25	YEAR'S TOTAL 32·44 ✓ ~~[illegible]~~
Days with ·01 in. or more.				1		2	5	1	1	1	2	1	14.
Days with ·04 in. or more.	16	9	9	7	3	13	14	3	9	6	12	12	113

(Signed).. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File No. 666401/26

Kept at Vine Cott: South Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 12 in.

,, Ground ,, Sea Level 416 ft.

~~Acc~~ Est ~~Dec~~ ~~Days~~

✓ Dec est. by sur. stns. KJ.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·01		·02							·97			1
2	·22	50		·26					·15					2
3		35												3
4	·06	58												4
5		·06	Snow				·09				·02			5
6	·17		·90		·06					·16				6
7		·65												7
8		·02			·10						·08			8
9					·13	·05			·26					9
10			·88		·43	·26				·01				10
11					·13	·08		·32						11
12	·38	27	25		47	·30			·09					12
13		·04	65					·31	·16					13
14			28					·45	13		·13			14
15	60	17												15
16			62			·10		·12	·66					16
17	1·08	21	15			·09		·04	·11					17
18		10		1,50							·19			18
19	·19	·06				·30			·12		·02			19
20	·60		·18	·19	·72									20
21	73	·47		·02										21
22	53	·05			·28	·16	·53			·64	·50			22
23	·26		·24		·30					·27				23
24	·47								·19	·68				24
25	·45	·54			1·20				·07	·25				25
26		·34	27		·23									26
27				·12						·81				27
28	·09													28
29										·74	08			29
30	46					·06		30		·07	~~·08~~			30
31	35													31 A
													Year's Total	
TOTAL	6·89	4·44	4·42	2·11	4·05	1·40	·62	1·54	1·94	3·03	1·99	(4·00)	~~32·11~~ (36·40)	
* Days with .01 in. or more.		~~2~~		~~22~~						~~1~~	~~2~~		~~7~~	
* Days with .04 in. or more.	~~17~~			~~33~~	~~11~~	~~9~~	~~2?~~	~~6~~	~~10~~	~~8~~	~~6~~		~~12~~	

No record kept during December owing to illness.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Vine Cottage Southwarnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 12 in.

,, Ground ,, Sea Level 416 ft.

Days

aces ✓ W.R.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01				·12		–		·01	·01	·02		1
2				·05	·01	·01	·16	–		·35				2
3	·05				·01			–		·40	·02			3
4					·10	·08		✓		·06		·14		4
5							·12	From July 28th –		✗				5
6	·07						·13	–	·04	✓ ·46	tr			6
7	·06						·46	✗	·03	·22		·02		7
8	·18						·13	✗		·30		·03		8
9	·22							–		·01		·69		9
10							·02	–				·18		10
11	·30							–			·19	·20		11
12	·41				·05			× 55 ✗		24	·01	·		12
13	·24							–		·12	·29	·19		13
14	·46				·05		·04	–						14
15	·16						·78	–		·27		23		15
16	·29							·02		·06	·03	·07		16
17					·02		·02		·07	·16				17
18	·05	·44							·07	·01	·40			18
19								·11	·12		·22			19
20									·02		·33	✓		20
21	·02								·09		·02	4		21
22								·05				4		22
23				·01							·27			23
24									·28		·10			24
25	·12	·03	·19		·19			·04	04		1·08	4		25
26	·20	·28	·04					~~·10~~	·10	·05		4		26
27	·14	·02			·19	·36	·30		·07	·17	·34			27
28		·05			·41	·08	–	·56	·07			4		28
29	·11				·40		–	·07	·17		·11	0·91 4	✓	29
30	·12	×			09	·09	–		·05	·07	·12			30
31	·27	×		×	·13	×	–		×	·17	×	·17		31
TOTAL	3·47	·47	·23	·06	1·64	·74	2·16	1·40	1·42	3·63	3·55	2·96	Year's Total 21·73	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Vine Cottage. Sth Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
1939	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01		·09	·47	·21			·01	·20			·02		1
2				·03				·74	·33					2
3								·31			·35	·19		3
4			·25	·50			·10	·35		·48	·15	·04		4
5				·10	·10		·08	·13		·23	·30	·20		5
6			·01				·69				77			6
7	·95	·08								·09	·29			7
8	·04	·15	·24				·02	·18	·12		x ·22	·47	x·32	8
9								·09		·56	·02	·21		9
10	·30							·13		·17	·02			10
11			·22							·22				11
12														12
13							·06			1·75				13
14	·50						·27			·26	·61			14
15	·25				·58	·48	·21		·08	·97				15
16	·36				·09	·09	·18			·07	·51			16
17	·18	·10			·08		·35			·75	05			17
18	·27					·21	·37				·37			18
19	·17						·35			·14				19
20	·31						·36							20
21	·07	·15				·22	·05		·05					21
22	·17	·41	·14			·21	·09		·04					22
23	·02						·03				1·31			23
24	~~·04~~			·30		·09	·05			·02				24
25		·49					·04				·28			25
26	1·04							·08			·23			26
27		·07		·05						·01	·18			27
28		·20				·06	·09				·10			28
29							·07			·10	·10			29
30				1·15		·09				·07	~~1·00~~			30
31							·25							31
TOTAL	4·64	1·65	·95	2·60	1·06	1·45	3·71	2·05	·82	5·89	5·98	1·13	Year's Total 31·93	"d"
* Days with .01 in. or more.	19 2	8	7	11	5	11	20	9	6	~~1~~16	18	6	136	
* Days with .04 in. or more.	17 ~~13~~	8	~~5~~ 6	~~6~~ 9	5	~~8~~ 10	18 ~~17~~	8	6	14	17	5	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 749

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Vine Cottage, South Warnborough

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 9 in.

,, Ground ,, Sea Level 416 ft.

Snow circ sent 30-4-41.

Jan snow

Jan 27th–31st est'd from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·24							·88			2
3				·01						·30	1·20			3
4		·19								·38	·07			4
5										·35	·45			5
6	47	48												6
7	·09	·21												7
8									·10	·38	·02			8
9								tr		·27	·80	·79		9
10											·12	·02		10
11							·44				·95			11
12			·12				·10				·05			12
13									·35		1·15			13
14			·87							·24		·24		14
15							·90				·62	·02		15
16			·28				·10		·24		·95			16
17			·43											17
18		·63	25	2·22			·25		·05		·19			18
19			·10	·13					·99		·20			19
20		·21	·01	·04			·17		·05		·25			20
21							·17				·57			21
22						·69			·10					22
23			·12	·01							·05			23
24							·25							24
25					·49	~~·49~~								25
26	·85		·78				·09							26
27				·06			·26			1·08				27
28				·19										28
29	1·20	·71	·11									·44		29
30		✕								·07				30
31		✕		✕	·36	✕			✕	·55	✕			31
TOTAL	2·61 ~~1·41~~	2·43	3·07	2·90	·85	·69	2·73	tr	1·88	3·62	8·02	1·57	Year's Total 29·31	(~~29·31~~)
* Days with ·01 in. or more.										1	2		..	30·31
* Days with ·04 in. or more.													..	~~30·31~~

Snow

Rain & Snow

no record

bottle frozen

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

750

Section A for the entry of

AIR MINISTR

FORM 1090.

REGIS

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

193/1.

—

750

HODDINGTON HSE

HANTS

1931 - 1940

Kept at Hoddingto

in the County of Ha

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU **US DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·08		·05		·03			·09				1
2	·21			·38					·05	·03		·12	2
3	·04		·13	·13	·41			·12	·46		·29	·30	3
4		·03					·13		·40	·04	·24		4
5				·13	·11	·34	·04	·02	·01			·21	5
6		·12		·15			·03			·29	·21		6
7					·19	·12		·40		·07	·36	·14	7
8		·05		·04		·32		·29			·09		8
9		·23		·05							·64		9
10						·06	·01	·11			·24		10
11	·10	·44							·04		·25		11
12							·10	·01	·31				12
13													13
14		·12				·05	1·14	·54					14
15	·01	·08		·02	·06		·28	·32				·06	15
16				·10	·24	·12		·29	·04				16
17		·12		·19			·36	·04	·04				17
18			·02	·11		·10	·12	1·00			·55		18
19	·06			·40		·21	·59	·02					19
20		·10	·02	·06				·23			·02		20
21	·01				·30								21
22	·31												22
23	·40			·05	·34	·19					·14	·03	23
24				·60	·13	·14	·06	·10					24
25				·80	·14		·29				·03		25
26		·03		·15			·52				·46		26
27	·21	·44			1·10		·02				·03		27
28		·19								·03		·02	28
29					·28		·12			·05	·02		29
30	·11	×						·11					30
31	·16	×		×		×	·01		×		×	·02	31
TOTAL	1·65	2·03	0·14	3·61	3·30	1·66	3·85	3·63	1·44	0·51	3·98	0·80	YEAR'S TOTAL 26·68
*Days with ·01 in. or more.	11	13	3	17	11	11	16	15	9	6	15	8	135
*Days with ·04 in. or more.	9	11	1	16	11	10	12	12	8	4	12	5	111

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*)

Print

P.T.O.

750

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hoddington House

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 398 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·08		·05		·03			·09				1
2	·21			·38					·35	·03		·12	2
3	·07		·13	·13	·41			·12	·46		·29	·20	3
4		·03					·13		·40	·04	·24		4
5				·13	·11	·34	·04	·02	·01			·21	5
6		·12		·15			·03			·29	·21		6
7					·19	·12		·40		·07	·36	·14	7
8		·05		·04		·32		·29			·09		8
9		·23		·05							·64		9
10						·06	·01	·11			·24		10
11	·10	·44							·04		·25		11
12							·10	·01	·31				12
13													13
14		·12				·05	1·17	·54					14
15	·01	·08		·02	·06		·28	·32				·06	15
16				·10	·24	·12		·29	·04				16
17		·12		·19			·36	·07	·07				17
18			·02	·11		·10	·12	1·00			·55		18
19	·06			·40		·21	·59	·02					19
20		·10	·02	·06				·23			·02		20
21	·01				·30								21
22	·31												22
23	·40			·05	·36	·17					·14	·03	23
24				·60	·15	·14	·06	·10					24
25				·80	·14		·29				·03		25
26		·03		·15			·52				·46		26
27	·21	·44			1·10		·02				·03		27
28		·19								·03		·02	28
29					·28		·12			·05	·02		29
30	·11	×						·11					30
31	·16	×		×		×	·01		×		×	·02	31
TOTAL	1·65	2·03	0·17	3·41	3·30	1·66	3·85	3·63	1·77	0·51	3·90	0·80	YEAR'S TOTAL 26·68
*Days with ·01 in. or more.	11	13	3	17	11	11	16	15	9	6	15	6	135
*Days with ·04 in. or more.	9	11	1	16	11	10	12	12	8	4	12	5	111

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

750

Section **A** **for the entry of Daily Observations.** COPY FOR OFFICI

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hoddington House

in the County of Hants.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	
1	·02	·01		·06	1·14			·12		·04			1
2	·03			·14	·06			·04	·20	·03		·20	2
3				·14	·08				·38	·03			3
4						·18							4
5	·34		·05		·01		75		·72				5
6	·54		·04	·32					·16				6
7			·03						·10	·15			7
8			·22		·22				·43	·14			8
9	·42			·21	·24								9
10	·48			·30	·04	·12					·23		10
11					·01			·03	·05	·12	·04	·01	11
12	·33				·03			·02	·10	·19			12
13	·12			·22	·03		·25			·69	·02	·03	13
14	·24			·11	·05						·05		14
15	·03	·01		·04	·15					·08	·02		15
16	·31			·16	·03							·01	16
17				·02						·04			17
18							·06		·24		·16		18
19									·05	·14			19
20				·26	·22			[illegible]		·78	·13		20
21				·21	1·55			·12		·18		·08	21
22			·26		·18		·03		·26	·22	·40		22
23		·04			·24	·01	·02		·10	·83		·09	23
24							·41		·11	·04	·03		24
25						·04	·52		·01	·22	·03		25
26			·12	·02			·23			·05			26
27			·39	·19	·19	·05	·14			·18		·10	27
28			·03	·03	·02	·20	·31			·03			28
29			·56	·18	·16	·04		·04	·23	·43	·12		29
30		×		·20	·10	·90			·20	·	·46	·24	30
31		×	·04	×		×	·06		×		×	·10	31
TOTAL	3·49	0·06	1·74	2·89	4·81	1·54	2·18	1·13	2·44	4·43	1·69	0·86	YEAR'S TOTAL 24·92
*Days with ·01 in. or more.	11	3	10	18	21	4	11	7	16	21	12	9	146
*Days with ·04 in. or more.	8	1	8	15	15	8	9	5	15	3	8	6	101

40-9999 M.

*See Instruction 2 (*j*) on other side.

(*Signed*)

P.T.O.

KG. Examined by Cards for T.V.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 750

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hoddington House

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 348 ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·36	·04		·02								1
2	·34		·56		·66								2
3		·12	·36										3
4	·44	·03			·31						·04		4
5	·05	·02	·53 ~~·58~~										5
6		·15	·05		·16					·09	·06		6
7	·05	·01			·09					·08		·03	7
8	·02				·03		·21			·01			8
9	~~·24~~				·05		·22			·28	·08		9
10		·09				·01	·20			·39			10
11	·25					·04	·41	·14					11
12				·05		·11	·04		·81				12
13	·05				·04	·02	·29	[illegible]	·09	·01	·06		13
14					·01			·04		·19	·26	·01	14
15	·43		·25				·14	·25					15
16			·85			·14	·04			·02			16
17			·44			·13	·02		·09				17
18	·26	·05	·24			·31							18
19			·03						·44		·05	·06	19
20		·11	·06	·08		·13		·02					20
21		·01				·25			·11				21
22						·29		·15		·30	·01		22
23				·24					·22	·04			23
24		1·44		·09		·32			·14				24
25		1·52		·26		·14			·04			·09	25
26		1·16		·06		·29			2·01	·05			26
27					·58					·26		·15	27
28				·13	·35		·18			·16		·10	28
29	·03		·01	·07									29
30	·08 ~~·11~~	×	·11				·04		·22	·02		·04	30
31	·28	×	·03	×		×		·02	×		×		31
TOTAL	2·40	5·08	3·62	0·98	2·33	2·16	1·94	0·65	4·53	1·93	0·59	0·51	YEAR'S TOTAL 26·45 ✓
*Days with ·01 in. or more.	13 ~~11~~ ✓	13 ✓	14 ~~13~~ ✓	8 ✓	11 ✓	13 ✓	11 ✓	6 ✓	10 ✓	14 ✓	4 ✓	4 ✓	12~~8~~7 ✓
*Days with .04 in. or more.	11 ✓	9 ✓	11 ~~10~~ ✓	8 ✓	8 ✓	11 ✓	~~8~~ 10	4 ✓	10 ✓	10 ✓	6 ✓	5 ✓	10~~0~~3

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) Baring

P.T.O.

Exd

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 750

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hoddington House

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 378 ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·40	·05	·02	·06	·45		1
2	·08		·06	·05	·12				·57	·14	·02	·24		2
3	·01	·03		·03						·29		·10		3
4	·09		·10	·13	·13					·08	·07	·40		4
5			·01		·03			·09			·07	·55		5
6	·03		·33		·26	·26		·18		·14	·09	·66		6
7	·08					·03		·17		·11		·42		7
8					·15				·26		·46	·10		8
9			·06								1.08	·61		9
10	·05		·38	·20				·05			·26	·05		10
11	·70		·36	·17			·13	·22				·29		11
12							·12	·14				·16		12
13	·46		·10	·08			·18				·07	·48		13
14	·14		·62	·07							·08	·50		14
15	·02		·23		·10					·09	·13	·31		15
16	·16		·30											16
17	·07								·10	·02		·12		17
18	·25		·06	·37					·14			·28		18
19			·40						·07			·06		19
20			·05	·04			·43		·03					20
21				·17		·08	·05 ·05	·05		·12				21
22							·66	·25	·23			·06		22
23				·31		·48								23
24		·05	·0~~8~~7	·05		·12	·75	·06	·09					24
25	·21			·13	·03	·17				·19		·52		25
26				·22		·11			·07			·10		26
27				·02		·06				·02		·25		27
28						·10	·01	·87				·37		28
29									·22					29
30	·12	X						·17	·07			·45		30
31	·02	X		X		X			X		X	·13		31
TOTAL	2·49	·08	3.13	2.04	·82	1.41	2·33	2.65	1.90	1·22	2.39	7.66.	Year's Total 28.12	
*Days with ·01 in. or more.	16	2	15 ~~14~~	15	7	9	8	12	12	11	11	25	14~~2~~3	
*Days with .04 in. or more.	1~~3~~2	1	14 X	13	5	8	7	12	11	8	10	25.	~~124~~ 126	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) Basing

[P.T.O.

Section **A**

COPY FOR OFFICIAL USE.
for the entry of Daily Observations. Station No. 750

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

852974/38

Kept at Hoddington House
in the County of Hampshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 378 ft.

TV

December corrected by card.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03		·17		·01	·01	·32		·03	·11	·30			1
2						·03			○	·28	·05			2
3						·05			·39	·93	·12			3
4		·03	·	·27		·32			·12	·22		·07		4
5		·21	·11	·07		·05			·46	○	·02			5
6			·01	·28		·95					·03			6
7				·32		·04				·21	·63	·11		7
8				·41						·32	·40			8
9				·60		·67			·08	·94	·09			9
10			·05			·02					·13			10
11	·37	·01				·18	·14			·06	·56			11
12	·03	·07				·37		·03	·08		·56			12
13		·20		·24	·06	·05			○		·02			13
14		·18		·15	·03						·18	·11		14
15		·08		·45		·07			·40		·41	·12		15
16			·09	·08		·07			·54	○	·92	·04		16
17			·01	·12		·14	·02		·03		·20			17
18				·28		·05		○	·60	○				18
19		·01		·04	·55	·02	·18		·03	·08	·13	·04		19
20		·40			·16	·02	·21				·36			20
21		·37		·02					○	○				21
22		·04	·06	·20				·03	·16					22
23			·10					·37	·06	·41		○		23
24	·04	·93	○		·04			1·40	·32	○		·31		24
25		·23		·20	·19	·18						·28		25
26		·23						·23	·12			·63		26
27		·57				·01			·28		·11	·43		27
28		·17			·02				·28	·03		·13		28
29		×						·01	·60		○	·44		29
30	·09	×		·04				·72	○	·30	·80	·61		30
31		×		×		×			×	·68	×	·47		31
TOTAL	·56	3.73	·60	3.77	1.06	3.30	·87	2.79	4.58	4.57	6.02	3.79	Year's Total 35.64 35.~~56~~	
*Days with ·01 in. or more.	~~4~~ 5	16	8	17	8	20	5	7	18	13	20	1~~2~~4	~~128~~	151 ~~149~~
*Days with .04 in. or more.	3	13	6	16	5	15	4	4	15	12	17	1~~2~~4	122	124

40-9999
*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.
(*Signed*) Basing

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 750

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Upton Grey Hoddington Ho.
in the County of Hants
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Copy by P.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·32	08	·04	·24		·35	·37	·14	—	—	·07	·05		1
2		·06				08	·03	·11	—	–	–	—		2
3				·38		·19	·02		·33	–	·30	·01		3
4			·14			·03			·21	–	·08	·08		4
5	·32		·08					·01	—	–	–	·01		5
6	·54					·04			·14	–	·40	—		6
7	·16		·05			·04	·02		·03	–	·19	·08		7
8	·42		·12						—	–	·13	·10		8
9	·89		·08				·30		·24	·03	–	—		9
10	·05				·01		·03	·36	—	–	·	—		10
11				·08				·09	·03	–	1·40	—		11
12				·05		·21	·24		·30	–	·29	·18		12
13						·10			—	·02	·18	·58		13
14		·10				·11	·63		·20	–	·02	·70		14
15		·06							·06	–	·06	·25		15
16	·10	·18					·08		·02	–	·23	·05		16
17	·30	·85				·18	·01		—	–	16	·27		17
18		·25				·74	·28		—	·01	–	·23		18
19	·38	·03	·04	·05		·30	·10	·10	—	–	–	—		19
20	·18	·12	·13	·47			·01		1·26	–	–	—		20
21		·02		·33		·18			—	–	·	—		21
22	10	·41	·09		·18		·19		—	–	–	·10		22
23	·02		·44	·07	·02	·05	·30		—	·04	–	—		23
24	·12	·09							·07	·63	–	—		24
25	·04		·12	·22			·45		·16	·14	·07	—		25
26	·13	·16	·10				18		·02	·12	–	—		26
27	·27		·09				·01		·18	·31	–	—		27
28	·84		·20				39		–	—	–	·14		28
29		·10	·07			·36	·05		–	·02	·24	·05		29
30	·15	✕			·08	·31	·01		–	·43	—	—		30
31	·35	✕	·27	✕	·01	✕	·26		✕	·34	✕	·50		31
TOTAL	5·68	2·51	2·06	1·89	·30	3·27	3·96	·81	3·07	2·09	3·82	3·38	Year's Total 32·84	
* Days with .01 in. or more.	20	14	16	9	5	16	22	6	15	11	15	17	166	
* Days with .04 in. or more.	19	12	16	9	2	15	14	5	11	7	14	15	139	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 750

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Upton Grey, Hoddington Ho.

in the County of Hampshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Jan. adjusted by surr. Stns. for T.V

Query next Dec 13th corrd. by obsr. see file 25.1.38

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·34	—	—	·01	—	—	—	—	·01	·08	·70	·85		1
2	·02	·53	—	·19	—	—	—	—	·15	—	—	·32		2
3	—	·34	·14		—	—	—	—	—	—	—	·04		3
4	·10	·60	—		—	—	—	—	—	—	—	·30		4
5	·14	·05	·15	·01	—	—	·10	—	—	—	—	—		5
6	·06	·10	·70	·06	·10	—	—	—	—	·09	—	—		6
7	—	·63	—	·09	—	—	—	—	·02	—	—	·02		7
8	—	·01	—		·12	—	—	—	—	—	·10	·25		8
9	—	—	—	·20	·09	·04	·04	—	·27	—	—	·34		9
10	—	—	·74	·38	·06	·27	·01	·37	—	—	—	·48		10
11	·38	—	·09		·50	·07	·07	—	—	—	—	—		11
12	—	·26	·21	·09	1·03	·24	—	·13	·10	—	—	·33		12
13	·20	·05	·49	·11	—	—	—	·23	·11	—	—	·~~2~~63		13
14	·02	·03	·31		—	—	—	·56	·06	—	—	·02		14
15	·35	·17	—	·15	—	—	·30	—	·15	—	—	—		15
16	·03	·20	·55	·29	—	·25	—	·23	·67	—	·02	—		16
17	·76	·02	·14	·03	—	·05	—	—	·27	—	·14	—		17
18	·27	·06	—	·06	—	—	—	—	—	—	—	·10		18
19	·09	·10	·07	·14	—	·29	—	—	·10	—	—	—		19
20	·67	—	·09	·18	·71	—	·01	—	—	—	—	—		20
21	·83	·51	·05	·01	—	—	—	—	—	·01	—	·01		21
22	·53	·05	·12		·27	·21	·10	—	—	·90	·42	·11		22
23	·23	·06	·01		·17	—	·01	—	—	·34	·12	—		23
24	·45	·52	—		—	—	—	—	·11	·60	—	—		24
25	·43	·56	·30		1·14	—	—	—	·11	·16	—	—		25
26	—	·36	—		·08	—	—	—	—	·12	—	—		26
27	·10	·11	—	·12	—	—	—	—	—	·72	—	—		27
28	—	·05	—		—	—	—	—	—	·08	—	·03		28
29	—	—	—		—	—	—	—	—	·08	·06	·01		29
30	·43	✕	—		—	·04	—	·27	—	·02	·18	—		30
31	·39	✕	—	✕	—	✕	—	—	✕	·25	✕	·02		31
TOTAL	6·82	5·37	4·16	2·12	4·27	1·46	·64	1·79	2·13	3·45	1·74	3·~~2~~86	Year's Total 37·~~2~~81	
* Days with .01 in. or more.	22	23	16	17	11	9	8	6	13	13	8	17	163	
* Days with .04 in. or more.	19	20	15 ~~14~~	13	11	9	5	6	11	1~~0~~1	7	1~~0~~1	13~~7~~8	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 750

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1

REGISTER OF RAINFALL IN 1938

Kept at Upton Grey, Hoddington Ho

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 378 ft.

Copy by B.R.O.

Entry on Oct 19th – adopted from annual return.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01			·01	·25	·01	–	–	·03	·01	·11		1
2	·05	–		·05			·03	–	–	·39	–	·09		2
3	–	–			·18		–	–	–	·60	·02	–		3
4	·02	–					·22	·01	–	·04	–	·14		4
5	–	–					·13	–	–	·45	–	–		5
6	·05	–					·08	–	TR	·01	·01	–		6
7	·06	–					·53	·09	·06	·29	–	·02		7
8	·17	–					·07	·07	TR	·33	–	·03		8
9	·17	·01					–	–	–	·01	–	·92		9
10	·11	–					–	–	–	–	–	·21		10
11	·20	–					–	–	–	–	·21	·22		11
12	·40	–			·06		–	·23	–	·27	·02	–		12
13	·25	·02					–	–	–	·18	·38	·20		13
14	·47	–			05		·03	–	–	–	·01	·02		14
15	·17	–			·01		·85	–	–	·29	–	·25		15
16	·28	–					–	–	–	·08	–	·02		16
17	~~·06~~	·06					·02	–	·08	·15	–	–		17
18	·06	–			03		–	–	·03	–	·41	–		18
19	–	–					–	·13	·10	(·02)	·24	–		19
20	–	–					–	–	·03	–	·45	·01		20
21	·01	–					–	–	·10	–	·03	·42		21
22	–	–					–	·04	–	–	·18	·22		22
23	–	–					–	–	–	–	·14	–		23
24	–	–	·10				–	–	·23	–	·10	–		24
25	·12	·06	·08		·15		·01	·02	–	·05	1·10	·10		25
26	·22	·25	·03				–	–	·04	·16	–	·12	✓	26
27	·15	·02			17		·35	–	·03	·02	·38	–		27
28	·06	·06			47	·34	–	·51	·04	–	–	12		28
29	·08	–			20	·10	–	·10	·18	–	·10	·14		29
30	·12	✕			·08	·18	–	–	·04	·10	·18	–		30
31	·32	✕		✕	·15	✕	–	–	✕	·21	✕	·26		31
Total	3·54	49	·21	·05	1·56	·87	2·33	1·20	·96	3·6~~6~~8	3·97	3·62	Year's Total 22·4~~6~~8	8
* Days with .01 in. or more.	22	8	3	1	12	4	12	9	12	~~19~~ 20	18	20	14~~0~~1	✓
* Days with .04 in. or more.	20	4	2	1	9	4	7	7	9	15	12	15	105	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Col. The Lord Basing

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 750

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Upton Grey Hoddington Ho.
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 378 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·09	·21	·19	–	–	·01	·10	—	—	·03		1
2	·04	—	·01	·02	—	–	–	·70	·33	·01	·01	–		2
3	·54	—	—	·25	—	–	–	·16	—	—	·27	·19		3
4	·07	—	·23	·23	—	–	·10	·28 ✓	—	·47	·16	·07		4
5	–	—	—	·10	·15	–	·04	·11 ✓	—	·20	·40	–		5
6	·28	—	·02	–	·02	–	·92	—	—	·17	·76	–		6
7	·02	·08	—	–	—	–	–	·04	—	·37	·35	·17		7
8	·08	·18	·23	–	—	–	·03	·16	—	·14	·24	·34		8
9	·01	·10	—	–	—	–	–	·11	—	·18	·07	·20		9
10	·31	—	—	–	—	·08	–	·15	—	·23	·05	–		10
11	—	·01	·17	–	—	–	–	—	—	—	·03	·01		11
12	–	—	—	–	—	·06	–	—	—	—	—	–		12
13	—	—	—	·07	—	–	28	—	·08	1·65	·02	–		13
14	·59	—	—	·04	·05	·01	·17	—	—	·25	·56	–		14
15	·30	—	—	–	·46	·32	·05	—	·03	·89	·13	·01		15
16	·46	—	·02	–	·07	·11	·21	—	—	·01	·34	–		16
17	·21	02	—	–	·09	–	·40	—	—	·69	·07	–		17
18	·35	—	·02	–	–	·22	·26	—	—	—	·38	–		18
19	·23	—	—	–	—	–	25	—	—	·13	—	–		19
20	·31	—	—	–	—	–	48	—	—	—	—	·02		20
21	·09	·19	·04	–	—	·24	07	·01	·07	—	—	–		21
22	·20	·31	·01	–	—	·20	·09	—	·01	—	·16	–		22
23	·01	—	—	·14	—	–	·02	·02	—	—	1·20	·01		23
24	·28	—	—	·01	—	·05	·07	—	—	·02	—	–		24
25	✓·65	·41	—	—	—	–	·03	—	—	—	·31	–		25
26	·08	—	·01	—	—	–	–	·07	—	·07	·26	–		26
27	·01	·07	·14	·04	—	–	–	—	—	·02	·17	–		27
28	—	·16	·06	–	—	·04	·09	—	—	—	·10	·16		28
29	—	×	—	·15	—	–	·22	—	—	·08	·10	–		29
30	—	✕	—	·85 ✓	—	·09	–	—	—	·03	·03	–		30
31	—	✕	—	✕	–	✕	·20	·20	✕	·04	✕	–		31
TOTAL	5·23	1·53	1·05	2·11	1·03	142	3·98	2·02	·62	5·65	6·17	1·21	Year's Total 32.02	✓
* Days with .01 in. or more.	23	10	13	12	7	11	20	13	6	20	24	11	170	✓
* Days with .04 in. or more.	18	8	7	10	6	10	17	10	4	15	20	6	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 750 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Upton Grey, (Hoddington Ho)
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 378 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	·04	-		1
2	-	·08	-	·19	-	-	·03	-	-	·03	·80	trace		2
3	-	·28	-	-	-	-	·01	-	-	·23	1·25	·06		3
4	-	·10	-	-	-	-	TR	-	-	·24	·07	·04		4
5	-	-	-	-	-	-	·10	-	-	·12	·45	·19		5
6	·21	·30	-	-	TR	-	·30	-	-	·36	-	-		6
7	·09	·26	-	-	·02	-	·04	-	tr	-	-	trace		7
8	-	-	-	-	-	-	TR	-	·04	·38	·01	·22		8
9	-	-	-	-	-	-	-	-	·03	·21	·30	·19		9
10	-	-	-	-	-	tr	·29	tr	tr	·06	·10	·02		10
11	-	·01	-	·02	-	-	·03	-	-	-	1·08	-		11
12	-	-	·20	-	-	-	·08	-	·13	tr	·10	-		12
13	-	·01	·67	-	-	-	-	-	·22	-	1·05	-		13
14	-	-	·09	·06	-	-	·02	-	tr	·39	-	·31		14
15	-	-	·01	-	TR	-	·82	-	·03	·04	·77	·01		15
16	-	·46	·17	·20	-	tr	·08	-	·26	·55	1·00	·03		16
17	-	-	·45	-	-	-	TR	-	·01	tr	·10	-		17
18	-	·26	·35	·38	-	-	·23	·05	·01	·19	·06	·11		18
19	-	·09	·10	·10	-	-	·20	-	·83	tr	·18	trace		19
20	-	-	·02	·05	-	-	TR	·02	·06	-	·11	-		20
21	·01	-	-	-	·22	-	·18	-	tr	·23	·58	-		21
22	·02	-	·02	·01	·15	·39	-	-	·08	tr	tr	-		22
23	-	·06	·09	-	-	·20	-	-	-	-	·01	-		23
24	-	-	-	-	-	-	·21	-	-	-	tr	trace		24
25	·02	-	·45	·01	-	-	·02	-	-	tr	-	-		25
26	·79	·26	·29	-	·19	·05	·04	-	-	-	-	-		26
27	·65	·34	-	·04	-	-	·13	-	-	-	-	-		27
28	·34	tr	-	·24	·06	-	-	-	-	-	-	trace		28
29	·16	·12	·13	·08	·07	·01	-	-	-	-	-	·28		29
30	·05	✕	-	·05	-	-	-	-	-	·21	-	trace		30
31	-	✕	-	✕	-	✕	-	-	✕	·72	✕	·06		31
TOTAL	2·34	2·63	3·04	1·43	·71	·65	2·81	·07	1·70	3·96	8·06	1·52	Year's Total 28·92	✓
* Days with .01 in. or more.	10	14	14	13	6	4	18	2	11	15	19	12	138	✓
* Days with .04 in. or more.	7 ✓	12 ✓	11 ✓	10 ✓	5 ✓	3 ✓	1~~2~~3 ✓	1 ✓	7 ✓	14 ✓	17	9	109	✓

† Spare column, no entries required.

(*Signed*) Col. The Lord Basing

* See Instruction 3 (f) on other side.

[P.T.O.]